

January 1985

Canada \$4.95

U.K. £3.35

\$3.95

Just for your
TRS-80® COLOR
TDP System 100
Dragon & MC-10

The

RAINBOW®

THE COLOR COMPUTER MONTHLY MAGAZINE

A Timesharing Crisis:

Beginners Issue

Elementary Graphics

A Simple Text Processor

The Interplanetary Fruit Fly

And BASIC Tutorials



Plus
Scroll
Control
Rainbow
Checkbook
Graphics
Quickies
Disk Test
And,
More Than
Two Dozen Product
Reviews

T
h
e

R
A
I
N
B
O
W

1/85

E
N
G
I
N
E
E
R
S

Vol. IV
NO. 6



ANNOUNCING!

The SAILOR MAN

3 Screens-Plus-"INVISO SCREEN"

The First 64K Arcade Game For the Color Computer

The first screen objective is to catch enough of Elsie's kisses (those Red Heart Shaped Things) to fill in the squares on the Sailorman's house. If you can time your punch just so, you can send the punching bag over to knock the bucket down and, with a little bit of luck, right onto **Bigfatbadguy's** head. This will give you a little (but not much) time to catch all those RHSTs.

You must avoid contact with **Bigfatbadguy** who is actively pursuing you. You must also be careful of **Olduglysea-woman** who will appear at higher difficulty levels to chuck empties at you. Either avoid the flying bottles or punch them (with the fire button) to keep from being knocked into the water.

The second screen objective is to collect enough notes to play Elsie a little love song. You may jump off and onto the other end of **Fatguyeatingahamburger's** teeter totter to fly up a deck and even two decks if you manage to catch hold of **Smartaleckkid's** grab handles. Time it right and away you go.

The Third screen objective is to collect enough letters (thrown by Elsie's cries for H-E-L-P) to complete a ladder all the way to the crow's nest where Elsie is calling you. Beware of the Crow, however, who thinks you are after her eggs!

On all screens, eating a can of **collard greens** (labeled "S" for Collard and grasped by punching the can just right) will give you amazing speed, strength and agility and allow you to send **Bigfatbadguy** into the drink with a single punch.

PLUS...

1. All Machine Code
2. Save Scores Feature
3. Start on any screen
4. Set your own difficulty level
5. Choose the number of men desired



REQUIRES 64K

DISK \$34.95 TAPE \$29.95



TOM MIX SOFTWARE
4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

(616)957-0444

•ADD \$2.50 POSTAGE & HANDLING•TOP ROYALTIES PAID•
•MICHIGAN RESIDENTS ADD 4% SALES TAX•
LOOKING FOR NEW SOFTWARE



ARCADE ACTION GAMES



Slots & Cards

VGA Graphics Depicted



microdeal

576 S. Telegraph
Pontiac, MI 48053
☎ (313) 334-5700

Did you ever dream of visiting VEGAS, but you weren't sure what to expect — or if you would be able to afford it? Well, now you can play your favorite slot machine, or sit down at the blackjack table without even leaving the comfort of your home. Browse through different style slot machines (many different Multiplier slots). Visit the change booth if - or is that when? - you run out of cash, without feeling a pain in your wallet. Walk around the corner and sit down at any of a number of different style card games. Enjoy video five card draw poker - where it takes jacks or better to win. Or play Blackjack against the ever treacherous house dealer. Play Hi-Low and wager the max every chance you get. Do you like Keno? If so, choose your numbers, then sit back and wait to see if they are drawn!

All versions display vivid true to VEGAS graphics. Whatever your game, Slots & Cards has it for you! Slots & Cards is available for the IBM PC & Compatibles, Commodore Amiga, Atari ST and the CoCo III.

See your local dealer for orders and information or call us directly

From Computer Plus to YOU ...
PLUS after **PLUS** after **PLUS**



Tandy 1400 FD \$869*
 Tandy 102 32K \$439*
 Tandy WP-2 \$279



Color Computer 3
 w/128K Ext. Basic \$115*



Tandy 1000 SL/2 \$749
 Tandy 1000 TL/2 \$929



DMP-133 \$199*



Color Computer Disk Drive
 Drive 0 \$239 Drive 1 \$149



TandyFax \$839

BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS

Tandy 1000 HX 1 Drive 256K	259.00*
Tandy 2500 XL 1 Drive 1 Meg	1119.00
Tandy 3000 NL 1 Drive 512K	869.00*
Tandy 2800 HD 1 Drive 1 Meg	2529.00
Tandy 1100 FD 1 Drive 640K	779.00

PRINTERS

Radio Shack DMP-107 120 CPS	219.00
Radio Shack DMP-442 300 CPS	539.00
Radio Shack DMP-133 160 CPS	199.00*
Radio Shack DWP-230 Daisy Wheel	179.00*
Tandy LP-1000 Laser Printer	1899.00
Tandy DMP-240 192 CPS 8 color	399.00
Star Micronics NX-1000 Rainbow	269.00
Panasonic KXP 1180 192 CPS	219.00*
Panasonic KXP 1191 240 CPS	259.00*
Panasonic KXP 1124 192 CPS	329.00*
Okidata 320 300 CPS	369.00
Okidata 390 270 CPS 24 Wire HD	515.00
OKI Laser 400 4PPM	999.00

MODEMS

Radio Shack DCM-6	52.00
Radio Shack DCM-7	85.00
Practical Peripheral 1200 Baud	149.00
Practical Peripheral 2400 Baud	179.00

COLOR COMPUTER MISC.

Radio Shack Drive Controller	79.00*
Extended Basic Rom Kit(28 pin)	14.95
64K Ram Upgrade Kit(2 or 8 chip)	39.00
Radio Shack Deluxe Keyboard Kit	24.95
HI-RES Joystick Interface	8.95
Color Computer Deluxe Mouse	44.00
Multi Pak Pal Chip for COCO 3	14.95
COCO 3 Service Manual	29.95
Serial to Parallel Converter	59.95
Radio Shack Deluxe Joystick	19.95
Magnavox 8515 RGB Monitor	299.00
Magnavox Green or Amber Monitor	99.00
Radio Shack CM-8 RGB Monitor	249.00
Radio Shack VM-4 Green Monitor	99.00
PBJ OK COCO 3 Upgrade Board	24.95
PBJ 512K COCO 3 Upgrade	139.00
Tandy OK COCO 3 Upgrade Board	29.95
Tandy 512K COCO 3 Upgrade	149.00

COLOR COMPUTER SOFTWARE

	TAPE	DISK
The Wild West(COCO3)		25.95
Worlds Of Flight	34.95	34.95
Mustang P-51 Flight Simul.	34.95	34.95
Flight 16 Flight Simul.	34.95	34.95

COCO Util II by Mark Data	39.95
COCO Max III by Colorware	79.95
Max 10 by Colorware	79.95
AutoTerm by PXE Computing	29.95 39.95
TW-80 by Spectrum (COCO3)	39.95
TeleWriter 64	49.95 59.95
TeleWriter 128	79.95
Elite Word 80	79.95
Elite Calc 3.0	69.95
CoCo 3 512K Super Ram Disk	19.95
Home Publishing by Tandy (CoCo3)	35.95
Sub Battle Sim. by Epyx (CoCo3)	26.95
Thexder by Sierra (CoCo3)	22.45
Kings Quest III by Sierra (CoCo3)	31.45
Flight Sim.II by SubLogic (CoCo3)	31.45
OS-9 Level II by Tandy	71.95
OS-9 Development System	89.95
Multi-View by Tandy	44.95
VIP Writer (disk only)	69.95
VIP Integrated Library (disk)	149.95

Prices are subject to change without notice.
 Please call for shipping charges. Prices in our retail store may be higher. Send for complete catalog

*Sale prices through 7/31/90

CALL TOLL FREE
1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



computer plus
 P.O. Box 1094
 480 King Street
 Littleton, MA 01460
 SINCE 1973

IN MASSACHUSETTS CALL (508) 486-3193

From Computer Plus to YOU...


PLUS after PLUS after PLUS




Model 100 8K \$495
Model 100 24K \$625



Color Computer II
w/16K Ext. Basic \$135
w/64K Ext. Basic \$195



Model 4 16K \$629
Model 4 64K
2 Disk & RS232 \$1020



DMP120 \$385



Color Computer Disk Drive
Drive 0 \$289 Drive 1 \$220



DWP210 \$489
DWP510 \$1295

BIG SAVINGS ON A FULL COMPLEMENT OF RADIO SHACK COMPUTER PRODUCTS

COMPUTERS

Model 4 Portable	
64K w/2 Drives	1020
Model 2000 2Dr	2299
Model 12 1 Drive	2360
Model 16B 1Dr 256K	3965

MODEMS

Hayes Smartmodem II	215
AC-3	125
DC Modem I	89
DC Modem II	160
DC Modem 2212	315

PRINTERS

Silver Reed EXP500 D.W. Par.	365
Silver Reed EXP550 D.W. Ser.	430
CGP115	159
CGP220 Ink Jet	545
DMP110	299
Gemini 10X	265
Gemini Powertype	345
Panasonic P1091	315
Smith Corona Fastext	190
Prowriter 8510	345
Okidata and Epson	CALL

ETC.

Disk Drive Controller	139
Extended Basic Kit	39.95
PBH Ser/Par Conv.	69
64K Ram Chips	62.95
Deluxe Keyboard	35.95
HJL Keyboard	79.95
CCR-81 Recorder	52
Deluxe Joystick (each)	35.95
Joysticks (pair)	22
Video Plus (monitor adapter)	24.95
Video Plus IIC	39.95
Amdek Color 1+ Monitor	299
Amdek Video 300 Green	145
Amdek Video 300 Amber	159
Taxan Color 210 Monitor	245
Taxan Green	125
Taxan Amber	129

SOFTWARE

	(Tape Version)
The King	26.95
Screen Print (specify printer)	19.95
Buzzard Bait	27.95
World of Flight	29.95
Colorpede	29.95

Juniors Revenge	28.95
Pac Attack	24.95
Block Head	26.95
Lunar Rover Patrol	24.95
Lancer	24.95
Typing Tutor	23.95
Galagon	24.95
Scott Adams Adventures	19.95
Sea Dragon	34.95
Colorcome	49.95
Telewriter 64	49.95
O-Pak (disk)	34.95
Key-264K	39.95
Deft Pascal	79.95
Elite-Calc	59.95
VIP Writer	69.95
VIP Calc	69.95
VIP Terminal	49.95
VIP Database (disk)	59.95
Graphicom	29.95

Order any 2 software pieces listed and take 10% off their listed price. All Radio Shack software 10% off list. Send for complete list.

CALL TOLL FREE
1-800-343-8124

- LOWEST POSSIBLE PRICES
- BEST POSSIBLE WARRANTY
- KNOWLEDGEABLE SALES STAFF
- TIMELY DELIVERY
- SHOPPING CONVENIENCE



computer
plus


P.O. Box 1094
480 King Street
Littleton, MA 01460 **SINCE 1973**

IN MASSACHUSETTS CALL (617) 486-3193


Under The RAINBOW



18



32



42

COVER art® by Fred Crawford



The small cassette tape symbols beside features and regular columns indicate that the program listings with those articles are on this month's RAINBOW ON TAPE, ready to CLOAD and RUN. For full details, check our RAINBOW ON TAPE ad on Page 220.

FEATURES

- RAINBOWfest Report** _____ 18
- PICTORIAL** *Spotlighting the Princeton show*
- Better To PUT Than To GET/Alexander B. Trevor** _____ 23
- GRAPHICS TUTORIAL** *Using complementary commands to create graphics*
- Home Sweet Home/Marlene Fearing** _____ 28
- GRAPHICS** *Home is where the CoCo is*
- Keyboard Cassette Editing System/Gary L. Behr** _____ 42
- TAPE UTILITY** *Simplifying your tape commands*
- Link/H. Allen Curtis** _____ 58
- TAPE UTILITY** *A program that concatenates RAM records and writes them on tape*
- Getting The Most From Your Recorder/Norman Latner** _____ 76
- PERIPHERALS** *Upgrade your cassette recorder with some good techniques and materials*
- Block Out Troublesome Granules/Charles C. Zimmer** _____ 89
- DISK UTILITY** *A thorough test program for checking your disks for errors*
- A Simple Text Processor/Ashok Basargekar** _____ 103
- ML UTILITY** *An easy, efficient text handler*
- The Diskette Directories Handler System/Marvin E. Swan** _____ 120
- DISK UTILITY** *Part III, the final in a series on diskette file organization*
- The Interplanetary Fruit Fly/Martin Kaste** _____ 140
- GAME** *Defend yourself against the space age fruit fly*
- Graphic Quickies/CoCo Enthusiasts** _____ 146
- GRAPHICS** *Seven short programs to delight and amuse you*
- Scroll Control And LList Masterr/H. Allen Curtis** _____ 150
- UTILITY** *Modifying a BASIC command*
- Like Sands Through The Hourglass/Mary Crooks** _____ 156
- PROGRAMMING UTILITY** *A short graphics routine for visual entertainment*
- Cooking with CoCo/Colin J. Stearman** _____ 164
- EXPANDING BASIC** *Part VII, teaching CoCo to clean up after its errors*

NEXT MONTH: In direct response to our RAINBOWfest-Princeton survey, February will be our "Utilities Issue" because of the high interest in, and demand for, these programming helpers.

We'll also kick off RAINBOW's third annual Adventure contest in addition to our usual wide spectrum of articles and programs. Look for THE RAINBOW for more on the Color Computer than is available from any other source!

COLUMNS

<input type="checkbox"/> BASIC Training /Joseph Kolar	85
<i>An open-ended exploration</i>	
<input type="checkbox"/> Bits And Bytes Of BASIC /Richard White	233
<i>Finalizing the Rainbow checkbook</i>	
Building January's Rainbow /Jim Reed	16
<i>Highlights from the RAINBOWfest survey</i>	
<input type="checkbox"/> Byte Master /R. Bartly Betts	242
<i>The 6809 instruction set — zeroing in on "the real thing"</i>	
Earth To Ed /Ed Ellers	174
<i>Beam up those "tech" questions</i>	
<input type="checkbox"/> Education Notes /Steve Blyn	55
<i>Helping youngsters form categories</i>	
Education Overview /Michael Plog, Ph.D.	159
<i>A practical alternative for creating a pupil database</i>	
<input type="checkbox"/> Game Master's Apprentice /George Firedrake and Art Canfil	128
<i>Designing your own Adventure</i>	
Print#-2 /Lawrence C. Falk	12
<i>Editor's notes</i>	
School Is In The Heart Of A Child /Bob Albrecht and Ramon Zamora	48
<i>Binary birthday cakes, letters and more Wordsworth</i>	
Turn Of The Screw /Tony DiStefano	68
<i>An introduction to the inside of the CoCo 2</i>	
<input type="checkbox"/> Wishing Well /Fred Scerbo	32
<i>EZ-graphics — '85 style</i>	

RAINBOWTECH

Downloads /Dan Downard	258
<i>Answers to your technical questions</i>	
<input type="checkbox"/> Personable Pascal /Daniel A. Eastham	261
<i>Block structure and recursion</i>	
hogg_wash /Frank Hogg	269
<i>More 128K</i>	
OS-9 Utility /Lew Middaugh	272
<i>Random numbers for the OS-9 C compiler</i>	
Random Basics /Paul Searby	280
<i>Design and development of application software, part V</i>	

DEPARTMENTS

Advertiser Index	288	Reviewing Reviews	191
Back Issue Information	93	Scoreboard	178
CoCo Clubs	252	Scoreboard Pointers	180
Corrections	232	Submitting Material	
Letters To Rainbow	6	To Rainbow	194
The Pipeline	136	These Fine Stores	286
Received And Certified	188		

PRODUCT REVIEWS

Product Review Contents	185
--------------------------------	-----

RAINBOW

January 1985

Vol. IV No. 6

Editor and Publisher
Lawrence C. Falk

Managing Editor James E. Reed

Senior Editor Courtney Noe

Technical Editor Dan Downard

Submissions Editor Jutta Kapfhammer

Copy Editor Tamara Solley

Reviews Editor Monica Dorth

Editorial Assistants Valarie Edwards,

Wendy Falk, Debbie Hartley,

Suzanne Benish Kurowsky, Lynn Miller,

Shirley Morgan, Kevin Nickols

Technical Assistant Ed Ellers

Contributing Editors Bob Albrecht,

R. Bartly Betts, Steve Blyn,

R. Wayne Day, Tony DiStefano,

Dan Eastham, Frank Hogg, Don Inman,

Joseph Kolar, Michael Plog, Dale Puckett,

Fran Saito, Paul Searby, Fred Scerbo,

Richard White

Art Director Sally Gellhaus

Assistant Art Director Jerry McKiernan

Designers Neal C. Lauron, Kevin Quiggins

Advertising Coordinator Doris Taylor

Advertising Representative Kate Tucci

Advertising Assistant Debbie Baxter
(502) 228-4492

General Manager Patricia H. Hirsch

Asst. General Manager for Finance Donna Shuck

Bookkeeper Diane Moore

Advertising Accounts Beverly Taylor

Dealer Accounts Judy Quashnock

Administrative Assistant to the Publisher
Marianne Booth

RAINBOWfest Site Management Willo Falk

Director of Fulfillment Services Bonnie Shepard

Asst. Customer Service Manager Deidra Henry

Customer Service Representative Sandy Apple

Word Processor Manager Lynda Wilson

RAINBOW ON TAPE Subscriptions Monica Wheat

Research Assistants Laurie Falk, Judi Hutchinson,
Debbie Leake, Loretta Varda

Dispatch Janice Eastburn

Production Assistant Melba Smith

**For RAINBOW Advertising
and Marketing Office
information, see Page 288**

THE RAINBOW is published every month of the year by FALSOFT, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. THE RAINBOW and THE RAINBOW logotypes are ® trademarks of FALSOFT, Inc.

Second class postage paid Prospect, KY and additional offices. USPS N. 705-050 (ISSN No. 0746-4797). POSTMASTER: Send address changes to THE RAINBOW, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Authorized as second class postage paid from Hamilton, Ontario by Canada Post, Ottawa, Ontario, Canada.

Entire contents © by FALSOFT, Inc., 1984. THE RAINBOW is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.


TRS-80, Color BASIC, Extended Color BASIC, Scripsit and Program Pak are ® trademarks of the Tandy Corp. CompuServe is a ® trademark of CompuServe Inc.

Subscriptions to THE RAINBOW are \$28 per year (\$31 after Jan. 1, 1985) in the United States. Canadian rates are U.S. \$35 (\$38 after Jan. 1, 1985). Surface mail to other countries is U.S. \$65 (\$68 after Jan. 1, 1985), air mail U.S. \$100 (\$103 after Jan. 1, 1985). All subscriptions begin with next available issue.

Limited back issues are available. Please see notice for issues which are in print and costs. Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in U.S. currency only.

LETTERS TO THE RAINBOW

ARTS AND LETTERS



Envelope Of The Month

John and Meeling
Walkerton, Ontario

PRIDE AND PREJUDICE

Editor:

Whether you ever publish this in your magazine or not, I've held the pride I feel in your publication back far too long!

Unfortunately, I'm an old lady and cannot read the computer language and I deeply regret that. However, I read all the English parts I possibly can and love every minute of it.

I'm sure the staff is excellent and your Editor is very fortunate to have you. I couldn't be more prejudiced than I am to your Editor, because I am Lonnie's Mom.

Mildred C. Falk
Birmingham, AL

WHAT'S A MOTHER TO DO?

Editor:

Regarding your article in the October '84 issue of RAINBOW, "Everyone Wants More

RAM . . .," I am a new CoCo owner and a mother of four kids. If I want "my turn" it has to be when the kids are in school or in bed so I relate to your problem in terms of my own dilemma; not enough RAM in my days and not enough K's in my CoCo. The K problem I am going to deal with by having a 64K package and a double-disk drive added to my unit. As for getting my share of time with the unit, well, the kids will eventually leave home and I'll get more time on the CoCo then.

I am enjoying my computer, but for my money RAINBOW has really added something special to our family's computer experiences. Keep THE RAINBOW bright!

Kathy Fjeldsted
Lundar, Manitoba

MAKING A COMPROMISE

Editor:

I think THE RAINBOW is an excellent magazine and is well laid out. Keep up the good work.

In your article ["Building October's Rainbow," Page 16] on what to put in THE RAINBOW (re: long 64K programs vs. short programs and more dialogue), I have this suggestion. Yes, we would like to see good, long version programs, but how about a compromise? Split the long programs over a couple of monthly editions. I don't think we will mind much and it gives a rest in between listings on the key-in. It would be to your advantage, too — it gives you more pages for articles and maybe increased circulation. Those who buy off-the-shelf magazines will have to buy next month's or make requests for last month's if they only have the second half.

John Felker
St. Catharines, Ontario

BLUEPRINTS FOR THE BUILDER

Editor:

The computer desk plans that Lloyd Wing (October 1984, Page 7) and other computer buffs may be interested in are in *Mechanix Illustrated*, February 1984.

The plans offer a flexible arrangement with locked compartment and a slide-out tray holding the computer keyboard.

Although the desk is made out of red oak plywood in the article and is estimated to cost \$180, a less expensive grade of material could be used with excellent results.

Thomas Remakel
Dubuque, IA

Editor:

I have been buying magazines for 29 years for the purpose of learning and improving my abilities. THE RAINBOW is by far the best I have read. Enough, too much flattery might cause you to byte your bits.

In the October 1984 issue was a request for the location of some home built

computer table plans. I recommend the August 1984 *Popular Science*. There are several excellent computer table projects — winners of the annual plywood panel construction contest — well worth looking at and not expensive to build.

As for the already built, everybody with furniture is featuring some kind of computer furniture — at all kinds of prices.

Keep up the outstanding work and on to the next RAINBOWfest!

Robert A. Clark
Mooretown, NJ

ON THE HUMOROUS SIDE . . .

Editor:

It appears that in the October issue, "Information Please" section of the "Letters To THE RAINBOW" you must have left out much of Lloyd E. Wing's request, i.e., "I would like an example of both a purchased and homemade product: allowing for a monitor, disk drive and printer."

"... another printer (for color), Y cable, ROM pack, another disk drive, cassette recorder, diskette filebox, another diskette filebox, chart and paper storage, six or more desk drawers, cassette filebox, another cassette filebox, notepad, pencil holder, trash basket, 20 gallon trash can — rubber, it hurts less when you kick it (Note: a 9600 Baud printer requires 33 gallons or better), desk lamp, aspirin holder, at least a 200-socket spike protected extension cord (a dedicated utility company may be substituted), modem, RS-232 switcher, printer interface, telephone, holder for THE RAINBOW magazines, bookcase, coffeepot with cup (an A.A. meeting list may be substituted), CoCo programming will require a change of socks and underwear (for all night sessions), calendar, radio, intercom (to let the family know of success — the sound of foot striking rubber trash can will suffice for failure), in-basket — nothing ever leaves, clock, checkbook (filled and solvent) a jillion stamps, envelopes, helpfully a Bible, picture of loved ones (for later comparisons), portable potty (not required if touch typist), dictionary for Adventures and a place to store joysticks . . ."

THE RAINBOW is doing Mr. Wing a great disservice by failing to correct his letter to a more realistic request.

DaDa and CoCo Hatton
Cockeysville, MD

HINTS AND TIPS

Editor:

I own a CoCo 2 which I recently upgraded to 64K. I found out that the IBM PC uses the same 4164 RAM chips. I was able to buy nine 150ns chips for \$39 plus tax at an Austin PC store. So, when thinking of upgrading, check to see if there are any bargains at your local PC store before you settle for 200ns chips.

I've received a tremendous amount of enjoyment in the three months that I've owned my CoCo. The very first program I typed in was a "Sample Program #5" from the *Extended BASIC Manual*. If you like graphics, but don't enjoy typing long

listings, you'll love this one. It is short and sweet. Be sure to make the following changes for different effects:

- 1) 3 POKE 65495,0
5 PMODE 4,1
10 PCLS
15 SCREEN 1,1
80 GOTO 20
- 2) delete lines 30,35,65,70
replace Line 40 with:
40 COLOR RND(4)-1,RND(4)-1

First do the changes in part 1 and *RUN*, then do the changes in part 2 and *RUN*.

Daniel Ortiz
Austin, TX

BACK TALK

Editor:

I have been copying listings from THE RAINBOW into my Color Computer, but found it quite tedious to keep glancing from the magazine to the keyboard to the CRT screen. The other night I was wishing I could persuade my wife to read the listings to me, when it suddenly occurred to me I could dictate the listings to a cassette tape, then play that back while typing in the program. With a little experimentation in speed, groupings of characters, etc., I found this a big improvement. I used a foot switch, which is available at Radio Shack, to control the recorder while typing the listings.

I hope this helps others as much as it has helped me.

Russell R. Yost
Phoenix, AZ

EDITING ERRORS

Editor:

I have discovered that it is easier to correct errors if you type *EDIT* and the line number (e.g., *EDIT 100*) then press 'X' and backspace to the error. If you run out of paper while printing something, you can press the SHIFT @ key which will pause it, change paper and then press any key to start printing.

Robert Bowlby
Spencer, WV

Editor:

To all you people who wound up with an Epson MX-80 printer and Radio Shack's Disk Color *Scripts*, and found out all you could print was garbage: if you use the print spool feature of *Scripts*, not only will the printer work, but you'll be able to work on something else while it's printing the spool file.

Thanks for one terrific magazine. you make the CoCo worthwhile.

Andrew R. Ilowit
Hollywood, FL

WITH A FLIP OF THE SWITCH

Editor:

I have recently purchased the 64K Disk version of *Coco-Accountant II* from Federal Hill Software and the RGS Micro Dual DOS Card from Software Support.

Coco-Accountant II is a very good program; in fact, I am using it to do the

P.T.A. records. It does everything Federal Hill Software states, and is menu-driven.

The only problem is that the 64K Disk version is not compatible with JDOS. This must be used with Disk BASIC. This presented a problem in the beginning, as I did not know why the program did not function properly; however, with Federal Hill's help and assistance, we found that it was due to my use of JDOS. This is why I purchased the Dual DOS Card and Switch.

The directions that came with the Dual DOS Card were easy to follow and the installation was quickly performed. The hardest part was to drive a hole for the switch.

With this Card I can change from JDOS to Disk BASIC just by the flip of the switch and I don't have to worry about future incompatibility with JDOS.

Harold M. Bloom
Princeton, NJ

'CASTING' LINES

Editor:

If you would like to play *Gone Fishing* (THE RAINBOW, Jan. 1984, Page 158) and not have your line disappear, make the following changes in your program:

```
220 GET (125,128)-(135,136),M,G
600 LINE (149,40)-(149,K),PSET
610 PUT (140,K+0)-(150,K+6),M,PSET
```

Ted Mayor
East Greenbush, NY

POSITIVE OR NEGATIVE

Editor:

In the September 1984 issue [Page 6], Burnie Whiddon from Orlando gave a method of finding the exclusive OR of two integers. His method works for integers from 1 to 32767, but there is a simpler method to do the same thing and it works from -32767 to +32767. Of course, you have to know how the negative numbers are stored. Try the following lines:

```
10 INPUT "NUMBERS TO
XOR";A,B
20 PRINT (A OR B) - (A AND B)
```

These will produce the desired XOR.

Mike Moore
Nepean, Ontario

ALL IN THE FAMILY

Editor:

As the publisher and exclusive marketing agent for the genealogical database *Family*, I would like to thank Mr. Howard Lee Ball for his praise of the program *Family* in a review of another genealogy program [*Ancestors 2.0* November 1984, Page 218]. The review states that Mr. Knight cooperated with the writer of *Ancestors* which is a disk-based system. *Family* was originally a tape-based system only.

We would like to inform the readers that Petrocci Freelance Associates has converted

Mr. Knight's *Family* to disk so it is now available on both tape and disk. The new disk version is \$19.95. We feel it is only fair to Mr. Knight to make sure that readers know that his own program, *Family* is available in either format.

Susan Petrocci
Petrocci Freelance Associates
Tucson, AZ

Editor:

I am writing in response to the request of Mr. Dieter Klose in the November 1984 "Letters To THE RAINBOW" column. Mr. Klose inquired about computers and graphics printers for use in the production of his large-scale animated cartoon. Your Editor's Note suggested our program, *The Animator*, might help. While we thank you for the mention, I believe Mr. Klose had something else in mind. To set the record straight, *The Animator* does not support output to a graphics printer. A special "commercial version" of *The Animator* is being used by several graphics and advertising companies (making transfers directly to videotape). For Mr. Klose's purposes, we would recommend either a full-scale main-frame system or traditional film animation.

Stan Osterbauer, President
Triad Pictures Corp.
Sequim, WA

INFORMATION PLEASE

Editor:

Can someone send me a copy of the *Real Talker* "English to Phenome Dictionary"? They are no longer available from Colorware. I would be happy to pay for the copies. Thanks. Write to me at Rt.1, Box 103, 56444.

Gary Hansen
Deerwood, MN

Editor:

Congratulations on a fine magazine. Each month, with about five magazines of interest in the electronics field coming to me, yours rates tops.

I am interested in a program to help locate the settings for a TVRO (television receive only) antenna.

It would allow me to enter my latitude and longitude, degrees, minutes and seconds. Then the location of the desired satellite in the Smith Belt and tell me the elevation and degrees from true north to set the antenna.

With all the interest in earth stations, privately owned, if the program is not available maybe someone would be interested in writing one. A program writer I am not. Write me at Box 471, 44815.

Carl E. Nay
Bettsville, OH

Editor:

It has been suggested to me that your magazine might be able to assist me in finding out if there is a magazine subscription

which might pertain to the MC-10 Color Computer put out by Radio Shack.

I am particularly interested in finding out what cassettes, if any, are available for this computer and where a person might obtain the same.

Ann Lobb
Hay River, Northwest Territories

Editor's Note: Please refer to Radio Shack's 1985 Catalog, Page 167.

GOLD IN ENGLAND

Editor:

As a refugee following the demise of *Chromasette*, I can see I have been missing a great deal in not subscribing to THE RAINBOW before now!


Do you have many readers in England? Maybe we can get some together to try and get reasonably priced software over here. Importing software from the United States results in having to pay six percent of value in customs charges and then VAT (tax at 15 percent on top of the converted dollar rate and the customs charge). The choice of non-Radio Shack software over here is severely limited.

Fancy finding the 'pot of gold' at the end of a rainbow over 4000 miles away. Isn't science wonderful!

Contact me at 14 Upcroft Ave., Edgware, Middlesex HA8 9RB England.

Norman Allen
Middlesex, England

It's Here!
AIR TRAFFIC CONTROL SIMULATOR



REALISTIC, FULL-FEATURED . . .

You've heard about our crowded skies and the concerns for air travel safety. Have you ever wondered how the system works? Now YOU can learn. No aviation background is needed. This is a complete educational package which includes the following:

- Air Traffic Control Simulator software on cassette or diskette.
 - 100% machine language.
 - Dramatically exploits the CoCo's processing capability.
 - Simulates 40 mile x 10,000 ft. surveillance volume.
 - Realistic radar presentation displays airborne and surface traffic.
 - Pilot-to-Tower/Tower-to-Pilot communications.
 - Develops ATC skills such as traffic separation, approach/departure vectoring, sequencing and tower procedures.
 - Scoring system provides feedback on controller performance.
 - Three levels of difficulty for beginners to experts.
- Comprehensive manual includes tutorial on Principles of Air Traffic Control.
- Communications quick reference card.

Will educate, entertain and impress CoCo users. Carefully engineered for the novice, yet will challenge the experts.

32K Machine Language. No Joysticks Required.
Tape \$34.95 Disk \$37.95

- No delay for personal checks.
- Money Orders, COD's welcome.
- NO CHARGE for postage, handling or COD's.
- N.Y.S. residents add sales tax.

BETASOFT SYSTEMS

P.O. Box 1174
Smithtown, New York 11787
(516) 666-7240

Dealer Inquiries Invited



Color Power II™

Gives Your Co Co the Power of



Color Power II is the CP/M computer which plugs into your Color Computer and marries its powerful Z-80A microprocessor with the outstanding 6809E microprocessor to allow you to run thousands of business programs including WordStar®, dBase II®, and SuperCalc II.™

Color Power II includes the CP/M 2.2 operating system and generates a high quality 80 column by 24 line display on your 80 column monitor with upper and lower case letters.

Many are developing hardware and software for use with **Color Power II**.

Double Density Software provides **ULTRA TERM +**, a communications program, and **DOUBLE DOS II**, an 80 column generator for Co Co basic. Morton Bay Software provides **DOUBLE DRIVER**, a monitor driver.

PRICES:

COLOR POWER II	\$329.00
ULTRA TERM +	\$ 56.00
DOUBLE DOS II	\$ 40.00
DOUBLE DRIVER or MONO II ..	\$ 25.00

Call us or one of our dealers or send check, Visa or MasterCard number with expiration date. N.J. residents add 6% sales tax.



Color Power Unlimited, Inc.

1260 Springfield Ave., P.O. Box 606-F, New Providence, N.J. 07974 (201) 665-9646

DEALERS

Double Density Software
620 Kings Row
Denton, Texas 76201
817-566-2004

Morton Bay Software
316 Castillo Street
Santa Barbara, CA 93101
805-962-3127

DSL Computer Products, Inc.
P.O. Box 1176
Dearborn, Michigan 48121
313-582-8930

Micro R.G.S. Inc.
759 Victoria Square
Montreal H2Y 2J
800-361-5155

PIRATE PENDENCY

Editor:

Please accept my compliments on the most valuable peripheral I buy for my Color Computer. The high point of my month is always the arrival of THE RAINBOW. I would also like to cast my vote in favor of an article or series on FORTH.

I would like to commend these suppliers: Prickly-Pear Software, Spectral Associates, Spectrum Projects, Tom Mix Software and Double Density Software.

Lastly, I would like to toss out a few comments about software piracy. My question is to the software vendors who deal exclusively, or almost so, in imitations of arcade games. What legal right do these companies have to copy arcade games without licensing them from the original manufacturers? I hear a lot of whining and screaming from these manufacturers about people stealing their software, but it seems to me a case of the pot calling the kettle black. I invite rebuttal from the manufacturers.

Richard P. Adams
Mesquite, TX

KUDOS

Editor:

This magazine definitely is the best CoCo magazine around! The programs are always new, creative and exciting. It makes me feel good when I read about new hardware or software because I know you really know what you're talking about.

Keep up the good work on your great magazine!

Todd Amodeo
Winthrop, MA

Editor:

Congratulations on the success of your magazine. I'm a subscriber of your colorful

magazine. I live in Canada and I've been wondering why nobody thought of doing a RAINBOWfest here in Canada. Everybody is 'CoCo' about THE RAINBOW magazine here.

Serge Larecque
Montreal, Quebec

APPLAUSE, APPLAUSE!

Editor:

As the New Brunswick RAINBOWfest was excellent, the Princeton RAINBOWfest exceeded it by far. I must say that both shows were worthwhile.

I have many, many companies to thank. To start off, for the New Brunswick show, I must thank Mark Data Products for their excellent Super-Pro keyboard and Tom Mix software for their quick delivery of SR-71.

For the Princeton show there are many more companies to thank. First on the list is Computer Plus for their service and the great price on the Okidata Microline 92 printer. (Not to mention the Okidata company for the quality of the printer.) Next, I should mention Micro World II's friendliness and good price on *Sam Sleuth* by Computerware. (Anybody know where some more evidence is on level 2? Got them to the 'lot' but arresting them doesn't work!)

How about MichTron for their Mach II joysticks, for giving us a free *Mudpies* game, and for a good price on *Graphicom*. Yes, they do discount at RAINBOWfests! Thanks to Moreton Bay Laboratory for their *Bjork Blocks* (*Graphicom* and *Bjork Blocks* are perfect together).

I'd also like to commend Compukit Corporation. Their 64K upgrade for \$38, including installation, was a bargain. Although we had some trouble with it, bringing the computer back the next day remedied the problem.

Finally, and most importantly, I'd like to thank THE RAINBOW for supporting the shows and especially the CoCo. You guys have done a great job and we wouldn't be here without you.

Thanks to all.

Eric W. Lund
Millington, NJ

Editor:

Just a line to let you know how much my buddies and I like your magazine, THE RAINBOW. You seem to have an endless supply of goodies. I always try to point a new CoCo owner in the right direction — right to RAINBOW, that is.

"Cooking With CoCo" by Colin J. Stearman is a good example. I have enjoyed every segment so far. He is a fantastic writer in my opinion.

You have too many great articles for anyone to mention them all. As for my CoCo getting lonesome, not as long as I can get a RAINBOW! But my fingers are getting a little stiff, so I also get RAINBOW ON TAPE.

Keep all those great articles, and great people working for us.

Harold Lame
Gallatin, TX

Editor:

On Sunday, September 30, 1984, the drawing for the soft sculpture doll was held at RAINBOWfest in Princeton, N.J. Drawing the tickets for the PJCCC was Willo Falk of THE RAINBOW magazine. Standing by as verifying official was Dan Downard of THE RAINBOW. The winner of the doll was Paul Eckhard, RR 1, Box 152, Palmerton, PA.

Penn-Jersey Color Computer Club
Easton, PA



The *TMP* FreeForm Filer *No Other Program Can Match It!

OUR CAPABILITIES:

THE SYSTEM: This fully prompted, menu driven program, with "HELP" available at any point in the program, gives you real "EASE OF USE."

As you enter or edit your text, you can select any word as a "KEYWORD." You don't have to type your keywords separately! Each "CARD" can contain as many as 117 keywords, and up to nine pages of text similar to a 3" x 5" card, with no field restrictions! Each "FILE DRAWER" can contain up to 32,767 pages per drawer!

THE EDIT: "FULL TEXT EDITING," includes an onscreen editing menu, word wrap and the ability to move lines around in a file. Entire cards may be duplicated within a file drawer, making the use of "STANDARD FORMS" or "TEMPLATES" very easy!

THE SEARCH: You can "SEARCH" for the card title, your keyword, or a combination of both. "WILD CARD SEARCHES" give you even more powerful search capabilities, such as when you can't remember the spelling of a name!

THE RESULTS: You may list the titles of all cards found in your search, print those cards, or write them to a disk file for later printing or use with a word processor. Printing the cards gives you "HANDS ON USE" for maintaining office phone indexes, inventories, and appointment calendars. The FreeForm Filer FILLS THE GAP between traditional data base management and word processing programs!

The *TMP* FreeForm Filer \$124.95



ORDERING INFORMATION:

Mail to:
TMP Software
2431 E. Douglas
Wichita, Kansas 67211

We accept: MasterCard, Visa, American Express, Money Orders and Checks. To speed up your order call toll free at 1-800-255-1382 Ext. 47.

TMP/Total Management Planning Software

GIVE YOU MORE ABILITIES

TO EASILY STORE AND RETRIEVE IMPORTANT INFORMATION HOW THE FREEFORM FILER IS USED

SMALL BUSINESS OWNERS: Inventory, service calls, vendor lists, sales orders, prospect notes, project status notes... the possibilities are endless!

RESEARCHERS: Put your research notes on the FreeForm Filer and you'll never have to worry about where your notes on the "XYZ Phenomenon" were filed!

ATTORNEYS: You can easily find the names of those cases affected by a new court decision, or cases that need briefs filed next month!

DOCTORS: You can list all of your patients affected by new medications!

IN THE HOME: Again, the possibilities are endless... stamp and coin collections, home inventory, payment dates, Christmas card lists, and all your favorite recipes RIGHT AT YOUR FINGERTIPS!

OUR PPD* RATING IS THE BEST IN THE INDUSTRY!

*PERFORMANCE PER DOLLAR: There are cheaper filing programs, but none with the power and performance of the FreeForm Filer.

*A REVIEW BY RAINBOW MAGAZINE said no other filing program "can match the abilities and capabilities" of the *TMP* FreeForm Filer for "applications that require a lot of text, very variable search criteria, speed and efficiency."

The *TMP* FreeForm Filer runs on OS-9 systems and requires 64K RAM, one disk drive, and an 80-column screen. (Also available for IBM-compatible computers, and Sanyo MBC 550 and MBC 555, Zenith Z-100, Canon AS-100 and CX-1, Victor 9000, and Tandy 2000.)

New From Tom Mix...

Worlds of FLIGHT

Not A Game — A Very Realistic Flight Simulation



WORLDS OF FLIGHT (WOF) is a "view" oriented flight simulation for the TRS-80 Color Computer, written entirely in Machine Language. "View" oriented means that the pilot may determine his or her position by actually viewing the surrounding landmarks as opposed to using instruments which sense navigational references. This is a major departure from "instrument only" simulations which can be achieved through BASIC programs. Most instrument maneuvers and procedures may be practiced. The craft is a light-weight, single-engine airplane with low wings. A nose wheel which is both steerable and retractable is also modeled. Some aerobatics are possible including sustained inverted flight, aileron rolls, spins and stalls.



The Experts Say:

C.L. — "As a pilot I found "Flight" to be an outstanding simulation.

M.H. — "No one has created a more realistic flight simulator for the Color Computer."

D. HOOPER, pilot for major airline — "An outstanding flying experience. Very realistic."

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$29.95

DISK \$32.95



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

•ADD \$1.50 POSTAGE & HANDLING•TOP ROYALTIES PAID•

•MICHIGAN RESIDENTS ADD 4% SALES TAX•

LOOKING FOR NEW SOFTWARE

ARCADE ACTION GAMES

TO ORDER CALL 616/957-0444





I really can't think of a nicer time of the year — and the only thing that makes this time of the year bad is that it isn't really that time yet.

I guess I should explain. This is the January issue of THE RAINBOW, but it comes out in mid-December. However, in order for me to meet the deadlines that have been imposed, I have to write it in early to mid-November. So, while I am trying to project myself a month ahead — it is a little hard to do. I'll try.

Because this is the January issue, I think it is important to look at the year which has just ended (or is about to end) and the one that is coming up. First, a few observations about 1984:

George Orwell's society did not take us over during 1984, as neither I nor you really thought that it would. At the same time, we did see computers and machines doing more and more things for people than ever before.

The computer business, in particular, was a good and a bad one. It was good for those of us interested in the CoCo because tens of thousands of users were added to the ranks. At the same time, more and more people looked at the Color Computer for the first time and this has made it what may very well be the most popular low-cost computer going.

For some other people the computer business has not been particularly good. We keep hearing about "the shakeout" — and a lot of people "got shook out." Computer companies. Software houses. Magazines. I've written about all this before, so there is nothing new here. Just an end-of-year observation that Tandy Corporation/Radio Shack seems to be as strong or stronger than ever, while some other people seem to be weaker or non-existent.

Looking ahead, I see the trend continuing. The fact of the matter is that many of the companies which show "new computers" at big shows like COMDEX one year, are nowhere to be seen the next year. One case in point is close to home: Tano Corporation — which had a big display for its U.S. Dragon computer last year. This time around they are not even in the market.

Why don't a lot of these people succeed? That is one of the concerns I think needs to be answered in 1985. And, frankly, I think the answer is that they do not succeed because they don't have anything new that will really grab the market.

The same goes in software. And magazines. No one is going to make inroads into an established market unless they can build a better mousetrap. Someone once wrote a book entitled *To Catch A Mouse, Make A Noise Like A Cheese*. It was a good book and it makes a lot of sense. But, you have to have a better cheese than the guy who has been selling you a perfectly good wheel of cheddar for a couple of years, or why would anyone switch? Too many people in the computer market are expecting people to switch simply because they have arrived on the scene.

What we need in 1985 are new things. New computers. New software. And not just new software, but new concepts. New ideas. I remember when *VisiCalc* first came out — it was the first program that gave the businessperson something he could really use. Apple Computer Co. sold a lot of computers thanks to ads which showed *VisiCalc* running.

I hear that several people are working on new endeavors in a lot of areas. I hope the trend continues and makes it to the marketplace. New programs will make your CoCo an even better investment — you'll be able to do more. And, of even more significance, you'll be able to do things you did not consider it possible to do. That's truly significant.

I see something new coming from a hardware standpoint, too. Whatever comes from Radio Shack will, undoubtedly, be upwardly compatible. That is something I have written about before, and it is a major strong point for the Radio Shack and Tandy line of computers.

In short, I see 1985 as an exciting year! I think it is a year in which the CoCo Community will continue to grow and the support for our favorite computer

Telewriter-64™

the Color Computer Word Processor

- **3 display formats: 51/64/85 columns × 24 lines**
- **True lower case characters**
- **User-friendly full-screen editor**
- **Right justification**
- **Easy hyphenation**
- **Drives any printer**
- **Embedded format and control codes**
- **Runs in 16K, 32K, or 64K**
- **Menu-driven disk and cassette I/O**
- **No hardware modifications required**

THE ORIGINAL

Simply stated, Telewriter is the most powerful word processor you can buy for the TRS-80 Color Computer. The original Telewriter has received rave reviews in every major Color Computer and TRS-80 magazine, as well as enthusiastic praise from thousands of satisfied owners. And rightly so.

The standard Color Computer display of 32 characters by 16 lines without lower case is simply inadequate for serious word processing. The checkerboard letters and tiny lines give you no feel for how your writing looks or reads. Telewriter gives the Color Computer a 51 column by 24 line screen display with *true lower case characters*. So a Telewriter screen looks like a printed page, with a good chunk of text on screen at one time. In fact, more on screen text than you'd get with Apple II, Atari, TI, Vic or TRS-80 Model III.

On top of that, the sophisticated Telewriter full-screen editor is so simple to use, it makes writing fun. With single-letter mnemonic commands, and menu-driven I/O and formatting, Telewriter surpasses all others for user friendliness and pure power.

Telewriter's chain printing feature means that the size of your text is never limited by the amount of memory you have, and Telewriter's advanced cassette handler gives you a powerful word processor without the major additional cost of a disk.

...one of the best programs for the Color Computer I have seen...

— Color Computer News, Jan. 1982

TELEWRITER-64

But now we've added more power to Telewriter. Not just bells and whistles, but major features that give you total control over your writing. We call this new supercharged version Telewriter-64. For two reasons.

64K COMPATIBLE

Telewriter-64 runs fully in any Color Computer — 16K, 32K, or 64K, with or without Extended Basic, with disk or cassette or both. It automatically configures itself to take optimum advantage of all available memory. That means that when you upgrade your memory, the Telewriter-64 text buffer grows accordingly. In a 64K cassette based system, for example, you get about 40K of memory to store text. So you don't need disk or FLEX to put all your 64K to work immediately.

64 COLUMNS (AND 85!)

Besides the original 51 column screen, Telewriter-64 now gives you 2 additional high-density displays: 64 × 24 and 85 × 24! Both high density modes provide all the standard Telewriter editing capabilities, and you can switch instantly to any of the 3 formats with a single control key command. The 51 × 24 display is clear and crisp on the screen. The two high density modes are more crowded and less easily readable, but they are perfect for showing you the exact layout of your printed page, *all on the screen at one time*. Compare this with cumbersome "windows" that show you only fragments at a time and don't even allow editing.

RIGHT JUSTIFICATION & HYPHENATION

One outstanding advantage of the full-width screen display is that you can now set the screen width to match the width of your printed page, so that "what you see is what you get." This makes exact alignment of columns possible and it makes hyphenation simple.

Since short lines are the reason for the large spaces often found in standard right justified text, and since hyphenation is the most effective way to eliminate short lines, Telewriter-64 can now promise you some of the best looking right justification you can get on the Color Computer.

FEATURES & SPECIFICATIONS:

Printing and formatting: Drives any printer (LPV11/VIII, DMP-100/200, Epson, Okidata, Centronics, NEC, C. Itoh, Smith-Corona, Terminus, etc).

Embedded control codes give full dynamic access to intelligent printer features like: underlining, subscript, superscript, variable font and type size, dot-graphics, etc.

Dynamic (embedded) format controls for: top, bottom, and left margins; line length, lines per page, line spacing, new page, change page numbering, conditional new page, enable/disable justification.

Menu-driven control of these parameters, as well as: pause at page bottom, page numbering, baud rate (so you can run your printer at top speed), and Epson font. "Typewriter" feature sends typed lines directly to your printer, and Direct mode sends control codes right from the keyboard. Special Epson driver simplifies use with MX-80.

Supports single and multi-line headers and automatic centering. Print or save all or any section of the text buffer. Chain print any number of files from cassette or disk.

File and I/O Features: ASCII format files — create and edit BASIC, Assembly, Pascal, and C programs, Smart Terminal files (for uploading or downloading), even text files from other word processors. Compatible with spelling checkers (like Spell 'n Fix).

Cassette verify command for sure saves. Cassette auto-retry means you type a load command only once no matter where you are in the tape.

Read in, save, partial save, and append files with disk and/or cassette. For disk: print directory with free space to screen or printer, kill and rename files, set default drive. Easily customized to the number of drives in the system.

Editing features: Fast, full-screen editor with wordwrap, block copy, block move, block delete, line delete, global search and replace (or delete), wild card search, fast auto-repeat cursor, fast scrolling, cursor up, down, right, left, begin line, end line, top of text, bottom of text; page forward, page backward, align text, tabs, choice of buff or green background, complete error protection, line counter, word counter, space left, current file name, default drive in effect, set line length on screen.

Insert or delete text anywhere on the screen without changing "modes." This fast "free-form" editor provides maximum ease of use. Everything you do appears immediately on the screen in front of you. Commands require only a single key or a single key plus CLEAR.

*...truly a state of the art word processor...
outstanding in every respect.*

— The RAINBOW, Jan. 1982

PROFESSIONAL WORD PROCESSING

You can no longer afford to be without the power and efficiency word processing brings to everything you write. The TRS-80 Color Computer is the lowest priced micro with the capability for serious word processing. And only Telewriter-64 fully unleashes that capability.

Telewriter-64 costs \$49.95 on cassette, \$59.95 on disk, and comes complete with over 70 pages of well-written documentation. (The step-by-step tutorial will have your writing with Telewriter-64 in a matter of minutes.)

To order, send check or money order to:

Cognitech
704 Nob Street
Del Mar, CA 92014

Or check your local software store. If you have questions, or would like to order by Visa or Mastercard, call us at (619) 755-1258 (weekdays, 8AM-4PM PST). Dealer inquiries invited.

(Add \$2 for shipping. Californians add 6% state tax. Allow 2 weeks for personal checks. Send self-addressed stamped envelope for Telewriter reviews from CCN, RAINBOW, 80-Micro, 80-U.S. Telewriter owners: send SASE or call for information on upgrading to Telewriter-64. Telewriter-compatible spelling checker (Spell 'n Fix) and Smart Terminal program (Colorcom/E) also available. Call or write for more information.)

Apple II is a trademark of Apple Computer, Inc.; Atari is a trademark of Atari, Inc.; TRS-80 is a trademark of Tandy Corp; MX-80 is a trademark of Epson America, Inc.





OWLS NEST SOFTWARE

'WE GIVE A HOOT'



LABEL III — Name and address file-print system. With **LABEL III** you can develop and maintain a mailing list. Print lists or mailing labels in your choice of 1, 2, or 3 wide. Supports 3 or 4 line addresses with phone optional, **FAST** machine language sort by last name, first name, or zip code.

Cassette 16K EXT - Postpaid \$19.95



FILE III - Data Management System
With **FILE III** you can create and maintain records on anything you choose. Recipes, coupons, household records, financial records - you name it. You create records containing up to five fields you define. You can search, sort, modify, delete, save on tape and display on the screen or send to a printer. The program is user friendly and user proof. Prompting is extensive. A comparable program could cost much more. This one is a bargain!

Cassette 16K EXT - Postpaid \$19.95



PROGRAM FILE (Reviewed in Oct. '83 Rainbow)
Organize your cassette programs. With **PROGRAM FILE** you create a file of your computer programs. You can search, sort, modify, add, delete, save on tape, and display on screen or printer.

Cassette 16K EXT - Postpaid \$14.95

NEW!!

INTRODUCING! - CODE CONVERTER Security System
CODE CONVERTER will protect your basic and ML programs from unauthorized use. A simple code of your choice encodes your programs. Basic program listings will be scrambled and inoperative. Machine Language will not operate. Coded programs can be copied but are useless until properly decoded.

Cassette 16K EXT - Postpaid \$19.95



ADVENTURE STARTER (Reviewed in Feb. '84 Rainbow)
Learn to play those adventures the painless way. You start with a simple adventure and move into an intermediate. Two complete separate adventures plus hints and tips on adventuring. Finish this and you are ready for **ATLANTIS!**

Cassette 16K EXT - Postpaid \$17.95



ATLANTIS ADVENTURE (Reviewed in May '84 Rainbow)
This one is tough! We challenge you to complete this in 30 days! If you can we will send you any program we sell - Postpaid - at absolutely no charge. You start on a disabled sub near the lost city of Atlantis. You must get the sub (and yourself) safely to the surface.

Cassette 16K EXT - Postpaid \$21.95



ESPIONAGE ISLAND ADVENTURE (Reviewed June '84)
You have been dropped off on a deserted island by submarine. You must recover some top secret microfilm and signal the sub to pick you up. Problems abound in this 32K adventure.

32K EXT - Postpaid Disk - \$20.95 Cassette \$17.95



KINGDOM OF BASHAN
Our most involved adventure to date. Bashan has a large vocabulary and some unique problems to solve. You must enter **BASHAN** (not easy), gather the ten treasures of the kingdom while staying alive (even harder), and return to the starting point (harder yet). If you can get the maximum 200 points in this you are an expert!

32K EXT - Postpaid Disk - \$20.95 Cassette \$17.95



FOUR MILE ISLAND (Reviewed May '84)
You are trapped inside a disabled nuclear power plant. The reactor is running away! You must bring the reactor to a cold shutdown and prevent the "China Syndrome". Can you save the plant (and yourself)? It's not easy!

Cassette 16K EXT - Postpaid \$17.95

*C.O.D. orders please add \$1.50

*No delay for personal checks

IN A HURRY? CALL OUR HOOT LINE: (615) 238-9458



OWLS NEST SOFTWARE

P.O. BOX 579, OOLTEWAH, TN 37363



will continue to expand. I believe newer and better things are on the horizon. And, with the Color Computer on sale now, almost everyone has a chance to buy the best single machine available, dollar-for-dollar, on the market today. I hope you will do your friends and neighbors a favor and expose them to your CoCo in the days before and those following the holiday season.

I should also mention that **RAINBOWfest** in Irvine, Calif., will be in February. These shows are always a great deal of fun, as well as an opportunity to see the CoCo Community at its best. We have special rates at the Irvine Marriott for the show and hope that thousands of you will join us in sunny, Southern California for the midwinter meeting.

There are a host of seminars and lots of exhibitors planning to attend. So, check out the registration form in this month's issue and let us know that you will be with us.

Last, but certainly not the least, this is the most appropriate time of the year to say "thank you" to the tens of thousands of you who are members of the CoCo Community, who support **THE RAINBOW**, and who use and love your Color Computer. We started this magazine three and a half years ago with the idea of serving people who owned a CoCo, even though it didn't yet have that nickname.

We have been able to serve you, I feel, largely through *your* support of *us* — writing or calling us with suggestions; telling advertisers that you saw their ads in the magazine; submitting programs for publication; participating in our contests; and a whole host of other things. We truly could not have **THE RAINBOW** without each of you.

I hope this season of the year is a happy, healthy and prosperous one for you and yours. I look forward to being with you for an even better year ahead.

Happy Holidays and happy 1985.

— Lonnie Falk

One-Liner Contest Winner . . .

This shows how the notorious "**Pmode4** color artifacts" create a color picture on your set from what is really a black and white video signal. It's also very nice to look at.


Mike Napolitan
W. Springfield, MA

The listing:

```
1 DIMA(11):W=20:FORC=4T05:Pmode4
,1:PCLS:SCREEN1,1:GET(4,4)-(24,2
4),A,G:FORX=C T0228STEP2:Y=X*.75
:Z=174-Y:PUT(X,Y)-(X+W,Y+W),A,NO
T:PUT(X,Z)-(X+W,Z+W),A,NOT:PUT(X
,86)-(X+W,106),A,NOT:NEXT:FORT=1
T0500:NEXTT,C:FORB=1T09999:NEXT
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

TOP RATINGS
HOT COCO MAGAZINE
SEPTEMBER 1984



YOU COULD FALL IN LOVE WITH AUTOTERM!

IT TURNS YOUR COLOR COMPUTER INTO THE
**WORLD'S
SMARTEST
TERMINAL**

AND
MOST
LOVABLE

GOOD LOOKIN'

AUTOTERM shows true upper/lower case in screen widths of 32, 40, 42, 51, or 64 characters with no split words. The width of 32 has extra large letters. Scrolling is forward, backward, and fast. Block graphics pictures are displayed automatically and can be scrolled.

The screen's top line shows operating mode, unused memory size, memory on/off, and caps-lock on/off. It also gives helpful prompts.

SWEET TALKIN'

KEY-BEEP can be on/off. Unacceptable keystrokes cause a lower pitched BOP! This ERROR-BEEBOP can be on/off.

Talks to other computers with Full or Half Duplex; Baud Rate of 110, 150, 300, 600, 1200; Parity as even, odd, mark, space, none; 7 or 8 bit Word; any Stop Bits; all 128 ASCII characters; true line Break; XON/XOFF protocol; and optional line-at-a-time transmission. Able to send and receive text, block graphics, BASIC and ML programs. A 64K machine holds up to 46,600 characters (34,900 in HI-RES).

DUAL PROCESSING lets you review & edit while more data is coming in.

Fully supports D.C. Hayes and other intelligent modems.

Talks to your printer with any page size, margins, line spacing, split word avoidance. Embed your printer's control sequences for bold-face, underlining, etc. Narrow text can be automatically spread out.

You'll also use Autoterm for simple word processing and record keeping

You can display directories, delete files, transmit directly from disk, and work with files larger than memory. Easily maintain a disk copy of an entire session.

Compatible with TELETWRITER (ASCII) & other word processors.

SMOOTH WALKIN'

AUTOTERM moves smoothly and quickly between word processing and intelligent terminal action. Create text, correct your typing errors; then connect to the other computer, upload your text, download information, file it, and sign-off; then edit the received data, print it in an attractive format, and/or save it on file.

Editing is super simple with the cursor. Find strings instantly, too! Any operating parameter, such as screen width, can be altered at any time. Uncompleted commands can be cancelled.

PUTTY IN YOUR HANDS

The word processor can be used to create, print, and/or save on file your personal KSMs. They let AUTOTERM act like you. For example, it can dial through your modem, sign-on, interact, perform file operations, & sign-off; an entire session without your help. KSMs can answer the phone, prompt the caller, take messages, save them, hang-up, and wait for the next call. The KSM potential is unbelievable! NO OTHER COMPUTER IN THE WORLD CAN MATCH YOUR COCO'S AUTOMATIC TERMINAL CAPABILITIES!!!!

WHAT THE REVIEWERS SAY

"AUTOTERM is the Best of Class."

Randolf W. Graham
the RAINBOW, June, 1983

"The Autoterm buffer system is the most sophisticated — and one of the easiest to use..."

W.C. Banta
HOT CoCo, September, 1984

"Almost a full featured word processor..."

Ed Ellers
the RAINBOW, November, 1984

**RECOMMEND 32K to 64K
Tape-to-Disk Upgrade \$23
You Keep the Cassette**

**CASSETTE \$39.95
DISKETTE \$49.95**
Add \$3 shipping and handling
MC/VISA/C.O.D.


PXE Computing
11 Vicksburg Lane
Richardson, Texas 75080
214/699-7273

Please hire the mentally retarded. They are sincere, hard working and appreciative.

Thanks! Phyllis.

PROFESSIONAL, EDUCATIONAL, & BUSINESS

APPLICATIONS SOFTWARE
for the COLOR COMPUTER



PROFESSIONAL 3-D PLOTTER

Plots any function
or a data set

32K \$24.95



SPECTRUM ANALYZER

Mach. Language FAST Fourier Transform

32K \$24.95

PROPRIETOR'S ACCOUNTANT

NEW! Complete Bookkeeping System
Screen or Printer Output

Double-entry General Ledger and Journal
Trial Balance, Profit/Loss, Balance Sheet

Keep YOUR expenses DOWN!
32K DISK ONLY \$29.95



MATHEMATICS



MATRIX MATH (Inverse, Determinant) \$12.95

EQUATION EVALUATOR (Polynomials, Linear Sets) \$12.95

16K

FUNCTION FINDER (Interpolation, Regression) \$12.95

CALCULUS (Differentiation, Integration) \$12.95

All 4 MATH Programs \$44.00



EDUCATIONAL SIMULATIONS



STRATEGY POLITICS \$16.95

STRATEGY INVESTING \$16.95

32K

IMAGE PROCESSING \$16.95

STRATEGY FOOTBALL \$16.95

STRATEGY BOXING \$12.95

All 5 SIMULATIONS \$69.95

Send CHECK or MONEY ORDER
Specify DISK or TAPE Ext. BASIC Req.
Add \$2.00 Shipping / Handling
Florida Residents add 5% Sales Tax

Write for FREE CATALOG



**ANKIA
RESEARCH**

901-19 INDIANTOWN RD.
SUITE R
JUPITER, FL 33458

BUILDING JANUARY'S RAINBOW

**Rainbow 'Excellent' Or 'Good' Say 98.8 Percent ...
Some 94 Percent Have 32K, Most 64K ...
Two-Thirds Frown On Three Column Listings ...**

When we decided to conduct a poll of those attending the Princeton RAINBOWfest, we knew that in order to get useful information from a survey you have to ask the right question — and that asking the right question is tricky business. Nonetheless, knowing full well we should consult an expert, such as the University of Cincinnati's Dr. Sam Sherrill, whose advice has appeared in RAINBOW, we instead gathered an ad hoc committee of those not busy on something else and developed questions based on a popular, if not professional, technique: "Hey, I know, let's ask how . . ."

Well, the results of the Princeton poll are in, and I believe we learned several things of value in addition to a great deal about taking future polls. In evaluating the results, we have kept in mind that those attending RAINBOWfest cannot be presumed to represent the entire RAINBOW readership. That is, as a group, those who came to the show were probably among the more dedicated users — likely more sophisticated in terms of hardware and software than readers who did not attend. After all, those attending traveled, on the average, some 136 miles to attend the Princeton show.

So, further caveats aside and with apologies to Sam, here (reported in percentages of those responding) are the highlights of what we found:

Present System:

Size:	4K	0.3
	16K	5.9
	32K	12.6
	64K	81.2
BASIC:	Color	4.7
	Extended	54.9
	Disk	40.4

Printer:

Make:	Radio Shack	54.2
	Other	45.3
Type:	Dot Matrix	86.6
	Letter Quality	8.1
	Color	2.8
	Other	2.5

Display:

Kind:	B&W TV	16.0
	Color TV	65.2
	TV/Video Monitor	8.8
	Computer Monitor	10.1

DOS Used:

Disk BASIC	84.0
OS-9	12.0
FLEX	2.5
Star-DOS	1.5

Software Most Likely To Buy:

Utilities	23.0
Games	19.3
Word Processing	17.5
Home Uses	14.1
Education	13.0
Art/Graphics	11.0
Business	1.5
Music	0.6

Items Most Interested In Buying:

Disk Drives	17.8
-------------	------

More Memory	13.4
Printer	12.1
Modem	10.2
Speech/Sound Synthesizer	10.0
Monitor	7.5
Graphics Tablet	6.2
New Operating System	5.6
Expansion Unit	5.1
CP/M Adapter	4.1
Joysticks	3.4
Remote Device Control	2.8
Videodisc Player	1.9
I Rate THE RAINBOW:	
Excellent	80.8
Good	18.0
Fair	1.1
Poor	0.1

Average Number of Recent

Purchases Through RAINBOW Ads:

Total	6.8
I would like to see THE RAINBOW offer more:	
Utilities	18.6
Machine Language Info.	15.7
Hardware Projects	12.6
Educational Programs	11.0
Business Programs	10.5
Reviews	10.2
Tutorials	10.1
Games	8.6
Other	2.9
I think your Product Reviews are:	
Just right	72.5
Too short	4.9

(Continued on Page 176)

Graduate With DEFT Pascal



As a result of the programming language requirement of the Advanced Placement (AP) Tests, Pascal has become the standard language used in High Schools and Colleges today. On the Color Computer, DEFT Pascal is the standard.

DEFT Bench \$49.95

DEFT Edit

Full screen editor

DEFT Linker

(see DEFT Pascal)

DEFT Lib

create and maintain
program object libraries

DEFT Debugger

debug Pascal machine
programs **symbolically**

DEFT Macro/6809

supports entire 6809
instruction set,
lets you define your own
instructions

RS# 90-5001

DEFT Pascal \$79.95

DEFT Pascal Compiler

complete **Pascal** language,
generates machine
language object

DEFT Linker

combines multiple program
objects into one binary
program

RS# 90-5000

DEFT Pascal Workbench \$119.95

(DEFT Pascal And DEFT Bench Together)

RS# 90-5002

All DEFT software and programs developed with DEFT software are BASIC ROM independent and **use all** of the **memory** in your Color Computer **without OS-9**. All you need is DEFT software and a TRS-80 Color Computer with Extended Disk BASIC, at least 32K of RAM and One Disk Drive. With DEFT Pascal (\$79.95) you will also need a text editor to write your programs. Software licensing arrangements are available for schools. Dealer inquiries welcome.

DEFTTM
SYSTEMS, INC.

**Now Available
By Express Order
At Your Local
Radio Shack Store!**

Orders and Sales Information **1-800-992-DEFT**
Technical Assistance **1-301-253-1300**

DEFT is a Trademark of DEFT Systems, Inc. TRS-80 is a Trademark of TANDY Corporation

Quantity of Each: ☐ DEFT Pascal ☐ DEFT Bench
☐ DEFT Pascal Workbench

Method of Payment (check one) ☐ Check Enclosed
☐ VISA ☐ Master Card ☐ COD

Account Number

Card Expiration Date /

Signature

Name

Street

City State Zip

All orders are shipped UPS within 24 hours of receipt. Add 3% for shipping and handling; Maryland residents add 5% for State Sales Tax; add \$2.00 for COD.

DEFT Systems, Inc.
Suite 4, Damascus Centre
Damascus, MD 20872

RAINBOWfest REPORT

Bright lights and a crush of people crowded the Computize booth throughout the run of RAINBOWfest-Princeton, Sept. 28-30, as Ken Klosinski and his crew made "video snapshots" of show-goers using the Graphicom Video Digitizer. Meanwhile, Frank Hogg and his helpers were showing off "Nomad," a little personal robot that rode around under CoCo control. Bob Rosen, of Spectrum Projects, seemed to have more show special signs than anyone could be expected to read. But, it was our RAINBOW readers who really took the cake — birthday cake.


We've been sworn not to repeat Lonnie Falk's age, so, we'll only state it one time that he'd just turned 42. He wanted to celebrate the occasion with those attending RAINBOWfest — thus, cake for all.



1



2



3



4



5



6

We have no statistics on how many dozen eggs, pounds of sugar or cups of flour went into the cake that served thousands, but if it's numbers you want, we have compiled the results from the survey we made of those attending "CoCo's very own show." For the highlights, see Jim Reed's column on Page 16 of this issue. A name was drawn from those responding to the survey and Michael J. Clancy, a real estate consultant from Jessup, Md., won himself a color graphics printer, just for filling out the survey form.

Was this a show for computer die-hards? Well, while Julie A. McGee, director of software development for Tandy Home Education Systems, drew a full house as keynoter at the CoCo Community Breakfast, Saturday morning, one of the most celebrated students from nearby Princeton University, Brooke Shields, went almost unnoticed by the CoCo crowd as she brunchted Sunday morning in the hotel coffee shop.

As with all our RAINBOWfests, the Princeton show ran at an accelerated pace in order for everyone to meet as many people, exchange as much information, and interact as much as possible in our brief time together. And, nobody worked harder than Jerry Behler and the members of the Penn-Jersey Color Computer Club, who helped us publicize and run the show. Our thanks, Penn-Jersey, for helping, and our thanks to all the many CoCo clubs and individuals whose attendance makes these shows possible.

Next stop, Irvine, Calif. We do hope you'll join us.



7



8



9



10



11



12



13

The Pictures: (1) Al Alberta draws a crowd at the PBJ, Inc. booth. (2) Jack Torres of Computer Plus shows a new printer to Hot CoCo publisher Jeff Detray (blue shirt). (3) A computing family takes note of a bargain at one of the many vendor display booths. (4) Claire Manfredonia apparently caught her fingers in a joyport during a voltage surge. (5) Programmer Bill Dunlevy (*Cashman*, *Time Bandit*) worked with the MichTron crew. (6) One of Bill's programs gets a workout from a young challenger, one of 8,600 attending the Princeton show.

(7) Tandy's Julie McGee with Rainbow's Lonnie Falk at the CoCo Community Breakfast. (8) Also at the head table, Cheryl Blyn, of Computer Island, (left) with Sugar Software's Susan Davis. (9) Nearly 500 attended the breakfast, Saturday morning. (10) While the CoCo crowd was upstairs in the exhibit hall, Brooke Shields and her mother went *almost* unnoticed at brunchtime Sunday in the Hyatt coffeeshop. (11) Artist Paul Hoffman helps out at Owl-Ware. (12) Even the merchandise was friendly at the Penn-Jersey display. (13) Al Timme of Hard Drive Specialists (formerly Compukit Corp.).




(14) RAINBOWfest is a good place to make a close examination of hardware products. (15) The milling crowd of CoCo enthusiasts filled the Regency Ballroom at the Hyatt. (16) Frank Hogg discusses *Dynacalc* with visitors to the FHL booth. (17) Bob Beckett responds to a roving CoCo crew. (18) It's hard to beat this CoCo artistry. (19) Paul Kush fields a question at Derringer Software. (20) Pat Endicott had a bargain corner at Endicott Software.

14



15



16



17



18



19

20



THE BIG 3



THE LOGICAL CHOICES

DYNACALC®

COMPUTER SYSTEMS CENTER
13461 OLIVE BLVD.
CHESTERFIELD, MO 63017
(314) 576-5020

Telewriter-64™

COGNITEC
704 NOB ST.
DEL MAR, CA 92014
(619) 755-1258

Pro-Color-Series™

DERRINGER SOFTWARE, INC.
PO BOX 5300
FLORENCE, SC 29502-2300
(803) 665-5676

SEE ADS FOR THESE PROGRAMS IN THIS ISSUE. REFER TO THE ADVERTISER'S INDEX.

DIGISECTOR™ DS-69 VIDEO DIGITIZER FOR THE COCO



Give your COCO the gift of sight!

The Micro Works is happy to introduce the newest member of our Digisector™ family — the DS-69 Video Digitizer for your COCO. It has all the standard features of its big brothers but comes with a price tag that's right for you.

- **High Resolution** 256 by 256 spatial resolution.
- **Precision** 64 levels of grey scale.
- **SPEED!** 1/2 second for a full screen of video.
- **Compactness** Self contained in a plug in Rompack.
- **Ease of Use** Software on disk will get you up and running fast!



The DS-69 Digisector opens up a whole new world for you and your COCO. Your computer can be a security system, take portraits, analyze signatures, inspect assembly work . . .

the DS-69 is your COCO's eyes. Use the DS-69 and a TV camera to get fast, precise conversion of video signals into digital data.

Powerful C-SEE™ software.

C-See is a menu-driven software package included with your DS-69. It provides high speed 5 level digitizing to the screen, high precision 16 level digitizing for superb hard copy printout, and simple software control of brightness and contrast. Or call our driver routines from your own Basic program for easy 64 level random access digitizing. Pictures taken by the DS-69 may be saved on disk by C-See and then edited by our optional MAGIGRAPH package for enhancements and special effects.



The DS-69 comes with a one year warranty. C-See supports both cassette and disk operation with the Multi-Pak adaptor and requires 64K. Cameras and other accessories are available from The Micro Works. Let your COCO see the World!

- DS-69 Digisector & C-See Software \$149.95
- MAGIGRAPH Graphics Package on disk \$ 39.95

Terms: Visa, Mastercard, Check or C.O.D.

Purveyors of Fine Video Digitizers Since 1977.

The **MICRO
WORKS** Established 1977

P.O. Box 1110 Del Mar, CA 92014 (619) 942-2400

It Is Better To PUT Than To GET

By Alexander B. Trevor

A little experience with Extended Color BASIC graphics will make it obvious that by far the fastest way to place graphics elements on the screen is with the *PUT* statement. In fact, it is almost the only way to implement any kind of animation on the Color Computer in BASIC. Most descriptions of *PUT* tie its use to the *GET* statement, although this does not have to be the case, as we shall see. (Radio Shack's *Going Ahead With Extended Color BASIC*, pages 67-71, and *Color Computer Graphics*, by William Barden, Jr., pages 143-154 are two examples). This is not too surprising, since the two statements are intended to be complementary. The idea is the *GET* will copy graphics data out of a specified rectangular area on the graphics screen, and save it in an array. The *PUT* statement allows you to place the data back on the screen at the same or another location.

In a typical game application, a number of "sprites" (such as rockets, robots, lunar landers, etc.) will be defined at the beginning of the program and then used with *PUT* statements throughout the game. The usual method of defining the sprites is to use the *DRAW* command to (slowly) draw each sprite on the graphics screen; then, each sprite is stored in a separate array with the *GET* command.

There are several problems with this method, though none of them may be serious in many applications: first, the *DRAW* command must be done on a separate graphics page, or it will deface anything that is already on the page. This is an important consideration for graphics editors, which may allow you to work on an image already in graphics memory, but not important in any program that clears the graphics page upon start up. Second, if there are many items to be drawn, the setup process can cause a noticeably long delay. Third, after *GETting* graphics into an array the contents of the array become "invisible," and

cannot be printed to the screen, tape or disk. The *GET* command purposely trashes part of the array header to cause this undesirable side effect.

The method described here avoids these problems through an alternate way to load arrays with graphics data that can be used in a *PUT* statement. To use this technique, it is necessary to understand the format that data is stored on the screen, and also the nature of arrays. Rather than attempt to describe all the possibilities, I will limit this discussion to *PMODE 4*, the high resolution mode consisting of 256 horizontal elements (pixels) and 192 pixels vertically. The technique is easily extended to other graphics modes.

In *PMODE 4*, each byte in the graphics page contains eight pixels along the horizontal. Since there are 256 pixels on each line, it takes 32 bytes to hold the first line. There are 192 lines in the entire picture, or 6,144 bytes. Data for *GET* and *PUT* is stored in a similar scheme. If you *GET* a 5 x 4 area into an array, you are storing 5 x 4, or 20 pixels. In this case one pixel requires one bit of storage. The pixels are stored tightly packed in the array, with the upper left hand pixel stored as the most significant bit of the zero byte of the array. Since each byte can contain eight bits, this graphic will require only three bytes. For example a lowercase 'v' might appear on the screen like this:

Graphics Screen Area (5 horiz x 4 vert)

	Column				
	1	2	3	4	5
Row 1:	1	.	.	.	1
Row 2:	1	.	.	.	1
Row 3:	.	1	.	1	.
Row 4:	.	.	1	.	.

As stored in the array;

Byte 1: 1 0 0 0 1 1 0 0
(row 1) (row 2, 1-3)

(Alexander Trevor, who holds a master's degree in electrical engineering, is executive vice president of Computer Resources at CompuServe, and is a member of the IEEE and the ACM. In his "spare time" he writes software for CompuServe's DEC-10 mainframes and for a variety of microcomputers.)

Byte 2: 01 01010 0
(row 2, 4-5) (row 3) (row 4, 1)

Byte 3: 0100 0000
(row 4, 2-5) (fill)

Arrays in Extended Color BASIC consist of elements that are five bytes each. Five bytes are necessary to hold a floating point number with the precision used in ECB, but the five bytes have no bearing on the graphics use of arrays except to make dimensioning and loading more confusing. In the above example, the three bytes will fit easily into the five bytes that will be allocated to a single array element.

How do we get three bytes of data into the first three bytes of a five byte integer array element? First, we must find out the address of the array element with the *VARPTR* statement — one of the less frequently used BASIC commands. Then, we *POKE* the data into the memory locations reserved for the array. That's all there is to it! The array can now be used in a *PUT*.

To see how this works in practice, let's follow through the example of a lunar lander sprite as shown below. The sprite is drawn in a rectangular area on the graphics screen eight columns wide and seven rows high:

	Column								Hex
	0	1	2	3	4	5	6	7	Value
Row 1:	.	.	1	1	1	1	.	.	2C
Row 2:	.	1	1	1	1	1	1	.	7E
Row 3:	.	1	1	1	1	1	1	.	7E
Row 4:	.	1	1	1	1	1	1	.	7E
Row 5:	.	.	1	.	.	1	.	.	24
Row 6:	.	.	1	.	.	1	.	.	24
Row 7:	.	1	1	.	.	1	1	.	66

In this example, it is particularly easy to determine the value to be poked into the array because the graphics area is exactly eight pixels wide. Thus, an entire row of pixels fits exactly into one byte of the array. In cases where the rectangle width is not a multiple of eight (such as the example of the lowercased 'v' above), you may wish to draw the graphic on the screen using any method (*DRAW* command, or graphics editor), then use the program given in Listing 1 to print out the appropriate values.

Listing 2 is a complete example for the "*PUT* without *GET*" technique. In Line 20, four graphics pages are reserved. Line 30 sets the horizontal and vertical size of the array. These values (*HSIZE* and *VSIZE*) are then used to *DIM*ension the array *LL*. *HSIZE***VSIZE* is the number of pixels; this is divided by eight bits per byte and five bytes per array element (i.e., 40), and rounded to the next integral byte. A subroutine to load the graphics array *LL* is called from Line 50, while lines 60-90 simply *PUT* the element on the graphics screen. The symbol setup routine (lines 100-170) is the key to the technique. In Line 110, all variables to be used within the subroutine are referenced. *This is absolutely necessary* in order to prevent the location

of the array from changing after the *VARPTR* statement. If an undefined variable is encountered by BASIC, all variables are relocated in memory, invalidating the address returned by the *VARPTR* statement in Line 120. With an accurate address for the zero element of *LL* in variable *P*, the data is *POKE*d into each byte of the array in Line 150. In a variation of this method, the graphics data can be read in from disk or tape rather than from the *DATA* statements.

I have found this technique particularly useful for programs that use a number of sprites, and in which it was desirable to reduce the setup time to a minimum. Next time you want to speed up a graphics program, *PUT* something you didn't *GET*. You'll be rewarded with a faster program.

Listing 1:

```

10 ' PRINT DATA FOR A "PUT"
20 ' USE AFTER DRAWING GRAPHIC
30 X=100: Y=100 'UPPER L CORNER
40 HSIZE=8 'SET HORIZONTAL SIZE
45 VSIZE=7 'SET VERTICAL SIZE
50 DIM LL(HSIZE*VSIZE/40+1)
55 'VARIABLES MUST BE REFERENCED
56 'BEFORE CALLING VARPTR
60 I=0: P=0: J=0
70 GET(X,Y)-(X-1+HSIZE,Y-1+VSIZE),LL,G
80 P=VARPTR(LL)+12
90 FOR I=0 TO HSIZE*VSIZE/8-1
100 IF J=0 THEN PRINT:PRINT"DATA ";
110 PRINT HEX$(PEEK(P+I));
120 IF J>6 THEN J=0 ELSE J=J+1:P
RINT",";
130 NEXT
140 PRINT"O"

```


Listing 2:

```

10 ' GRAPHICS PUT WITHOUT GET
20 PCLEAR 4: PMODE 4
30 HSIZE=8: VSIZE=7
40 DIM LL(HSIZE*VSIZE/40+1)
50 GOSUB 100
60 PCLS: SCREEN 1,1
70 X=100: Y=100
80 PUT(X,Y)-(X-1+HSIZE,Y-1+VSIZE),LL,PSET
90 GOTO90
100 'SYMBOL SETUP SUBROUTINE
110 I=0: T$=" ": P=0 'MUST
USE VARIABLES BEFORE VARPTR!
120 P=VARPTR(LL(0))
130 FOR I=0 TO HSIZE*VSIZE/8-1
140 READ T$
150 POKE P+I,VAL("&H"+T$)
160 NEXT
170 RETURN
180 'LUNAR LANDER SYMBOL
190 DATA 3C,7E,7E,7E,24,24,66

```


Direct a Symphony™ on Your Color Computer



with **VIP Integrated Library™**

VIP Desktop Magic!

Finally, you can have the power and integration of Lotus Symphony™, 1 2 3™ or Open Access™ for the larger micros on your Color Computer! The convenience of instant changes to a new application and effortless transfer of files is at the tip of your finger.

With VIP Desktop, the six applications of VIP Library are integrated into one program, on one disk. You have instant access to word processing, with a spelling checker always in attendance, data management with mail merge, spreadsheet financial analysis, telecommunications and disk maintenance. Just move the hand to point to the volume, and the new application is there. And VIP Integrated Library has been made to work well with one disk drive, or all four, so be ready to push your Color Computer to the limits!

**Available
By Express Order
At Your Local
Radio Shack
Store!**

Ask to see
the demonstration diskette.

Radio Shack Catalog No. 90-0213

Radio Shack is a registered trademark of Tandy Corp.
Tandy 2000 is a trademark of Tandy Corp.
Symphony and 1 2 3 are trademarks of Lotus Corp.
Open Access is a trademark of Software Products International.

"...PICTURE getting your instantaneous investment report with your modem, using it in a spreadsheet calculation, making a report, and writing a memo including that report and data from your database with your word processor - all this power without leaving VIP Desktop!..."

Elegance!

VIP Integrated Library is a product with finesse, inside and out. Inside is one awesome but very elegant program. On the outside, it comes handsomely bound in two cloth covered, gold embossed binders with slipcases - like those you get with software for the Tandy 2000™. And remember, to get software of this quality for the Tandy 2000 you would have to pay hundreds more!

**Buy the
Integrated Library for**

\$149.95

Or buy the individual volumes separately, as shown on the following pages!†

Stand-Alone Power

VIP Integrated Library is not one of those slipshod, all-in-one slicer-dicer machines, good for one day and then you throw it away. It fully integrates the six top-of-the-line stand-alone programs described in the following pages: VIP Writer, VIP Speller, VIP Calc, VIP Database, VIP Terminal & VIP Disk-ZAP. You can buy the entire Integrated Library at once, or you can buy one or two programs that you need now and upgrade to the integrated Library later.†

Shared Files, Shared Features

All VIP Integrated Library applications share common features, such as ease of use, built-in help, the same commands, full printer control, full use of your 64K of memory, and step-by-step tutorials. Most important, all essential applications feature professional high resolution lowercase displays to give you a choice of 51, 64, or 85 characters per line, with 21 or 24 lines per screen. You get a professional display on your Color Computer without any hardware modification!

Requires 64K and one or more disk drives.

VIP Integrated Library comes on one disk. Tape versions of programs are not supplied.

†Those already owning one VIP product, except for VIP Speller, may purchase the Integrated Library by sending in the VIP program with a check or money order for \$99.95. This upgrade offer is limited to one Library per person; credit will ONLY be given for one VIP program, regardless of how many are owned. This upgrade offer is available ONLY through Softlaw, and not through Radio Shack stores or dealers. Include \$6 for shipping & handling.

VIP Writer™

By Tim Nelson

Includes
VIP Speller
at no
additional
cost!!

RATED TOPS IN RAINBOW COLOR COMPUTER MAGAZINE & COMPUTER USER

The most powerful and easy-to-use word processor is available in the showpiece and workhorse of the Library: **The VIP Writer™**.

The result of two years of research, the **VIP Writer™** offers every feature you could desire from a word processor. It is the most powerful, fastest, most dependable and most versatile. With the hi-res display, workspace and compatibility features built into the **Library** the **Writer** is also the most usable.

"... Nearly every feature and option possible to implement on the Color Computer. The design of the program is excellent; the programming is flawless." October 1983 "Rainbow"

"Among word processors for the CoCo, **VIP Writer** stands alone as the most versatile, most professional program available." May 1984 "Computer User"

The **Writer** will work with you and your printer to do things you always wanted to do. Every feature of your printer can be put to use, every character set, every graphics capability at any baud rate, **EVEN PROPORTIONAL SPACING**. All this with simplicity and elegance. You can even automatically print multiple copies.

Although all versions feature tape save and load, the disk version provides the Mini Disk Operating System common to the whole **Library**, plus disk file linking for continuous printing.

Professional features of particular note:

- Memory-Sense with **BANK SWITCHING** to fully utilize 64K, giving not just 24 or 30K, but up to 53K of workspace with the tape version and 50K with the disk version.
- **TRUE FORMAT WINDOW** allowing you to preview the printed page **ON THE SCREEN BEFORE PRINTING**, showing centered lines, headers, FOOTNOTES, page breaks, page numbers, & margins in line lengths of up to 240 characters. It makes **HYPHENATION** a snap.
- A **TRUE EDITING WINDOW** in all 9 display modes for those extra wide reports and graphs (up to 240 columns!).
- **FREEDOM** to imbed any number of **PRINTER CONTROL CODES** anywhere, **EVEN WITHIN JUSTIFIED TEXT**.
- Full 4-way cursor control, sophisticated edit commands, the ability to edit any **BASIC** program or **ASCII** textfile, **SEVEN DELETE FUNCTIONS**, **LINE INSERT**, **LOCATE AND CHANGE**, wild card locate, up to **TEN SIMULTANEOUS** block manipulations, word wrap around, programmable tabs, display memory used and left, non-breakable space, and headers, footers and **FOOTNOTES**.
- Automatic justification, automatic pagination, automatic centering, automatic flush right, underlining, superscripts, subscripts, pause print, single-sheet pause, and print comments.
- Type-ahead, typamatic key repeat and key beep for the pros, **ERROR DETECTION** and **UNDO MISTAKE** features, 3 **PROGRAMMABLE** functions, auto column creation, and instant on-screen **HELP**.

Radio Shack Catalog No. 90-0141

32K (Comes with tape & disk) \$69.95

VIP Writer — VIP Speller Combo comes in VIP Writer Binder.

VIP Speller™

WITH A 50,000 WORD INDEXED DICTIONARY!

By Bill Argiros

Gone are the eyestrain, boredom and fatigue from endless proof-reading. **VIP Speller™** is the fastest and most user-friendly speller for your CoCo. It can be used to correct any **ASCII** file — including **VIP Library™** files and files from **Scriptit™** and **Telewriter™**. It automatically checks files for words to be corrected, marked for special attention or even added to the dictionary. You can even view the word in context, with upper and lowercase. **VIP Speller™** comes with a specially edited 50,000 word dictionary which, unlike other spellers for the CoCo, is indexed for the greatest speed. The shorter your file, the quicker the checking time. And words can be added to or deleted from the dictionary or you can create one of your own. **VIP Speller™** also comes with the **Library's** mini disk operating system.

Radio Shack Catalog No. 90-0142

32K DISK ONLY \$49.95

Hi-Res Lowercase displays not available on this program.

Window

VIP Writer — When You Need Real Power

When you want the power of a real word machine, when you want up to 85 characters per line with your Color Computer, when you want to make your printer really move, you need **VIP Writer**.

VIP Writer is a state-of-the-art word processor for the pros. It is packed with commands, features and options, yet it's simple to learn and use. Who else gives you on-line help, and even an **Undo** command to undo mistakes!

A neat feature is the **Preview Window**, which you see in use here. This feature allows you to view your text just as it will be printed — centered titles, page numbers, footnotes, even **JUSTIFICATION** for even left and right-hand margins! No more guess work. **VIP Writer** is your answer!
PR 1 LH 1 CH 1 LM 1 RM 51

VIP Calc™

By Kevin Herrboldt

You can forget the other toy calcs — The real thing is here! No other spreadsheet for the Color Computer gives you:

- 20 ROWS BY 9 COLUMNS ON THE SCREEN AT ONCE
- LOWERCASE LETTERS WITH DESCENDERS
- UP TO 16 CONCURRENT DISPLAY WINDOWS
- FLOATING-POINT MATH
- CHOICE OF SINGLE AND DOUBLE PRECISION
- WORKS WITH BASE 2, 10, AND 16 NUMBERS
- UP TO 512 COLUMNS BY 1024 ROWS
- USER DEFINABLE WORKSHEET SIZE FOR MORE MEMORY
- LOCATE FUNCTION TO FIND CHECK NUMBERS, NAMES, ETC.
- COLUMN/ROW MULTIPLE SORTS
- PROGRAMMABLE FUNCTIONS
- IMBEDDABLE PRINTER CONTROL CODES
- 21 ALTERABLE PRINT FORMAT PARAMETERS
- ON-LINE HELP TABLES
- DOES NOT REQUIRE FLEX OR BASIC

VIP Calc™ is truly the finest and easily the most powerful electronic worksheet and financial modeling program available for the Color Computer. Now every Color Computer owner has access to a calculating and planning tool better than **VisiCalc™**, containing all its features and commands and then some, **WITH USABLE DISPLAYS**. Use **VisiCalc** templates with **VIP Calc™**!

There's nothing left out of **VIP Calc™**. Every feature you've come to rely on with **VisiCalc™** is there, and then some. You get up to 5 **TIMES** the screen display area of other spreadsheets for the Color Computer and Memory-Sense with **BANK SWITCHING** to give not just 24, or 30, but **UP TO 33K OF WORKSPACE IN 64K!!!** This display and memory allow you the **FULL SIZE, USABLE WORKSHEETS** you require. You also get: User definable worksheet size, up to 512 columns by 1024 rows! * Up to **SIXTEEN VIDEO DISPLAY WINDOWS** to compare and contrast results of changes * **16 DIGIT PRECISION** * Sine, Cosine and other trigonometric functions, Averaging, Exponents, Algebraic functions, and **BASE 2, 8, 10 or 16** entry * Column and Row, Ascending and Descending **SORTS** for comparison of results * **LOCATE FORMULAS OR TITLES IN CELLS** * Easy entry, replication and block moving of frames * Global or Local column width control up to 78 characters width per cell * Create titles of up to 255 characters per cell * Limitless programmable functions * Typamatic Key Repeat * Key Beep * Typeahead * Print up to 255 column worksheet * Prints at any baud rate from 110 to 9600 * Print formats savable along with worksheet * Enter **PRINTER CONTROL CODES** for customized printing with letter quality or dot matrix printer * Combine spreadsheet tables with **VIP Writer™** documents to create ledgers, projections, statistical and financial reports and budgets. Both versions feature Tape save and load, but the disk version also has the Mini Disk Operating System of the entire **Library**.

Radio Shack Catalog No. 90-0143

32K (Comes with tape & disk) \$69.95

32K does not have hi-res display, sort or edit

A2

VIP Calc

LC
MS

1	A	B	C	D	E
2	Check Register				
3					
4	Ck#	Date	Description	Check	Deposit
5				Debit	Credit
6					
7	01001	01/08	Jack in the Box	\$7.22	
8	01002	01/09	Pacific Gas	\$22.98	
9	30Credit	01/09	Deposit		\$321.21
10	01003	01/10	Safeway	\$63.70	
11	01004	01/12	Steak 'n Ale	\$33.00	
12	01005	01/14	Coronet	\$8.88	
13	01006	01/15	Point Loma Hrdwn	\$23.95	
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					
131					
132					
133					
134					
135					
136					
137					
138					
139					
140					
141					
142					
143					
144					
145					
146					
147					
148					
149					
150					
151					
152					
153					
154					
155					
156					
157					
158					
159					
160					
161					
162					
163					
164					
165					
166					
167					
168					
169					
170					
171					
172					
173					
174					
175					
176					
177					
178					
179					
180					
181					
182					
183					
184					
185					
186					
187					
188					
189					
190					
191					
192					
193					
194					
195					
196					
197					
198					
199					
200					
201					
202					
203					
204					
205					
206					
207					
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					
228					
229					
230					
231					
232					
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					
246					
247					
248					
249					
250					
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
271					
272					
273					
274					
275					
276					
277					
278					
279					
280					
281					
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					
295					
296					
297					
298					
299					
300					


Home Sweet Home

By Marlene Fearing

This program draws a house, a sun and a garage. It opens and closes the garage door, the front door opens and a figure appears and waves. Afterward, the door closes, the grass grows, and smoke comes from the chimney.

This is the first computer program I wrote after getting my computer. I hope it will encourage others to experiment with graphics and animation; it was a lot of fun to create. This program will work with 16K Extended BASIC with tape, or with a disk drive system. Just type it in and watch it draw.

(Marlene Fearing is a student at Pima Community College in Tucson, Ariz., where she is studying for her A.A.S. as a small business computer specialist.)



The listing:

```

1 '
2 ' *****
3 ' *
4 ' * EXECUTIVE HOUSE *
5 ' * MARLENE FEARING *
6 ' * 812 S. PLUMER *
7 ' * TUCSON, ARIZ. 85719 *
8 ' *
9 ' *****

```

✓

```

25 ..... 54
52 ..... 1
90 ..... 230
END ..... 241

```

```

10 PMODE 3,1
11 PCLS (3)
12 SCREEN 1,1
13 ' DRAW MAIN HOUSE
14 LINE (32,180)-(152,88),PSET,B
15 LINE (28,68)-(156,88),PSET,BF
16 PAINT (32,72),2,4
17 LINE (152,91)-(240,180),PSET,
  B
18 LINE (170,108)-(226,180),PSET
  ,B
19 ' DRAW THE SUN
20 CIRCLE (204,22),10,2
21 LINE (44,104)-(68,140),PSET,B
22 LINE (124,104)-(148,140),PSET
  ,B


```


NOVASOFT™

★ A TOM MIX COMPANY ★

AT LAST!


TOP QUALITY SOFTWARE AT AFFORDABLE PRICES!
WRITTEN BY WELL-KNOWN AUTHORS IN 6809 MACHINE LANGUAGE ESPECIALLY FOR NOVASOFT™



BUZZWORM

This one will drive you nuts. Guide the snake around the screen eating the snakebait for points; but don't bite yourself! Lots of fun awaits you with this one.


REQUIRES 32K & JOYSTICK
TAPE \$15.95
DISK \$18.95



BREWMASTER

Move along the end of the bars serving beer to your thirsty customers. Watch for falling glasses and rowdy customers. Loads of fun.


REQUIRES 32K & JOYSTICK
TAPE \$14.95
DISK \$17.95



BLACKBEARD'S ISLAND

A brand new high res graphic adventure. This one will blow your socks off! Wander around Blackbeard's Island being ever mindful of the hazards while your lust builds for Blackbeard's buried treasure. Taint easy, matey!

REQUIRES 32K DISK ONLY
DISK \$19.95



PANIC

Climb the ladders and fight the "meanies". Dig holes and bury them. Hours of fun await you in this outstanding graphic arcade game. Enjoyment for all ages.


REQUIRES 32K & JOYSTICK
TAPE \$14.95
DISK \$17.95



MONEYOPOLY

Now! Play this popular board game on your computer. Probably the most realistic computer board game simulation ever. Contains all the features of the original. Buy, rent or sell properties and become a wealthy land baron with this program.


REQUIRES 32K & JOYSTICK
TAPE \$19.95
DISK \$22.95



BATTLE STATIONS

BATTLE STATIONS is a remake of a popular board game. Without a doubt the most outstanding sound and graphics you have ever heard or seen. **BATTLE STATIONS** is a one player interactive simulation of skill, strategy and luck. The player pits his tactical skills against the cold, cunning logic of the computer.

REQUIRES 32K DISK
TAPE \$21.95
DISK \$24.95




VEGAS GAME PAK

Have you ever wanted to bring Las Vegas home with you? Now you can! Six different games in this package: Blackjack, Keno, Poker, plus three slot machine lookalikes. You'll swear you are at the table or the slots when you see the outstanding graphics we have created.

REQUIRES 32K
TAPE \$24.95
DISK \$27.95

6 games



COLOR CAR

You asked for it and now here it is! Fast-moving Grand Prix style racing. With your computer sit at the wheel of your racer through the difficult racecourse. Smash into other cars but be careful because they'll return the favor. Jump your car through the air, over water, and other hazards.

REQUIRES 64K & JOYSTICK
TAPE \$19.95
DISK \$22.95

NO DEALERS PLEASE



CHECKS OK

Phone Orders (616) 957-0444
4285 Bradford N.E.
Grand Rapids, MI 49506

*Add \$2.00 shipping & handling


```

23 LINE (82,104)-(112,180),PSET,
B
24 LINE (76,52)-(100,68),PSET,BF
25 CIRCLE (84,140),2,2
26 PAINT (44,160),1,4
27 PAINT (169,176),1,4
28 CIRCLE (200,176),3,2
29 PAINT (204,22),1,2
30 PAINT (56,120),2,4:PAINT (133,
120),2,4
31 LINE (56,104)-(56,140),PSET
32 LINE (136,104)-(136,140),PSET
33 '      TO OPEN AND CLOSE GAR
AGE DOOR
34 FOR X=1 TO 500:NEXT X
35 PAINT (190,179),2,4
36 FOR X=1 TO 1500:NEXT X
37 PAINT (176,110),4,4
38 CIRCLE (200,176),3,2
39 LINE (0,180)-(255,191),PSET,B
40 '      TO OPEN AND CLOSE FRONT
DOOR AND FIGURE TO WAVE AND GO
BACK INSIDE
41 LINE (92,112)-(92,190),PSET
42 LINE (92,190)-(112,180),PSET
43 PAINT (185,190),1,4
44 PAINT (10,185),2,4
45 LINE (92,112)-(112,104),PRESE
T
46 PAINT (185,190),2,4
47 LINE (92,112)-(92,190),PRESET
48 LINE (92,190)-(112,180),PRESE
T
49 LINE (0,255)-(255,180),PSET,B
50 FOR X=1 TO 120:NEXT X
51 LINE (102,112)-(112,104),PSET
52 LINE (102,112)-(102,190),PSET
53 LINE (102,190)-(112,180),PSET
54 PAINT (96,124),1,4
55 CIRCLE (96,124),7,0
56 LINE (96,130)-(96,164),PSET
57 LINE (96,164)-(84,179),PSET
58 LINE (96,140)-(84,140),PSET
59 LINE (96,164)-(102,179),PSET
60 LINE (96,140)-(102,140),PSET
61 LINE (86,140)-(86,130),PSET
62 FOR X=1 TO 300:NEXT X
63 LINE (86,140)-(86,120),PRESET
64 FOR X=1 TO 500:NEXT X
65 LINE (86,140)-(86,130),PSET
66 FOR X=1 TO 150:NEXT X
67 LINE (86,140)-(86,130),PRESET
68 FOR X=1 TO 150:NEXT X
69 LINE (86,140)-(86,130),PSET
70 CIRCLE (96,124),7,1
71 LINE (96,130)-(96,164),PRESET
72 LINE (96,164)-(84,179),PRESET
73 LINE (96,140)-(84,140),PRESET
74 LINE (0,180)-(255,180),PSET
75 LINE (96,164)-(102,179),PRESE
T
76 LINE (96,140)-(102,140),PRESE
T
77 LINE (86,140)-(86,130),PRESET
78 LINE (102,112)-(112,104),PRES
ET
79 LINE (102,112)-(102,190),PRES
ET
80 LINE (102,190)-(112,180),PRES
ET
81 LINE (0,180)-(255,191),PSET,B
82 CIRCLE (86,140),3,3
83 COLOR 2,1
84 PAINT (30,188),2,4
85 PAINT (232,188),2,4
86 '
87 '      TO DRAW GRASS
88 '
89 POKE 65495,0
90 DRAW "BM0,180;R1;U8;R2;D8;R2;
U10;R2;D10;R3;U12;R2;D12;R3;U5;R
2;D5;R3;U5;R2;D5;R2;U3;R2;D2;R2;
U4;R2;D4;R2;U3;R2;D3"
91 DRAW "BM238,180;U10;R2;D10;R3
;U8;R2;D8;R4;U6;R2;D6;R2;U8;R2;D
8;R1"
92 '
93 'SMOKE STARTS HERE
94 '
95 X=82:Y=52: 'CIRCLE CENTERPOIN
T
96 SP=0:EP=0 'CIRCLE RADIUS
97 FOR R=1 TO 35 STEP .05 'CIRC
LE RADIUS
98 EP=EP+.02: IF EP>1 THEN EP=0
99 CIRCLE (X+R,Y-R),R,1,1,SP,EP
100 NEXT R
101 '
102 '      TO TURN BACKGROUND TO
NIGHT
103 '
104 PMODE 4,1
105 SCREEN 1,0
106 CIRCLE (204,22),10,5
107 PAINT (208,22),5.5
108 '      REDRAWN SMOKE STARTS
HERE
109 X=82:Y=52: 'CIRCLE CENTERPO
INT
110 SP=0:EP=0: 'CIRCLE RADUIS
111 FOR R=1 TO 35 STEP .05 'CIRCL
E RADUIS
112 EP=EP+.02: IF EP>1 THEN EP=0
113 CIRCLE (X+R,Y-R),R,1,1,SP,EP
114 NEXT R
115 POKE 65494,0
116 GOTO 10
117 END

```


FOUR **HOT** UTILITIES FOR THE COLD MONTHS

DISK ANTI-PIRATE

(A Breakthrough in Disk Protection)

Your Only Weapon Against Software Piracy!

Here is a chance for you to copy-protect your Basic and ML programs. DISK ANTI-PIRATE does more than any other program in the market. Compare the features:

- ★ Auto starts your Basic/ML programs.
- ★ Effectively encrypts your programs.
- ★ Disables BREAK/CLEAR KEY, RESET BUTTON.
- ★ Modifies your code so LIST, LLIST, POKE, PEEK, EXEC, USR, CSAVE (M), CLOAD (M), EDIT, DEL, TRON, TROFF, SAVE (M), LOAD (M), MERGE will ONLY work with your own PASSWORDS.
- ★ Your Basic program loads with LOADM.
- ★ Includes a Title Screen Editor to create title screens, which can be displayed while your program loads.
- ★ 'ONERR GOTO' feature to trap errors (even for ML programs).
- ★ Can be used to turn on 64K ALL-RAM MODE in 32K/64K memory systems.
- ★ EASY-TO-USE and FULL DOCUMENTATION.
- ★ NO ROYALTIES/AGREEMENTS/CONTRACTS.

MIN. 16K ECB Disk System.
(Works with CoCol and CoColl)
ONLY \$59.95

HIDE-A-BASIC 1.1

(A Breakthrough in Cassette Protection)

AT LAST! A program that combines autostart with complete protection of your valuable Basic programs.


IMPORTANT FEATURES:

- Autostarts your programs.
- A ML program that modifies your program and NOT just 'Stands Apart'.
- Option to disable Break-key, Clear key & Reset button.
- Disables LIST, LLIST, EDIT, DEL, TRON, TROFF, CSAVE (M), CLOAD (M).
- Disables POKE, PEEK, EXEC & USR to prevent 'Back-door entry' to your program.
- Disables disk functions to avoid access thru Disk System.
- Creates an 'ONERR GOTO' routine to trap errors.
- Your Basic program is loaded as a ML program - with CLOADM.
- Full documentation.


WITH HIDE-A-BASIC 1.1 THERE IS PRACTICALLY NO WAY ANYONE CAN 'GET INTO' YOUR PROGRAM.

Buy Now & Protect your Profits. For 16K ECB Cassette System.
Tape Only \$24.95.

Buy BOTH for ONLY \$79.95.



500 POKES, PEEKS 'N EXECS for the TRS-80 COLOR COMPUTER



NEVER BEFORE has this information of vital significance to a programmer been so readily available to everyone. This book will help you 'GET UNDER-NEATH THE COVER' of the Color Computer and develop your own HI-QUALITY programs, SO WHY WAIT?

This 80-page book includes POKEs, PEEKs and EXECS to:

- ★ Autostart your Basic programs.
- ★ Disable most Color Basic/ECB/Disk Basic commands.
- ★ Disable BREAK KEY, CLEAR KEY and RESET BUTTON.
- ★ Generate a Repeat-Key.
- ★ Merge two Basic programs.
- ★ Transfer Rompaks to tape (for 64K only).
- ★ Speed up your programs.
- ★ RESET, MOTOR ON/OFF from keyboard.
- ★ Restart your Basic program thru the RESET BUTTON.
- ★ Produce Key-Clicks and Error-Beeps.
- ★ Recover Basic programs lost by NEW, ?IO ERRORS and faulty RESET.
- ★ Set 23 different GRAPHIC/SEMIGRAPHIC modes.
- ★ Set 15 of the most commonly used Baud Rates.
- ★ Allow you more plays in 23 of your favorite arcade games.
- ★ AND MUCH MUCH MORE!!!

COMMANDS COMPATIBLE WITH 16K/32K/64K COLOR BASIC/ECB/DISK BASIC CASSETTE and DISK SYSTEMS and CoCol and CoColl.

ONLY \$16.95

ALPHA-DIR

This program will help you arrange your DISK directories in an alphabetical order. Keeps disks in order and allows easy access to programs. Displays Granules and Bytes used on disk.

DISK \$14.95

DISKETTES



5 1/4" SS/DD Diskettes with tearless sleeves, hub rings, write-protect tabs, and Jackets.

QUANTITY	PRICE	SHIPPING
1	\$1.95	\$2.00
10	\$16.95	\$2.00
100	\$162.95	\$7.00

NO SHIPPING charges on disks if ordered with any other software.



**MICROCOM
SOFTWARE**

P.O. BOX 214, FAIRPORT, N.Y. 14450



To Order: VISA, MC, CHECK, MO, COD (\$2.50 extra) Please add \$2.00 shipping and handling (Foreign \$5.00). NYS Residents, please add Sales Tax. • Immediate shipment • Order by phone and get a \$2.00 refund for your phone call • Call for discounts on bulk quantities • Dealer inquiries invited

24-HOUR ORDER HOT LINE: (716) 223-1477

EZ-Graphics — '85 Style

By Fred B. Scerbo
Rainbow Contributing Editor

Editor's Note: If you have an idea for the Wishing Well, submit it to Fred c/o THE RAINBOW. Remember, keep your ideas specific, but don't forget that this is BASIC. All programs resulting from your wishes are for your use but remain the property of the author.

Each of us often spends a great deal of time making New Year's resolutions which are quite often forgotten within several days of the pledge. Although I have some resolutions which I will try to work into my daily routine, one resolution which I really wanted to make was a pledge to those of you who still have only 16K Extended Color BASIC and have been left along the roadside during our last few "Wishing Well" articles. (The last three have all been for 32K.) While this does not mean that you won't be seeing the most requested sequels, such as "Rockfest II" and "Baseball Fever II," I figured that this would be a good time to offer all of you some shorter listings that will equally satisfy everyone from 16K to 64K. This will be a great relief to all of you who will want to keep these listings

in but may be too pressed to hammer in the really long ones during the hectic rush of the holiday season. Also, some of you may have just gotten a CoCo for the first time during the holiday season and odds are that more of you got 16K than 64K.

So, as a little New Year's gift for all of you CoCo enthusiasts, here are two short listings which I dare any friends you may have to equal in as few lines on an Apple II or Commodore 64. These are strictly for the fun of creating sharp graphics. Next month we will get back to some more serious wishes.

Who You Gonna Call?

Probably one of the most successful motion pictures of the past summer movie season was the comedy, *Ghostbusters*. Besides being a funny movie, this cinematic effort has as one of its offsprings a symbol which is quickly becoming as common as "Rubik's Cube," Michael Jackson and "Cabbage Patch" dolls. Recently, I have seen this particularly catchy no-ghosts logo showing up on everything from T-shirts to bumper stickers. Well, here's one more place you can look to see this omnipresent poltergeist: on the screen of your CoCo.

Why even do this? Well, as I have said before, young CoCo programmers often take great pride in being able, with just a few program lines, to create graphics which are easily recognized. This eventually will serve to stimulate

even the most inexperienced programmer to learn more, and eventually create a program which others can benefit from as well.

Therefore, Listing 1 is an extremely short program which will recreate the *Ghostbusters* logo in rather dramatic detail before your eyes. The actual body of the listing which draws the ghost and the slashed circle is only about 13 lines long. As I just mentioned, I doubt any Apple or Commodore programmers will be able to match this graphic on their machine in as few lines. This just gives you one more weapon to use in convincing others that you made the best choice when you chose a Color Computer.

The actual graphic uses *PMODE 4* with an overlay of *PMODE 3* (without using the *SCREEN* command). The ghost and slash are formed by a combination of semi-circle and *DRAW* commands, accounting for how efficiently this BASIC code can be written. You would need a little trigonometry to get similar results on the other computers.

One difference you will notice this time around is that I have used the Reset button to control the occurrence of red. When you *RUN* the program, if the screen is not red, press Reset and *reRUN* the program until it is red. Once it is red, press the ENTER key to draw the graphics. Most of my other programs usually offset a pixel to control the colors without using Reset, but since this was such a short listing, I figured

(Fred Scerbo is a special needs instructor for the North Adams Public Schools. He holds a master's in education and published some of the first software available for the Color Computer through his software firm, Illustrated Memory Banks.)



no reason to let the wind out of my sails for that one yet. Secondly, the colors would be of no use for the *Ghostbusters* graphics listed here. Besides, that would make it longer, defeating the whole purpose of doing the logo in the first place.

When the idea for what to draw finally came to me, I wanted to kick myself for not having thought of it in the first place. What is one of the first paintings or drawings that an aspiring young artist starts with? Why, of course, the answer was a bowl of fruit! Sure, it may not be as dramatic as the car from the ZZ Top logo of a few months ago, but it would give me the possibility of drawing and using more than one of these colors side by side.

With this in mind, I developed a set of seven additional color patterns to be included in the arrays. These patterns are set in lines 11-14 and put into the arrays in Line 15. The colors and their corresponding Syntax letters are listed below. Remember, the actual color may depend on how accurately your TV set tint is adjusted to red and blue.

Y = Yellow
B = Light blue
G = Gold or orange
S = Silver or gray
P = Purple (dark)
L = Lime or dark blue
V = Violet

The lime color is not really so much of a green, but depending on your tint, it is about as close as we can get. You will notice that I mentioned that the letters are part of the syntax. You will actually use these letters to call the colors as you need them.

Remember how I mentioned that the syntax would be familiar to anyone who knew how to use the *LINE* command? As you may recall, the syntax for *LINE* is:

`LINE (x1,y1)—(x2,y2),PSET`

The variables *x1*, *x2*, *y1* and *y2* are used to define the starting and end points of a line (or box) using *x* and *y* coordinates on a field of 256x192 pixels. Therefore, if you wanted to draw a box with opposite coordinates of 10,10 by 20,20 you would write:

`LINE(10,10)—(20,20),PRESET,BF`

which would give you a box 10 pixels square painted in black (because of BF which means box filled). To paint this box with our new colors, you would use the same coordinates. These coordinates are placed in a STRING I call PAINT STRING which is identified as PT\$ in these routines. The syntax for

that the Reset was the quickest route to follow.

A final word should be mentioned here before we move on to our second listing. The actual *Ghostbusters* symbol is the property of Paramount Pictures which holds all rights for its commercial use. Therefore, this listing is for your own personal home use for the fun of it, and may not be used for any promotional purposes. (For example, if any of you were thinking of writing your own *Ghostbusters* game, you could not use this graphics or the logo as part of your effort.) However, no harm should come from using this listing for the fun of learning more about how your CoCo's graphics commands work. Consider it an educational experience.

Therefore, enjoy this little graphics gem, and let me know if you have any ideas for other similar efforts I might be able to share in the "Well."

Sharing The Wealth (Of Graphics Skills)

In the last two installments of "The Wishing Well," I shared with you a technique of using checkerboard pixel patterns to create extra colors in *PMODE4* (and *PMODE3* as well). We saved these patterns in GET-PUT arrays, and painted them on the screen using the *OR* command found with *PUT*. Using this technique, any area which has previously been painted black will be filled in with the color found in our array. For a more detailed explanation of how these colors are generated, refer to last month's article.

There was one small drawback with the method used in last month's issue. While the technique was completely effective for what we wanted to accomplish with those football helmet graphics, the routines were not designed for you to easily use if you wanted to use the extra colors in your own drawings. As I promised, I have come up with a way that you could use them easily without

having to do a great deal of graphics gymnastics. The method I have listed here will be a piece of cake to anyone who knows how to use the *LINE* command found in your Color Extended language.

Another limitation found in last month's version was the fact that the array covered nearly the full width of the screen. This would mean that your graphics would have to be drawn and colored in a fashion that would not allow you to have a yellow object next to a purple object, since the arrays would overlap each other on the same level. Therefore, these new routines have set up arrays which are only 16 pixels wide and two pixels deep. This allows greater flexibility in this type of painting when more than one color is desired on the same left to right level. It also takes up less than 10 percent of the memory required to do it the original way. The routines used for "Football 1 and 2" are much faster than this technique. Since speed was more important than flexibility, those were written with speed in mind. As always, you have the classic trade-off. Speed and flexibility are inversely proportional. This month we will emphasize flexibility instead, while sacrificing speed.

Therefore, the BASIC code required to efficiently and easily use these colors has been written to be part of the first 25 lines of your program. If you wish to draw graphics using them, you would simply start your own program lines at Line 100. There is a special syntax which I have developed to handle the colors which I will explain in just a few lines. Simply put, it is a new way of coloring, but at the same time will be very familiar to you.

Actually, the most difficult part of writing this program was thinking of what to draw as a graphics to demonstrate the routines. I didn't want to do a rock logo because those will be showing up in a couple of months, and there was

Memory Prices . . . REDUCED



ZENITH MONITORS

Our Zenith monitors offer you great quality and high resolution, and our 123 Zenith Green Screen is an outstanding value at only \$98. (Note: All monitors require video controller.)

122 Zenith 12" Amber Screen, 640 dots x 200 dots, 15 MHz resolution. **\$134** (\$6 shpg)

123 Zenith 12" Green Screen, 640 dots x 200 dots, 15 MHz resolution. Our reg. price \$114. (\$6 shpg)

131 Zenith 13" Color Monitor with speaker, composite, RGB jack. 240 x 200 dots, 2.5 MHz resolution. **\$334** (\$9 shpg)

CONTROLLERS

DC-1 Disk Controller reads and writes to 35 and 40 track single and double sided drives with all models of the color computer. (J&M) **\$134** (\$2shpg)

VC-1 Video Interface mounts inside color computer by piggybacking IC on top of interface—no soldering, no trace cuts. All models give composite video and sound. **\$24.45** (\$2)

VC-2 for Color Computer 2—monochrome only. **\$26.45** (\$2)

VC-3 for Color Computer 2—color and monochrome. **\$39.45** (\$2)

Payrol/Bas ®

\$79.95

See our ad on page 205

Drive O Packages More storage, Less cost!

Our double-sided disk package gives you twice the storage for only \$44 more...

359,424 Bytes:
DD-2 DSDD Drive
DC-1 40 Track
Controller
CA-1 Cable

Only
\$394
\$7 shpg

Our double-sided, double-density disk and 40 track controller give you more available storage at a lower unit cost... 359,424 bytes for \$394, compared with our major competitor's 156,672 bytes for \$350—we give you twice as much storage for only \$45 more. Our system will read your old 35 track diskettes, too, and all our Howard Drive O Packages have gold-plated contacts that reduce the common disk errors due to oxidation.

... Our single-sided disk package gives 23,040 bytes more for a dollar less!

179,712 Bytes:
DD-1 SSDD Drive
DC-1 40 Track
Controller
CA-1 Cable

Only
\$349
\$7 shpg

Our Unmatched Guarantee

We offer a 30-day full-refund guarantee on hardware. In addition, all products are covered by manufacturer warranty.

GEMINI 10-X PRINTERS

Gemini 10X Printer. Fast, accurate 120 characters per second, 10" wide carriage, friction and pin-feed printer. Includes internal Gemini serial interface and color computer to Gemini cable.

\$318
complete
(\$6 shpg)

New Printer Stands

Sound absorbing foam, layered to smoked gray plexiglas stand with cork feet.
TS-IX \$24.95 ea (\$2 shpg)

SURGE SUPPRESSORS

SS-1 Surge Suppressor protects your data & equipment against power surges and transients. Reg. \$48 value.

\$16.25 (\$2 shpg)



Howard Medical Computers

Box 2, Chicago IL 60690

RB1084

Telephone (312) 944-2444
Computer Bulletin Board (312) 278-9513

Cat.No.	Number	Desc. (inc. color)	Unit cost	Cost
			\$	\$
<input type="checkbox"/> My check or money order is enclosed. <input type="checkbox"/> Bill (circle one) MC VISA AE			Total Cost	
<input type="checkbox"/> Send C.O.D.			Shipping	
Name _____			Ill. res. add 8%	
Address _____			COD (add 1.65)	
City, State, Zip _____			Total order \$	

MEMORY 64K Upgrades

1 yr. guarantee - solderless

64-E1 for E Boards. Remove old chips and replace with this preassembled package—no soldering, no trace cuts. **\$48.45** (\$2 shpg)

64-F1 for F Board. Preassembled with no soldering. Capacitor leads must be cut. **\$44.45** (\$2 shpg)

64-2 for Color Computer 2. Kit requires two solder joints, no trace cuts. **\$49.45** (\$2 shpg)



The Biggest

The Best



The Indispensable

The RAINBOW

It's called the *premier Color Computer magazine* for good reason. **The Rainbow** is the biggest, best, brightest and most comprehensive publication a happy CoCo ever had! Is there any wonder we get letters daily which praise **the Rainbow**, the magazine one reader calls "A Pot Of Gold" for his Color Computer?

The Rainbow features more programs, more information and more in-depth treatment of the TRS-80 Color, TDP System-100, MC-10 and Dragon-32 and 64 computers than anyone else.

Each monthly issue has as many as 340 pages and contains as many as two dozen programs some 15 regular columns and 30 or more product reviews. And advertisements: **the Rainbow** is known as *the* medium for advertisers — which means every month it has a wealth of information unavailable anywhere else about new products! More than 200 companies advertise in its pages every month.

But what makes **the Rainbow** is its people. People like Bob Albrecht, the master teacher of computer programming. People like Don Inman, one of the world's best computer graphics authors. Experts like Dick White, one of the most knowledgeable writers about BASIC. Or, Dan Downard, **Rainbow** technical editor, who answers our readers' toughest questions. Educators like award-winning **Rainbow** columnist Steve Blyn. Advanced programmers like Dale Puckett, who guides you through Radio Shack's OS-9 operating system. Electronics specialists like Tony DiStefano, who explains the "insides" of the CoCo. These people, and many others, visit you monthly through columns available only in **the Rainbow**.

Innovative ideas, like our Scratch and Sniff Adventure or our Anniversary special "soundsheets" with recorded programs, are ready to feed right into your computer! Complete Adventure games and Simulations. **The Rainbow's** unique *Scoreboard* of arcade games. And games — lots of them — super graphics and utilities, the world's first four-color computer magazine centerfold! And much, much more.

Join the tens of thousands who have found **the Rainbow** to be the absolute necessity for their CoCo. With all this going for it, is it surprising that more than 95 percent of **the Rainbow** subscribers renew their subscriptions?

We're willing to bet that, a year from now, you'll be doing the same. For more information call (502) 228-4492.

Get Your Very Own Pot O' Gold!

Here's your chance to have a Pot O' Gold full of programs, articles and information about CoCo every month of the year! A subscription to **THE RAINBOW** is only \$31* and you won't miss a single chock-full issue.

As the premier magazine for the TRS-80 Color and TDP-100 computers, **THE RAINBOW** has more of everything — and greater variety, too. Do yourself and your CoCo a favor and subscribe to **THE RAINBOW** today!

We accept VISA, MasterCard and American Express. Non-U.S. rates higher. U.S. currency only, please.

YES! Sign me up for a year (12 issues) of THE RAINBOW.

☐ NEW ☐ RENEW (Attach Label)

Name _____ Address _____ City _____ State _____ ZIP _____

☐ Payment Enclosed (Payment must accompany order)
☐ Charge ☐ VISA ☐ MasterCard ☐ American Express

Account Number _____

Signature _____ Card Expiration Date _____

*Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 U.S. funds. Surface rate elsewhere is \$68 U.S. funds. Air mail is \$103 dollars U.S. funds. All subscriptions begin with the current issue. Please allow 5-6 weeks for the first copy.

In order to hold down non-editorial cost, we do not bill

Kentucky residents add 5% sales tax.



Rainbow On Tape Tops Typing

Tired of spending all your valuable computer time typing in those long, but wonderful, **RAINBOW** programs each month? Now there is **RAINBOW ON TAPE** to help ease the pain.

Each month all the lengthy programs (over 20 lines) in **THE RAINBOW** can come to you ready-to-run, thanks to **RAINBOW ON TAPE**. At \$80* per year — or \$10 a tape ** — it is the biggest bargain going.

Back issues are available beginning with April 1982. (except May 1983). Each month's tape will arrive at approximately the same time as that month's issue of **THE RAINBOW**.

YES! Sign me up for the biggest bargain going . . . RAINBOW ON TAPE!

☐ NEW ☐ RENEW (Attach Label)

☐ A Full Year ☐ A Month (Specify Month & Year _____)

Name _____ Address _____ City _____ State _____ ZIP _____

☐ Payment Enclosed (Payment must accompany order)
☐ Charge ☐ VISA ☐ MasterCard ☐ American Express

Account Number _____

Signature _____ Card Expiration Date _____


*Subscriptions to **RAINBOW ON TAPE** are \$80 in the United States, \$90 U.S. funds in Canada and \$105 U.S. funds in all other countries.
 **Back issues of the tapes are \$10 in the United States, \$12 U.S. funds for Canada and all other countries.

In order to hold down non-editorial cost, we do not bill.

Kentucky residents add 5% sales tax.



What goes well with the *Rainbow*?



Rainbow On Tape!

We call it the other side of THE RAINBOW and we may have to raise the price just to call your attention to it. With as many as two dozen programs every month, **Rainbow On Tape** is a luxury service at a bargain basement price.

What is it? **Rainbow On Tape** is a monthly, cassette tape adjunct to THE RAINBOW and it's brimming with all the programs (those over 20 lines long) that fill the pages of the magazine. All you do is pop the cassette in your tape recorder and they're ready to run. No more lost weekends — or weeknights — typing, typing, typing. With **Rainbow On Tape**, you can read the article in the magazine then, in seconds, you load it up and run it.

Yes, **Rainbow On Tape** is brimming with the programs that fill THE RAINBOW's pages each month. And, yes, you could type them in yourself, as many people do. But all of them? Every month? There simply isn't enough time.

Isn't it time your CoCo became a fulltime computer instead of a typewriter. Think how your software library will grow. With your first year's subscription, you'll get almost 300 new programs: games, utilities, business programs, home applications — the full spectrum of THE RAINBOW's offerings without the specter of keying in page after page and then debugging.

Rainbow On Tape — the "meat" of THE RAINBOW at a price that's "small potatoes." Food for thought. To get your first heaping helping, just fill out and return the attached reply card. No postage necessary.

Discover the other side of THE RAINBOW. It's not only a time-saver, it's the key to a whole new outlook!

BUSINESS REPLY CARD

First Class

PERMIT No. 1

Prospect, KY

POSTAGE WILL BE PAID BY ADDRESSEE


RAINBOW

P.O. Box 385

Prospect, KY 40059



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY CARD

First Class

PERMIT No. 1

Prospect, KY

POSTAGE WILL BE PAID BY ADDRESSEE

RAINBOW

P.O. Box 385

Prospect, KY 40059




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES




SPEED RACER

SPEED RACER is a super car race game written in the POLE POSITION™ type of arcade game. It has unbelievable scrolling 3D graphics! Unconditionally guaranteed to be the finest car race game ever written for the COCO. \$34.95
Disk or Tape 32K.



MichTron

576 S. Telegraph Road
Pontiac, Michigan 48053
Orders & Info: (313) 334-6576



these coordinates would thus be:

```
PT$="Y010,010-020,020"
```

The Y stands for the color yellow. The next three digits are the coordinate for our x1 coordinate followed by a comma, with the next three digits being the y1 coordinate. We then use a dash and use three digits for x2, a comma, and three digits for y2. The coordinates for a box such as:

```
LINE(10,20)-(30,40),PSET,BF
```

would be:

```
PT$="Y010,020-030,040"
```

In each case, we use this PAINT STRING by following it with the following command:

```
GOSUB 17
```

which takes care of the painting. You will notice that even though the numbers we are using are only two digit numbers, we must use three digits such as 010 for 10, or 006 for the number 6. This is necessary because the PAINT STRING is analyzed in lines 17 and 18 to determine the coordinates and

colors. This was much easier than to have you type in the values for five separate variables. If you accidentally use two digits rather than three, the painting will not take place. There will not be an error message. There will just be no painting. Thus, our syntax for PAINT STRING is:

```
PT$="Color,Left Corner,Top  
Corner-Right Corner,Bottom  
Corner"
```

followed by *GOSUB 17*. All corner coordinates must be three digits. As you can see, if you know how to use *LINE*, you will have no trouble using PAINT STRING.

If you *RUN* the second listing called *Seven More PMODE4 Colors*, you will have a very nice, framed painting of a bowl of fruit with drapes in the background. You will be pleased to see that this does make a very nice graphics to use for showing the colors available on your CoCo.

I did not use all seven colors here. Rather, I used just a few so you would get the idea. To get a nice curtain or draped effect, I used *POKE 178,x* to give a little added realism. Remember, the technique used for this is to use a value between zero and 255 with the

POKE and the *PAINT* using:

```
PAINT(x,y),1
```

to get your striped colors. This was described many months ago in *THE RAINBOW*.

Lines 310 to 380 are designed to let you change *P MODEs* and *SCREENs* to see how these patterns look under different combinations. Hitting the *ENTER* key will flip through the various combinations. I have also used *Reset* to control red in this program. If the screen is not red when you *RUN* it, press *Reset* until it is and then hit *ENTER* to continue. Again, I felt that this would be preferable to my other method since the *Reset* route is very popular, and you might find it easier since you may want to use these routines yourself.

Let's say you have *RUN* this program and now want to use these colors for your own graphics. Load in the program and type:

```
DEL 110-
```

and hit *ENTER*. This will delete all following lines keeping the routines intact. It will also set your screen for *P MODE 4* with *P MODE 3* colors. You may wish to alter Line 100 to suit you needs. Since I have already used a number of variables in the routines, you will want to take care not to use these same variables! Here is a list of the variables which you should avoid:

```
R,B,X,Y,G,S,P,L,V,LC,RC,TC,  
BC,YY,ZZ
```

and the string variables:
XX\$ and PT\$

The variables *R* and *B* stand for red and blue, and you may substitute them in the program to suit your needs. I have chosen instead to use the values of 3 and 2 in the program so as to not bury you in variables.

If you wish to use these routines, you may renumber them, but you must leave the *REM* statements intact since this program is under copyright. Feel free to create using these techniques, but remember to give credit where credit is due! That's what makes it possible to share these techniques with you.

Let's try a little experimenting so you can see how this really works. Delete the first lines as I mentioned and type in the following new lines:


```
110 CIRCLE(128,96),60,1,.9  
120 PAINT(128,46),1,1  
130 PT$="Y068,042-190,150":  
GOSUB17  
140 LINE(68,42)-(190,150)  
,PRESET,B
```




NEW!

Trekboer

**HI-RES
ADVENTURES**
DISC NOT REQUIRED
Cassettes — \$24.95/Discs — \$27.95



SCI-FI FANS, here it is! A new hi-res adventure even more challenging than any of our others.

This exciting hi-res adventure begins aboard the starship TREKBOER in the 21st century. Life on Earth is threatened by a deadly virus and your mission is to search the frontiers of space and return with a cure to save mankind from disaster. But how? Where? The name of your starship provides the first clue...


Press Release "Trekboer is the latest in the collection of fine adventure games from Mark Data Products. Sure to be a hit!"



SEA SEARCH

Get your shark repellent and scuba tanks ready! The graphics in this adventure are truly outstanding and the underwater scenes are unforgettable. You'll run into a pirate, a mermaid and some hungry sharks in this colorful and unique treasure hunt. 32K required.


Hot CoCo—April '84 "The fine graphics accent your imagination."



CALIXTO ISLAND


A valuable museum treasure has been stolen, can you recover it??? This is a challenging puzzle with an occasional twist of humor. You'll visit a secret laboratory, a Mayan pyramid and you'll meet crazy Trader Jack—all in living color and exciting detail. You will really love this hi-res graphic version of the classic Calixto Island Adventure. 32K required.

Rainbow—April '84 "It was enough to keep my wife and 8 year old son glued to the computer for an entire weekend and two week nights."



SHENANIGANS

Countless legends tell of a magnificent Pot of Gold hidden at the end of the rainbow. Many have attempted to find the marvelous treasure but success has eluded them and it remains hidden to this day. You, as a dedicated adventurer, have determined to search for the fabled riches and succeed where others have failed. This one is great fun! 32K required.



BLACK SANCTUM

Encounter the forces of black magic as you roam around an old 18th century monastery. You'll see all the evil locations in this spooky adventure; you'll love searching out and destroying the evil in this classic tale. A MUST for every adventure game fan! 32K required.

Rainbow—May '84 "It's the graphic screens that are the shining stars...Some of the best I've seen."

FREE — Send for our NEW 24 page Catalog!



Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.

This will draw a circle, paint it black, PAINT STRING it yellow, and surround it with a box that shows the area actually covered by the array. Thus, if you have an irregular shaped object and paint it black, you can fill it in with these colors just as you would with PAINT because we are using OR which checks to see if a pixel is set, and if it is not, it sets it to the pattern. You may also need to redraw around the object since the color will fill in any area it overlaps, which is black.

Although these new smaller arrays do mean you can have adjacent colors, be careful not to make the items too close


together, as I tried to be sure of with the fruit. With a little experimentation, you will be painting with ease in no time at all. (In fact, you will most likely be seeing the routines and variations on them in upcoming graphics wishes. I mean, why shouldn't I take advantage of this easier method as well?)

In playing with the sample I have just given you, change the letter for the color in Line 130. This will give you a better idea of how to control the colors. Probably the hardest thing to color this way would be concentric circles. If you can handle that one, you can handle most any graphics. Yes, it can be done, but I won't show you how now. Let's see you try it yourself.

Conclusion

When I think of the types of graphics people originally got excited about when Color Extended came to the CoCo, and I see how far we have come with the very same machine, I can only imagine that things will continue to get more exciting. I started with Color BASIC with a \$499 16K machine and thought that block graphics were great back in 1981. Who would ever think we would be milking such detail out of this machine without really changing the original language? I'll keep searching for ways to make these things better. You just keep feeding me ideas.

Happy New Year and Happy Programming!



Listing 1:

```

1 '*****
2 '*      GHOSTBUSTERS LOGO      *
3 '*      BY FRED B. SCERBO      *
4 '* 149 BARBOUR ST.N.ADAMS.MA*
5 '*      COPYRIGHT (C) 1984      *
6 '* LOGO IS THE PROPERTY OF      *
7 '* OF PARAMOUNT PICTURES &      *
8 '* IS FOR YOUR HOME USE ONLY*
9 '*****
10 PMODE4,1:PCLS1:SCREEN1,1:PMOD
E3:R=3:PCLS3
20 IF INKEY$<>CHR$(13) THEN20
30 PCLS4
40 CIRCLE(100,40),20,1,.9,.46,.0
5: DRAW"C4BM100,24NU2R6DR2C1R4ER2
M+6,-1R2L3H6L6G2L2G2L62DR3"
50 CIRCLE(100,62),30,1,.66,.41,.
63:CIRCLE(100,62),30,1,.66,.9,.1
: DRAW"BM-22,+24M+2,-4BR36M+2,+4F
2BM-16,-20F4M-6,-3R2BL12BUG4BD4B
RD4F2U8F2D5BR9BUNU4F2U8F2D5BD8BL
4G2L4H2BD12BL2D6F2U10R2D10R2U10F
2D6BD6BR2G2L8H2BL16BU2F4H2L6"
60 DRAW"M-12,+10M-16,+10M-24,-6L
4G2D2R4M+10,+6NF2H2L6G2L2G4D2R4E
2R4F2R4F2H2L4G2L4D4R4ER4M+10,+2R
4NH4M+6,+8R4E2U2M-6,-8D2R4M+20,-
10F2R4F2D"
70 CIRCLE(138,80),30,1,.6,.69,.9
:CIRCLE(136,112),42,1,.5,.25,.4
80 DRAW"BM114,130M-18,+10"
90 DRAW"BM166,100F4R2F2NE4G4D2F2
R4M+9,-3F2R9E2M+24,+10R2U4M-12,-
8M+3,+2R4NDR2NDR8E2U2H2M-14,-2ND
U4M+8,-4ND8M+8,-4U4H2L4G4L2NU4L4


```

G2L4G2L12H2L2H2"

```

100 CIRCLE(128,98),92,1,.85,.52,
.675:CIRCLE(128,98),92,1,.85,.74
,.98:CIRCLE(128,98),92,1,.85,.05
,.48
110 CIRCLE(128,98),62,1,.85,.74,
.9:CIRCLE(128,98),62,1,.85,.05,.
39
120 DRAW"BM68,110NU8M+104,-46BF2
0BD4BL4M-104,+46R2"
130 PAINT(78,36),R,1:PAINT(134,2
4),R,1:PAINT(218,100),R,1
140 PAINT(2,2),1,1:PAINT(134,50)
,1,1:PAINT(72,106),1,1:PAINT(92,
136),1,1
150 GOTO150

```



Listing 2:

```

1 '*****
2 '* SEVEN MORE PMODE4 COLORS *
3 '*      BY FRED B. SCERBO      *
4 '* 149 BARBOUR ST.N.ADAMS.MA*
5 '*      COPYRIGHT (C) 1984      *
6 '*****
7 CLEAR1000:R=3:B=2
8 PMODE4,1:PCLS1:SCREEN1,1:PMODE
3:PCLS3
9 IF INKEY$=CHR$(13) THEN11ELSE9
10 'START COLOR SET
11 CLS0:PMODE4,1:PCLS0:SCREEN0,0
: DIM Y(3),B(3),G(3),S(3),P(3),L(
3),V(3):LINE(32,0)-(48,5),PSET,B
F
12 FORX=31TO47STEP4:PSET(X,0,0):
PSET(X+2,1,0):PSET(X+1,4,0):PSET
(X+3,5,0):NEXT
13 FORX=32TO47STEP8:PSET(X,8):PS

```


TAKE AN ADDITIONAL 3% DISCOUNT WITH CHECK, MONEY ORDER OR C.O.D.

★★★★★ SELECTED SOFTWARE ★★★★★

FOR THE COLOR COMPUTER

UPGRADE YOUR COLOR COMPUTER!

COMPLETE SOLDERLESS KITS
WITH EASY-TO-FOLLOW
INSTRUCTIONS.

4K-16K FOR ALL BOARDS	\$19.95
4K-32K FOR ALL BOARDS	\$54.95
16K-32K FOR ALL BOARDS	\$39.95
64K For E & F BOARDS & COCO 2	\$59.95

*IF POSSIBLE, PLEASE SPECIFY
BOARD REVISION WITH ORDER.

NOTE: All ICs used in our kits are first
quality 200NS Prime Chips and carry
one full year warranty.

SPECIALS OF THE MONTH

* TRAP FALL OR	T	D
* TOUCHSTONE (32K)	\$21.95	\$23.95

THE HJL-57 KEYBOARD

WITH FREE SOFTWARE
FOR FOUR FUNCTION KEYS.

REG. \$79.95 SALE \$74.95

*Please specify model
(original, F version or COCO 2)

DISKETTE CAROUSEL

WITH 72 COLOR-CODED
ENVELOPES.

REG. \$29.95 SALE \$24.95

VOLKSMODEM

300 BAUD, DIRECT CONNECT,
ORIG. ANSWER
AUTOMATICALLY
SELECTED

COCO CABLE	\$ 9.95
PHONE CABLE	\$ 4.95

BOOKS

COLOR BASIC UNRAVELLED	\$19.95
EXTENDED BASIC UNRAVELLED	\$19.95
DISK BASIC UNRAVELLED	\$19.95
ALL 3 BOOKS	ONLY \$49.95

MONITORS

Zenith ZVM - 123 Green	\$129.95
Zenith ZVM - 122 Amber	\$149.95
BMC 9191 U + medium res. with sound	\$289.95

MONITOR INTERFACE

20% OFF WITH MONITOR PURCHASED

VIDEO PLUS Color or monochrome for COCO	\$24.95
VIDEO PLUS II C Color for COCO 2	\$39.95
VIDEO PLUS II M Monochrome for COCO 2	\$26.95

'REAL TALKER'

WITH ENHANCED SOFTWARE
ON TAPE AND USER'S MANUAL

Cartridge \$59.95

'REAL TALKER II'

SAME AS ABOVE FOR COCO 2

\$69.95

Y-BRANCHING CABLE

FOR DISK SYSTEMS \$29.95

STAR PRINTERS

Gemini 10X	120 cps	\$279
Gemini 15X		\$399
Delta 10	160 cps & 8K buffer	\$415
Delta 15		\$549
Radix 10	200 cps & 16K buffer	\$615
Radix 15		\$715
PowerType	DaisyWheel	\$399
PBH Serial to Parallel switch selectable printer and modem interface		\$59.95
Purchased with Printer		\$54.95

**TAKE 20% OFF
ANY SOFTWARE ORDER!**

All games are in 16K
machine language unless noted.

TOM MIX SOFTWARE

	T	D
* DRACONIAN (32K)	\$27.95	\$30.95
* SKRAMBLE	\$24.95	\$27.95
* CRASH (32K)	\$24.95	\$27.95
* WORLDS OF FLIGHT (32K)	\$29.95	\$32.95
* SR-71 (32K Ext. Basic)	\$28.95	\$31.95
* TOUCHSTONE (32K)	\$27.95	\$30.95
* KINGTUT	\$27.95	\$30.95
* BUZZARD BAIT (32K)	\$27.95	\$30.95
* TRAP FALL	\$27.95	\$30.95
* DONKEY KING (32K)	\$26.95	\$29.95
* SAILOR MAN (64K)	\$29.95	\$34.95

SPECTRAL ASSOCIATES

	T	D
* GALAGON (32K)	\$24.95	\$28.95
* COLOR PANIC (32K)	\$24.95	\$28.95
* CUBIX (32K)	\$24.95	\$28.95
* FROGGIE (32K)	\$24.95	\$28.95
* LUNAR ROVER PATROL (32K)	\$24.95	\$28.95
* LANCER (32K)	\$24.95	\$28.95
* ANDROID ATTACK (16K&32K)	\$24.95	—
* MS. GOBBLER (32K)	\$24.95	\$28.95
* WHIRLYBIRD RUN	\$24.95	\$28.95
* STORM ARROW	\$24.95	—
* DEFENSE	\$24.95	—
* GALAX ATTAX	\$24.95	—
* PLANET INVASION	\$24.95	—
* SPACE WAR	\$24.95	—
* GHOST GOBBLER	\$21.95	—
* GEOGRAPHIC PAC (Ext. Basic)	\$29.95	—

INTRACOLOR

	T	D
** COLORPEDE	\$29.95	\$34.95
* ROBOTACK	\$24.95	\$27.95
* CANDY CO. (32K)	\$34.95	\$34.95
* WILLY'S WAREHOUSE (32K)	\$34.95	\$34.95
** INTRACOLOR GRAND PRIX (32K)	\$34.95	\$34.95

UTILITIES AND APPLICATIONS

	T	D
RAINBOW SCREEN MACHINE	\$29.95	\$32.95
SUPER SCREEN MACHINE	\$44.95	\$47.95
TELEWRITER-64	\$49.95	\$59.95
MASTER DESIGN	—	\$34.95
HOME BASE	—	\$49.95
WORK BASE I	—	\$64.95
DISK UTILITY BEST	—	\$24.95
COCO SCREEN DUMP for EPSON & GEMINI	\$19.95	\$19.95
COCO CALLIGRAPHER	\$24.95	\$29.95
SCHEMATIC DRAFTING	—	\$49.95
PROCESSOR	—	\$49.95
SPECTRUM DOS	—	\$49.95
E-Z BAZE	—	\$24.95
PRO-COLOR-FILE *ENHANCED*	—	\$79.95
COLORCOM/E Rompack or Disk	\$49.95	—
64K DISK UTILITY	—	\$21.95
TAPE UTILITY	\$24.95	\$24.95
MULTIPAK CRACK	—	\$24.95

**SPECIALS
UP TO 60% OFF**
NO OTHER DISCOUNTS APPLY.
QUANTITY LIMITED.

	TAPE
* FROGGER	\$12.95
* SPACE RAIDERS	\$12.95
* ASTRO BLAST	\$12.95
* COLOR HAYWIRE	\$ 9.95
* CAVE HUNTER	\$12.95
* KATERPILLAR	\$11.95
* COLOR ZAP	\$ 7.95
* COLOR OUT	\$ 7.95
COLOR GRAPHIC ANIMATOR	\$ 7.95
COLOR GRAPHIC EDITOR	\$ 9.95
TIMS	\$14.95
WAR KINGS	\$ 9.95
SILLY SYNTAX	\$ 9.95
MASTER CONTROL II	\$14.95

MORE FROM SUGAR

	T	D
THE GREAT USA	\$19.95	\$24.95
BIBLE STORIES	\$19.95	\$24.95
GALACTIC HANGMAN	\$17.95	—

DATA SOFT

	T	D
* ZAXXON (32K)	\$39.95	\$39.95
* MOON SHUTTLE (Tape & Disk Included)	\$29.95	\$29.95
* POOYAN (32K — Tape & Disk Included)	\$29.95	\$29.95

COMPUTERWARE

	T	D
* JUNIOR'S REVENGE (32K)	\$28.95	\$31.95
* GRAN PRIX (32K)	\$21.95	\$24.95
* DOODLE BUG	\$24.95	—

ANTECO SOFTWARE

ROMPAK ONLY

* 8-BALL	\$29.95
* WHIRLYBIRD RUN by Spectral Associates	\$26.95
* GHOST GOBBLER by Spectral Associates	\$26.95

ADVENTURE INTERNATIONAL

	T	D
SAIGON: THE FINAL DAYS	\$24.95	—
ADVENTURELAND	\$19.95	—
EARTHQUAKE	\$24.95	—
** SEA DRAGON (32K)	\$34.95	—

*Requires Joystick

**Joystick Optional

WE PAY POSTAGE on all orders in the United States & Canada.
Overseas please add \$3.00. (MN Residents add 6% sales tax.)
We accept Visa, Mastercard, check or money order. U.S. funds
only for foreign orders. C.O.D. please add \$2.00.

Send to:

SELECTED SOFTWARE

P.O. Box 32228 • Fridley, MN 55432

OR CALL OUR 24 HOUR ORDER LINE 612-757-2439


```

ET(X+4,9):LINE(X,12)-(X+1,12),PS
ET:LINE(X+4,12)-(X+5,12),PSET:LI
NE(X+2,13)-(X+3,13),PSET:LINE(X+
6,13)-(X+7,13),PSET
14 PSET(X,16):PSET(X+1,17):PSET(
X+4,16):PSET(X+5,17):PSET(X+1,20
):PSET(X+5,21):NEXTX:PMODE3:COLO
R2,3:LINE(32,24)-(48,24),PSET:LI
NE(32,25)-(48,25),PRESET
15 PMODE4:GET(32,0)-(47,1),Y,G:G
ET(32,4)-(47,5),B,G:GET(32,8)-(4
7,9),G,G:GET(32,12)-(47,13),S,G:
GET(32,16)-(47,17),P,G:GET(32,20
)-(47,21),L,G:GET(32,24)-(47,25)
,V,G
16 GOTO100:'PAINTING ROUTINES
17 LC=VAL(MID$(PT$,2,3)):TC=VAL(
MID$(PT$,6,3)):RC=VAL(MID$(PT$,1
0,3)):BC=VAL(MID$(PT$,14,3))
18 XX$=LEFT$(PT$,1):IFXX$="Y"THE
N19ELSEIFXX$="B"THEN20ELSEIFXX$=
"G"THEN21ELSEIFXX$="S"THEN22ELSE
IFXX$="P"THEN23ELSEIFXX$="L"THEN
24ELSEIFXX$="V"THEN25ELSERETURN
19 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),Y,OR:NEXTZZ,YY:RETURN
20 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),B,OR:NEXTZZ,YY:RETURN
21 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),G,OR:NEXTZZ,YY:RETURN
22 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),S,OR:NEXTZZ,YY:RETURN
23 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),P,OR:NEXTZZ,YY:RETURN
24 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),L,OR:NEXTZZ,YY:RETURN
25 FORYY=TC TO BC STEP2:FORZZ=LC
TO RC STEP16:PUT(ZZ,YY)-(ZZ+15,
YY+1),V,OR:NEXTZZ,YY:RETURN
90 'START YOUR PROGRAM HERE
100 PMODE4:PCLS1:SCREEN1,1:PMODE
3
110 PMODE4:COLOR0,0:LINE(0,0)-(2
54,192),PSET,B:LINE(12,8)-(243,1
83),PSET,B:PAINT(2,2),0,0:PMODE3
120 PT$="P000,000-255,008":GOSUB
17:PT$="P000,182-255,192":GOSUB1
7:PT$="P000,000-008,192":GOSUB17
:PT$="P240,000-252,192":GOSUB17
130 GOSUB140:GOTO150
140 DRAW"BM40,120C1ND4R170D4L4G4
D2G2D2G4L2G4L2G4L2G4D6F2R2F2D4L1
16U4E2R2E2U6H4L2H4L2H4L2H2L2H2U2

```

```

H2U2H4L4U4":RETURN
150 PAINT(50,122),1,1:PT$="S036,
120-210,146":GOSUB17:PT$="G062,1
48-214,156":GOSUB17:PT$="S048,15
8-210,170":GOSUB17:GOSUB140
160 GOSUB170:GOTO180
170 CIRCLE(60,100),30,1,1,1,.4,.
7:CIRCLE(130,72),80,1,.5,.2,.5:D
RAW"BM160,108C1D4G2D2G4":RETURN
180 PAINT(158,112),1,1:PT$="Y030
,076-160,118":GOSUB17:GOSUB170
190 CIRCLE(120,80),70,1,.5,.2,.5
:CIRCLE(114,72),80,1,.6,.3,.4:CI
RCLE(66,100),26,1,1,1,.4,.6
200 CIRCLE(100,76),30,1,.9:PAINT
(100,58),1,1:PT$="G069,048-120,0
98":GOSUB17:CIRCLE(100,76),30,1,
.9,.6,.2
210 CIRCLE(82,94),30,3,.9,.58,.1
:CIRCLE(130,72),80,3,.5,.3,.47:P
AINT(82,86),3,3:CIRCLE(82,94),30
,1,.9,.58,.1:CIRCLE(130,72),80,1
,.5,.3,.47
220 CIRCLE(194,104),22,1,.9,.33,
.18:PAINT(194,98),1,1:PT$="V168,
084-210,118":GOSUB17:CIRCLE(194,
104),22,1,.9,.33,.18:CIRCLE(160,
120),48,1,1,.6,.88:PAINT(160,100
),2,1
230 CIRCLE(160,120),10,1,1,.75,1
:CIRCLE(160,100),10,1,.9:CIRCLE(
150,90),10,1,.9:CIRCLE(170,86),1
0,1,.9:CIRCLE(140,110),10,1,1,.5
,1:CIRCLE(120,110),10,1,.9,.5,1:
CIRCLE(130,102),10,1,.9,.5,1:CI
RCLE(140,86),10,1,.9,.28,.92
240 CIRCLE(154,82),10,1,.9,.53,.
96:CIRCLE(172,110),8,1,1,.15,.75
:DRAW"BM126,90C1R6F4D2BF8BR4R4BE
20BR6E4BL12BU2U2"
250 COLOR1,1:LINE(16,12)-(239,17
9),PSET,B:LINE(16,146)-(66,146),
PSET:LINE(239,146)-(184,146),PSE
T:PAINT(20,148),3,1
260 CIRCLE(36,10),80,1,.6,.02,.2
5:DRAW"BM36,56C1D10F6"
270 CIRCLE(222,10),80,1,.6,.25,.
49:DRAW"BM222,56C1R6D10G6D74"
280 POKE178,14:PAINT(18,20),,1
290 POKE178,26:PAINT(200,20),,1
300 POKE178,34:PAINT(130,20),,1
310 IFINKEY$<>CHR$(13)THEN310
320 PMODE3:SCREEN1,1
330 IFINKEY$<>CHR$(13)THEN330
340 PMODE3:SCREEN1,0
350 IFINKEY$<>CHR$(13)THEN350
360 PMODE4:SCREEN1,0
370 IFINKEY$<>CHR$(13)THEN370
380 PMODE4:SCREEN1,1:GOTO310

```


BASIC NECESSITIES!!

Software and Hardware Products for BASIC Programmers

EDITTRON™

Full-Screen Text Editor For BASIC Programs

EDITTRON is a position-independent, machine-language program that enables you to perform full-screen text editing of your BASIC programs. EDITTRON has ten (10) Cursor-Control functions that allow you to move freely within your BASIC program text and ten (10) time-saving Screen-Editing functions. This BASIC programming aid also features Auto-Repeating keys, Key-Tone on command, user-friendly Prompts and Error Messages, All ROM Compatibility, no ASCII Conversion, 24 pages of comprehensive Documentation, and a Quick Reference Chart.

EDITTRON requires a minimum system of 16K RAM and Extended Color BASIC.

CASSETTE \$ 30 DISKETTE \$ 32

LISTER

LISTER is a powerful programming aid that allows you to see and read your BASIC program in a New and Enhanced format we call a Logical-Listing. LISTER provides for Line-Number Margin, Statement-Splitting, Indented FOR-NEXT Loops and IF-THEN-ELSE statements. Uses the same LIST and LLIST commands as BASIC.

CROSS-REF

The CROSS-REF program generates listings of line-numbers and variables that are referenced within your BASIC program. Each entry will be followed by all of the line-numbers that reference that entry. Reference all or only one at a time. Alphabetic listing. Auto-Tab and Line-Number Wrap features enhance the readability of the CROSS-REF output.

VAR-DUMP

The VAR-DUMP program generates listings of Run-time variables and their values. The variables will appear on the list in the same order that they occur in the running BASIC program. VAR-DUMP lets you list unique or array variables. You can use VAR-DUMP to debug programs, dump arrays and to determine BASIC's variable-stack order.

All 3 programs are Machine-Language (PIC), and require 16K Extended Color BASIC. They all feature BASIC-like Command Syntax, 3 Scroll Speeds, Pause/Stop Output, Optional Header/Pagination to the Printer and Definable CPL, LPP, ALF, & BAUD.

One Program, \$ 15 on Cassette /\$ 17 on Disk. All Three for \$ 30 and \$ 34.

\$8.00 M/L UTILITIES*

AUTOKEYS — Auto-Repeating keys to help you cut down on keystrokes. AUTOKEYS gives you 16 repeat speeds to suit your typing style.

AUTO-NUM — Automatically generates sequential line numbers to make BASIC program entry easier. Defineable start and increment.

COMPRESS — Removes unnecessary spaces and unwanted remarks from your BASIC programs. Displays output and bytes saved.

FUNCTION — Define ten keys on your keyboard as Functions of up to 100 characters each. Functions may include multiple statements and ENTER keys for auto-executing commands.

GARBAGE — Does your computer seem to 'Lock-Up' for seconds or minutes at a time. GARBAGE solves this problem by improving BASIC's string collection time by 98%+. (64K)

HI-BASIC — RUN your BASIC program from the upper 32K block. This opens up the lower 32K for large amounts of data, such as mailing lists, data bases, graphic arrays, etc. (64K)

KEYCLICK — Provides audio-feedback in the form of clicking keys. This feedback will save you time by helping to reduce your typing errors.

NEWERROR — Provides expanded BASIC error messages. Replaces normal 2-letter error messages with full, readable error statements.

NEWLIST — Generates BASIC program listings to the printer with line number margin. Optional Header and Pagination, user definable LPP, CPL, ALF and BAUD rates. (ECB)

PM4PRINT — Outputs PMODE4 graphic screens to DMP-100 compatible printers. POS, NEG, and TAB output features included. (ECB)

QUICKEYS — Simplifies BASIC program input by enabling 2-keystroke entry of most BASIC words. Key index output to screen or printer.

REACTION — Provides for automatic last-command entry recall. Two keys reprint last command onto screen. A real timesaver!

ROM-BOOT — Allows access to full 64K Map. You can POKE and PEEK data, LOAD M/L code into high RAM, and alter the ROMs. (64K)

SOFT-VID — Provides you with four different text screen formats. Green/Black or Orange/Red text in Normal or Reversed video. (64K)

*All VIDTRON M/L Utilities are written in position-independent code and require a minimum of 16K Color BASIC unless specified.

CASS.—One for \$12, Two or More for \$8 Each
DISK—One for \$14, Two or More for \$10 Each

HARDWARE PRODUCTS

ROMs

BASIC ROM 1.1 \$45.00
BASIC ROM 1.2 \$30.00
E.C.B. ROM 1.1 \$55.00
D.E.C.B. ROM 1.1 \$30.00

RAMs

4164—64K RAM \$6.50
Set of Eight \$50.00
4116—16K RAM \$1.10
Set of Eight \$8.00

I.C.s

6809E-1 MHz MPU \$25.00
68B09E-2 MHz MPU \$30.00
6821—1 MHz PIA \$8.00
68B21—2 MHz PIA \$10.00
6883—SAM \$25.00
6847—VDG \$20.00
1 MHz Set of Four \$65.00
2 MHz Set of Four \$70.00
6822—H.D. PIA \$15.00
1372—Video Driver \$5.00
74LS02—NOR Gate \$1.00
74LS138—Decoder \$2.00

\$7.00 SOLDERLESS KITS

VT-8302 + 12V Pilot Light Kit \$7.00
VT-8303 Remote Reset Switch Kit \$7.00
VT-8304 Rem. Power Switch Kit \$7.00
Not Available for Color Computer 2.

SERIAL SWITCHERS

VT-8305 2-Port Serial Switcher \$25.00
VT-8305PL 2-Port Serial Switcher with Mounted Pilot Light \$30.00
VT-8306 3-Port Serial Switcher \$30.00
VT-8306PL 3-Port Serial Switcher with Mounted Pilot Light \$35.00

MISCELLANEOUS

VT-8401 Cooling Fan Kit \$25.00
6' T.V. Cable with R.F.I. Filter \$15.00
Clip-on Heatsink for 40-Pin I.C.s \$1.00
RAM Button, 16K, 32K or 64K \$3.00
IC Extractor for 16-24 Pin I.C.s \$3.00
DIN, Cable, M or F, 4, 5 or 6-Pin \$1.00
DIN, Chassis, Fem., 4, 5 or 6-Pin \$2.00

3-D

TIC-TAC-TOE

Challenge your computer to a game of 3-D Tic-Tac-Toe. You can control your computer's intelligence by selecting one of 5 different skill levels. 3D-TTT has Hi-Res, 3-D Graphics, M/L Sound, and a 4x4x4 Matrix, with 64 Squares, and 76 Winning Combos. 3D-TTT is an M/L Enhanced BASIC Program for 1 or 2 Players, Keyboard or Joystick Operation, and Requires 32K, E.C.B.

CASS. \$10 / DISK \$12

TERMS: Cashier's checks and money orders for immediate delivery • Personal checks allow 2 weeks • Orders \$100 to \$199, take 10% discount • Orders \$200 and over take 15% discount • California residents add 6% Sales Tax • Orders under \$25 add \$2 shipping • U.S. C.O.D. orders add \$4

★ FREE ★
CATALOG

4418 East Chapman Ave., Suite 284
Orange, California 92669

Call Anytime—(714) 639-4070




VIDTRON

TM



The Keyboard Cassette Editing System

By Gary L. Behr



If you've discovered **AUDIOON: MOTORON / AUDIOOFF: MOTOROFF** to audibly search through your cassette tape for a program, you've probably discovered it can be an absolute pain retyping the same commands over and over again. This simple program gives you one keystroke control for **ON/OFF** tape commands, and lets you completely exit the program in a two stroke sequence to begin a new program. It also sounds an audible confirmation for each keystroke. Written with two versions, it functions on either BASIC or Extended BASIC.

The *Keyboard Cassette Editor* program (**KCE**), used in conjunction with the suggested editing method will allow you to easily update or locate any program on any tape in a matter of seconds. This program is also quite useful for editing out unwanted programs from the middle of tapes and reducing search time to a minimum.

The advantage of listening to a recorded program is it allows a person to identify exactly where and how much space a particular program occupies on the tape. Once this is determined, its position can be noted in an index log using the tape counter for quick retrieval or editing rather than going through the entire tape in the "play-search" mode.

Saving programs from computer to tape isn't hard, neither is loading them back into the computer. What the instruction book doesn't tell you is how to manage and edit your tape once you've begun **CSAVEing** all your programs!

Before discovering **AUDIOON: MOTORON / AUDIOOFF: MOTOROFF**, I was unplugging the cassette recorder jacks every time I wanted to listen to where a particular program started and finished. When I read the same results could be accomplished using computer keyboard commands

and listening to the tape through the television, life with a computer became a little easier. This also minimized the need to readjust the recorder volume control every time I listened and precluded the possibility of damaging one of the jacks.

Regrettably, not being a speed-typist, constantly re-entering **AUDIOON: MOTORON / AUDIOOFF: MOTOROFF** became practically as challenging as plugging and unplugging the jacks. There had to be a better way.

"Saving programs from computer to tape isn't hard, neither is loading them back into the computer. What the instruction book doesn't tell you is how to manage and edit your tape once you've begun CSAVEing all your programs!"

I should first explain how I've set up my tape file. Each primary category of interest, such as: business, inventory, data, special programs, home, hobbies, games, etc., has a separate cassette representing "final" **CSAVEs** of each program. I also have a "pending" tape which represents the various programs I'm currently working on but do not yet have in final form.

With other **CSAVE** systems you have a choice of either adding on after the older version of the same program/data or recording over the older version. If you add the "updated" version after the previous version it won't be long before an entire tape has the same program in various stages of updates. If you attempt to record over the older existing version, several problems can arise. You can lose everything with an I/O Error by having a segment of the old version attempt to load with the new version (often caused by less than total erasure of the previous program). Another problem is since the updated version has more information in it, it's also longer and hence uses more tape length when **CSAVEd**, which could record over the beginning of the next **CSAVE** in the tape sequence.

My solution to these potential problems has been very effective for hundreds of error-free **CSAVEs**. First, make sure your recorder is set up properly, including periodically cleaned heads. Second, take full advantage of the recorder's digital counter by zeroing it to the beginning of each tape and setting up a simple log sheet indexing each program to a specific counter value. When you **CSAVE** a program, anticipate the maximum length after all the updates are completed. An effective way to estimate is first to note the length of the original **CSAVE** on the counter. If you think you may end up with twice as much program/data before you're finished, then double the counter length value. After you've determined the maximum length of your program/data then add another five counter units as a buffer between **CSAVEs**.

If I **CSAVEd** a current inventory listing of merchandise and the **CSAVE** began at counter number(CN) 17 and ended at CN 27, I used 10 counter units for the **CSAVE**. Realizing I'm only half done with the current listing I'd have to add another 10 counter units. I may also want to consider if the current inventory will ever be expanded, so to be safe I'd add a 20 percent expansion factor or another four counter units. Now that I have determined the total space needed for a complete inventory, including an expansion factor, my total counter units are 24. Now add five counter units as a buffer between the next **CSAVE** for a grand total of 29. Since my program began on CN 17, I add 29 and when a new (different) program/data is saved on the same tape it will begin at CN 46.

At first this may seem like a lot of blank tape between programs, but compared to sequentially saving updates, it's much more condensed. With an accurate index log you'll be able to fast forward or rewind to the beginning of any program/data in a matter of seconds. And since the program/data always begins at the same place there is no need to revise the index log entries each time a change is made.

Once you have the **KCE** running, your screen display will give you three options: **EDIT**, **STOP** or **QUIT**. Pressing the 'E', 'S' or 'Q' computer key

(Gary and his wife Linda own Expressive Image Photography Studio in Madison, Wis. Although Gary has no prior computer background; business needs necessitated the purchase this year of a computer system. The simple programs Gary has written are directed toward efficient computer usage and applications for his business.)

will initiate each respective function (it's not necessary to use the uppercase SHIFT key). The 'E'dit key serves the same basic function as *AUDIOON: MOTORON*, the 'S'top serves as the *AUDIOOFF: MOTOROFF* and the 'Q'uit allows you to entirely exit the *KCE* program.

It is important to understand the 'Q'uit also erases the *KCE* program, allowing immediate entry of new program information. (This should also be taken into account when initially writing the *KCE* program.) Because of the total exit from the program, when the 'Q'uit key is pressed you are then prompted with "DO YOU REALLY WANT TO QUIT? - YES, NO, BREAK". If you do want to quit just press 'Y', if not, pressing 'N' will re-enter you into the *KCE* program. If you wish to make a temporary "break" from *KCE* without erasing the program itself, just press the keyboard BREAK key and you can review your *CSAVEs* names by using the BASIC *SKIPF* command. When you're ready to return to the *KCE* editor just enter *RUN*.

You may have noticed the 'E' and 'S' keys are directly adjacent to each other

and the 'Q' key is also nearby, which is not sheer coincidence. This position allows easy use for left hand access while the right hand remains free for cassette manipulation, writing notes or whatever. There isn't any need to watch which keys your depressing, as each function key has a beep response with a different tone to audibly confirm every input.

We'll use our previous inventory example to demonstrate the *KCE* program. Let's assume we've already loaded the inventory into the computer from the "final" cassette and updated the file.

CSAVE to "PEND":

CSAVE the updated version on a different, "Pend" cassette which we'll keep just for "pending" actions. Be sure to include at least one backup *CSAVE* (for convenience the *CSAVEs* can be done sequentially).

CLOAD "KCE":

Once satisfied the updated version is safely *CSAVED*, *CLOAD* the *KCE* program and *RUN* it.

Ready the "Final":

Rewind the "final" cassette to the beginning and "zero" the tape counter. Now fast forward until you're positioned just before the "inventory" program, CN 12-15. Press Play on the cassette recorder and then press 'E'dit on the keyboard. The tape will begin to run and you should hear a faint hum from the blank "buffer" of the previous program as the tape advances. When the tape comes to CN 16 press 'S'top on the keyboard.

"CLEANING" the tape:

Place the recorder in the Record mode and press 'E'dit again. You are now replacing the old inventory program with a clean, blank tape space. Let the recorder "clean" the tape to the end of the full length of the anticipated program (which in this case was CN 46). When you 'S'top, you will not only stop the tape but also place a short audible "beep" on the tape for future editing orientation. (If you 'Q'uit the program while in the 'E'dit mode, the program will automatically turn off the audio and recorder without an orientation

TRS-80 COMPUTER DISCOUNTS

COLOR COMPUTERS



*26-3134 16k color II	89.95
*26-3136 16k ext color II	125.00
*26-3127 64k color comp	175.00
26-3029 1st disk drive	289.95
26-1161 2nd disk drive	229.95

PRINTERS

26-1271 DMP-110	299.95
26-1254 DMP-200	510.00
26-1255 DMP-120	395.00
26-1257 DWP-210	500.00



MODEL 4 and 100's

26-1067 mod 4 16k	699.95
26-1068 mod 4 64k 1 dr.	900.00
26-1069 mod 4 64k 2dr.	1020.00
26-1080 mod 4 p	1020.00
26-3801 mod 100 8k	499.95
26-3802 mod 100 24k	619.95

*Prices good through 11-25-84

**We Carry the Complete Line of TRS-80
Computer Products at Discount Prices
CALL FOR A FREE PRICE LIST 800-257-5556
IN N.J. CALL 609-769-0551**

WOODSTOWN ELECTRONICS

Rt. 40 E. WOODSTOWN, N.J. 08098

beep recorded on the tape.) Once you've established the tape parameters, subsequent updates will only require cleaning the tape a digit past the end of the previous version.

Position "FINAL" for CSAVE:

Rewind the cassette recorder back to about CN 15, and place the recorder in the Play mode. Press the 'E'dit once more until you are exactly at CN 17 and 'S'top the tape edit.

Reload your program:

Press 'Q'uit and answer the prompt with a 'Y' to totally exit the KCE program. Remove the "final" cassette from the recorder and reload your updated inventory into the computer from the "pend" cassette.

Naming your program:

Since you're permitted up to eight characters in your CSAVE "name", a thoughtful suggestion would be to reserve the last three characters for a two-character revision index and separate it with a period or slash such as "NAME/03". This not only allows easy

review, especially during a tape search, but also offers a simple transition to future disk SAVES.

CSAVE to "FINAL":

Once loaded, return to the "final" cassette and CSAVE in the normal manner.

Rewind the "final" cassette to the beginning, "zero" the counter, advance to about CN 16 and CLOAD the same program you just CSAVED. This reloading will confirm an effective CSAVE. (If the "final" CSAVE would have failed, you still have several CSAVES on the "pend" cassette to try again.) By zeroing the counter before CLOADing the present program, you can determine how much additional tape the update consumed (if the tape now stopped at CN 32, the update portion consumed five additional counter units).

I realize this may sound a bit complex, but most of it is just a logical sequence and won't require much memory. The most obvious advantages are the exceptionally precise control a person has in advancing the tape, either in the Play or Record mode, the audible "beep" to determine the program/ data save boundaries and the ability to main-

tain concise, accurate and consistent records of program/data CSAVES. In the long run it can be a very simple solution to what otherwise might become a complex maze of confusion.

Here's the KCE program. It's listed the Extended BASIC version, however by replacing the program subroutine with the alternate subroutine, the program will effectively run on Color BASIC.

For an effective screen display, please adhere to all spacing.

Line 170 lists NEW; however while you are initially writing the program replace NEW with END. This allows you to test RUN the program, including 'Q'uit without erasing the entire program. Once you have satisfactorily completed the program, CSAVE it for your backup file with the END command on Line 170. Then change Line 170 to NEW and CSAVE it a few times for normal editing use.

You may wish to begin your "pend" cassette with several KCE program CSAVES for fast access when editing. If you'd like a pre-CSAVED KCE program on a 20-minute cassette with a copy of these usage instructions, please send your name and address along with \$8 to 6818 Odana Road, Madison, WI 53719.

Listing 1:

```
10 CLSO:REM"KCE-BY GARY L. BEHR"
20 A$=INKEY$
30 PRINT@100," KEYBOARD CASSETT
E EDITOR"
40 PRINT@164,"PRESS"
50 PRINT@196,"<E> TO EDIT TAPE"
60 PRINT@228,"<S> TO STOP TAPE"
70 PRINT@260,"<Q> TO QUIT PROGR
AM"
80 IFA$="E"THENSOUND50,1:AUDIOON
:MOTORON
90 IFA$="S"THENSOUND150,1:MOTORO
FF
100 IFA$="Q"THEN110ELSE20
110 AUDIOOFF:MOTOROFF
120 SOUND200,2:SOUND180,1:SOUND2
00,1:GOSUB180
130 CLSO:PRINT@228," EDITING
COMPLETED":GOSUB260
140 FORT=1TO1000
150 NEXTT
```

```
160 CLS
170 NEW
180 CLSO
190 A$=INKEY$
200 PRINT@100,"DO YOU REALLY WAN
T TO QUIT?"
210 PRINT@215," <Y> YES"
220 PRINT@247," <N> NO"
230 PRINT@279," <BREAK>"
240 IFA$="N"THEN20
250 IFA$="Y"THEN130ELSE190
260 PLAY"P12;T4;V25;L4;G;V18;L8;
C;L8;C;L4;D;L4;C;P4;V22;L4;E;V25
;L3;F
270 RETURN
```

Listing 2:

```
260 FORS=70TO230STEP5
270 SOUNDS,1
280 NEXTS
290 RETURN
```




Personal Time Management System and Event Recorder with Memos

You won't forget **Don't Forget!** You'll actually enjoy getting organized with this personal time management systems. The Macintosh-like icons make entering your personal schedule simple and fun. But if you need instructions, there are help screens to assist you.

You'll never miss a birthday or important appointment again! With **Don't Forget!** you can record the entire year's occasions and daily appointments ahead. Each day has spaces for 4 Special Occasions, 2 Memos, and hourly notes for 6 am through 9 pm. The built-in 51 x 24 upper and lower case hi-res display makes it very easy to read.


You can display or print any daily schedule – or a whole week at a time – so you'll remember every important event. You can even print a blank monthly calendar page with big boxes to scribble notes in!

So use your CoCo's memory and **Don't Forget!** as your personal secretary. Designed for mouse, joystick, or keyboard entry. **Don't Forget!** requires 32K and one disk drive. **Disk \$27.95**



PUT A MONITOR ON YOUR COCO WITH VIDEO PLUS!

with audio!



NAP Green Screen \$109.95 NAP amber screen \$114.95 Color with audio \$275.00

NEW! IMPROVED! HIGHER RESOLUTION

We proudly introduce a **new** model of our popular NAP monochrome monitors with **higher resolution** and a more **compact** stylized case. Of course they will have the **built-in audio** – no need to add expensive amplifier or go without sound.

Yes! You can enjoy the crisp display of a composite video monitor using Computerware's Video Plus interface. Each is fully assembled and tested. Installation is quick, easy, and requires no soldering. Your TV output is not disabled. Audio output available. Choose the model right for your computer and monitor.

VIDEO PLUS \$24.95
Interfaces the original model of Color Computer to any composite video monitor (color or monochrome).

VIDEO PLUS II M \$26.95
Interfaces the CoCo II with a monochrome composite video monitor.

Video Plus II C \$34.95
Interfaces the CoCo II with any composite video monitor (color or monochrome).

VIDEO PLUS II U \$34.95
Interfaces the new CoCo II (model with power switch next to the TV output and chips soldered, not socketed) with any composite video monitor (color or monochrome).



ICE HOCKEY

Begin with our national anthem, then race into action in hi-res graphics with realistic player & puck movement. One or two players compete against the real-time clock. Many skill levels. (Requires 32K)

cass \$24.95 disk \$27.95




CoCo Cookbook

- Can be used for ANY free-format filing system (not just recipes). Try it for periodicals and article synopsis, product reviews, real estate descriptions. ...!
- Store & retrieve a large number of recipes.
- Up to 270 recipes on a single disk using a special compression technique.
- Up to 3040 characters per recipe including title, ingredients, & instructions – all in easy to use "free form" format.
- Access each recipe by title, number, or with special keyword search (like all the recipes using "chicken!") List on the screen or printer.
- 50 recipes included FREE!
- Requires 32K and a disk drive.

32K disk \$27.95

DISK SYSTEMS

The biggest investment you'll make in your computer system will be a disk system. It will widen your computing horizons considerably and should be chosen carefully. Computerware configures systems to include the most **reliable** components at the best prices available. We do not try to be the cheapest by compromising quality!



We offer **complete systems** assembled and tested by **expert technicians**. We've been selling disk systems since 1977 so we know what you need and we make sure you get it! We use the highest quality components including **TEAC** and **Hitachi** drives. **J & M Systems** controller, all **GOLD** connectors, **heavy duty** cabinet, power supply, and cable. Our power supplies are totally adequate to insure reliability; we know dual drives need heavier power supplies! All of our TEAC and Hitachi drives come with a **6ms** step rate, full **40 tracks**, slim line size, and a one year warranty. In addition to the DOS manual, you receive a 20-page **technical manual** documenting every detail of disk drive performance and specification.

Also available from Computerware is the new Amdisk. Compatible with Radio Shack Drive 0, it is perfect for adding extra storage. Our software is available on Amdisk format for only \$4 extra. (Remember every Amdisk cartridge is equivalent to two floppy diskettes.)

DISK SYSTEMS

Include J & M Controller, DOS Manual, cabinet, power supply, half-size double density drive, & all cables. (Prices quoted for JDOS. Add \$10 for RSDOS.)

Single drive, Single sided	\$349.00
Single drive, Double sided	\$399.00
Dual drives, Single sided	\$509.00
Dual drives, Double sided	\$599.00

ADD ON DRIVES

Each drive add-on includes half-sized drive(s) in cabinet with extender.

Single drive, Single sided	\$229.00	J & M Controller	
Single drive, Double sided	\$269.00	with JDOS	\$130.00
Dual drives, Single sided	\$399.00	with RSDOS	\$140.00
Dual drives, Double sided	\$469.00	JDOS rom and manual	\$ 39.95

AMDISK III

Complete Dual Drive System including controller, cable & manual. (Price quoted for JDOS. Add \$10 for RSDOS.)	\$499.00
Dual Drive and cable only.	\$375.00

DISKETTES

Computerware double density diskettes with hub rings are of the highest quality. We love them and so will you!

5-pack \$10.95 10-pack \$19.95 amdisk cartridges \$5.50 each

SAM SLEUTH

As the detective for Sam Sleuth Investigations, you are given 3 cases (of increasing difficulty):

Case of the Missing Cat
Mystery at the Museum
Baffling Bank Robbery



Using your sleuth skills (& joystick or mouse), you search the town (displayed in hi-res graphics), interviewing townspeople, collecting evidence, examining the grounds, & gathering data to solve the mysteries & apprehend the culprits. Remember, you are working against the clock!

Investigate the bank, museum, school, offices & homes, market, gas station, ... Talk to Mike, Willy, Roy, Sue, Chrissy, ... And keep track of those addresses & clues!

The unique graphics presentation & mouse/joystick control are as intriguing as the mysteries! (Requires 64K & mouse or joystick) **cass \$24.95 disk \$27.95**



MAJOR ISTAR

Under the Doomed Sea

SCENARIO: You travel to TRIDENT RESEARCH DOME because an urgent call for help is received from one of the service droids stationed there. He said help was urgently needed, but before he could say why, his transmission was cut off!

OBJECT: Solve the mystery at TRIDENT in as few moves as possible.

SETTING: In the beginning of the 21st century, undersea cities, interstellar spaceships, colonies in other planets & solar systems, worker droids, super computers, are all realities. One hero of the time is MAJOR ISTAR. In the late 1990's when space exploration & colonies began, it was necessary to form a task force to offer help to all that needed it in these hostile environments. You, Cameron J. Istar, are a highly rated member of that team and you have never failed to solve a mystery! **cass \$24.95 disk \$27.95**

Computerware is a federally registered trademark of Computerware

Spread your wings, child, and fly. Glide over the Plains of Content. Use your eagle eyes to find the Mountains of Intuition. Soar on their uplifting currents. Trust your psychic tailwind.

— Laran Stardrake

Binary Birthday Cakes, Letters And More Wordsworths

By Bob Albrecht and Ramon Zamora
Rainbow Contributing Editors

Basic Skills

Basic Skills is a book by Herbert Kohl. It is a wonderful and thoughtful book — a book by a philosopher and doer who has spent his life learning from children about children. We wish that every person concerned about the growth and well-being of children would read this book.

From the introduction:

I believe in public education but do not believe that the public schools are providing an adequate basic education for our children. It is important to emphasize this distinction between public education and the current state of the public schools, between what

could be and what is. We can make a decent system of public education and help our children learn to take control of their lives rather than be managed, controlled, bossed, and bewildered. This book presents a concrete program for the revitalization of public education. It is based on the idea that the fundamental goals of public education should be to develop informed, thoughtful, and sensitive citizens who are able to fulfill their personal needs at the same time that they contribute to making the whole society harmonious and compassionate. We need this wholeness now more than at any time I can remember. It is

“School is in the Heart of a Child” is for parents of quite young children. We want to help you work and play with your three- to eight-year-old child and learn to use computers as a joyful family experience. We want to suggest ways to incorporate the home computer as another means to encourage your child’s independence, growth, and control over his own life. See the pride on her face as she directs the computer to do what she with deliberation selects. See her head gears switch to “on” as she progresses step-by-step with your presence and caring direction.

We will explore (we hope, with *your* help) the following:

- Specific “teaching” techniques so that the discovery can be the child’s own.
- Critical evaluation of software based on extensive playtesting in family and related environments.

- Additional resources to consult: books, magazines, software publishers, networks, etc.
- Suggestions for interludes and fun times away from the computer (a must): call the librarian for specific information; watch a TV program together and discuss it; work together as volunteers in a community project; take a spring (or fall or winter or summer) awareness walk . . .
- Whatever we learn from families we work with in Menlo Park or from you, our readers. Let’s pool our knowledge. Let’s share our experiences as we all learn from our children.

We also provide small programs you can type in and use right now.

Copyright© 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

(Well-known author Bob Albrecht also writes the “GameMaster’s Apprentice” feature for *The Rainbow* each month. Ramon Zamora is author and co-author of several books, co-founder of Computer Town USA!, and currently designing computer games for kids at Child Ware Corp. in Menlo Park, Calif.)

common to hear people talking about the United States suffering from "too much democracy," "an excess of freedom" and "unbridled liberty." It is time to take a serious look at ourselves and see how much democracy we really have and how far we have to go to achieve the dreams expressed by the Declaration of Independence, which dared to call life, liberty, and the pursuit of happiness rights and not privileges.

The focus of this book is on public education and the struggle to create decent schools for all of our children. I hope it will move people to stay engaged in that effort and to develop concrete programs for action in their own communities.

We suggest you get this book. If your local bookstore doesn't have it, order it directly from the publisher: *Basic Skills* by Herbert Kohl, from Bantam Books, Inc., 414 East Golf Road, Des Plaines, IL 60016, \$3.95 plus \$1.25 postage and handling.

Binary Birthday Cake

Remember your first birthday? Maybe the cake looked like this:



Well, on your second birthday there were two candles, on your third birthday three candles, and so on. As we grow older, the number of candles gets embarrassingly large and harder to blow out.

Sooo . . . why not try a binary birthday cake?



ONE YEAR OLD



TWO YEARS OLD



THREE YEARS OLD



FOUR YEARS OLD



FIVE



SIX



SEVEN

With four candles, we can go up to 15 years old, with five candles, up to 31 years old and with six candles, up to 63.

But if you are 57, get people to look at the cake from the back instead of the front . . . in fact, if you don't put something on the cake to indicate the front, your age will be ambiguous (unless, of course, it is a binary *palindrome*!). And, for all you computer people out there —



FRONT: 57



BACK: 39



A PALINDROME

How many candles would Methuselah need?
How many candles would Gandolf need?
How many candles would a dragon need?



Here is a cake with an extra BYTE

RAINBOWfestSM

Irvine

Feb. 15-17

Show Schedule:

Friday evening — Exhibit hall open from 7 p.m. to 10 p.m.

Saturday — Breakfast at 8 a.m. Exhibit Hall opens at 10 a.m. and closes at 6 p.m.

Sunday — Exhibit Hall open from 11 a.m. to 4 p.m.

Joining in the fun and excitement of **RAINBOWfest** is a great way to get to know the CoCo Community. Many of those who write for *THE RAINBOW* — and those who are written about — attend CoCo's very own show. It's a people-to-people event as well as a valuable learning experience.

For the 1984-85 season, we've scheduled three **RAINBOWfests** in three parts of the country. If you missed the **RAINBOWfest** in Princeton, N.J., why don't you make plans now to be with us in Irvine, Calif., or Chicago, Ill.? Each show will offer fun, excitement, new products, seminars and information for your CoCo! And for those who (perish the thought) don't like CoCo as

much as you, we've scheduled each **RAINBOWfest** in an area that will provide fun and enjoyment for the whole family.

Our Irvine, California, show is being held at the Irvine Marriott Hotel, which offers special rates for **RAINBOWfest**. The show opens Friday evening with a 7 p.m. to 10 p.m. session. It's a daytime-only show Saturday — the CoCo Community Breakfast is at 8 a.m., then the exhibit hall opens promptly at 10 a.m. and runs continuously until 6 p.m. There will be no exhibition hours or seminars Saturday evening. On Sunday, the exhibit hall opens at 11 a.m. and closes at 4 p.m.

Our highly popular CoCo Community Breakfast will again feature a well-known figure from the Color Computer Community. And the exhibition will be interspaced

with a number of seminar sessions on all aspects of CoCo — from writing in machine language to making your BASIC work better.

But most of all, there will be exhibitors. Lots of them. All ready to demonstrate products of every kind. Some with special programs and hardware items to introduce. Others with show specials.

Tickets can be secured directly from *THE RAINBOW*. We'll also send you a special reservation form so you can get your special room rate.

Come to **RAINBOWfest** . . . help us all celebrate CoCo Community at its finest.

United Airlines and *THE RAINBOW* have joined together to offer a special discounted fare to those attending **RAINBOWfest-Irvine**. Simply by calling United at the toll free number listed below and identifying our meeting, with account number 522-I, you will be eligible for a 20 percent discount on the Easy Saver Fare. The only requirement is a Saturday night stay.

RAINBOWfest-Irvine, California (L.A. area)
Date: February 15-17, 1985
Hotel: Irvine Marriott Hotel
Rooms: \$65 per night, single or double
Advance Ticket Deadline: February 8, 1985

RAINBOWfest-Chicago, Illinois
Date: May 17-19, 1985
Hotel: Hyatt Regency Woodfield
Rooms: \$49 per night, single or double
Advance Ticket Deadline: May 10, 1985

(800) 521-4041
Account Number 522-I

RAINBOWfest Irvine

Seminar Program And Speakers

• Linda Nielsen

The CoCo Artist High Res Graphics

Linda, of Moreton Bay Laboratory, and several others active in the CoCo area, will demonstrate some graphics and help you to learn about some techniques you can use.

• Dale Puckett

Beginner's Tour Of OS-9 Beginner's Tour Of BASIC09

A free-lance writer and programmer, Dale has worked with microprocessors since 1976, and is the author of *The Official BASIC09 Tour Guide*. Dale will be available to sign copies of his new book, *The Complete RAINBOW Guide to OS-9*.

• Bob Albrecht

School Is In The Heart Of The Child

Bob Albrecht, RAINBOW columnist who writes "School Is In The Heart Of The Child," is one of the most prolific authors in the microcomputer world today. A specialist in writing for beginners, he is the author of numerous books, including *TRS-80 Color BASIC*.

• Jim Reed

Writing For RAINBOW

Jim, managing editor of THE RAINBOW, will talk about how you can submit programs and articles to magazines for fun and profit. He is also senior editor of PCM — and editorial director of SOFT SECTOR (for the Sanyo).

• Bill Nolan • Bob Albrecht

GameMaster's Apprentice And Dragon's Byte

Bill Nolan, who teaches "Programming In BASIC" at the college level, owns Prickly-Pear Software Co. and has written several commercially successful software packages.

• Dan Downard

Inside Your Color Computer Software And Hardware Interfacing

Dan Downard is the technical editor for THE RAINBOW and an electrical engineer. He has been involved in electronics for 24 years through ham radio (K4KWT). His interest in computers began about five years ago and he has built several 68XX systems.

• Don Inman • Tim Finger • Bob Albrecht

Along with several other panelists

Don Inman is a co-author of a series of booklets for Radio Shack titled *Color Logo Guide for Teachers*. He is a former teacher and is presently a full-time author with the DYMAX group.

Tim Finger is a member of the DYMAX group, along with Don and Bob.

• Wayne Day

Exploring CompuServe and the Color SIG The CoCo User and the Local Bulletin Board

Wayne Day, a traffic engineering signal technician, is the SYSOP of The Color SIG of CompuServe, the world's largest consumer information service. He is also a certified paramedic and works part-time for an Emergency Medical Service provider. His amateur radio operator call sign is WA5WDB.

• **Ken Kaplan**, president of Microware Systems Corp., will be our keynote speaker at the CoCo Community Breakfast, Saturday morning at 8 a.m.

FREE T-Shirt to first five people from each state who buy tickets.

FREE Rainbow poster for first 500 tickets ordered.

**Make checks payable to:
THE RAINBOW**

MAIL TO:

RAINBOWfest
P.O. BOX 385
Prospect, KY 40059
(502) 228-4492

YES, I'm coming to RAINBOWfest! I want to save by buying tickets now at the special advance sale price. Send me tickets for (check one):

☐ Irvine, California ☐ Chicago, Illinois

Please send me:

_____ three day tickets at \$9 each
_____ one day tickets at \$7 each
Circle one: Friday / Saturday / Sunday
_____ Saturday breakfast tickets at \$12 each
Handling Charge \$1

total _____

total _____

total _____

1.00

TOTAL ENCLOSED (U.S. FUNDS ONLY, PLEASE)

\$ _____

☐ Also send me a hotel reservation card for () Irvine, or () Chicago.

NAME (please print) _____

STREET & NUMBER _____

CITY & STATE _____

TELEPHONE _____ ZIP CODE _____

COMPANY _____

Orders received less than two weeks prior to show opening will be held for you at the door.

VISA, MasterCharge, American Express accepted.

My Account # _____ Ex. Date: _____

Signature _____

Adventure Games For The Rest Of Us

We are looking, mostly in vain, for *easy-to-play* Adventure games rated G. We are tired of games that depend on killing as the way to success. Last time we recommended *Adventure Starter* from Owls Nest Software, P.O. Box 579, Ooltewah, TN 37363. For 16K Extended Color BASIC. On cassette for \$17.95 postpaid.

We encourage all of you who want to try an easy Adventure game with your kids to get this Adventure and do it. Please share your experiences with us. We will continue playing *MYHOUSE* with kids and share our experiences with you. Why do we choose *MYHOUSE*? Because it is the only non-violent, easy-to-play Adventure game we know of for a 16K CoCo with Extended Color BASIC. As you play *MYHOUSE*, encourage your kids to make a map. Please send us maps of *MYHOUSE* and tell us about the process of learning how to make the map. Next time, we will share with you some of our map making methods.

WANTED: Non-violent, easy-to-play Adventure games. We especially want games suitable for parent and young

child to play together. Why do all you Adventure game designers spend your time making increasingly more difficult games for the "elite" and "sophisticated" player? The world is full of beginners. Why not make beautiful games for them? Instead of selling 1,000 incredibly complex games to the Adventure game cult, why not sell 100,000 beautiful, non-violent games to beginners, games for "the rest of us."

We are also looking for non-violent Adventure games with several levels of play. A beginner starts with an easy game and is guaranteed moderate success, then moves up to a more difficult level, and so on. Focus on exploration and problem-solving instead of "kill monster, get treasure." Make your games realizeable realistic fantasies. As Laran Stardrake once said, "Reality expands to fill the available fantasies."

We Love The Letters!

Our greatest pleasure in writing this column is hearing from you, our esteemed RAINBOW readers. Your letters guide us as we evolve "School is in the Heart of a Child."

Thanks, Carl H. Bloss, for two letters. We have combined them as follows:

As a new subscriber and avid reader of THE RAINBOW, I feel you should also readdress your column "School is in the Heart of a Child" to teachers, librarians and computer aides in the school. Little is done to help these people at the early critical years of children with computers. I know, I am a teacher, librarian and erstwhile programmer at a 5K level.

As an educator, I am fully aware that written curriculums often do not allow enough freedom for both the teacher and the student to explore — to work and play while learning. Schools approach learning from such a "stuffy" position that everything must be justifiable, accountable through criterion-referenced testing, or everything must have a planned outcome.

There are two schools of thought with LOGO, one following an experimental approach, the other using a planned teaching course of study. Most schools seem to be using the more restrictive planned teaching approach, even at the

NEW! For Your TRS-80 Color Computer 320 Full-time Audio Talk/Tutor Programs!



We're Your Educational Software Source

Course	No. of Programs
Language Arts (Spelling)	16 Programs
Reading	64 Programs
Comprehension	32 Programs
Phonics	32 Programs
English as a Second Language	32 Programs
Mathematics	64 Programs
Basic Algebra	16 Programs
Physics	16 Programs
Effective Writing	16 Programs
History	32 Programs

In Color, with Pictures and Text!

All of our TRS-80 Color programs have easy to understand professional announcer narration, not synthesized, robotic voices. All text is displayed in easy to read upper- and lower-case characters. Video clearly illustrates key concepts in each frame of the program.

Only \$4.40 per program (\$8.80 for 2, one on each side of a half-hour cassette). \$59.90 for 16 programs (8 cassettes) in an album. Send for catalog of over 1000 programs for Atari, TRS-80, Apple, etc.

Dealer inquiries welcome

For more information, or to order call:

TOLL FREE 1-800-654-3871

IN OKLAHOMA CALL (405) 288-2301



DORSETT
Educational Systems, Inc.
Box 1226, Norman, OK 73070



Our school will have a lab of Color Computers, but not located in the library media center where I work. Since librarians work closely with the teaching staff, we are often asked for sources with ideas and materials on a variety of computer subjects. Your column, re-addressed to encompass the teacher and librarian, is a tremendous source of ideas.

Thank you very much, Carl. If I ran your school, I would give you a bunch of CoCos that kids could check out and take home overnight. People like you can blend the worlds of learning — in school and out of school — so children can have the best of both worlds. We'll send you a stuffed dragon. Put him or her in your library media center to remind you to keep plugging away and write to us now and then.

We are getting lots of letters! Thanks.
Our next letter is from June Lemons.

I applaud your column and your concept about the education of

children. (I strongly suspect many parents are also losing their hesitancy to try using their computers by trying your programs.)

My husband and I entered the fascinating, educational, fun world of computing a short year ago. The thrill of learning all the marvelous things our CoCo can do continues on. I contrive to spend as much time as possible reading — and keying in — articles and programs from THE RAINBOW, cheerfully rising early and retiring late in my pursuit of knowledge, participating via others' creativity.

About three months after getting our CoCo, I wrote an extremely simple program for my two-year-old grandson, a program he can use to learn: 1) letter keys; 2) how to spell his name (of course, the program is easily adaptable for any child), rewarding him with his (then) favorite music, "Happy Birthday."

I have two regrets: getting acquainted with computers so late in life, and that my grandson's

parents don't share my enthusiasm. But when Bennie visits, he asks to go into what he calls my computing room where he displays a marvelous grasp of letters, colors, shapes — after all, he knows what unicorns and pedometers are!

My husband has had one disappointment — I haven't been able to "draw" a cake with icing and a flickering candle to complete "Ben-nie's program."

Thanks, June. We think you might like "Binary Birthday Cake" in this episode of "School is in the Heart of a Child." We'll ask Don Inman how to draw the cake with flickering candles. Of course, we will send you a stuffed dragon to play with Bennie, you and the CoCo.

Letters are close to the heart of this series. We are getting lots of letters, thank you, and want more! Our next letter is from John A. McGoldrick. John has a larger sample size than most of us — he has five children, ranging in ages from three to nine.

I have just finished reading your



inc.

INTRODUCES WORD-PAKII

now even MORE advanced.



Smooth scrolling is the ability to move text up on the screen one pixel row at a time instead of one character line. The new WORD-PAKII not only provides smooth scrolling but the scroll rate is programmable and smooth scrolling can be enabled/disabled under software control.

Additional WORD-PAKII features:

- SOFTWARE VIDEO SWITCH: Turned Character Set up to 8K video RAM

Of course the new WORD-PAKII includes all of the features of our standard WORD-PAK, such as: static drivers, which provide full screen editing of basic programs and a set of powerful screen functions; compatibility with File and IS-9; completely transparent video RAM access; and the PBJ support.

Smooth scrolling is a time instead of one character line at a time. This is a feature that is only available on terminals costing thousands of dollars and then only on some. Now you can add the same capability to your color computer. Smooth scrolling can be enabled/disabled under software control and even the scroll rate is programmable.

Smooth scrolling is a time instead of one character line at a time. This is a feature that is only available on terminals costing thousands of dollars and then only on some. Now you can add the same capability to your color computer. Smooth scrolling can be enabled/disabled under software control and even the scroll rate is programmable.

Smooth scrolling is a time instead of one character line at a time. This is a feature that is only available on terminals costing thousands of dollars and then only on some. Now you can add the same capability to your color computer. Smooth scrolling can be enabled/disabled under software control and even the scroll rate is programmable.

The ultimate WORD-PAK is now available. The new WORD-PAKII includes all of the features found on our standard WORD-PAK plus ...

- **SMOOTH SCROLLING:** Smooth scrolling is the ability to scroll the display off the screen one pixel at a time instead of one character line at a time. This is a feature that is only available on terminals costing thousands of dollars and then only on some. Now you can add the same capability to your color computer. Smooth scrolling can be enabled/disabled under software control and even the scroll rate is programmable.
- **SOFTWARE VIDEO SWITCH:** We have added a video switch to the WORD-PAKII that allows you to select either the computer's normal video output* or the WORD-PAKII's under software control. Optimized programs can now be written to take advantage of both displays ... graphics or text, and switch back and forth under software control.
- **IMPROVED CHARACTER SET:** The characters on the WORD-PAKII are formed in an 8x10 matrix. This allows for well defined characters and full descenders. Custom character sets are also available to suit any application.
- **8K VIDEO RAM:** We have increased the amount of video RAM available on the WORD-PAKII. The board is normally supplied with 2K of RAM and is expandable to 8K.

Call or write today for our NEW catalog ...
PBJ, INC. • P.O. Box 813
 N. Bergen, N.J. 07047
 (201) 330-1898

• **PBJ SUPPORT:** YOU CAN DEPEND ON THE SAME SUPPORT THAT HAS GAINED US THE REPUTATION OF "THE COMPANY WITH THE MOST SUPPORT FOR THE COLOR COMPUTER".

*Requires composite video out of computer


```

100 REM**WORDSWORTH 1&2 SCH 10-1
110 CLS
199 '
200 REM**ASK FOR A WORD
210 PRINT
220 INPUT "YOUR WORD"; WRD$
299 '
300 REM**WL IS LENGTH OF WORD
310 WL = LEN(WRD$)
399 '
400 REM**INITIALIZE W1 & W2
410 W1 = 0
420 W2 = 1
499 '

500 REM**COMPUTE W1 & W2
510 FOR L=1 TO WL
520 : L$ = MID$(WRD$,L,1)
530 : IF L$<"A" THEN 580
540 : IF L$>"Z" THEN 580
550 : LS = ASC(L$) - 64
560 : W1 = W1 + LS
570 : W2 = W2*LS
580 NEXT L
599 '
600 REM**PRINT BOTH WORDSWORTHS
610 PRINT "WORDSWORTH #1 IS" W1
620 PRINT "WORDSWORTH #2 IS" W2
699 '
700 REM**GO FOR ANOTHER WORD
710 GOTO 210

```

article in THE RAINBOW and was quite impressed with it. Educational software was the overwhelming reason for the purchase of my Radio Shack 64K ECB this past January. I think your department "School is in the Heart of a Child" will help to fill the void that now exists.

I am the father of five children, ages nine, eight, six, five, and three. I cannot afford to buy software either based on advertisements or solely on the manufacturer's name — I have been burned both ways . . .

Parents want good educational software. They want software that will help their children become computer literate, but will not cause parents to become financial paupers in this quest.

Special thanks, John. I hope the CoCo "cottage industry" hears you. We, too, are tired of software that simply exploits the desire of parents to use the CoCo to help kids learn.

Yes, software is too expensive. You people out there who have kids, what do you want? What will you pay \$9.95 for? \$14.95? 19.95? and so on. What do you want?

If you have young children, compare the "holding power" of software with *Sesame Street*. Marido (age six), Bob, and Ramon will gladly watch *Sesame Street* repeats, several times — and that's free! Software should also have "holding power" and grow with the child. Home software should have vertical growth; school software is different — it is designed to be horizontal — more about this next time.

Wordsworth

Hooray! Several of you sent answers to our Wordsworth challenge in the August issue. Here again are the questions you answered.

1) What magic word has a Wordsworth #1 equal to the number of weeks in a year?

2) What five-letter word has the smallest Wordsworth #2?

3) What five-letter word has the largest Wordsworth #2?

4) What is the longest word (most letters) that has a Wordsworth #2 less than 20,000?

We have received answers from Amos and Josh Goldie, Lara Hansen, the Jones children, Stephen Lathom, Eric Lauterbach, and Andrea and Jenny McGinness. Next time we'll share their answers with you. In the meantime, send in *your* answers. Here is a Wordsworth program to compute both Wordsworth #1 and Wordsworth #2.

To answer a Wordsworth question, browse a dictionary for words to try with the above Wordsworth program. Let's all use *The American Heritage Dictionary of the English Language*, paperback edition, published by Dell Publishing Company, 1 Dag Hammarskjöld Plaza, New York, NY 10017. You can buy it for \$3.95 at almost any bookstore or order it from the publisher.

Here are more questions for you Wordsworth fans. Remember, all these questions refer to the *American Heritage Dictionary* mentioned above.

5) In the entire dictionary, what word has the largest Wordsworth #1?

6) In the entire dictionary, what word has the largest Wordsworth #2?

7) What is the first word (alphabeti-

cally) to have a Wordsworth #1 of exactly 100?

8) In the entire dictionary, what word has a Wordsworth #2 closest to 1,000,000?

Send us your answers. We will put all answers received by December 31, 1984 in a box, shake 'em up, and draw a winner. The winner will receive, of course, a stuffed dragon.



DragonSmoke

Koala Pad is alive and well at Radio Shack! Look for it on Page 164 of the 1985 Radio Shack Catalog No. 380 or Page 52 of the 1985 TRS-80 Catalog No. RSC-12. They call it the TRS-80 Touch Pad, Catalog No. 26-1185, price \$59.95. OK, cottage industry — let's get busy and write software for this marvelous addition to the CoCo family.

We have decided to publish a little newsletter called *DragonSmoke* about four times a year. If you want a free copy, send a self-addressed, stamped envelope to *DragonSmoke*, P.O. Box 310, Menlo Park, CA 94026.

Helping Youngsters Form Categories

By Steve Blyn
Rainbow Contributing Editor

The young child deals with new items and experiences as unique events. He has a small fund of knowledge to draw from. He has yet to learn to classify things into groups of similar things. Children often seem fascinated by what appears to us to be something quite commonplace; they cannot place the item into a familiar category.

As we grow in experience, we begin to define items into narrower categories. The Color Computer can be an example — a beginner might at first think of the CoCo as merely a type of computer. The more experienced user knows it is in the 6800 family of computers rather than the 6500 or Z80 families. These distinctions become more important as your knowledge and needs increase.

Software is another example. Upon purchasing a computer, most people usually want to accumulate almost any kind of software. There is a need to see what the new machine can actually do. After a while, we break the software down into categories or specific areas such as business, education, leisure, etc.

(Steve Blyn teaches both exceptional and gifted children, holds two master's degrees and has won awards for the design of programs to aid the handicapped. He and his wife, Cheryl, own Computer Island.)

We begin to specialize. Many of us then further specialize within an area to several favorite specific companies. Some of us even go further into specific requirements within the programs of specific companies such as OS-9 programs only or networkable programs only.

This type of refinement of categories is part of the human experience. We constantly redefine as our knowledge

"Too often, school curricula require some of the children to deal with abstract concepts before they have secured sufficient experience on earlier levels of experiences in that subject. This can lead to inadequate and insecure learning."

grows in any field. This helps us to deal with our world. There are too many items and events to deal with individually. As we grow, we learn to place them in various categories to help us effectively deal with the world around us.

Learning proceeds from concrete to abstract concepts. First we can deal only with single objects and later with

categories. This process proceeds according to age and experiences at individual levels. Too often, school curricula require some of the children to deal with abstract concepts before they have secured sufficient experience on earlier levels of experiences in that subject. This can lead to inadequate and insecure learning.

The famous child psychologist, Jean Piaget, once performed an experiment to help study the levels of categorization in children. Three girls, aged seven, nine and 11 were asked to pack clothing in two suitcases. The way they would decide to arrange their clothing into the suitcases could reveal much about their thought processes.

The seven-year-old first filled one suitcase randomly with clothes until it was full and then packed the other with the remaining clothing. No real thought was given to any categories of clothing.

The nine-year-old thought for a while, and then packed all clothing worn above the waist in one suitcase and clothing worn below the waist in the other. The top part of her pajamas and a two-piece bathing suit were placed in one suitcase and the bottoms in the other.

The 11-year-old was more adult-like in her thinking and packed clothes worn during the day in one suitcase and night clothes in the other. It can easily be

seen from this experiment different levels of organization of the same items.

This month's program naturally deals with grouping and categorization. The key element in this program is the *DATA*. We had to select one area and chose sports terminology. This was purely subjective on our part: one subject had to be chosen. Please do not restrict your program to our chosen topic.

The *DATA* that you choose to enter should be age appropriate for your child. Younger children might, for example, group food items by fruit, vegetable or dairy. Older students might group chemical compounds by acid, base or salt. The *DATA* that you enter could also be the child's choice. This would further involve the student in the computer.

The goal for the user of this program

is to arrange the 12 words properly underneath the three category words. The words are moved one at a time by the arrow keys. After the twelfth word is moved, a list of the 12 words in their correct categories appears. The child can compare this list to the one that he has just completed.


Lines 40-50 set the dimensions and read the *DATA*. Line 70 prints the data words. These are the A\$ words: The B\$ letters will never be printed on the screen. Line 80 prints the category headings. (Your headings may vary from ours). Line 140 prints one of the words and lines 120-130 set the limits of the word so that it does not mess up the screen.

Lines 180-250 let you move the word around the screen. The arrow keys are represented by the character string (*CHR\$*) numbers 8, 9, 10 and 94. When

one of the arrows is pressed, the key word to be classified is moved. *CHR\$(13)* represents the ENTER key. When it is pressed, the next word appears. Lines 300-360 read and print out the correct list for comparison purposes.

The *DATA* on Line 410 consists of 12 pairs of information. A word to be classified and an abbreviation for the classification make up one pair. They are the A\$ and B\$ portions. The abbreviations do not get used until needed on lines 320-340. Here, the computer interprets the B\$ part and places the word in the correct category.

The *DATA* supplied is merely one of literally thousands of possible choices. Use your imagination to help your children better classify things or events in their schoolwork and daily lives.



The listing:

```

10 REM"CATEGORIES"
20 REM"STEVE BLYN,COMPUTER ISLAN
D,1984
30 CLS0
40 DIMA$(12),B$(12)
50 FORT=1TO12:READA$(T),B$(T)::N
EXT
60 PRINT"      here is the word l
ist"
70 FORT=1TO12:PRINTA$(T),:NEXTT
80 PRINT"      baseball tennis h
ockey"
90 B$=STRING$(8,128)
100 N=451:Y=1
110 REM"SET LIMITS OF WORD PLACE
MENT"
120 IF N<259 THEN N=259
130 IF N>476 THEN N=476
140 PRINT@N,A$(Y);
150 J=258:FORT=1TO4:PRINT@J,CHR$(
249);:J=J+32:NEXTT
160 K=268:FORT=1TO4:PRINT@K,CHR$(
249);:K=K+32:NEXT T
170 L=277:FORT=1 TO 4:PRINT@L,CH
R$(249);:L=L+32:NEXT T
180 REM"USE THE ARROW KEYS TO MO
VE THE WORDS"
190 A$=INKEY$
200 IF A$=CHR$(8) THEN PRINT@N,B
$::N=N-1:GOTO120
210 IF A$=CHR$(9) THEN PRINT@N,B

```

```

$::N=N+1:GOTO120
220 IF A$=CHR$(94) THEN PRINT@N,B
$::N=N-32:GOTO120
230 IF A$=CHR$(10) THEN PRINT@N,
B$::N=N+32:GOTO120
240 IF A$=CHR$(13) THEN Y=Y+1:N=
451:SOUND150,2:IF Y>12 THEN 270
ELSE 120
250 GOTO 190
260 REM"GET & PRINT THE CORRECT
LISTS"
270 PRINT@384,STRING$(32,239);:F
ORT=1TO9:PRINTSTRING$(32,128);:N
EXTT
280 PRINT@194,"here are the corr
ect answers";
290 D=227:E=237:F=246
300 RESTORE:FOR G=1TO12:READA$(G
),B$(G)
310 FORG=1TO12
320 IF B$(G)="B" THEN PRINT@D,A$(
G);:D=D+64
330 IF B$(G)="T" THEN PRINT@E,A$(
G);:E=E+64
340 IF B$(G)="H" THEN PRINT@F,A$(
G);:F=F+64
350 SOUND230,1
360 NEXT G
370 PRINT@486,"PRESS ENTER TO GO
ON";
380 EN$=INKEY$
390 IF EN$=CHR$(13) THEN RUN
400 GOTO 380
410 DATA LOVE,T,ICING,H,FACEOFF,
H,TRIPLE,B,DUECE,T,GOALIE,H,MOUN
D,B,RACKET,T,PUCK,H,PLATE,B,BALK
,B,FAULT,T

```


Federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC-10


If You Pay Taxes

You Need Coco-Accountant II

Were your taxes a mess last year? Do you look at your bank balance and wonder where all the money went? Then you need Coco-Accountant II. This 32/64K home and small business accounting program is all you need to answer the Three Big Questions about your money: Where did it come from? Where did it go? And what can I deduct from my taxes?

Spend a few minutes with your canceled checks, credit card receipts and payroll stubs. Here's what Coco-Accountant II will do:

- ★ List and total expenses or income by account.
- ★ List and total expenses and income by month, with net cash flow report.
- ★ List and total expenses or income by payee/income source.
- ★ Year-to-date summary by account.
- ★ List and total tax deductible expenses.
- ★ List and total expenses subject to sales tax—even compute the sales tax you paid!
- ★ Print a spreadsheet showing activity by account and month for a whole year (Seeing is



believing!). ★ Balance your checkbook. ★ All reports (except spreadsheet) to screen or printer.

★ Store data on tape or disk.

The 32K tape version stores 450 entries in a single file; 32K disk stores 500. The 64K versions store 900 entries on tape or disk. Our happy customers say this is the most useful program they own, and you'll agree! Only \$34.95, tape or disk. Please state memory requirements.



The Handicapper

If you like racing, you'll love The Handicapper! These 16K programs for Thoroughbred and Harness horses combine the power of your computer with the savvy of a veteran horseplayer. Spend a few easy minutes entering data and get rankings for the horses in each race!

All information is readily available from the thoroughbred Racing Form or Harness track program. We even provide a diagram showing you where to get the data you need! Factors include speed, past performance, post position, class, weight (for thoroughbreds), jockey or driver's record, beaten favorite, stretch gain, breaking tendencies and parked out signs (for trotters).

The Handicapper programs come with complete instructions and betting guide. We tell you which races to bet and which to avoid—one of the secrets of good handicapping. For all Color Computers and Model 100's. Thoroughbred or Harness, \$34.95 each on tape or CoCo disk. Both programs only \$49.95.

Greyhound Handicapper



NEW GREYHOUND HANDICAPPER! Now use your Color Computer for greyhounds, too. This fine program, written by a veteran trainer, uses speed, breaking tendencies, favorite box, kennel performance, maneuvering ability and other factors to rank the dogs in each race. Recommends quinnella, trifecta and exacta bets, too. For CoCo only, \$27.95 tape or disk.

SPECIAL—All three Handicappers only \$64.95!



Play Blackjack!

This lightning-fast, full casino Blackjack simulation will boggle your mind! Up to 5 players and 9 decks. The computer deals and plays vacant hands—by card-counting rules! Blackjack keeps track of winnings and losings, displays two card-counting algorithms and card distribution. It can even print out the results of every hand! Great for beginners or advanced players. Requires 16K Ext. Bas. Only \$27.95, tape or disk.



Federal Hill Software

FINE PRODUCTS FOR THE COLOR COMPUTER, DRAGON AND MC 10



We accept checks, money orders, Visa and MasterCard. Add \$1.50 for shipping. Make foreign orders payable in U.S. funds. Credit card orders should include card number, exp. date and signature.

825 William St. Baltimore, Md. 21230 301-685-6254

Here's a program that concatenates RAM records and writes them on tape. It's your missing...



By H. Allen Curtis

Can you do the following with a single cassette load command?

- 1) Load the text screen to display an introductory message or low resolution picture;
- 2) Load a BASIC program;
- 3) Load the graphics screen with a high resolution picture for subsequent display;
- 4) Load automatically memory protected high RAM with assembly language routines to be called by *USR* functions;
- 5) Automatically start the BASIC program; and
- 6) Provide some piracy protection for your program.

If you cannot, then you are missing *Link*. No, I did not mean that you are the missing link, but that you are missing out by not using the *Link* program to be presented in this article.

Link is not a pre-loader. That is, *Link* does not have to be loaded into RAM before you issue the command to load your program, screens and subroutines. *Link* concatenates (links) as many as 10 non-contiguous RAM records and writes them on tape. A record is defined here as any program (BASIC or assembly language), any contiguous assembly language routines, or any set of stored data. The linked records written on tape are simply loaded by means of BASIC's *CLOADM* command.

If you want to employ *Link* to record and auto-start an assembly language program instead of a BASIC program, you can readily do so. In fact, *Link* is an assembly language program which will be used to record itself.

Link has the ability to write a record from one RAM location and load it into another specified RAM location without recourse to the offset feature of the *CLOADM* command. Thus, for instance, you may design several text screens, transfer them to new locations in RAM and then use *Link* to write them on tape for future sequential loading and display on the text screen. The fact that you relocate one or more records such as screens does not require you to relocate the other records to be linked and written.

The order in which records are concatenated is left to your discretion. If you, for example, have more than one text screen to be loaded and displayed, you would probably load one or two records between screen records to allow the screen to be displayed for a sufficiently long time.

Link can be employed as part of a protection process for your programs. How *Link* can be used in this way will be discussed in detail at the close of the article.

The program of Listing 1 generates *Link* and stores it in RAM. The strings in lines 20 through 120 of Listing 1 are messages used by *Link* to prompt you in the process of concatenating records and writing them on tape. The values in the *DATA* statements of lines 210 through 520 comprise *Link* routines that actually do the linking and writing of the records on tape. The values in the remaining *DATA* statements form the major portion of the first record to be written on every *Link* produced tape. You do not specify this record. The record is *Link*'s means of altering the usual *CLOADM* sequence of instructions to permit the proper loading of concatenated records.

Incorporated into Listing 1 is a check on the accuracy of your typing of the

(H. Allen Curtis resides in Williamsburg, Va. He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.)


DATA statements. Thus, with the use of Rainbow Check Plus you are doubly aided in the correct typing of Listing 1. When you have correctly typed Listing 1 and run the program without the

occurrence of any error messages, save it on tape: Type *CSAVE"GENLINK"* and press ENTER.

After saving the program of Listing 1, run it again. Then type *EXEC* and press

ENTER. This action will produce the first prompt of *Link*. *Link* requires you to provide a filename for the concatenated records to be put on tape. Usually the filename will be that of the main pro-

Listing 1:



```
200..... 232
370..... 72
END .... 105
```

```
10 'ENTRY ADDRESS IS &H1100; FIR
ST ADDRESS IS &H1000; LAST ADDRE
SS IS &H132B
20 A$="TYPE & ENTER
30 B$="FILENAME:
40 C$="TYPE (IN HEX)
50 D$="ENTRY ADDRESS:
60 E$="POSITION TAPE
70 F$="FIRST SOURCE
80 G$="LAST
90 H$="FIRST DESTINATION
100 I$="ALL RECORDS SPECIFIED?
(Y/N)
110 J$="READY CASSETTE TO RECORD
120 K$="THEN PRESS ENTER
130 X=256*PEEK(VARPTR(A$)+2)+PEE
K(VARPTR(A$)+3)
140 FORI=0TO 174
150 POKEI+&H1000,PEEK(I+X)
160 IFPEEK(I+X)=0 THENX=X+B
170 NEXT: IFPEEK(398)=57THENPOKE3
99,174:POKE400,64:POKE398,126
180 FORI=0TO596:READL$:L=VAL("&H
"+L$):E=E+L:POKEI+&H10AF,L:NEXT
190 FORI=0TO76:READL$:L=VAL("&H
"+L$):E=E+L:POKEI+&H1E2,L:NEXT
200 IFEC>78082 THENCLS:PRINT"DAT
A ERROR"ELSEPOKE&H9D,17:POKE&H9E
,0
210 DATA 5F,30,1,A6,84,26,FA,8D,
1F,84,F,97,7D,8D,12,9A,7D,97,7D
220 DATA 8D,13,84,F,97,7C,8D,6,9
A,7C,97,7C,5D,39,8D,5,48,48,48
230 DATA 48,39,8C,2,DD,27,15,A6,
82,81,30,25,11,81,3A,25,C,81,46
240 DATA 22,9,81,41,25,5,8B,9,81
,4F,39,C6,8,D7,8C,7E,A9,51,7E,A9
250 DATA 28,7E,B9,9C,8D,F8,8D,26
,31,8D,FF,21,30,A8,D6,8D,F0,8D
260 DATA 1E,8D,12,C6,8,30,1,CE,1
,DA,A6,80,27,36,A7,C0,5A,26,F7
270 DATA 20,36,8D,D8,C,89,7E,A3,
90,86,A3,8C,86,C3,97,89,39,8D,C6
280 DATA 30,A8,ED,8D,F1,8D,C2,30
,88,DF,8D,8D,20,EB,8D,B9,1F,21
290 DATA 20,DB,8D,E8,96,44,BD,A2
,85,C,89,39,86,20,A7,C0,5A,26,FB
```

```
300 DATA 8D,D7,30,88,18,8D,C3,A6
,1,81,58,26,5,8E,2,20,20,7,17,FF
310 DATA 41,26,E9,9E,7C,BF,1,E5,
BF,2,1E,CE,2,2F,DF,45,C6,31,D7
320 DATA 44,33,8D,1,7F,DF,42,8D,
BF,30,A8,18,8D,B4,A6,1,81,58,26
330 DATA 39,DE,42,CC,0,19,ED,C4,
9E,45,ED,84,C6,20,ED,42,DC,19,ED
340 DATA 44,ED,2,DC,1B,ED,46,8D,
A,8D,8,C,44,8D,11,25,72,20,5E,DE
350 DATA 42,33,44,DF,42,DE,45,33
,42,DF,45,39,C,44,86,39,91,44,39
360 DATA 17,FE,DF,26,B5,DE,42,DC
,7C,ED,C4,17,FF,6D,30,A8,25,8D
370 DATA 79,30,13,17,FF,5D,17,FE
,C7,26,EE,DE,42,DC,7C,ED,42,17
380 DATA FF,55,30,A8,2A,8D,61,1F
,21,8D,5D,86,E3,97,89,BD,A3,90
390 DATA 17,FE,A9,26,E8,DE,45,DC
,7C,ED,C4,8D,B6,25,13,8D,A5,BD
400 DATA A9,28,30,A8,3C,8D,3D,BD
,A1,B1,81,59,10,26,FF,62,9E,45
410 DATA 6F,84,6F,1,FE,1,8F,FF,1
,FF,CE,1,E9,FF,1,8F,DC,74,7F,2
420 DATA 45,DE,42,83,0,E8,DD,7C,
30,1E,8C,2,2D,27,2E,33,5C,EC,42
430 DATA A3,C4,E3,84,10,93,7C,22
,17,20,EA,7E,B9,9C,8D,FB,17,FE
440 DATA CC,30,A8,74,8D,F3,8D,A1
,B1,81,D,26,F9,39,AE,84,30,1F,BF
450 DATA 2,46,7A,2,45,A,44,8D,A9
,28,17,FE,AA,BD,A7,CA,30,2A,8D
460 DATA D5,8D,A7,E9,8D,A9,28,17
,FE,9A,30,A8,5B,8D,C7,30,8C,6C
470 DATA 9F,42,8E,0,F,9F,7C,8E,1
,DA,9F,7E,BD,A7,E5,8D,A7,D8,8E,1
480 DATA 8E,9F,7E,8E,1,BA,9F,7C,
8D,2F,D6,44,C0,30,D7,44,8E,0,1
490 DATA 9F,7C,8D,22,9E,42,AE,84
,9F,7E,CE,1,FF,DF,7C,DE,42,EC,42
500 DATA C3,0,1,93,7E,27,F,10,83
,0,FF,24,2,D7,7D,8D,2,20,E2,7E
510 DATA A7,F4,0,7C,F,7D,8D,F7,9
E,42,30,4,9F,42,A,44,26,CD,BD,A7
520 DATA E9,BE,1,FF,BF,1,8F,16,F
D,FC
530 DATA 2,0,0,0,0,1,8E,35,10,B6
,2,45,27,E,FC,2,46,DD,27,DD,23
540 DATA 83,0,C8,DD,21,1F,4,8E,0
,0,BF,1,8F,CE,2,2F,AE,C4,9F,7E
550 DATA BD,A7,F,26,1C,D,7C,2A,F
5,33,42,AE,C4,26,EF,BD,A7,E9,7E
560 DATA 0,0,BD,AD,21,9E,A6,30,4
,9F,A6,7E,AD,C0,7E,A6,19
```


gram whether in BASIC or assembly language. Rather than having a BASIC program that generates *Link*, it is more convenient to have *Link* recorded on tape directly as an assembly language program. Therefore, type the filename *Link* and ENTER it. This will initiate the process of using *Link* to record itself on tape.

The second prompt requests the entry address of the main program, which in this case is *Link*. All the required *Link* addresses have been provided in the REM statement of Line 10 of Listing 1. In accordance with that REM, type 1100 and press ENTER. You do not need to type &H in answering the prompt. The hexadecimal address 1100 is the address at which *Link* starts executing. If any of the characters of the ENTERED address are not a valid hexadecimal digit, a beep alarm will be sounded and the prompt will be repeated.

The next prompt asks for the first source address of the first record that you want on tape. Associated with each record are two sets of addresses — source addresses and destination addresses. The source addresses are the lowest (first) address and the highest (last) address of the record as it is presently located in RAM. The destination addresses are the corresponding RAM addresses into which you want the record to be loaded.

In the case of *Link*, only one record is involved; hence, you should type the first source address of *Link*. That is, type 1000 and press ENTER.

The third prompt is similarly answered by typing and entering the last source address 132B of *Link*.

You will probably want at least two versions of *Link*, one to be loaded in its present RAM location and one destined for high RAM. Therefore, for the former version answer the fourth prompt by typing 1000 and pressing ENTER.

Since you only need to specify one record for *Link*, answer the next prompt by pressing the 'Y' key to indicate yes.

Instead of recording *Link* immedi-

ately following *GENLINK* on your cassette tape, it would be more convenient to record *Link* at the beginning of the reverse side of the tape. Therefore, flip the cassette over, rewind the tape and position it. Then answer the positioning prompt by pressing ENTER.

In accordance with the next prompt, depress the Play and Record buttons of your recorder and then press ENTER. When the recording is finished, the recorder will stop and the initial prompt of *Link* will return.

Now, you can repeat the process to produce a high RAM version of *Link*. Therefore, type the filename *HILINK* and press ENTER. The requested entry address of *HILINK* is the destination entry address which is 3DD4 or 7DD4 depending on whether you have a 16K or 32K RAM, respectively. The first and last source addresses that you must type are the same as previously, 1000 and 132B. The first destination address is 3CD4 or 7CD4 for a 16K or 32K system, respectively. When you later load *HILINK*, you will not have to use the *CLEAR* command to memory protect it. *HILINK* will be automatically memory protected.

A detailed example will be presented to illustrate how to use *Link*. However, before that presentation, it would be well to determine whether or not you have good recordings of *Link* and *HILINK*. Do not use *SKIPF* to make that determination. Use of *SKIPF* on any *Link* produced recording will always yield an I/O Error message. *Link* purposely forces an I/O Error to occur as a means of altering the *CLOADM* command routine. *Link* changes the "hook" that links the ROM and RAM when errors occur. The new hook causes entry to be made to the first loaded record which controls the loading of all succeeding records. The original hook is restored before loading the subsequent records. Hence, those records are checked for I/O Errors as they are loaded.

To test the recordings of *Link* and *HILINK* do the following: turn off your

computer and then turn it on again. Type *CLOADM* and press ENTER. Rewind the tape and position it. Finally, depress the Play button. While *Link* is loading, note that the letter 'F' at the top leftmost position of the screen stops blinking. The blinking of 'F' on all *Link* produced recordings will be suspended. The purpose of suspending the blinking of 'F' is to guarantee the unmarred loading of the text screen when you desire to precede the running of the main program with one or more screen messages or pictures. If the recording is good, no I/O Error message will occur. Furthermore, upon the completion of loading, *Link* or *HILINK* will automatically start and the initial prompt will appear on the screen. To exit from *Link* for the *CLOADM*ing of *HILINK* press the Reset button. Before you load *HILINK*, note the recorder counter setting for later reference.

If you should happen to have a bad recording of either *Link* or *HILINK*, *CLOAD* the program *GENLINK* and run it. Then type *EXEC*, press ENTER and repeat the process of recording *Link* and *HILINK* on a new tape.

The programs of listings 2 and 3 are integral parts of the example to illustrate how to use *Link*. Lines 10 through 70 of Listing 2 construct a text screen and transfer its contents to another area of RAM. Lines 80 through 100 produce a simple, high resolution graphics display. The remaining lines of Listing 2 generate a machine language routine and store it in RAM. *Link* will be employed in concatenating and recording the text screen, graphics screen, machine language routine and the BASIC program of Listing 3.

When you have typed the program of Listing 2 correctly, run it. You may wish to save it as a precautionary measure. After running the program of Listing 2, erase it via the *NEW* command. Then type Listing 3.

Line 10 of Listing 3 turns on the previously loaded graphics display. The remaining lines "paint" the display in a

Listing 2:

```
10 CLS:K=255
20 FORI=0TO31:POKEI+J+&H400,K:NE
XT
30 K=K-16:J=J+32:IFK>142THEN20
40 PRINT@238,"LINK";:PRINT@268,"
EXAMPLE";:K=K+32
50 FORI=0TO31:POKEI+J+&H420,K:NE
XT
60 K=K+16:J=J+32:IFK<256THEN50
70 FORI=0TO511:POKEI+&H2A00,PEEK
```

```
(I+&H400):NEXT
80 PMODE4:PCLS:SCREEN1,1
90 CIRCLE(128,96),85
100 PAINT(128,96),1
110 FORI=0TO23:READA$:A=VAL("&H"
+A$):POKEI+&H2D00,A:B=B+A:NEXT
120 IFB<>3116THENCLS:PRINT@267,"
DATA ERROR":STOP
130 DATA BD,B3,ED,DD,44,9E,BA,33
,89,18,0,DF,42,A6,84,9B,45,A7,80
,9C,42,26,F6,39
```


Listing 3:

```
10 PMODE4: SCREEN1, 1
20 A=256*PEEK(116)+&HE8: DEFUSR=A
30 FORJ=0TO1
40 A=USR(85): GOSUB80
```

```
50 A=USR(170): GOSUB80: NEXT
60 PMODE3: SCREEN1, L: IFL=0 THEN L=1
  ELSE L=0
70 GOTO30
80 FORI=0TO300: NEXT: RETURN
```

variety of colors. The color changes are achieved primarily through the machine language routine called by the *USR* functions of lines 40 and 50. This routine is assumed by the program to have been loaded into the high RAM and automatically memory protected there. The example would be more realistic if the graphics screen had contained an intricate drawing requiring considerable program memory to produce it. In such a case the loading of the completed drawing would result in a significant savings in program memory. Frequently, the saved memory could be put to profitable use in program expansion and improvement.

Do not run the program of Listing 3 when you have finished typing it correctly. Instead refer to the previously noted recorder counter setting in positioning the tape for *CLOADMing HILINK*. *HILINK* rather than *Link* is used here because *Link* loads into the graphics screen memory area and would therefore ruin the display generated by the program of Listing 2.

The completion of the loading of *HILINK* is signalled by the appearance on the screen of the first prompt. Answer it by typing and entering the filename *EXAMPLE*. Usually the next prompt requires the typing of a hexadecimal address. There is one exception. That occurs when the main program is in BASIC, which is the present situation. In such a case, just press the 'X' key and then ENTER.

The text screen was stored by the program of Listing 2 in the RAM area from 2A00 through 2BFF. Hence, answer the next prompt by typing and entering 2A00. Similarly, type and ENTER 2BFF in response to the last source address prompt. Because you will want the text screen to reside in the usual location, answer the destination address prompt by typing 400 and pressing ENTER.

In order to specify the second record, press the 'N' key in response to the next prompt. The second record is the graphics screen. If you have a cassette-based system, the screen resides at addresses 600 through 1DFF. However, if you have the Disk BASIC ROM connected, the graphics screen is located at addresses E00 through 25FF. Thus, your response to the first source address

prompt should be the typing and entering of 600 or E00 depending on your system. Likewise, for the last source address prompt, type either 1DFF or 25FF and ENTER. In response to the destination address prompt type and ENTER 600 or E00 for cassette or disk-based systems, respectively.

"... Link can be used as part of a scheme to protect your programs against piracy. There is a simple, yet fairly effective scheme for piracy protecting assembly or machine language programs."

Press 'N' to permit the specification of the third record. This record is the BASIC program of Listing 3. Typing and entering X will automatically take care of all address specification for you. Actually, an additional record will also be automatically specified. The additional record is only eight bytes long and consists of the vital BASIC program pointers at hexadecimal addresses 19 through 20 (corresponding to decimal addresses 25 through 32).

There is one more record to specify, so once again press 'N' in response to the record's specified prompt. Even though the previous record was numbered three, the present record has been given the number five. The number four record was the eight-byte record automatically specified along with the BASIC program. Record five is the machine language routine generated by the program of Listing 2. It was stored at RAM addresses 2D00 through 2D17. However, it is to be loaded into high RAM at addresses 3FE8 through 3FFF or at 7FE8 through 7FFF depending on whether you have a 16K or 32K RAM, respectively. Therefore, each of the next three prompts should be answered by

typing and entering, in order, one of the addresses: 2D00, 2D17 and 3FE8 or 7FE8.

Complete the process by pressing 'Y' and appropriately carrying out the instructions of the final two prompts. In positioning the tape make a note of the counter setting of the recorder for later loading of *EXAMPLE*. The signal that recording is finished is the return of the initial prompt to the screen. You will have a rather long wait for the prompt because of the 6K length of the graphics screen record.

In general, you may specify a maximum of nine records. If one of the specified records is a BASIC program, the most that you may specify is eight records unless the BASIC record is the ninth one specified.

Back to the example, load *EXAMPLE* by means of the *CLOADM* command. You should be quickly greeted with the text screen generated by the program of Listing 2. This screen will remain on display for the time needed to load the other records including the rather lengthy graphics screen. When loading is complete, the BASIC program will automatically start and the graphics screen will replace the text screen. The *USR* called machine language routine will keep changing the colors in the display. To end the program press the BREAK key.

For those with disk systems it is worthwhile interjecting a short note of caution. If you record a tape using *Link* with the disk ROM connected, always load the tape with a connected disk ROM. Likewise, if the tape is recorded with the disk ROM disconnected, always load it with the disk ROM disconnected; otherwise, problems would be likely to occur in the execution of the associated programs.

As was previously mentioned, *Link* can be used as part of a scheme to protect your programs against piracy. There is a simple, yet fairly effective scheme for piracy protecting assembly or machine language programs. The scheme will be illustrated by adding protection to *Link* itself.

With the present unprotected version of *Link*, the Reset button can be pressed to return to the CoCo's command mode in which an *EXEC* command can be employed to gain entry to a preloaded

The Presidents of the United States



Who was the only Eagle Scout to become President? Which President had the shortest term of office? Which President later became Chief Justice of the U.S. Supreme Court?

Find out with the great new educational game **The Presidents of the United States**.


- Grades 5 and up
- Study mode
- 2 separate games
- User-modifiable data
- 100% Machine Language
- Menu-oriented
- Up to 8 players

Both 16K ECB and
32K ECB versions
included on the tape
\$19.95

The Great USA




- For grade 4 and up
- Sharpen your knowledge of the 50 states
 - Abbreviations
 - Capitals
 - Nicknames
 - Birds
 - Trees
 - Flowers
 - Random combinations of the above
- Play alone or compete against each other
- Ideal for home or classroom
- Colorful, detailed maps
- User modifiable input
- Easily moved to disk




Tape contains both
16K and 32K versions
\$24.95

Disk requires 32K
\$29.95

GALACTIC HANGMAN



- For grade 2 and up
- Exciting version of the popular word guessing game
- Play against the computer or a friend
- Outstanding high-resolution graphics and animation
- Great sound effects and music
- 700 word vocabulary included
- Create your own word files
 - your child's spelling list
 - foreign language vocabulary
 - specialized word list, i.e., geographic, chemistry, physics
- Broaden your vocabulary
- Easily moved to disk



Both 16K ECB and
32K ECB versions
included on tape
\$17.95

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P. O. Box 11932, Edmonton, Alberta T5J-3L1, (403) 421-8003.

Sugar Software
2153 Leah Lane
Reynoldsburg, Ohio 43068
(614) 861-0565

A complete catalog of other sweet Sugar Software products is available. Disk software compatible with Radio Shack DOS only.

Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders EMAIL to 70405, 1374. No refunds or exchanges.

Enhance your information management capabilities with

TIMS

A powerful, personal database manager you won't want to be without! Use **TIMS** to keep files of names, addresses, anniversaries, birthdays. Keep your class, club or group roster up to date. All of your recipes, books, Color Computer programs, stocks and bonds, bank accounts are at your fingertips with **TIMS**.

- 8 user-definable fields
- fast machine language routines
 - sort (up to 3 fields at a time)
 - search (item or range)
 - delete
- variable field and record length
- easy to use
- phrase substitution editor
- user selected report formats
 - select records to print
 - select fields to print
 - select field-print order
 - full margin control
 - report headings
 - send formatted files to tape, disk or printer

\$24.95 - Tape
16K ECB required;
(32K ECB recommended)
Disk compatible

TIMSMAIL

Have you ever done a large mailing for a small business? For a club or organization? At Christmas? Then you need our mailing list manager, **TIMSMAIL**!

- the ultimate mailing list manager for the CoCo
- designed for the 80-column printer
- user selected label formats
- continuous or single sheet
- 1, 2 or 3 labels across
- 2.5, 2.75, 3, 3.5, and 4 inch labels
- fast sort, search, and delete routines
- send your formatted mailing list to printer, tape or disk
- upper and lower case
- up to to 230 characters per record
- no blank lines

\$19.95 - Tape
32K ECB recommended
Disk compatible

And now . . . Enhance the capabilities of TIMS and TIMSMAIL with TIMSUTILITY!

TIMS UTILITY features:

Multi-Term Search - Search your database using a search criterion based on up to 5 keywords. You can use either "AND LOGIC" or "OR LOGIC".

Global Change - This is the "automatic" version of the modify mode. It can be used when there is a unique set of features in a specified field. For example, we could change all references to Rainbow to RB.

Global Delete - Automatically deletes every record in the database which meets the search criteria.

Record Change - Add or delete fields to your records. The maximum number of fields per record is still 8.

Split File Mode - Use "AND" logic (all articles published in Rainbow and written by Davis) "OR" logic (all customers in Ohio or Maryland), or Range Search to split your large file into 2 or more smaller files. You can save your new file to tape or disk.

TIMS UTILITY comes on tape and is disk compatible. It requires 32K, and a file created with either **TIMS** or **TIMSMAIL**.

\$14.95 - Tape
Disk compatible

program to analyze *Link*. In the proposed protected version of *Link* every BASIC command will be disabled and will result in an immediate error message when issued.

To add this protection to *Link*, turn your computer off and on again and load *Link*. Then give this version of *Link* the filename *PROLINK*. As you did previously, type and ENTER 1100 for the *Link* entry address. However, before specifying the *Link* program record, you must specify the protection record. It consists of six consecutive zero bytes. Locations 250 through 255 contain such bytes. Therefore, the first and last source addresses are 250 and 255, respectively, in the first record specification. For the first destination address, type 120 and ENTER it. Addresses 120 and 125 are usually stored the number of statements and functions, respectively, in the Color BASIC repertoire of commands. Making those quantities zero tricks the BASIC interpreter into "thinking" that it has an empty vocabulary.

Type 'N' to allow the specification of the *Link* program record. Carry out the remainder of the procedure exactly as you did in the production of the unprotected *Link*.

Some of you who are well versed in assembly language programming and are familiar with the CoCo's memory map may already see a way around this protection scheme. One of the hooks that link the ROM and RAM could be

when you are further protecting a program, 15E, 18D and 15E should be the first source, last source and destination addresses of the second specified record.

BASIC programs cannot be protected in the same manner as assembly or machine language programs. A BASIC program clearly could not run if its commands were disabled. The scheme

BASIC programs cannot be protected in the same manner as assembly or machine language programs. A BASIC program clearly could not run if its commands were disabled. The scheme for protecting any BASIC program does not disable the BASIC commands during program execution but does so when the program has been stopped by any means.

As in the more effective scheme for piracy protecting assembly language programs, the hooks at addresses 15E through 18D must comprise one protection record. However, one hook address in the record must be changed to point to a short machine language subroutine which forms a second protection record. The subroutine is what controls whether or not BASIC commands are disabled.

The objective of the program of Listing 4 is to generate the two protection records and store them in a convenient place in RAM. For purposes of illustrating the scheme, the area chosen to store the two records was located at addresses 3000 through 303C. The first address 3000 was assigned in Line 10.

appropriately alters the hook record to provide entry to the short subroutine.

When you have correctly typed the program of Listing 4, save it for future use in protecting BASIC programs.

The protection scheme will be illustrated by applying it to the short example program of Listing 5. Therefore, after running the program of Listing 4, erase it by means of the *NEW* command. Then type Listing 5.

After typing the latter program, *CLOADM Link*. The responses to the *Link* prompts should be consecutively as follows:

PROBASIC

X

3000

302F

15E

N

3030

303C

3030

N

X

Y

Then appropriately follow the tape positioning and recording prompts. In the positioning process note the recorder counter setting for *PROBASIC*.

To test the protection scheme turn your computer off and then on again. Then load *PROBASIC* using *CLOADM*. When *PROBASIC* is loaded, it should request the typing of your

Listing 4:

```
10 CLS:A=&H3000
20 FORI=0TO47:POKEI+A,PEEK(I+&H15E):NEXT
30 FORI=0TO10:READD$:D=VAL("&H"+D$):B=B+D:POKEI+A+48,D:NEXT
40 IFB<>977THENPRINT"DATA ERROR":STOP
50 FORI=0TO1:POKEI+A+59,PEEK(I+&H168):NEXT
60 C=INT(A/256):POKEA+10,C:POKEA
```

+11,&H30+A-256*C

100 DATA 34,2,96,A6,81,6,25,FE,35,2,7E

Listing 5:

```
10 CLS:PRINT@226,"TYPE YOUR NAME & PRESS ENTER":PRINT@260,"";
20 LINEINPUTA$
30 PRINT@358,"PRESS ENTER TO STOP"
40 K#=INKEY$:IFK#<>CHR$(13)THEN40ELSESTOP
```

the means of gaining entry to a pre-loaded program for analyzing *Link*. The occurrence of an error could be made to cause such an entry. Therefore, to make protection more effective you should specify a second protection record before the *Link* program record. This second record consists of the hooks located at RAM addresses 15E through 18D. There are other hooks but they have already been accounted for in the loader record which is always written on tape without your specifying it. Hence,

When you protect your own BASIC programs, you should (by appropriately editing Line 10) make the assignment consistent with the memory available to accommodate 61 consecutive RAM locations. Line 20 stores at addresses 3000 through 302F an image of the hooks at 15E through 18D. Lines 30 through 50 along with Line 100 are concerned with generating and storing the short subroutine. The subroutine is stored at addresses 3030 through 303C immediately following the hook record. Line 60

name. The program will then go into a loop. You can stop it by pressing ENTER, BREAK or Reset. Regardless of how you stop *PROBASIC*, typing and entering any BASIC command of your choice will cause the computer to hang up.


Link and the protection schemes were developed for your personal use. If you should wish to employ them commercially, please get in touch with me via *THE RAINBOW* to discuss mutually agreeable royalty terms.



SR-71

SR-71 is a fast action game in which you are the pilot on a mission to take photographs of missile sites in Russia and deliver them to our processing laboratory in Japan. So real you will feel as if you are in the cockpit on a real spy mission. Elude Russian missiles as well as their detection devices. Another Tom Mix exclusive. A must for the adventurous. Fantastic graphics, color and sound. 32K Ext. Basic



TAPE \$28.95 DISK \$31.95



KING TUT

Journey through the caverns of King Tut's tomb. You are on a quest to find treasures hidden in the caverns below. You light your way with only a small candle that grows dimmer as time passes. Watch out for the snakes and the ghost of King Tut himself. Five screens challenge your abilities every step of the way. Joysticks required.

16K MACHINE LANGUAGE
TAPE \$27.95 DISK \$30.95



THE KING

This game contains all 4 full graphic screens like the popular arcade game. Exciting sound and realistic graphics. Never before has the color computer seen a game like this. Early reviews say simply outstanding. JOYSTICKS REQUIRED

32K MACHINE LANGUAGE
TAPE \$26.95 DISK \$29.95



CU *BER


Approaches the excitement and challenges of any Video Arcade. The hazards of CU *BER are many. Help CU *BER change the colors on the pyramid while avoiding many of the dangers always present. Vipers, the Nurd, the Dork, bonus points all add up to another exciting release from Tom Mix Software.

32K MACHINE LANGUAGE TAPE
\$27.95 DISK \$30.95

BUZZARD BAIT

We've done it again. You thought The King was great? Wait till you see this! Outstanding high resolution graphics, tremendous sound make this "joust" type game a must for your software collection. As you fly from cloud to cloud you will enjoy sky high excitement dealing with the challenges presented to you by this newest release by Tom Mix Software.

Joysticks required.
32K MACHINE LANGUAGE
TAPE \$27.95 DISK \$30.95



FANGMAN

Fangman is a high-resolution graphics arcade-type game based on the Dracula legend. Plot of Game: You're Dracula in your castle, stalking through a labyrinth of passages in search of invading villagers seeking to destroy you by blocking your every path with deadly crosses. Their ally the Sun also wanders your halls, trying to touch you and turn you to bones and dust. Fortunately, you have allies of your own, your vampire bats who chase down the villagers, holding them till you arrive. Joysticks required.

16K MACHINE LANGUAGE
TAPE \$24.95 DISK \$27.95



HERE IS A GREAT UTILITY PROGRAM

SCREEN PRINT ROUTINE Prints contents of your graphic screen to an Epson, Microline or Radio Shack DMP Printers. Prints positive or reverse format. Horizontal or vertical, small and large printout. Print left, right, or center of page. Specify printer when ordering.

TAPE \$19.95 DISK \$21.95
TAPE TO DISK New version works both 1.0 and 1.1 DOS. Load the contents of most tapes to disk automatically.

16K MACHINE LANGUAGE TAPE \$17.95 DISK \$21.95

Tom Mix Software Now Offers The Complete VIP Library System

VIP Writer™

RATED TOPS IN RAINBOW, HOT COCO, COLOR COMPUTER MAGAZINE & COLOR COMPUTER WEEKLY.

32K (Comes with tape & disk) \$69.95
(Includes VIP Speller)

VIP Speller™

WITH A 60,000 WORD INDEXED DICTIONARY! It can be used to correct any ASCII file — including VIP Library™ files and files from Scripsit™ and Telewriter™.

32K DISK ONLY \$49.95

VIP Calc™

You can forget the other toy calcs — The real thing is here! No other spreadsheet for the Color Computer gives you so many features.

32K (Comes with tape & disk) \$69.95
32K does have hi-res displays, sort or edit.

VIP Terminal™

RATED BEST IN JANUARY 1984
"RAINBOW" Choice of 8 hi-res lowercase displays * Memory-Sense with BANK SWITCHING for full use of workspace.

32 K (Comes with tape & disk) \$49.95

(Tape comes in 16K but without hi-res displays)

VIP Database™

INCLUDES MAIL MERGE CAPABILITIES TOO! 32K DISK \$59.95 64K Required for math package & mail merge.

VIP Disk-Zap™

Repairs crashed disks.
16K DISK \$49.95 Lowercase displays not available with this program.



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506




• ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •
• MICHIGAN RESIDENTS ADD 4% SALES TAX •

LOOKING FOR NEW SOFTWARE
TOP ROYALTIES PAID

(616) 957-0444





DRACONIAN

You brace yourself as your ship materializes in the enemy sector. Your engine roars to life, and you consult the long-range scanner for the position of the nearest enemy base. As you head for the base, blasting asteroids and space-mines in your path, you suddenly notice a monstrous space-dragon looming before you. Reacting quickly, you dodge his deadly fire-breath and blast him out of existence.

Finally, the enemy base comes into view. Avoiding the enemy fire, you destroy the gun turrets one by one with your rapid-fire torpedoes. Then, with the explosions still echoing around you, you rescue the astronaut who was being held prisoner by the enemy. Your mission is far from over, however, as there are more bases to destroy and more astronauts to rescue before the sector will be secured. And all must be done quickly; if you are too slow, the invincible DRACONIAN will surely seek you out as its next victim.



This is it — the single most impressive, awe-inspiring arcade game you can buy for your Color Computer. High-resolution graphics, awesome sound effects, four-voice music, and quality you have to see to believe! Experience the realism of DRACONIAN today!

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$27.95

DISK \$30.95




CRASH

This game is a high resolution Machine Language program with outstanding Arcade type graphics. The game consists of 4 screens. Fly the airplane over and through obstacles. Piloted by "Mario" who also appeared in "The King". The object is to conquer one screen after another but don't "Crash". Great fun for the whole family. For 1 or 2 players. Uses joysticks.

32K MACHINE LANGUAGE

TAPE \$24.95

DISK \$27.95



CHAMBERS

Exciting high resolution graphics game. Multiple screens. Outstanding sound, Chambers is loosely based on Cosmic Chasm. The object in each level is to destroy all of the evil creatures in each room and then go into the main reactor room and blow up the base.

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$24.95

DISK \$27.95



WAREHOUSE MUTANTS

Journey through the warehouse seeking out the Mutants who are out to destroy you. WATCH OUT! They will push crates trying to crush you! Outstanding realism—high resolution graphics—multiple screens.

JOYSTICKS REQUIRED

16K MACH. LANGUAGE

TAPE \$24.95

DISK \$27.95



QUIX


This one is after a popular arcade game with a similar name. Simply frustrating—you'll love it. Done in high resolution graphics with Super Sound.

JOYSTICKS REQUIRED

32K MACH. LANGUAGE

TAPE \$24.95

DISK \$27.95



MS. MAZE


MS. MAZE is remarkable in that it combines brilliant color, high resolution, detailed graphics, and music with a very playable game. Anything that could be done to make the Color Computer look and play like the arcade version has been done. MS. MAZE is without question the closest thing to the arcade Pac games that I have seen for the Coco.

JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$24.95

DISK \$27.95




PAK-PANIC

Pakman is steered thru a maze eating dots and powerpills. Pakman is pursued by four monsters who try to catch and kill him. If Pakman eats a powerpill he becomes powerful and can eat monsters. Monsters try to avoid a powerful Pakman. As monsters are eaten their ghosts appear on the top of the screen. When seven ghosts have appeared one will fly across the screen or they will link together forming a centipede that will travel thru the maze. Pakman has no power against ghosts and centipedes and must avoid them or be killed. JOYSTICKS REQUIRED

32K MACHINE LANGUAGE

TAPE \$24.95

DISK \$27.95



PAK TWINS BOTH MS. MAZE & PAK PANIC FOR ONLY

44.90 TAPE

50.90 DISK



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506

• ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •

• MICHIGAN RESIDENTS ADD 4% SALES TAX •

LOOKING FOR NEW SOFTWARE

TOP ROYALTIES PAID

(616) 957-0444



QUALITY EDUCATIONAL SOFTWARE VOCABULARY MANAGEMENT SYSTEM

16K Extended basic/32K for printer output

The Vocabulary Management System (VMS) is a series of programs designed to aid a parent or teacher in helping children to learn and practice using vocabulary and spelling words. The 11 programs that comprise the VMS include a full feature data entry/edit program, three printer output programs and 5 vocabulary/spelling game programs. The system's many outstanding features include:

- As many as 300 vocabulary words and definitions may be in the computer's memory at one time.
- Words and definitions may be saved on disk or tape.
- Remarks and/or comments can be saved with word files.
- A disk loading menu allows students to load disk files without typing file names.
- Word lists may be quickly alphabetized.
- The three printer segments allow you to create and print individualized tests, puzzles, word-searches and worksheets.
- The printer segments allow full use of your printer's special features.
- The 5 game programs are based on sound educational principles and provide practice in identifying words and matching them with their definitions in a fast-paced set of activities.

TAPE \$39.95 DISK \$42.95

FRACTIONS - A Three Program Package - 32 K EXT. BASIC TAPE \$30.95 DISK \$35.95

MIXED & IMPROPER

1. Review converting mixed numerals and improper fractions.
2. Practice converting mixed numerals to improper fractions.
3. Practice converting improper fractions to mixed numerals.
4. Practice of both types. (Mixed to improper & improper to mixed)
5. Review converting mixed numerals to mixed numerals. (Used in regrouping in subtraction)
6. Practice converting mixed numerals to mixed numerals.

EQUIVALENCE

1. Definitions of terms and review of finding equivalent fractions.
2. Practice finding equivalent fractions.
3. Practice finding sets of equivalent fractions.
4. Review of finding if one fraction is equal to, not equal to, less than or greater than another.
5. Practice finding if one fraction is equal to, not equal to, less than or greater than another.

LOWEST TERMS

1. Review of placing fractions into lowest terms by finding the greatest common factor (GCF) of the numerator and denominator.
2. Practice finding the GCF of pairs of numbers.
3. Practice placing fractions into lowest terms by finding the GCF of the numerator and denominator.

TEACHER'S DATABASE

TEACHER'S DATABASE is a program designed to allow a teacher to keep a computerized file of information about his/her students. There are many features that make this program particularly attractive:

- Information on as many as 100 students (or more) may be in the computer at one time.
- Each student may have as many as 20 (or more) individual items of data in his/her record.
- The program will run from cassette or disk.
- Cassette and disk files are completely compatible.
- The program is menu driven.
- Records may be easily changed, deleted, combined or added.
- Information about students may be numerical or text.
- Records may be quickly alphabetized.
- Records may be sorted by various criteria.
- Records may be reordered (ranked) based on test scores or other data.
- Data displayed during a sort may be printed on a printer or saved on disk or cassette as a new file.
- A full statistical analysis of data may be done and sent to the printer.
- Student test scores may be weighted.

**REQUIRES 32K EXT. BASIC
TAPE \$39.95 DISK \$42.95**

ESTIMATE

ESTIMATE is a program designed to help children to practice estimating the answers to addition, subtraction, multiplication and division problems on the Color Computer. It has many features that make its use particularly attractive.

- Up to 5 students may use the program at the same time.
- There are 5, user modifiable, skill levels.
- The acceptable percent error may be changed as a student's skill improves.
- A timer measures the number of seconds used to answer each problem and the total time used for a series of problems.
- If a problem has been answered incorrectly, the student is told the percent error and asked to try again.
- If a problem is answered incorrectly a second time, the student is told the correct answer and the range of acceptable answers is displayed.
- A report is given at the end of each set of problems that includes the number of problems done, the number of problems answered correctly on the first try and the average percent error.
- The (BREAK) key has been disabled so that child will not inadvertently stop the program from running. **REQUIRES 16K EXT. BASIC**

TAPE \$19.95 DISK \$22.95

PRE-ALGEBRA I INTEGERS

INTEGERS is a series of four programs designed to give students practice in working with addition, subtraction, multiplication, division and the comparison of integers. It has many features that make a very valuable tool for introducing and/or maintaining skills.

- Up to 4 students may use the program at the same time.
- There are 9, user modifiable, skill levels.
- Students are given two opportunities to answer a problem.
- A detailed report of student performance, including number correct on first try, number wrong, total time used and percentage score, is presented at the end of a series of problems.
- The programs will run on a 16K TRS-80 Color Computer with or without disk drive.

Four distinct problem formats are presented. The first presents problems in this format: $-12 + -9 = ?$ The second program presents a problem with missing numerals in this format: $-7 - ? = 18$. The third program presents a problem with a missing sign: $8 - ?6 = 14$. The last program asks the student to determine the relationship ($=$, $<$ or $>$) between two statements $3 - 9 (??) - 4 - 5$.

**32K EXT. BASIC
TAPE \$28.95 DISK \$33.95**

MATH DUEL

MATH DUEL is a challenging mathematics game that pits you against the computer in a game of wits. You must use all of your knowledge of factors, multiples and prime numbers to develop a strategy that allows you to gather more numbers and thus more points than the computer.

The game is deceptively simple. You select the size of the playing field that is composed of from 8 to 100 numbers. You must then choose numbers that will give you the maximum number of points and the computer the least number of points. There are only 6 rules.

1. Any number that you chose must have at least one factor still on the playing field.
2. You receive points equal to the face value of the number that you chose.
3. The computer receives points equal to the face value of all of the remaining factors of the number that you chose.
4. All of the numbers that were awarded to you or to the computer are removed from the field.
5. The game continues until there are no numbers with factors remaining.
6. At the end the computer receives points equal to the value of all of the remaining numbers.

32K EXT. BASIC TAPE \$24.95 DISK \$29.95

PRE-ALGEBRA II

The second **PRE-ALGEBRA PACK** is composed of two programs, **EQUATION SOLVER** AND **EQUATION DUEL**, that are designed to give students practice in using and solving equations. It has many features that make a very valuable tool for introducing and/or maintaining skills:

- In both programs students may choose the range of numerical values that will be included in the equations so that the difficulty may change as their skill increases.
- In **EQUATION SOLVER** the computer secretly generates a random equation, shows the numbers that it used in the equation and the answer and challenges the student to create his/her own equation that uses the same numbers and results in the same answer.
- In **EQUATION DUEL** the student and the computer race to see who will be the first to create an equation from the same set of random numbers.
- Both programs give detailed reports of the student's and the computer's performance in creating and solving equations including time used, score and percentage correct.

**32K EXT. BASIC
TAPE \$28.95 DISK \$33.95**



TOM MIX SOFTWARE

4285 BRADFORD N.E.
GRAND RAPIDS, MI 49506



- ADD \$2.50 POSTAGE & HANDLING • (CANADA ADD \$3.00) •
- MICHIGAN RESIDENTS ADD 4% SALES TAX •

LOOKING FOR NEW SOFTWARE
TOP ROYALTIES PAID

(616) 957-0444



An Introduction To The Inside Of The CoCo 2

Editor's Note: A correction to the wiring instructions and the BASIC listing for last month's column appear on Page 226 of this issue.


By Tony DiStefano
Rainbow Contributing Editor

My, doesn't time go fast? I can't believe I've been writing for RAINBOW for two years now.

January being THE RAINBOW's Beginners issue, I decided to introduce the novice to the inside world of the Color Computer. The latest CoCo 2 is the newest Color Computer to be introduced by Tandy. It is different inside from the old CoCo 2. You can tell the difference by the shield covering the power transformer. Though it functions the same, the insides of this CoCo are very different (again!). More on that later.

Before we get on our way, let me mention that I just came back from my second RAINBOWfest. I must say that these shows are great. I found THE RAINBOW staff to be very friendly and helpful. It is amazing to see that much enthusiasm generated about the Color Computer. Chances are I'll see some of you at the next RAINBOWfest, too, in California. Stop in and say hello. Look for me at the R.G.S. Micro booth.

(Tony DiStefano is well known as an early specialist in Color Computer hardware projects. He is one of the acknowledged experts on the "insides" of CoCo.)



Now, let's look into this little thing, but remember, opening your computer might void your warranty. Radio Shack only warranties the computer for three months, so after that you are on your own, anyway. First of all, *never* open the computer with the power on. Now that that's said, let us continue.

To open your CoCo, use the following

procedure. Place the computer upside down on a towel (or other soft surface) on a clean work table. Remove the four screws (one in each corner) with a medium-sized Phillips screwdriver. There is one more screw to remove; it is behind the little sticker that says "Opening case will void warranty. See owner's manual for warranty informa-

HARD DISK for the CO CO

5 meg ~~\$1295~~

10 meg ~~\$1595~~

----- COMPLETE SYSTEM ----- JUST PLUG IN -----

HARD DISK - OPERATING SYSTEM features

- FULLY INTEGRATED INTO COLOR DISK BASIC
- TAPE TO HARD DISK
- DISK TO HARD DISK
- HARD DISK TO TAPE
- HARD DISK TO DISK
- DUPLICATE
- COLD START
- M-RUN
- ALL EXTENDED DISK BASIC COMMANDS



without hard drive ... operating system only
INTERFACE CARD & H-DOS ~~\$425.00~~


PERIPHERAL H-DOS UTILITY PACK \$129.00
BOOT STRAPS OS-9 OR FLEX, MDIR (master directory)

128 K - RAM CARD

INCREASE YOUR 64 K Co-Co OR Co-Co II TO 128 K RAM

- ☐ FITS COMPLETELY INSIDE YOUR COMPUTER.
- ☐ SWITCHES TWO NEW 32 K BANKS OF RAM IN AND OUT OF MEMORY.
- ☐ BANKS CAN BE MAPPED IN THE UPPER HALF OR LOWER HALF, OR CAN ALSO BE A SECOND COMPLETE 64 K BANK.
- ☐ SWITCH TABLES INCLUDED.
- ☐ SIMPLE INSTALLATION AND DOCUMENTATION.
- ☐ A MUST FOR OS-9 USERS.
- ☐ COMPLETE WITH 8 (4164) RAM CHIPS.
- ☐ PAL CHIP HANDLES ALL BANKING COMMANDS.

\$149.95



DISK DRIVES **CoCo**

for the


TANDON DISK DRIVES

40 track - 6 ms trk-trk
FULLY COMPATIBLE

TEAC DISK DRIVES

FD-55series

- 5 models of 5-1/4" floppy disk drives
- 1/2 the height of conventional drives
- Choice of capacity from 125 Kbytes to 1.6 Mbytes
- New TEAC LSIs reduce power consumption, increase reliability
- Brushless DC direct drive motor
- High-speed data access



Super Sale on New Disk Drives

Distributor for - SOFTWARE SUPPORT, INC. Framingham, MA.

MODEL III & 4 DISK CONTROLLER KIT

- ☐ AVAILABLE FOR FULL HEIGHT OR SLIM LINE DRIVES
- ☐ EASY INSTALLATION
- ☐ FULLY TESTED AND ASSEMBLED
- ☐ COMPLETE WITH EASY INSTRUCTIONS
- ☐ J & M SYSTEMS CONTROLLER



USA

RGS MICRO INC.
MAIN STREET
DERBY LINE, VERMONT
ZIP 05830
TEL: 802-873-3386
ORDER LINE 800-361-4970

RGS MICRO INC.

CANADA

RGS MICRO INC.
759, VICTORIA SQUARE 405
MONTRÉAL H2Y 2J3
TEL: (514) 287-1563
ORDER LINE ONLY ★ ★ ★
QUÉBEC - ONTARIO - MARITIMES
800-361-5338
WESTERN CANADA 800-361-5155

TERMS: VISA - MASTER CARD - AMERICAN EXPRESS

HOURS: MONDAY - SATURDAY 10:00 AM - 6:00 PM

tion." You must break this seal to remove the last screw. That is how Radio Shack can tell if you have opened it. Just push the screwdriver through the center of the sticker; it will give way to a hole. Some of the CoCo 2s may have a sixth screw on the other side. Remove the last screw. Turn the




TABLE 1

IC #	Name	Description
1	SC77527	SALT Power supply and RS-232 CHIP
2	MC6821P	PIA Peripheral interface adapter
3	SC77526	DAC Digital to analog converter
4	NE555D	Timer for color burst in PMODE 4
5	74LS273	Octal D-Type Flip-flop
6	74LS244	Octal Buffer Driver
7	SC67331P	IIA Industrial interface adapter
8	MC6847P	VDG Video Display Generator
9	MC6809EP	CPU Central Processing Unit.
10	74LS02	Quad 2-input Nor Gate
11	74LS138	3 to 8 Decoder Chip
12	8040364B	ROM BASIC 1.2
13	8042364A	ROM EX BASIC 1.1
14-21	8040517	16K DRAM Dynamic Random Access Memory
22	MC6883P	SAM Synchronous Address Multiplexer

Beginners Project Parts List

Quantity	Description	Radio Shack #
1	LED	276-068 or 276-069 or 276-073
1	RESISTOR 1k ohms	271-8023

computer back right side up, and gather up the screws that drop out. Grab the top cover of the computer and pull it off. Wow! Look at all those things. The components marked with the letter 'U' (or 'IC' in the case of the newest CoCo) are known as ICs (Integrated Circuits). Table 1 labels all the ICs used in the computer and gives a short description of each.

Some of the components that make up the CoCo are very sensitive to static electricity. You must be careful not to zap (permanent damage caused by static discharge) a chip by touching the pins with your fingers. If you must touch a chip, always touch a ground point with your fingers first. This will discharge any static your body might be carrying to ground. A good ground point to touch is the RF adapter. That is the big metal can sitting to the left, where you plug in the TV wire. Another point is one of the metal clips that hold the bottom shield to the main PCB (Printed Circuit Board). You will find these clips all around the edge of the PCB.

Now that we have seen the insides of the CoCo and are a bit more familiar with its parts, let's do something to it. About the simplest thing we can do is add a pilot light. It is not hard, and if you take it one step at a time, anyone will be able to do it, and the good thing about it is that it costs less than \$1. By the way, this pilot light will work on any version, not just the CoCo 2. Before you plunge into this though, if you do not have any soldering expe-

rience, practice on something else first. To do this, you will need a soldering iron. A low power, medium or fine tip soldering iron will do. The solder to use must be a rosin core and not too thick. Radio Shack sells both at a reasonable price. If you have never handled a soldering iron before, get Radio Shack's proto-board and practice on it first.

Here are the step-by-step instructions on how to solder:

- 1) Make sure that your soldering tip is clean and hot. A wet sponge is great to clean the tip.
- 2) Secure the component to the PCB.
- 3) Heat the component and the PCB with the iron.
- 4) Touch the end of the solder to the component. My personal habit is to position the solder so that it will touch the iron, component and PCB at the same time.
- 5) When enough solder flows, remove the solder.
- 6) Remove the iron from the joint.
- 7) Wait until it cools before moving the component or the PCB.

To make a good joint takes practice. To put the right amount of solder also takes practice. Too much or too little could result in a bad connection. Examine Figure 1, and notice the difference between too little and too much solder. Sometimes a bad connection can be turned into a good connection just by heating up the joint again. After it cools, the joint should be shiny and smooth. Practice several times until you get the hang of it. There

JoySticks/plus

Quality Game and Graphics Controls for the Color Computer

Deluxe Graphicom Controller	\$24.95
Standard Game Controller	\$18.95 each / 34.95 pair
States of the Union Educational Hi-Res M/L	D \$49.95
State Lottery Utility	T \$10.95 D \$14.95

add \$3.00 Shipping
COD, Money Order or
Certified Check ONLY
WV Residents Add 5% tax

JoySticks/plus
120 East Point Dr.
Charleston, WV 25311
304-755-9623

CANADIAN PAYROLL

EXCEPTIONAL... EXCELLENT... SOFTWARE... EASY TO USE EVEN FOR NEWCOMERS TO COMPUTERS...
.....A DEFINITE ASSET TO ANY COMPANY!!

OPTION 4

FOR YOU..... NO CHANCE OF UNKNOWNLY LOSING DATA..... IS A SPECIALIZED PRODUCT...
.....MANUAL WELL ORGANIZED EASY TO FOLLOW!!

FEATURES:
ALL PROVINCES & TERRITORIES AUTO. S.I.N. VALIDATION
FORMATTED SCREENS FULL FORMAT TRAPPING* ANY PRINTER
ANY PAY PERIOD BATCHED CHECKS *DETAILED PAY STUBS
TOTAL COST/DUTY ALLOCATION YEARLY USER UP-DATABLE
ALL MEDIA TRANSFER BACK-UP* PAPER* PASSWORD PROTECTED

REQUIRES: 32K ECB COLOUR COMPUTER/TDP100/SINGLE DISK
CONDENSED PRINTER MODE..... ONLY \$149.95 CDN
(ONTARIO RESIDENTS ADD 7% P.S.T.)

CALCULATES:
1X OR MULTIPLE PAY RATE C.P.* P.* HEALTH* U.I.C.* MILEAGE
GROSSES PAY ANY PERIOD ACCUMULATED HOURS *EXPENSES


YGS

IS ALL BUSINESS
VISA 1-705-484-5491
6PM-9PM EST ONLY PLEASE

P.O. BOX 208
BRECHIN, ONTARIO
L0K 1B0

16 K DOS CARD

- ☐ PLUGS INTO YOUR J-M DISK CONTROLLER AND ALLOWS YOU TO MAP ON AN EXTRA 8 K E-PROM ABOVE DOS.
- ☐ USE YOUR OWN 24 PIN, 8 K DOS AND ONE 2764 E-PROM OR TWO 2764 E-PROMS.
- ☐ GREAT FOR UTILITIES OR A MACHINE LANGUAGE MONITOR.
- ☐ ON BOARD DE-CODING, ONLY ONE WIRE TO SOLDER. COMPLETE WITH INSTRUCTIONS.



\$19.95

RGS DUAL DOS CARD

WITH SWITCH SELECTOR

DESIGNED TO ACCOMMODATE TWO DIFFERENT DOS CHIPS INSIDE YOUR J-M DISK CONTROLLER.

- ☐ PIN TO PIN COMPATIBLE WITH RS-DOS AND J-DOS CHIPS.
- ☐ THE SWITCH ALLOWS YOU TO HARD SELECT ANY ONE OF THE TWO DOS SYSTEMS OF YOUR CHOICE.
- ☐ IN CENTER POSITION, THE SWITCH DISCONNECTS FROM THE DOS AND BRINGS YOU BACK TO BASIC.
- ☐ DESIGNED FOR ONE 24 PIN ROM AND A 28 PIN E-PROM OR TWO 28 PIN E-PROM CONFIGURATION.
- ☐ EASILY MODIFIED BY CUTTING TWO TRACES ON THE BACK OF THE BOARD.


\$19.95
(Board with switch only)



VIDEO PAL

- ☐ AUDIO-VIDEO INTERFACE
- ☐ MONOCHROME COMPOSITE OUTPUT
- ☐ EASY TO INSTALL, FITS UNDER YOUR KEYBOARD
- ☐ NO SOLDERING!
- ☐ BUILT-IN SPEAKER
- ☐ DOES NOT DISABLE YOUR REGULAR T.V. OUTPUT
- ☐ FULLY TESTED AND ASSEMBLED
- ☐ COMPLETE WITH INSTRUCTIONS.

ALSO AVAILABLE FOR COLOR MONITORS



\$29.95

PROJECT BOARD

A MUST FOR EXPERIMENTS

- ☐ UNLIMITED CHIP POSITIONS
- ☐ GOLD PLATED EDGE-CARD CONNECTOR
- ☐ FITS INTO ANY RS DISK PACK
- ☐ HOLES PLATED THROUGH BOTH SIDES
- ☐ EASY TO WIRE - WRAP

GREAT TO BUILD YOUR "TURN OF THE SCREW" PROJECTS.



\$19.95
(TWO FOR \$34.95)

USA

RGS MICRO INC.
MAIN STREET
DERBY LINE, VERMONT
ZIP 05830
TEL: 802-873-3386
ORDER LINE 800-361-4970

RGS MICRO INC.

CANADA

RGS MICRO INC.
759, VICTORIA SQUARE 405
MONTRÉAL H2Y 2J3
TEL: (514) 287-1563
ORDER LINE ONLY ***
QUÉBEC - ONTARIO - MARITIMES
800-361-5338
WESTERN CANADA 800-361-5155

TERMS: VISA - MASTER CARD - AMERICAN EXPRESS


HOURS: MONDAY - SATURDAY 10:00 AM - 6:00 PM

is one more thing to remember; after all the soldering is done, clean the PCB with Radio Shack rosin cleaner-remover.

Now that you feel more at ease with soldering, it is time to put your newly acquired talent to work. Yes, the pilot light. There are only four parts to this project. The LED, a 1K (K=1000) ohm $\frac{1}{2}$ watt resistor, and two short lengths of colored wire (preferably red and black). That is it. Examine the schematic in Figure 2. This is a diagram on how the components connect together and to the computer. The first thing to do is mount the LED. You must decide where to put it. After that, you must check that when mounted, it does not interfere with the normal operation of the computer, i.e., short out or lean on other components and does not prevent the cover from fitting properly.

Mount the LED by drilling a $\frac{1}{4}$ -inch hole where the LED is to be mounted. Cut both sides of the resistor leads to about $\frac{1}{4}$ inch. Solder one side of the resistor to the long end of the LED. Solder one end of the red wire to the other end of the resistor. Solder one end of the black wire to the other (short)

end of the LED. Twist the two wires together lightly and cut them about 18 inches long. This should be long enough to have the cover out of your way if ever you want to open the computer again.



Now, solder the other end of the red wire to inside of pin 9 of the edge connector. That is the five volts side. How do you get to pin 9? Simple, just start counting from the end closest to the back of the computer. All the top pins are odd numbered, so count 1, 3, 5, 7, 9. Make sure that you don't short out two pins with the solder. Finally, solder the black wire to pin 33, count that one the same way. Pin 33 is the ground return pin.

Place the cover on top of the computer (without the screws for now) and turn the computer on. The LED should turn on. If not, chances are that you got the wires to the LED reversed. In that case, unsolder the resistor and the black wire to the LED and resolder them the other way. Otherwise, you should not have any problems. Tuck the wire in the cover and place the cover back on. Make sure that the wire does not stick out and that the keyboard is sitting on the pegs properly. Turn the computer over and replace the screws. There you are, your first modification to your computer. Now doesn't that make your day?



Mouse Technological Software For The Color Computer!

*Many Companies call their
Home and Business Software
User Friendly . . .*

**COMING
SOON!**

ONLY ONE CALLS IT

Child's Play™



**Send for
FREE Catalog**

TCE BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
1-(301) 963-3848




Elite Software

NOW AT:

Radio Shack®

Available Via Express Order

What to look for when buying application software . . .

EASE OF USE—At Elite Software we know you want programs that are easy to use. You want software that has a simple command structure with commands that are easy to remember. We've had *NINE* magazine reviews that acknowledge the ease-of-use of our programs. • **FEATURES**—Elite Software has powerful features. Why buy an island (one program that does only one job)? Remember, when you buy one program from our system, you also get **EXPANDABILITY**. • **PERFORMANCE SPEED**—Some application programs run disappointingly slow. At Elite Software we pay careful attention to things like Sorting, Screen Re-write, Calculation, and Output processing times. Not all software "plays" the same. Elite Software *DOES* make a difference.

All of our Software Features:

- ★ Superior Ease of Use
- ★ Cross-file Compatability
- ★ Printer Compatability
- ★ Comprehensive Manual
- ★ Nationwide User-group Support
- ★ Handsome Vinyl Binder
- ★ Revision Upgrade Program

* COLOR COMPUTER WORD PROCESSOR *

Elite·Word™

Also Available On OS-9

* COLOR COMPUTER DICTIONARY *

Elite·Spel™

* COLOR COMPUTER WORKSHEET *

Elite·Calc™

* COLOR COMPUTER DATA BASE MANAGER *

Elite·File™

Radio Shack is a trademark of Tandy Corporation

Elite Software &  inc.

* COLOR COMPUTER WORKSHEET *

Elite·Calc™

* COLOR COMPUTER WORD PROCESSOR *

Elite·Word™

Now Available For: WORD-PAK

SAME POWERFUL FEATURES + 80 COLUMN DISPLAY
Specify Disk or Tape \$79.95 + Shipping/Handling.

Now Available For: WORD-PAK

SAME POWERFUL FEATURES + 80 COLUMN DISPLAY
Specify Disk or Tape \$79.95 + Shipping/Handling.

SEE NEXT PAGE FOR ORDER INFO . . .

Elite Software 201 Penn Center Blvd., Suite 301, • Pittsburgh, PA 15235 • (412) 795-8492

★ COLOR COMPUTER WORD PROCESSOR ★

with
FREE
Mail Merge

Elite•Word™

Also Available On OS-9

THE SECOND GENERATION WORD PROCESSOR IS HERE! ELITE•WORD is a high performance, all machine language, Full Screen Editor which offers an ease-of-use that is simply incredible. ELITE•WORD has many powerful features not found in other word processors for the Color Computer. ELITE•WORD also offers a printed output flexibility that can handle your sophisticated home and business applications.

LOOK at these features:

Very easy to use • Top screen line reserved for HELP display/Command prompts • Excellent for BOTH program editing and word processing • TWO text entry modes; Insert or Exchange • Auto Key-Repeat • Smooth display scroll for easier proof reading • True Upper/Lower case display with lower case descenders • Hi-Res text "View" mode displays text exactly as it will be printed; including text Justification, Auto Line Centering, dynamic Margin changes, Top and Bottom Margins, Page Numbering, and Page Breaks • Include feature (disk only) permits including several file names within one output document; total document will have sequential page numbering if desired • Fast Disk I/O; no loading of overlay files to slow down operation • Variable Text (Mail Merge) capability for Form Letter generation included FREE!

32K Extended Basic Required for ROM routine calls • Variable TAB stops • User definable Headers and Footers • Smooth cursor movement over text; in any direction (including vertical) • Page Forward or Backward through text • Jump to beginning or end of text • Automatic text centering • Automatic text Word-Wrap if desired • True Block text Move, Delete, or Copy • Delete entire screen line • Backspace and Delete Character • Delete character above cursor • Find a string of characters • Global Replace character string • Two Hi-Res screen displays; 32 x 19 for text entry/editing, 64 x 19 for formatted text viewing • Continuous Memory display • Over 22K file size in 64K machines • Easy generation of ASCII files • Save/Load text files (in ASCII if desired) • Program remembers last File Name loaded or saved, and will write to it by default if desired • All I/O errors trapped and recoverable • Disk commands for Change Drive, Directory and Free Space • Print Format features allow user to specify Left Margin, Line Length, Line Spacing, Top and Bottom Margin, Duplicate Copies, Right-Side text Justification, Page Pause, Page Numbering, and more • Dynamically change any print Format features within text • Imbed Hex codes and printer Font changes within text.

Additional OS-9 version features:

Edit two files simultaneously • Save or Print only a portion of the text buffer • Edit files larger than memory (uses disk as buffer) • Block Copy from one file to another • Execute any OS-9 command from Editor

If you want powerful features AND a program that's EASY TO USE, Elite•Word is for you . . .

Elite-Word TAPE RS#90-0183
Elite-Word DISK RS#90-0184
Elite-Word/OS-9 RS#90-0186

THE BEST FOR ONLY
Specify Tape \$ 69.95
RS Disk \$ 69.95
OS-9 Disk \$ 79.95
OS-9 & RS Disk \$115.95

"Elite•Word is a terrific word processor with an impressive list of features, yet it's easy to learn and use."

—Stuart Hawkinson, HOT COCO

"I was more than satisfied with Elite•Word . . . After the review, I would not hesitate to compare it with the two best selling word processors. And my comparison places it at the top of the list."

—A. Buddy Hogan, RAINBOW

★ COLOR COMPUTER DICTIONARY ★

Elite•Spel™

Elite•Spel is an excellent spelling checker for your Color Computer, and its VERY FAST . . . that's the key. Why wait while a spelling checker does its job? Elite•Spel identifies all potentially misspelled words with a single pass through its perfectly adequate 24,000 word dictionary. Elite•Spel lets you Add or Delete Dictionary words EASILY. Elite•Spel is fully compatible with Elite•Word and will work with ASCII files from other programs.

MAJOR features include:

Easy to use, menu commands • Can learn 4,000 of your own words • List suspect words on screen or printer • Alphabetical listing of all words used with number of occurrences • Learn entire files of words • Can also "edit spelling in context" if desired • Works in single or multiple drive systems • 32K Disk required.

Radio Shack® Catalog #90-0185

Speed is the key . . . Available on Disk only \$29.95
Elite•Spel has it!

When purchased with ELITE•WORD . . . ONLY \$15.00

★ COLOR COMPUTER COMMUNICATIONS ★

Elite•Comm™

Elite•Comm turns your Color Computer into a powerful 300 Baud terminal. With Elite•Comm you can access large main-frame computers, local computer bulletin boards, and national computer database services. Elite•Comm is fully compatible with Elite•Word and will work with ASCII files from other programs. If you want a terminal communications package that is smooth and easy to use, Elite•Comm is for you.

CHECK these program features:

Fully interrupt driven; you can talk to the host while it's talking to you and NOT drop a character • True Upper/Lower case screen display • Selectable text Word-Wrap • Review buffered text at ANY TIME • Selectable Smooth-Scroll in Review mode • Screen page Forward or Backward through buffered text • Save/Load buffer files • Transmit files to host computer • Print buffered text or saved files • 32K Required.

Elite•Comm is SMOOTH operation that's EASY TO USE!

Specify Tape or Disk

\$54.95

Elite Software

Productive Programs for Serious Users

Add \$3.00 shipping and handling

PA Residents add 6% Sales Tax

OS-9 is a trademark of Microware and Motorola.

Dealer Inquiries Invited

Box 11224 • Pittsburgh, PA 15238 • (412) 795-8492



Elite•File™

THIS IS IT! ELITE•FILE is the Data Base Manager that Color Computer users have been waiting for. **ELITE•FILE** is for everyone who needs to store and retrieve information. **ELITE•FILE** is a full-featured relational Data Base Manager with all the editing and report formatting features that are typically found on much larger computer systems. **COMPARE** the others for record structure flexibility, total record capacity, information processing ability, speed of program response, printed output flexibility, and you'll agree that **ELITE•FILE** may very well be the most powerful/useful program ever written for the Color Computer.

No other File Manager gives you these features:

All machine language for speed • Flexible, user defined, data record structures • Up to 255 characters per record field • Up to 255 fields per record • Up to 2000 characters per record • Up to 4000 records per file • Up to 16 files can be open at the same time for information processing • Edit, Scan, Sort, Select Record Information; all done FAST • Output reports to Screen, Printer, or ASCII Disk file • Place output data by Field Name, with Custom Text anywhere on the printed page • Perform math operations (+, -, *, /) between Field contents • Produce tabulated reports from multiple record contents • Generate column totals across record field contents.

Compatible with Elite•Calc and Elite•Word files • User friendly combination of Menu driven input, and single key commands • Supports up to 4 drives • Minimum 32K RAM, Disk required • Nested sub-field definitions • Up to 8 fields in Primary Key • Copy record definition from file to file • View/Print record definition • Input/Add records with easy to use field name format display • Edit records with full screen "type over" editor • Copy records to repeat identical data • Load Elite•Calc worksheets into random access data files • Scan mode for quick data retrieval • Locate any record by field contents • Select specific groups of records by field content with full logic combination capabilities • Sort records in ascending or descending order by any field, or group of fields • Calculate values from combinations of field contents • Output any subset of fields in any order for printed reports • User settable print formats; Page Title, Top and Bottom Margin, Line Spacing, Page Length, Page Pause, Form Feeds and more • Output format also supports TAB, VTAB, CR, PAGE, text, HEX printer controls, and more • Join up to four sub-files to extend data record for printing • Produce detailed repetitive reports, for output on preprinted forms, using output formats written on Elite•Word • Variable Text Insert feature of Elite•Word is fully supported • Refile old record data into NEW record structures • Data, Field Definitions, Indices all stored on a single file • Memory resident, no program overlays from disk • Single program performs all features • List disk Directories and "Kill" files without leaving the program • Data files also accessible from BASIC programs.

Radio Shack® catalog # 90-0189

COMPARE features and performance speed ... you'll agree that Elite•File is the one to buy.

THE BEST
FOR ONLY

\$74.50

Disk Only

Elite Software

NOW AT **Radio Shack** STORES

Available via Express Order

Radio Shack is a trademark of Tandy Corporation

Available
with
Calc-List

Elite•Calc™

ELITE•CALC was the first Color Computer spreadsheet program offering "major league" features. All the magazine reviewers loved it! Today, when you consider program performance speed, ease of use, price, and total features... **ELITE•CALC** is still your best choice.

MAJOR features include:

Very EASY to use • FAST Sorting • Printed Output, Screen Re-write, and Calculations all done FAST • Full cell-edit capability • Powerful cell-format options • Individual cell formulas • FREE sample worksheets • CALC-LIST availability.

Single character commands • Help displays • 255 maximum rows • 255 maximum columns • Available memory always displayed • Rapid Entry modes for text and data • Selectable, automatic, cursor movement • Insert, Delete, Move entire rows or columns • Replicate one cell to fill a row or column with selectable formula adjustment • All machine language for speed • Extended BASIC required for ROM routine calls • Automatic memory size detection for 16K, 32K, or 64K • >20K bytes storage available in 32K systems • Math operators: +, -, x, /, [,], (,) • Relation operators: =, >, <, <=, >=, <> • Logic Operations: AND, OR, NOT • Conditional Formula: IF, THEN, ELSE • Trig Functions: SIN, COS, TAN, ATN • Log Functions: LOG, EXP, SQRT • Misc. Functions: INT, FX, ABS, SGN, RND • Range Functions: SUM, AVERAGE, COUNT, MIN, MAX, LOOKUP • Definable constant table • User definable printer set-up commands • Individual column width settings • Adjustable row height to insert blank lines without wasting memory • Hide columns or rows • Alternate print font selectable on a cell by cell basis • Display/Print formats set by cell, row, or column • Dollar format, comma grouping, prefix or postfix sign • Scientific notation, fixed point and interger formats • Left and Right cell contents justification • Full page formatting • All formats stored with worksheet on disk (tape) • Save/Load Disk (tape) files in compact memory form • Scan disk directories • Output ASCII file for word processor input capability • Memory resident code ... no repeated disk calls.

CALC-LIST is a separate, machine language, utility that works independently of Elite•Calc. It can read either tape or disk worksheet files, and will give you additional information that was previously "hidden" within your worksheet. With **CALC-LIST**, you can list on the screen (or print) the actual contents of your worksheet cells, including FORMULAS. You get all the valuable worksheet format data including assigned Column Widths, all cell Format specifications (\$, C, I, F#, G, etc.), Constant table assignments, and Printer Format information (Set-up, Page Length, Line Width, etc.). Use your **CALC-LIST** printout as a hardcopy backup of your worksheet for review or archival purposes. You can even let your friends use the listing so they can type your worksheets.

Elite•Calc TAPE
RS catalog #90-0187
Elite•Calc DISK
RS catalog #90-0188

Specify Tape or Disk

Elite•Calc	\$69.95
Calc-List	\$24.95
Elite•Calc and Calc-List ...	\$79.95

"Elite•Calc is a great spreadsheet program! This professional quality program has the performance required for serious home applications as well as small businesses."

—Stuart Hawkinson, RAINBOW

"Truly one of the best programs I have seen."

—John Steiner, MICRO

"Elite•Calc is an extremely powerful worksheet..."


—Jack Lane, COLOR MICRO JOURNAL

"Bruce Cook's Elite•Calc is a very fine program indeed; potentially one of the great Color Computer Programs." "... a very impressive product."

—Scott L. Norman, HOT COCO

Getting The Most From Your Cassette Recorder

By Norman Latner



Choosing a cassette recorder is, all too often, a hasty afterthought following the exciting and carefully thought out purchase of the Color Computer. However, after encountering endless I/O Errors and spending what seems like ages searching for programs located somewhere on your tape, you'll know you should have thought about it more.

Fortunately, the situation is not hopeless. You *can* make reliable, consistently high quality recordings by improving your present tape recorder and using good recording techniques and materials. And, if you're in the market for a new and better cassette recorder, I'll discuss how you can choose the most suitable unit.

Cassette recording with the Color Computer has a lot going for it. At 1500 Baud, it's five times faster than many of its competitors, allowing it to record an 8K program in less than 45 seconds. It's reliable and inexpensive. A brand name 60-minute tape can be bought for about a dollar in large metropolitan areas. It can store an amazing 675K bytes, or about $4\frac{1}{3}$ times more than a \$5 Radio Shack disk. And while the cassette recorder can't immediately access a program located anywhere on the tape, or read as fast as the disk unit does, you will be able to locate programs fairly quickly using cue/review, speaker mute override and remote override features, which I'll discuss later. As we further

compare cassette to disk, we find that disks are far more prone to catastrophic failures. Don't ever turn the power switch off on a disk drive with a disk in place. Don't operate a drive in the presence of a strong RF field or any place where sparks from equipment turn-on might be close enough to disturb the unit. These disks may never again divulge their information to you. Disk drives can suddenly change from reading (playback) to writing (record) with no intervention on your part. The cassette unit, on the other hand, won't record unless you simultaneously press the Play and Record keys. And finally, a cassette recorder costs many times less than a disk system.

The Ideal Cassette Recorder

If you could get the ideal cassette recorder for use with the Color Computer, it would have the following features: cue/review keys, a remote override switch, a speaker mute override switch, a record monitor switch and a tape counter.

The value of the tape counter is fairly obvious. You can tabulate your programs by tape counter number and access them more quickly and accurately. By setting the counter to zero prior to a loading or saving operation, you can get back to the start of the program very easily if need be.

A record monitor switch, a feature available on a number of tape recorders, allows you to listen in while the recording is being made. Hearing the process can alert you to such

(Norm Latner, an electrical engineer, works in a government laboratory. He is involved in research and development of nuclear instruments, and is a frequent contributor to scientific journals.)

GUARANTEED QUALITY

SPECTRAL ASSOCIATES HAS PRODUCED THE HIGHEST QUALITY COLOR COMPUTER ARCADE GAMES FOR MORE THAN THREE YEARS. RADIO SHACK HAS LICENSED MANY OF OUR GAMES — HOW MANY OTHER ALLEGED "ARCADE GAME MANUFACTURERS" CAN SAY THAT? SPECTRAL IS THE STANDARD OF EXCELLENCE AND WE STAND BEHIND OUR PRODUCT. IF YOU ARE NOT 100% SATISFIED BY OUR ARCADE GAMES, RETURN THE GAME WITHIN 10 DAYS FOR A FULL REFUND.

DISK DRIVES 320K — \$175*

Amazing, but true. Now you can get 320K bytes of double-sided disk storage for \$175*. Latest technology half-high disk drive which may be configured as two single-sided drives by software or used as a double-sided drive under FLEX. 100% compatible with TRS-DOS and all hardware versions of the Color Computer.

*case and power supply extra

32K/64K UPGRADES

Upgrade your Color Computer from 4K/16K to 32K/64K and realize the full potential of your computer. Only the CoCo II upgrade requires soldering. Complete, easy-to-read instructions for all CoCo Versions after the D board.

\$49.95

MACHINE LANGUAGE

So you want to learn the guts of the CoCo, but it costs too much — NOW IT DOESN'T! Look what you get for \$99.95.

- | | |
|-------------------------------------|----------|
| 1. Ultra 80cc Disk Editor-Assembler | \$ 49.95 |
| 2. Bugout Debugging Monitor | 19.95 |
| 3. 6809 Assembly Language (book) | 19.95 |
| 4. The Facts (book) | 14.95 |
| 5. BASIC UNRAVELLED (3 books) | 59.95 |

A \$164.75 value for \$99.95 \$164.75

BASIC PROGRAMMING TRICKS REVEALED

Basic programming tricks revealed contains everything you need to know to vastly improve your Basic programming skills. It includes several, never before published, practical examples and explanations of how to use PEEK, POKE, AND, OR, NOT, VARPTR and several other obscure commands. Also included are many useful ways to fool Basic into doing some very powerful things that it normally wouldn't do. Several tricks for Basic, Extended Basic and Disk Basic are all contained in this informative and useful book.

\$14.95

EXPRESS ORDER!

ORDER BY VISA OR MASTERCARD AND YOUR ORDER WILL BE SHIPPED WITHIN ONE BUSINESS DAY — GUARANTEED OR YOU GET THE GAME FREE!! HARDWARE ITEMS SUBJECT TO MANUFACTURERS AVAILABILITY.

SPECTRAL ASSOCIATES

3418 SOUTH 90th STREET TACOMA, WA 98409

ORDERS ONLY 800 426 1830

ORDER PROCESSING AND INFORMATION 206 581 6938

ARCADE TOP 10

Listed below are the 10 most popular Color Computer games as of SEPT 10:

- | | |
|--------------------|-----------------|
| 1. LANCER | 6. CUBIX |
| 2. CRYSTAL CASTLES | 7. MS. GOBBLER |
| 3. PENGON | 8. BUZZARD BAIT |
| 4. GALAGON | 9. DEVIOUS |
| 5. QIKS | 10. BLOKHEAD |

ARCADE QUALITY GAMES

		Cassette Price
		Disk add \$3.00
LANCER (JOUST)	32K ML	24.95
LUNAR ROVER (MOON PATROL)	32K ML	24.95
GALAGON (GALAGA)	32K ML	24.95
MS. GOBBLER (MS. PAC MAN)	32K ML	24.95
PLANET INVASION (DEFENDER)		24.95
WHIRLYBIRD RUN (SCRAMBLE)		24.95
CUBIX (Q*BERT)	32K ML	24.95
GALAX ATTACK (GALAXIANS)		24.95
COLOR PANIC (SPACE PANIC)	32K ML	21.95
COSMIC INVADERS (SPACE INVADERS)		21.95
PENGON (PENG)		24.95
DEVIOUS (XEVIOUS)	32K ML	21.95
FROGGIE (FROGGER)	32K ML	24.95
QIKS (QIX)	32K ML	24.95
STORM ARROWS (TARG)		21.95
ANDROID ATTACK (BERZERK)		24.95
DEFENSE (MISSILE COMMAND)		24.95
GHOST GOBBLER (PAC MAN)		21.95
SPACE RACE (OMEGA RACE)		24.95
CRYSTAL CASTLES (ICE CASTLES)	32K ML	24.95
COLOR ZAP (SPACE ZAP)		14.95
SPACE SENTRY (STAR TREK)		21.95
STAR SPORES (FIGHT ALIEN INVADERS)	32K ML	21.95
BEAM RIDER (ORIGINAL STRATEGY GAME)		24.95
SPACE WAR (INTERPLANETARY COMBAT)		21.95

SPECIAL — Buy 2 get 10% off.

COLOR BASIC UNRAVELED

Color BASIC 1.2 / Ext. BASIC 1.1 / Disk BASIC 1.1*

- * FULLY COMMENTED - NO HOLES
- * ALL FCBs, FDBs and FCCs defined.
- * COMPLETE MEMORY MAP - no missing spaces, everything is defined.
- * PROGRAMMING TRICKS EXPLAINED
- * EASY TO UNDERSTAND
- * MOST RECENT ROM VERSIONS

COLOR BASIC UNRAVELED	\$19.95
EXTENDED BASIC UNRAVELED	\$19.95
DISK BASIC UNRAVELED	\$19.95

All 3 for \$49.95

SPECIAL FLEX+ SPECIAL

The premier DOS at an unbelievable price — only \$39.95. Shop around, if you want a version of FLEX which doesn't crash and is fast, get FLEX+. WITH Editor Assembler

NO COD ORDERS

\$59.95

SHIPPING AND HANDLING

ADD 3% , \$2.00 minimum

CANADA ADD 6%, \$3.00 minimum

FOREIGN ADD 15%, \$5.00 minimum

TOLL FREE ORDER LINE

problems as recording with the computer in the high speed mode, (the "start tones" will sound much higher pitched than usual) or trying to record after erroneously typing *CLOAD* (there won't be any sound). It's reassuring hearing the two characteristic start tones followed by the crisp, static-like sound of the program code.

A speaker mute override, which could do you a great deal of good, is just another way of saying the cassette recorder's speaker is able to operate even though the plug in the ear-phone jack has turned it off. (That plug, of course, normally goes to the computer and allows loading.) The ability to hear the tapes loading is one of the most important aids available to you. It allows you to identify problem tapes by their muffled, mushy or wavering sound quality. It alerts you to programs accidentally recorded in the high speed mode. It lets you easily find the gap between programs. By locating and starting at this gap, you eliminate all those I/O Errors which occur when you attempt to load in the middle of a record. In addition, when used with the cue/review feature mentioned below, you can even hear the programs in fast forward or reverse. This allows you to move quickly through the tape while keeping count of the programs you've passed through. You can, for example, locate a program five ahead of your tape's current position by counting the noisy, followed by quiet, sequences. While it's theoretically possible to use *AUDIOON* to hear the cassette output through the TV speaker, there are some practical problems. First, an I/O Error resets this command, thus requiring constant re-entry. Second, the computer can't be doing anything else at the time — you can't set up to read another program while the first is still running. However, the speaker mute override is completely independent of the computer. The only reason-

bly priced recorder with this feature so far is Radio Shack's new CCR-82. If you're electrically knowledgeable, or can get help from a friend who is, it's easy to add this feature to your present recorder. It takes one resistor added to your recorder, or if you'd rather, you can build a separate box which gives you this feature plus a remote override switch. Details to follow.

A remote override switch will save you untold wear on your connecting cable, remote plug and jack as well as your patience. The remote jack, which permits the cassette unit to be turned on and off by the computer, also prevents you from operating the cassette recorder manually. By temporarily defeating this lockout, you regain manual control and can locate the tape anywhere you wish using Fast Forward, Reverse or Play. I've installed a switch to do this in my recorder or you can build it into the box mentioned above.

The final feature that you ought to have is cue/review. Cue/review keys, which are available on a number of cassette recorders, ordinarily operate like the standard fast

"You can make reliable, consistently high quality recordings by improving your present tape recorder and using good recording techniques and materials . . . Cassette recording with the Color Computer has a lot going for it."

forward/rewind. However, unlike these keys, cue/review also operates when the Play button is depressed, allowing you to hear the tape while fast forwarding or rewinding. This makes it possible to listen while the tape moves quickly, and then stop in the gap between programs, thus eliminating the bulk of I/O Errors.

And while we're talking about features of the ideal cassette recorder, we might add such niceties as a VU meter, or at the least, an LED, to indicate recording level. This helps you to arrive at the proper volume setting with a minimum of effort. A useful, but not essential feature is a linear slide volume control rather than the conventional rotary type. The setting of the linear control is obvious at a glance. End of tape-auto shut off is desirable, and by now, not too hard to get. However, be careful when using this, since the feature doesn't normally work in fast forward or rewind.

**What You Can Buy . . . Or,
The Realities Of The Marketplace**

Now that we've talked about the ideal tape recorder, let's examine what's commercially available. The basic require-

STOCK & FUND INVESTING

with the

TRS-80* COLOR COMPUTER

USE FUNDGRAF AND FUNDFILE


FUNDGRAF is a stock market analysis program that not only graphs and analyzes funds or stocks, but also makes decisions on when to **BUY** and **SELL**. Improve market timing using your **COCO**.

GRAPHS fund's progress (up to 200 weeks). **SUPERIMPOSES** for comparison: a line of constant percent growth or a graph of any other fund (or stock). **CALCULATES** over any time span: the percent price change and the moving average (any span). **INDICATES BUY** and **SELL** signals. **FUNDGRAF** requires 16 K ECB min.

16/32 K Tape \$49.95

16/32 K 5 in. Disk \$69.95

ADD \$2 handling on all orders.



FUNDFILE is a portfolio and account management program for securities. Manage single or multiple portfolios of stocks, mutual funds, bonds, money market funds, etc. **FUNDFILE** allows easy maintenance of all your records for accurate portfolio evaluation. **NEW 32 K VERSION** of **FUNDFILE** summarizes all transactions (dividends, interest, purchases and sales) between any two dates of your choice - weekly, yearly, etc. Categorizes interest and dividends paid as to tax liability (tax free, etc.) and capital gains as long or short term. Great for tax reports.

FUNDFILE REQUIRES 16 K ECB min. and 80-COL. PRINTER.

5-in. Diskette only for 16 K ECB \$27.95

5-in. Diskette only for 32 K ECB \$37.95

ADD \$2 handling on all orders.



Write for free brochure for details. Dealer inquiries invited.

**PARSONS SOFTWARE, DEPT. G
118 WOODSHIRE DRIVE
PARKERSBURG, WV 26101**

ments for a CoCo compatible recorder are remote and ear-phone jacks, aux or line or mic jack and six-volt operation. (A recorder that takes four cells is a six-volt type.) These features are available and you should have little trouble finding a unit which also has a tape counter and a recording indicator. Cue/review keys are available on the somewhat higher priced machines, some of which also offer linear slide pots. The next step up offers units which usually include an AM/FM radio (which you don't need), along with monitor and ALC switches (which you do need). It might take a little looking, but you can find the close to ideal recorder in several name brands, at larger stores.

Radio Shack had not made any great effort to tailor their recorders, both the CCR-81 and the now discontinued CTR-80, to the needs of the computer user. For the most part, they resembled standard audio cassette units. A few of the features we'd like are there while others, which could have been easily implemented, are missing. Both recorders allow remote override during fast forward and rewind, but not during play, and both have a recording LED and a counter. The CCR-81 has the cue/review feature missing in the earlier model. The newest addition to Radio Shack's cassette recorder line, the CCR-82, has this as well as remote override and monitor switches. Although the Radio Shack recorder represents one of the easiest choices, you can do much better if you're willing to spend the time and effort. Aim for the unit which offers as many of the desirable features as possible and fits within your budget. As a final note, avoid like the plague, a cassette recorder which has single button recording rather than the standard type which must have both Play and Record keys depressed together. It's all too easy to slip up and destroy your favorite programs.

There are two approaches to implementing the speaker mute and remote overrides, depending on your ambition and technical skill. In either case, you have to be able to solder, drill holes and otherwise work at a simple project level. If that's beyond you, or you can't get a technically inclined friend to help, then just skip to the next section.

The easier construction method consists of building a separate box which houses a small loud speaker, a switch, a resistor, two jacks and two plugs on short cables. A wiring diagram and suggested parts list are shown in Figure 1. There's nothing critical here, including parts layout. The switch can be any momentary type or, even better, a toggle switch with a center off, one side on, and the other side momentary. This arrangement frees you from keeping the switch held down during such chores as rewinding a tape. If you use this type of switch, connect the two outside lugs together and use this as one lead, with the center lug as the other. Another option you could consider is installing a foot operated switch, such as Radio Shack #44-610, at the end of a six-foot cable. This frees your hands entirely.

The particular value of the resistor (47-120 ohms) can be chosen to give a sound level that suits you. If yours is a quiet environment, you may want to use a value even higher than 120 ohms. To get the greatest flexibility, you could install a 500 ohm potentiometer in series with a 47 ohm resistor, allowing you to vary the volume as the need arises. While you can raise the resistance without problems, don't lower it much below 47 ohms, since this will decrease the signal available to the computer. Resistor tolerance, indicated by a gold or silver band, is unimportant in this application — use whatever you can get.

An important point to note is that you can't mount both jacks on a metal surface. The bushing of each jack is tied to one of its contacts, and this would short one jack to the other

Improve Your Present Recorder

For those of you who want to improve your present recorder, the speaker mute and remote override functions can be added, and I'll describe how you can do it. While it's possible to add a recording monitor switch to most recorders, it's a lot more complicated and generally requires a schematic diagram, which puts it beyond the scope of this article.

PARTS LIST

PROJECT CASE

RADIO SHACK

#270-221 or

222 or 233

RS 40-245

RS 274-286

RS 274-290

RS 274-251

RS 274-292

1/4 or 1/2 WATT

47 to 120 OHM

(SEE TEXT)

WIRE

Figure 1






Figure 2



— a definite no-no. Pay particular attention to the connections on the jack. Although there are generally three solder lugs, you only use two — the “sleeve” and “tip” lugs. The “sleeve” is the one that’s electrically connected to the mounting bushing, and the “tip” contact can be identified by inspection. The third contact, not used here, allows for switching. See Figure 2.

A very convenient solution for building this box is to use an old transistor radio. Almost everyone has an old, non-functioning radio in his basement or the top of the closet. Remove the innards, leaving the loudspeaker and the earphone jack, which might be either a miniature or sub-miniature type. Install a second jack, of the other type, in a hole you either drill or melt into the case. Make two holes for the cables and another for the switch. Solder all the connections as per Figure 1. Your original computer cable, except for the microphone (or aux or line) input which stays put, now plugs into the box you’ve made. The cables and plugs from the box, in turn, go to the tape recorder, and you’re finished. You now can hear the tape as it loads into the computer and move or play the tape without pulling out the remote plug.

If you have the skill, a neater and more compact way of adding these features is to modify the recorder itself. First, carefully take the back cover off the recorder and put the screws in a small container. (Be sure to get the ones that are invariably hidden in the battery compartment.) At this point, the earphone and remote jacks should be visible. Sometimes they are on a subassembly, which might require loosening a few more screws. Now examine the earphone jack and locate the “tip” and “switched” contact. See Figure 2. Solder the resistor to these points without removing any of the leads already attached. If the jacks are attached to the printed circuit board, trace the leads and solder the resistor to the appropriate pads on the board. Now locate the tip and sleeve contacts on the subminiature, remote jack. In this case, you connect two leads rather than the resistor. These leads go to the switch, which will be installed somewhere on the case, or you can use the foot switch mentioned earlier, instead. Almost any kind of small switch can be used and you can locate it anywhere you can find the room in your tape recorder. Around the battery compartment is usually a good spot, since battery operation with the computer is unnecessary and undesirable. Drill the mounting hole, install the switch, solder the leads and reassemble the case. Now you’re all set to hear your programs playing through the recorder’s speaker and to override the computer’s control by operating your switch.

Making The Best Possible Recordings

To make a good tape recording, you need a good tape. Not only does the magnetic tape have to be uniform and of good quality, but just as important is the tape transport mechanism within the cassette. Poor corner guide rollers or none at all, ineffective anti-friction sheets, non-rigid cases, and poorly made center hubs that do not turn freely can cause tape jams, uneven spooling and tape binding. Magnetic tape problems usually result from non-uniform oxide coating and can cause dropouts and varying volume. All of this translates into I/O Errors and headaches. Fortunately, these problems can be avoided by buying name brand audio tapes or shorter computer tapes available from reputable dealers. The 60-minute audio tape is relatively inexpensive and a good size to use. The 90-minute tape can also be used, but avoid the 120-minute or longer sizes, since these tapes are thinner and more susceptible to stretching and breaking.

The cassette tape you end up with should have a case which doesn’t deflect with moderate finger pressure; the window area near its hubs should be of rigid clear plastic, not thin film; the hubs should move freely when turned with a pen. If the case is transparent, you should see corner guide rollers, preferably set on metal pins. The pressure pad, which holds the tape against the head, should be made of felt rather than sponge rubber, which deteriorates with age. And finally, the case should be held together with screws rather than glue to facilitate repairs if needed.

If you’re reusing a tape, it’s best to bulk erase it before recording. Bulk erasing reduces the noise level below the recorder’s own erase head level. If that’s not possible, at least erase it as a separate step prior to use. Put it into your recorder or tape deck, lower the volume to minimum, the ALC to ‘Off’ if possible, and set the unit to ‘Record.’ This method assures a clean tape.

Don’t neglect periodic maintenance of your cassette recorder. Clean the record and erase heads, as well as the pinch roller and capstan, using readily available head cleaner fluid and swabs. Solvent grade alcohol, which contains little or no water, can also be used, but avoid rubbing alcohol which is 30 percent water. If you can see any oxide deposits on your tape heads, your unit is overdue for a cleaning.

Demagnetizing the tape head is also a good idea and is recommended after every 10 to 15 hours of machine use. A magnetic bias on the head will cause an increase in noise level and a loss of high frequency response which can cause I/O Errors. Relatively inexpensive demagnetizers are available, including a very easy to use unit built into a cassette case. You simply insert it as you would any cassette, and then set the recorder on play for a few seconds.

Automatic level control (ALC) is a mixed blessing. It relieves you of the burden of setting the recording volume, but it has some disadvantages. It takes about one-half second to operate, causing a sudden change in the volume of the starting tones at the beginning of each record. In addition, the setting it chooses may not be the optimum one. It's a compromise, but one that you can live with. However, if it's possible to switch the ALC off, do so for the best recordings.

At this point, if your recorder doesn't have ALC, you'll need to determine the optimum volume control setting for recording. In general, the best results can be obtained by setting the level to record as high as possible with only occasional excursions into the overload region. This can be seen on the VU meter or recording LED if you have one. Without any indicator, you'll have to use a trial and error method. Start by setting the volume control to an arbitrary point, say three-quarters of the way up, and *CSAVE* a program. Next, remove the cassette and play the program back on a stereo tape deck (yours or a friend's). Watch the VU meters, or better yet, the dual series of LEDs, standard on newer decks. See if the recorded level is generally high, just below or occasionally going into the overload (red LED's) region. If so, you've been recording at the right level,


otherwise, make corrections and repeat the procedure until it's right. It doesn't take long. Once you've got the correct setting, mark the position with a dab of nail polish or paint, and always record at this setting.

While you're at it, you can also check your tape tracking. The cassette recorder used with your computer is monophonic and lays down a wide track which spans both the left and right channel tracks recorded by a stereo tape deck. Thus, when you play a monophonic tape on a stereo deck, the left and right VU or LED indicators should show an equal response if all is well. (Editor's Note: Many mono recorders normally record their single track off-center compared to the usual stereo track positions, so there can be as much as 3 dB of difference between the left and right channels when playing the tape on a stereo machine. In a few cases, you may be able to adjust head height to cure this problem, though it shouldn't have any ill effect when using the recorder with a computer.) If one side is noticeably different from the other, you have a problem. The cause could simply be due to oxide deposits on the recording head and easily cured by cleaning, or it could be due to misalignment of the recording head. This latter problem is sometimes spotted when a friend tries to read one of your tapes. Your tape, though it works well for you, gives him I/O Errors, and when heard on a good audio system has a mushy, wavering quality. You won't notice it because the error is present in both your recording and playback and thus tends to cancel out. However, this makes it difficult to share programs with friends. If you're technically inclined, you can readjust the alignment, otherwise get help (and skip the next paragraph).

The cassette head assembly generally has an azimuth

YORK 10[®]

CASSETTES



COMPUTER GRADE • DATA TRAC • BLANK CASSETTES

C-05, C-06, C-10, C-12, C-20, C-24, C-32

From the leading supplier of Computer Cassettes, new, longer length C-12's (6 minutes per side) provide the extra few feet needed for some 16K programs.

- BASF-LHD (DPS) world standard tape.
- Premium 5 screw shell with leader.
- Internationally acclaimed. Thousands of repeat users.
- Error Free • Money back guarantee.

Call: 818/700-0330
FOR IMMEDIATE DELIVERY
on Credit Card Orders.

BUY THE BEST, AT FACTORY-DIRECT PRICES

* 500 C-12's or C-10's — 38¢ each w/labels add 4¢ • Shipping \$17-500
500 Boxes 13¢ ea. • Shipping \$10-500
(Free Caddy offer does not apply)

**TRACTOR FEED • DIE-CUT
BLANK CASSETTE LABELS**
WHITE \$3.00/100 \$20.00/1000
NEW COLORED LABELS • Pastels -
Red, Blue, Green, Yellow, Lavender
\$4.00/100 \$30.00/1000

CASSETTE STORAGE CADDY
Holds 12 cassettes \$2.95
w/o boxes
Includes edge labels
and index card

FREE
1 CADDY WITH EVERY
4 DOZ. CASSETTES PURCHASED
(does not apply to 500 quantity offer)

ORDER NOW... MAIL TO —
YORK 10 9525 Vassar Ave. #R1
Chatsworth, CA 91311

ORDER FORM #R1

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	7.00	13.00	
C-06	7.00	13.00	
C-10	7.50	14.00	
C-12	7.50	14.00	
C-20	8.75	16.50	
C-24	9.00	17.00	
C-32	11.00	21.00	
Hard Box	2.50	4.00	
Wht. Labels	3.00/100	20.00/1000	
Color Labels	4.00/100	30.00/1000	
Storage Caddy @ 2.95 ea. Qty			
SUB TOTAL			
Calif. residents add sales tax			
Shipping/handling			3.50
Outside 48 Continental States — Additional \$1 per caddy per doz. cassettes or boxes			
TOTAL			

Each cassette includes 2 labels only. Boxes sold separately. In Continental U.S. shipment by U.P.S. If Parcel Post preferred, check here. ☐

Check or M.O. enclosed ☐ Send Quantity Discounts ☐
Charge to credit card: VISA ☐ MASTERCARD ☐

Card No. _____ Exp. _____
Name _____
Address _____
City _____ State/Zip _____
Signature _____ Phone _____

Ask about our **DUPLICATING SERVICE**

SIDE WISE[™]

© 1984 by Derringer Software, Inc.

SIDE WISE makes your printer do something you never thought possible — **print side ways!** Print out an ASCII spread sheet file that has up to 255 characters per row for easier viewing. No more hassles with trying to hold sheets together!

SIDE WISE will read in any ASCII text file and print it out side ways using a Radio Shack, Epson, Okidata, C-10 or Gemini printer. The only requirement is that your printer has dot-graphics ability. **SIDE WISE** reads any ASCII file including BASIC programs and word processor files.

Add a new "twist" to your printer's capabilities!

Send \$19.95 + \$3.00 S&H to: Derringer Software, Inc.

P. O. Box 5300
Florence, S.C. 29502-2300

Visa/MC call: (803) 665-5676

Available only on disk.

AND IF YOU REALLY WANT TO EXPAND YOUR COLOR COMPUTER...

If you've been plotting with your friends, trying to slip your dad a few hints about your Color Computer wish list, here's a suggestion:

Just ask for one program.

That's it. Just one. Just mention Zaxxon, Sega's exciting arcade-style game that puts you inside a daring space fighter. Or drop a few hints about Flip Side, an exciting educational game from Children's Computer Workshop—a division of the Sesame Street™ people.

Dad Will Take It From There


And don't worry, that's all it will take.

Once Dad tries to out-fly Zaxxon or out-smart Flip Side, he'll be hooked. And now's the perfect time for Dad to get interested, because your nearby Radio Shack is filled with software and accessories perfect for your whole family.

We have a complete selection of software from Spinnaker, a

leader in thrilling educational software for children. And if you ever give her the chance, sis will love Facemaker (26-3166, \$29.95), a fun way to learn about the computer while creating colorful graphics, Fraction Fever (26-3169, \$29.95) and more.

From Walt Disney, we have exciting learning games with Mickey Mouse and Donald, including Mickey's Alpine Adventure (26-2534, \$34.95), a fun way to learn about vowels, consonants and the rules of



...ASK DAD FOR JUST ONE PROGRAM. HE'LL GET CARRIED AWAY!

spelling, and Telling Time with Donald (26-2530, \$34.95).

Of course, there are always the best in arcade-style games to choose from, including And-
rone (26-3096, \$19.95), pitting you against Data Bugs inside your computer, and Color

Backgammon (26-3059, \$17.95), the classic game of skill adapted for your Color Computer.

Software for Dad, Too!

Dad can choose Color SCRIPSIT® (26-3105, \$34.95), a powerful home word processing program with advanced features, and Personal Finance II (26-3106, \$34.95), perfect for home budgeting and financial graphing. And it's not all work and no play. Our new Trivia Fever (26-3295, \$29.95) is fun for the whole family.

Add Accessories for Powerful Performance

Dad's sure to be tempted by our selection of convenient accessories, too, including the new TRS-80 Graphics Touch Pad (26-1185, \$59.95). Use it with your

software to make color graphics at a touch, or use it with games as a fast-action game paddle. We have printers, disk drives, joysticks, cassette recorders—even our Color Mouse—to tempt Dad, too.

Drop a Hint Today

Don't wait! Let Dad know how easy it is to expand your Color Computer into a powerful home system and an educational learning tool. And tell Dad that Radio Shack honors six major credit cards, too!

Radio Shack®
The Technology Store™
A DIVISION OF TANDY CORPORATION

Prices apply at Radio Shack Computer Centers and at participating Radio Shack stores and dealers. Sesame Street is a registered trademark of Children's Television Workshop. Walt Disney and Walt Disney characters are registered trademarks of Walt Disney Productions. Spinnaker is a registered trademark of Spinnaker, Inc. ZAXXON is a registered trademark of Sega, Inc. Trivia Fever is a registered trademark of Professional Software, Inc.



Send Me a 1985 Computer Catalog!
Mail To: Radio Shack, Dept. 85-A-346, 300 One Tandy Center, Fort Worth, Texas 76102

NAME _____
ADDRESS _____
CITY _____
STATE _____ ZIP _____
PHONE _____

adjusting screw at one end, while the other end acts primarily as a pivot. The screw is usually accessible from the outside of the case, so you don't have to dismantle the unit. There is an access hole located between the operating keys and the cassette space, at the left side of the head mechanism. It is often covered by a plastic plug or label of some sort. The adjustment is made with the cassette unit playing a tape of known good quality, such as a selection recorded on a good tape deck known to be in alignment. Using a small Phillips screwdriver inserted through the access hole, adjust to get the cleanest, least distorted sound. When you think you've got it, make a recording and recheck it on the stereo tape deck for final verification.

Some cassette recorders have tone controls. If yours has one, set it to the highest (brightest) position when used with the computer.


Although your own preferences should guide you, I find it best to leave a tape gap of four to five seconds between programs. With this length gap, you can usually rerecord a program in the same location after correcting the inevitable bugs. If the blank region is too short, it makes it difficult to locate the gap when searching through the tape. On the other hand, too long a gap makes it hard to tell whether it's really a gap or the end of the recorded area on your tape. This can lead to recording over, and thus destroying, one or more of your programs. To further safeguard your valuable programs, always punch out and remove the erasure prevention lug on the top left edge of the cassette after you've finished recording a side. You can always rerecord, if necessary, by putting tape over the opening.

Though not as critical as the recording level, the playback volume setting can also be optimized for more reliable load-

ing. Generally, there is a range over which you can get satisfactory results. Below this range, programs won't read in, while above, the computer will trip on noise and you may even hear sound breaking through the TV without **AUDIOON**. To define the range and then locate the best operating point, start at a low volume setting and try to read in a program. If this is too low, the steady 'S' at the top of the screen won't change. Raise the volume until you see the blinking 'F' when loading. This point, which you should temporarily mark with a spot of tape, is the minimum playback level. Now keep raising the volume until the computer responds to noise, either in the gap between programs or on a blank tape. At this level, the screen shows a reversed 'S.' Temporarily mark this maximum position. While the best place to operate within the range is the center, it's very convenient to use the recording setting if it's not too far off. Just leave the control at that point for both recording and playback. If you're not that lucky, paint another mark for the playback point and readjust between playback and recording when necessary.

Finally, a few hints on handling and storing tape are in order. Always avoid touching the tape with your fingers, since doing so might cause dropouts which can generate I/O Errors. When not in use, keep the cassette in its plastic case to protect it from dust and damage. Avoid prolonged exposure to temperatures above 110 degrees Fahrenheit, direct sunlight, high humidity and strong magnetic fields. Don't store them near heating appliances, TV sets or similar equipment.

Armed, as I hope you now are, go forth into the world of perfect recording.



The **PUZZLER** will create cross-world puzzles, wordsearch puzzles and wordscramble puzzles. It will printout the puzzle to any dot addressable printer (or Okidata series 80 printer). 100% machine language. Great for school or church classrooms.

32K cassette or disk. \$23.95

DIET-ADE will help you track your calorie intake, tell you how many calories you need to maintain a given weight and suggest how much exercise you need to burn up any extra calories you may have consumed.

32K cassette or disk
(Ext. Basic Req.) \$19.95



ORDERING INFORMATION:

- Add \$2 for shipping and handling
- Utah residents add 5.75% sales tax
- We accept checks, money orders, VISA and MASTER CHARGE
- Order by phone — 801-571-5023 (call 6:30 to 10 pm MST for technical info)
- Add \$2 for COD orders

Add \$2.00 for shipping



COLOR CONNECTION SOFTWARE

1060 Buddlea Drive — Sandy, Utah 84070 — 801-571-5023

XIDEX Diskettes. Package of 10. \$15.00

10KEY turns a portion of your keyboard into a numeric keypad. Turn on **10KEY** or return to normal operation with a single keystroke. Makes numeric data entry easier. Reviewed in Oct. 84 **RAINBOW**. 100% machine language.

16K cassette or disk \$17.95

COLOR DESIGNER and your CoCo can create amazing hi-res color pictures. Create over 1000 color/texture combinations in **PMODE4**. Written in Extended Basic with machine language subroutines. April 84 **RAINBOW**. "I would not hesitate to recommend Color Designer to someone in the market for a graphics editor."

16K or 32K cassette or 32K disk (Ext. Basic Req.) \$23.95

OKIDUMP is a hi-res screen dump for Okidata 80 series printers. 100% machine language. Includes hints on printing pictures of hi-res game screens.

16K cassette or disk \$10.95

EDUCATIONAL SOFTWARE

MATHWAR is a 1st and 2nd grade math drill game. 16K cassette or 32K disk (Ext. Basic Req.) \$19.95

PRESCHOOL PAK features alphabet recognition and counting drills. Machine language subroutines for speed Hi-res graphics and sound. 16K cassette or 32K disk (Ext. Basic Req.) \$15.95

QUIZALL A versatile quiz program. Has study and test formats and allows printing of quiz. June 84 **RAINBOW**. "I found quizall to be an excellent program."

16K cassette or disk (Ext. Basic Req.) \$19.95

MATCH & SPELL turns spelling drudgery into spelling fun.

16K cassette or 32K disk (Ext. Basic Req.) \$12.95

FLASHCARDS assists in studying anything from Mythology to Medicine. 16K cassette or 32K disk (Ext. Basic Req.) \$12.95

TIC TAC TOE MATH. Plenty of color and sound. Different age players can compete against each other with their own skill level.

16K cassette or 32K disk (Ext. Basic Req.) \$12.95

An Open-Ended Exploration

By Joseph Kolar
Rainbow Contributing Editor

The more you learn, the more you realize how little you know. That is true as far as the CoCo is concerned, and that is why every session at the keyboard is an adventure in learning.

The new CoCo owner bought his versatile machine for its graphics capabilities, among other things. We will explore the *POKE* and *PEEK* BASIC Statements as they apply to the text screen page.

I can't be sure what we'll do, but fire up CoCo and let us proceed line by line and investigate whatever comes to mind. It is a good, open-end way to learn and still have fun.

The text screen is what you see when you turn on the CoCo. It is your working area. *PRINT@* locations 0 to 511 cover all 512 locations on the text screen. Key in:

```
1 CLS
10 PRINT@ 10, CHR$(128)
100 GOTO 100
```

(Joseph Kolar is a free-lance writer and programmer dedicated to proselytizing for computers in general, and the CoCo specifically.)

Line 10 tells CoCo to print at the eleventh space of the top row, a black square. This is due to the first upper left-hand location being designated as 0. To verify that this is so, add and *RUN*:

```
11 PRINT@0,"12334567890";
```

Don't forget to add the semicolon. Now, delete the semicolon and see what happens. To help yourself learn, say to yourself, "Having deleted or omitted the semicolon, the black block, *CHR\$(128)*, vanished. When the semicolon was restored, the black box was visible. So, what have I discovered?"

Insert an apostrophe or *REM* marker in front of 'P' in Line 11 and insert Line 9, copying the information in Line 11 ending with a semicolon. *RUN* and observe. Press *BREAK*, then delete the semicolon in Line 9 and *RUN*.

BREAK places the apostrophe (') marker in front of 'P' in Line 9. Delete the apostrophe in Line 11 and recheck both with and without the apostrophe.

You should have noticed that when Line 9 precedes Line 10, it is not necessary to add the semicolon. However, if you placed the information in Line 9 following Line 10, it is a different

story! It is left to you to mull it over in your mind and figure out why this is so. There is no better way for a beginner to learn something than to work it out for himself.

When you are finished, you may *DEL9*, or if you prefer, keep it as a *REM* line in your program. It is harmless.

Please note that using *PRINT@* allows you to print a string of characters, such as 'RAINBOW' when enclosed in quote marks and separated from the location value by a comma. You can print the ASCII character codes using *CHR\$(x)*. The characters from 128 through 255 will create block graphics.

If you are unfamiliar with these graphics blocks, key in the following routine:

```
5 GOTO 200.
```

This line gets us around our routine, which we will refer to later.

```
200 FOR X=128 TO 255
210 PRINT@240, CHR$(X)
220 FOR Z=1 TO 200: NEXT
250 NEXT X
299 GOTO 299
```


Each *CHR\$* character from 128 through 255 will be printed, in rotation, in the middle of the display screen. Add:

```
211 PRINT@270,X
```

This will give the numerical value of each shape displayed. It will also help you visualize each shape which will be directly above the second digit.

If you want to see the other characters, change Line 200:

```
200 FOR X= 33 to 127
```

CHR\$(32) is a blank space, creating a space just as the space bar does. The low numbers are control codes and do not generate a visible display.

To keep this routine for later reference, put an apostrophe marker in Line 5. You will hold the routine harmless, but available.

Get in the habit of using the *REM* marker to hide or uncover program lines and routines. You will get lots of mileage out of this handy tool when you are experimenting or creating your own original work.

This *PRINT@* Text Screen can be accessed using *POKEs*. The memory locations of the Text graphics page begin at 1024. This memory location is equivalent to *PRINT@ 0*. The memory locations continue just as the *PRINT@* location and ends as memory location 1535, which is in the lower right-hand corner. It can also be called with *PRINT@ 511*.

Note that *PRINT@ 511-0* and memory location 1535-1024 both equal 511. Allow 1 for the location you are subtracting and you get 512, the total number of all possible locations.

Each one of these text screen locations may be accessed by means of *POKEx,y*, where 'x' is a specific location from 1024 to 1535 and 'y' is a value from 0 to 255.

So, what is *POKE* anyway? It is a statement that allows CoCo to place into a designated location whatever text screen character you desire. It has other uses not within the scope of this article. Press *BREAK* and add:

```
20 POKE 1066, 255 RUN.
```

This placed an orange block directly underneath the *PRINT@ 10*, black block.

PEEK allows you to look at a specified memory location to see what information, if any, resides there.

Press *BREAK*, *PRINT PEEK(129)*, and *ENTER*. This memory location is checked on I/O Error message when *CLOADing* a program from cassette. A zero means that memory is no good and if a one is returned, it signifies that the tape is no good. Try this:

```
PRINT PEEK(1066) ENTER.
```

The value of 96 is returned. This 96 represents 'blank' (empty). The reason for this is that we are not in the program, having broken out and location 1066 reverts to its original state, 'blank'.

The observant newcomer will notice that *CHR\$(96)* is a reversed '@'. Verify this by unmasking Line 5. (Remove the apostrophe.) Mask Line 200 with '. Then add:

```
201 FOR X=96 TO 96 RUN.
```

This is a lazy person's way to substitute a single value in a *FOR TO* statement. If you used *201 X=96* you would still get the correct answer, but you'd also get an NF Error in 250. If this was an integral part of a real program, it would bomb out unless Line 250 was deleted.

This 'one value' hint is valuable when you may be experimenting with different values. OK! Press *BREAK*, mask lines 5 and 201 and unmask Line 200.

A disturbing fact remains. *CHR\$(96)* and the 96 that was revealed by *PEEKing* at memory location 1066 are different. There are some differences between the ASCII characters using *CHR\$* and the characters that CoCo recognizes from 0 to 255.

To compare the *POKEd* characters with the *CHR\$* characters, change Line 200 and add Line 211:

```
200 FOR X=0 TO 127
211 POKE1269,X RUN
```

Let's make it neater. Press *BREAK* and change lines 210 and 211:

```
210 PRINT@234, CHR$(X)
211 PRINT@238, X
```

The graphics blocks from 128 to 255 are the same. If you want to check this out change Line 200 to include whatever values you care to compare.

Remember, the character displayed at the left, if any, is the ASCII code, and the character on the right is what CoCo will read for the same value when

it is *POKEd* into a memory location.

You are urged to make a reference table of the two sets of characters, side by side, insofar as they differ.

Now press *BREAK*, and mask Line 5 again.

To demonstrate that one set can be substituted over the other, Line 23 will *POKE* an orange box over the black box at *PRINT@ 10* and Line 24 will superimpose a black box over the *POKEd* orange box, using *PRINT@*. Add and *RUN*.

```
23 POKE 1034, 255
24 PRINT@42, CHR$(128)
```

POKEing graphics characters is one quick way to cover large areas. Press *BREAK* and add:

```
6 GOTO 300
300 FOR L=1024 TO 1055
310 POKE L,255
320 NEXT L
500 GOTO 500
```

This creates an orange line that covers all the text screen locations on the top row. Add:

```
330 FOR M=32 to 63
340 PRINTM, CHR$(175)
350 NEXT M
```

Using blue, *CHR\$(175)*, we can use *PRINT@ M*, all locations in the second row to fill them in. *RUN BREAK* and to make a left border add:

```
360 FOR L=1024 to 1504 STEP 32
370 POKEL,255
380 NEXT L
```

Since we want only one vertical column, in Line 360, we start at 1024 and skip 31 columns to put a dab of color in each 32nd, or left-hand, row. Purists will note that we should begin with location 1056, but it is easier to go over the corner block in the top row.

Using *PRINT@*, we will create an orange border on the right-hand side. Press *BREAK* and add:

```
385 FOR M=479 TO 31 STEP-32
390 PRINT@M, CHR$(255);
395 NEXT M
```

We went from bottom to top for a change of pace. Note that we were unable to use *FOR M=511* etc. because filling in this corner box would cause the screen to scroll up one row. Omit

the semicolon at the end of Line 390 and watch a disaster area. We could fill that corner location safely with a *POKE* to avoid that pesky scroll. We do so when we create the bottom border. Press *BREAK*, add and *RUN*:

```
400 FOR L=1505 TO 1535
410 POKEL, 255
420 NEXT L
```

We can *PEEK(x)* a value while we are in the program. We will ask CoCo to check if memory location 1503 is orange, (255); *PRINT@ 237, "ORANGE"* and go ahead and create the bottom border. If 1503 is not orange, forget about the bottom border and skip to the end of the program. Press *BREAK*, add and *RUN*:

```
399 IF PEEK(1503)=255 THEN
PRINT237,"ORANGE"; ELSE 500.
```

To verify that this works, substitute 255 in Line 399 with another value and try it. As an alternate, pick an arbitrary *POKE* location, from 1024 to 1535 to see if it is orange.

You can *POKE* characters, other than the graphics values but, except for an asterisk or plus sign, which create

neat borders or accents, it is silly to create a border of reversed @. Listing 1 will show an example of *POKEing* alphabetic characters.

At this time your mind is racing ahead with projects to try out. Before you do, put in the three missing blue sides of the inner border.

And, let's have some fun! Create a half-screen full of reversed @. Adjust the *POKEd* locations so the display is centered horizontally on the screen with a green band on the top and bottom. Open a partial row in the middle of the screen, leaving one blank space at each end and *POKE* your first name into the cleared space. Create a pause so your name may be read and then blank out the name slot with some graphics block.

Doing this exercise will give you ideas to either modify and improve what you have created, or go off into a frenzy of creativity in another direction.

Listing 1 is an example of using all *POKEs* to create a demonstration program which is somewhat similar to the exercise above.

One advantage of using the graphics characters, 128-255, is that you get to

use all the colors available on your palette. You need not be an artist to have fun creating whatever your mind's eye conceives. You may wind up with some pretty impressive concoctions.

Some notes on Listing 1. Line 140 puts the top row of graphics characters on the screen the hard way — one at a time with an appropriate pause. Compare Line 140 with lines 180-210, which create the bottom segment.

There is no *RETURN* after Line 310, a *GOSUB* routine. This was a boo-boo. Since a similar routine follows, this effectively makes the pause 230 instead of 200. Can you see why? No harm was done and I failed to notice it.

Line 160 has no *GOSUB* pause between the two *POKEs* because they go onto the display as one unit. Line 230, the left border has a small pause between units so it blends nicely with lines 250-280, which override the text. Line 100 does not have the 'short' pause. It seemed to look better to have 0! come on as a single unit. The 'long' pause is used only before and after *HELLO*!

Read the listing and figure out what each program line does. Except for the two pause routines at the end, it is a

It's time we put our chips on the table

... and showed you our best deals on computer hardware.

HARDWARE SPECIALS

Extended Basic w/bk	\$ 39.95
64k (DE) Memory Upg	\$ 59.95
Amdek Disk Drives	\$499.95
26-3029 CoCo Drive 0	\$309.95
26-3023 CoCo Drive 1	\$239.95
HJL Keyboard (D.E.F.2)	\$ 79.95
Super Pro Keybd. (D.E)	\$ 64.95
26-3127 64K Extended CoCo2	\$179.95
26-3134 16K Standard CoCo2	\$ 89.95
26-3136 16K Extended CoCo2	\$129.95
26-3801 Model 100 8K	\$349.95
26-3816P 8K Upgrade Model 100	\$ 69.95
26-1192 CGP-115 Printer/Plotter	\$119.95
26-1276 DMP-105 Printer 80 cps	\$179.95
C. Itoh 8510 AP Printer 120 cps	\$399.95
Gorilla/NAP Video Monitor (Grn)	\$109.95
Video Monitor Adapters	\$ 29.95
26-3024 RS Multi-Pac Interface	\$ 89.95
Botek Ser/Par Interface	\$ 69.95

ACCESSORIES

RS D.C. Modem IB	\$ 89.95
Novation J-Cat Modem	\$129.95
RS D.C. Modem II	\$179.95
USR Password 300	\$179.95
Hayes SM 300 Modem	\$239.95
USR Password 1200	\$429.00
CoCo Switcher	\$ 39.95
Elephant Disks ssdd	\$ 22.95
26-3030 OS-9 (64k)	\$ 64.95 (disk)
Basic-09 (req. OS-9)	\$ 87.95 (disk)
"C" Compiler (OS-9)	\$ 87.95 (disk)
FHL O-Pak (req. OS-9)	\$ 34.95 (disk)
Elite Word	\$ 59.95 (d&c)
Elite Calc	\$ 59.95 (d&c)
Color Term Plus	\$ 29.95 (cass)
Deft Pascal	\$ 79.95
26-3012 Deluxe Joystick	\$ 34.95

NEW! Dual Double Sided Drives including case, power supply & cable \$475.00

NEW! 26-3128 64K Direct Video CoCo2 \$219.95

MSI SOFTWARE

MSI DISKUTIL	NEW	\$19.95
COLOR FINANCE 1		\$49.95
COLOR FINANCE 11	NEW	\$69.95
MSI NAMEFILE		\$24.95
MSI CALENDAR	NEW	\$19.95

Call for prices and availability of your favorite software and hardware. All advertised items subject to availability. Prices do not include shipping and handling. All of the above units are covered by our 120 day carry-in warranty.

TRS-80 Trademark Tandy Corporation. Prices subject to change without notice.

TOLL FREE TENNESSEE 1-800-545-2502 TOLL FREE 1-800-251-5008



DELKER ELECTRONICS, INC.

P.O. Box 897

Dept. R

408C Nissan Blvd.

Smyrna, TN 37167



800-251-5008

800-251-2502 (TENNESSEE)

615-459-2636 (TENNESSEE)

615-254-0088 (NASHVILLE)

Write for our FREE Newsletter!

linear program and each routine follows exactly as it appears on the screen.

Hopefully, you will have some ideas to modify, expand or enhance this listing, so what are you waiting for?

Note Listing 2 should not be keyed in. Just compare it with Listing 1. It is the same as Listing 1 except it is tightened up using multiple program lines. Two changes, the missing *RE*

TURN was added to Line 310 and in Line 10, 20 was changed to 10 due to deletion of Line 20 from Listing 1 and subsequent UL Error message. Which listing would you rather key in?

Listing 1:

```

0 <LISTING1>
10 CLS
20 C=RND(255)
30 IF C<144 THEN 20
40 GOSUB310
50 POKE 1260,96
60 POKE 1261,72:GOSUB320
70 POKE 1262,69:GOSUB320
80 POKE 1263,76:GOSUB320
90 POKE 1264,76:GOSUB320
100 POKE 1265,79
110 POKE1266,97
120 POKE1267,96
130 GOSUB310
140 POKE1226,C:GOSUB320:POKE1227
,C:GOSUB320:POKE1228,C:GOSUB320:
POKE1229,C:GOSUB320:POKE1230,C:G
OSUB320:POKE1231,C:GOSUB320:POKE
1232,C:GOSUB320:POKE1233,C:GOSUB

```

```

320:POKE1234,C:GOSUB320:POKE1235
,C:GOSUB320:POKE1236,C:GOSUB320:
POKE1237,C
150 GOSUB320
160 POKE 1268,C:POKE 1269,C
170 GOSUB320
180 FOR X=1301 TO 1290 STEP-1
190 POKEX,C
200 GOSUB320
210 NEXT X
220 GOSUB320
230 POKE 1258,C:GOSUB320:POKE125
9,C
240 GOSUB320
250 FOR X=1260 TO 1267
260 POKEX,C
270 GOSUB320
280 NEXT X
290 GOSUB320
300 GOTO 10
310 FOR Z=1 TO 200:NEXT
320 FOR Z=1TO 30:NEXT
330 RETURN

```

Listing 2:

```

0 <LISTING2>
10 CLS:C=RND(255):IFC<144 THEN 1
0:GOSUB310
50 POKE 1260,96:POKE1261,72:GOSU
B320:POKE1262,69:GOSUB320:POKE12
63,76:GOSUB320:POKE1264,76:GOSUB
320:POKE1265,79:POKE1266,97:POKE
1267,96:GOSUB310
140 POKE1226,C:GOSUB320:POKE1227
,C:GOSUB320:POKE1228,C:GOSUB320:
POKE1229,C:GOSUB320:POKE1230,C:G
OSUB320:POKE1231,C:GOSUB320:POKE
1232,C:GOSUB320:POKE1233,C:GOSUB
320:POKE1234,C:GOSUB320:POKE1235
,C:GOSUB320:POKE1236,C:GOSUB320:
POKE1237,C:GOSUB320
160 POKE 1268,C:POKE 1269,C:GOSU
B320
180 FOR X=1301 TO 1290 STEP-1:PO
KEX,C:GOSUB320:NEXT:GOSUB320
230 POKE 1258,C:GOSUB320:POKE125
9,C:GOSUB320
250 FOR X=1260 TO 1267:POKEX,C:G
OSUB320:NEXT:GOSUB320:GOTO10
310 FOR Z=1 TO 200:NEXT:RETURN
320 FOR Z=1TO 30:NEXT:RETURN

```



KEEP - TRAK "DOUBLE-ENTRY" General Ledger Accounting System Reg. \$69.95 — ONLY \$19.95

"Double-Entry" General Ledger Accounting System for home or business: 16k, 32k, 64k. User-friendly, menu driven. Program features: balance sheet, income & expense statement (current & 'YTD'), journal, ledger, 899 accounts & 2350 entries on 32k & 64k (710 accounts & entries on 16k) disk only. Version 1.2 with screen printouts. For upgrade return original disk & \$5.00. 1.1 Rainbow Review 9/84

"OMEGA FILE" Reg. \$69.95 — ONLY \$14.95

Filing data base. File any information with Omega File. Records can have up to 16 fields with 255 characters per field (4080 characters/record). Sort, match & print any field. User friendly menu driven. Manual included (32k/64k disk only).

"AMT" Reg. \$29.95 — ONLY \$14.95 Rainbow Review 10/84

AMT starts where everyone else ends. AMT calculates almost any sales or purchase outcome. Total interest, total principle, total payment are all figured. AMT is not just an amortization scheduling program, but a cost forecasting and predication program. Useful to anyone who plans to sell or buy something with interest. (Disk Only).

BOB'S MAGIC GRAPHIC MACHINE

Turns 2 weeks of graphic programming into 2 hours with 'rubber band' type graphics. Generate BASIC code to use in your programs. Easy drawing and manipulation of circles, ellipses, boxes, lines and ARCS. Single joystick operation with on line HELPS at all times. Allows text on the graphics screen and movement of objects on the screen. Can be used as a stand-alone graphics editor. Great for programmers and LOTS OF FUN for the novice. Reg. \$39.95 — ONLY \$14.95 for cassette and \$14.95 for disk. 64k with ECB required. (includes instruction manual). GRAPHICS EDITOR

PERSONAL INFORMATION FILE—\$14.95 disk HOME INVENTORY—\$14.95 disk

CASH-IN (billing)—\$14.95 disk MEMO WRITER—\$14.95 disk

GRADE EASY (teacher data base)—\$14.95 32/64k disk

64 K UPGRADE	\$42.00	VOLKS MODEM	\$59.95
FLIP & FILE 50	\$19.95	RITEMAN PLUS PRINTERS	\$275.00
FUJI-MAXELL SSDD	\$17.95	RITEMAN 15"	\$549.00
DATA DEFENDER 70 w/lock	\$21.95	GENERIC DISKS SSDD	\$14.95

COMPARE FEATURES AND PRICE, then buy "THE OTHER GUY'S SOFTWARE!"

(add \$2.50 for postage and handling)

Send check, money order or C.O.D., U.S. funds to:

THE OTHER GUY'S SOFTWARE • 875 S. Main • Logan, UT 84321

PHONE (801) 753-7620 or WRITE for a FREE CATALOG

Block Out Those Troublesome Granules With DISKTEST.UTL

By Charles C. Zimmer

Did you ever pay the price of a good game program to buy a box of diskettes and carefully ration them out, only to find six months later one has a bad spot on it? You know if you take it back after six

(Chuck Zimmer is employed by Honeywell Information Systems, Inc. in Billerica, Mass. For the past 15 years he has worked in engineering, procurement and planning of all types of disk storage products.)

months you are going to get some raised eyebrows for claiming it had a bad spot on it when it was new. Or do you have some that have been used a lot on certain files to the point of producing errors, but the rest of the disk is practically new? You don't want to throw it away, but there's not a positive way to be sure you can avoid those bad spots.

DISKTEST.UTL can help you overcome these problems and feel better about those good disks you have. The

program gives your disks a thorough test by writing and reading all tracks with a variety of data patterns to check for errors. The test is contrived to produce the worst-case situations for data patterns and head positioning sequences so that it is not only a test of the diskette media, but is also a good test of the positioning accuracy of the drive.

If bad granules are found, the program writes a file on the disk called "DEFLOG.###" (### is the diskette



If you have a printer you are also given a one-line report of the test results. Your printout sheet can be reinserted in your printer so you can maintain a continuous diary of the test history of your disk library. This can help you in the future if it is necessary to reinitialize a disk. If you do not have a printer, you are given the chance to write down the list of bad granules for future use.

1) The program does a complete overwrite of the disk, including the directory track, so be sure you no longer

2) If you elect to use disks with errors "flagged-out" (meaning bad spots have been "marked" and made unavailable), please remember that the Radio Shack Disk Operating System command *BACKUP* will be aborted if a read error is encountered. This means you will need to back up individual files by loading them into the computer and saving them to another disk. You cannot count on being able to back up the entire disk at once with the *BACKUP* command. (See "Compatibility Note" for a way to overcome this limitation.)

Each individual needs to make his

I use flagged disks for program development where there is a lot of traffic, which tends to wear out the remaining good places. When a program is finished and put in service, it is transferred to a good working disk for regular use. If you have other utilities for recovering from disk crashes, this can make you even more comfortable about using flagged disks.

The balance of this article is written assuming you plan to save and use flagged disks so all of the procedures are discussed. If you choose to discard disks with errors, the program is somewhat simpler to run and you will be notified of all you need to know.

The program is self-prompting, and as it runs a series of messages will appear on Line 15, with prompts on Line 16 for the required responses. These appear whenever the program stops to accept an input from you.

An operating flow chart is shown in figures 1-a and 1-b. On the left are the messages and prompts which appear during the program. The information on the right side of the figures provides more explanation, and shows the program flow from stop to stop. The hi/lo legend beside the screen information tells which audio signal is given at the various stops. A high signal is to notify you that a normal stop has been reached. The low signal indicates an error condition. The program contains checks on inputs, so out-of-range inputs will not interrupt the program at critical places. Please note the disks must have been previously initialized with a *DSKINI* command.

The program begins by asking you to adjust the volume on the TV. Then you are asked to enter the drive number for the test, and to select between a short and a full test. If you want a printout of the results, you are next given the chance to input the day's date (six digit string). Printout or none, you then reach the main starting and stopping point called the DISK CHANGE point in Figure 1-a. Here, you insert the disk to be tested and when the test is completed, you will return to this point. You may then remove the disk and

PROGRAM FLOW CHART

[illegible]

please don't send me a bill for lost
computer time.

The testing takes from four to 10 minutes, depending upon an option discussed later.

After the test is finished, you come to the FINAL DEFECT ENTRY point and are shown the defective granule map again (new bad granules are in reverse video). You may then manually flag additional granules as bad. This is another important step in the program for the following reason: if there is a bad spot on the surface of the disk, how do you know how big it is and how do you know that it lies only in the center of the track where the error occurred? The answer is you don't know how big it is, nor do you know that the edge of it doesn't extend a little over onto a neighboring track. The adjoining track works at this time, but may cause an error later.

To handle this little trauma and get

[illegible]

TO DISK CHANGE POINT See Fig. 1-a

Upon continuing from the final defect entry point, you will see the file allocation table being created (if there are bad granules). You will then see a directory entry created for the DE-FLOG.#### file; it will be "killed" (first character set to zero) if there are no bad granules. There will be a pause and printout (if this is elected), and the program returns to the DISK CHANGE POINT from where you end or begin another test.

Page 58 of the Radio Shack disk manual describes bytes 0-55 of the sector as “system controls” information. Technically, this is a “header” field which is written only when the disk is initialized, and it identifies the upcoming sector number to the controller. The controller always reads this header before reading or updating the data field. In running *DISKTEST.UTL*, you may detect errors not caused by defects in the media, but because a system glitch

DEFECT LOG PRINTOUT SUBROUTINES (OKIDATA 92 Codes)

101 831124 01234567890123-567890123"5.7"901234567890123456789012345678901234567

— or yes, operator error — causes header areas to be garbled (written over). If you suspect this may have happened, you can reinitialize the disk (*DSKINI*) to rewrite these areas anew. This is one case where you may find that disks once bad do become good again. Bulk erasing before *DSKINI* will really give a clean start.

Compatibility Note

DISKTEST.UTL is compatible with the *Disk Backup Utility* by Roger Schrag in the December 1983 *RAINBOW*, in that his program will back up disks which have been tested with *DISKTEST.UTL*. The good sectors in the granules flagged by *DISKTEST.UTL* will be copied to the backup disk, and the sectors having errors will be bypassed by the backup program. After running the backup, you may want to *KILL* the *DEFLOG.###* file which was transferred to the backup disk and is irrelevant on the backup copy. As mentioned in the "Backup Utility" article, you cannot back up to a flawed disk, so you should use only disks found error-free by *DISKTEST.UTL*.

Program Preparation And Options

There are a few things to go over before you begin typing in the program (Listing 1). Some of the points are technical, relating to your system configuration, and some are "cosmetic" options allowing you to adapt the program to your preferences.

First the functional subjects:

Memory Requirements

If you have a 32K machine the complete program will fit easily, including comments so you can go on to the next point. If you have a 16K machine all of the functional program will fit, but it will be necessary to delete some non-essential information. You should delete all lines beginning with ' starting at Line 30, delete all but the program name in Line 10, and delete the *PRINT* statement in Line 320. There is another option for 16K users to gain additional memory, and that is to insert a *PCLEAR 1* statement at the end of Line 15. This will free up an additional 4608 bytes (three graphics pages), which is more than adequate for the complete program, including comments.

A *PCLEAR 1* can make it necessary to cycle the power switch off and on in older machines in order to regain all four graphics pages for running your next program. Do not clear all graphics pages because special machine language routines are stored in graphics Page 1.

Systems With No Printer

If you wish, you can enter all of the code, including the printer sections, in anticipation of the future addition of a printer. You can avoid unnecessary menu steps dealing with the non-existent printer by changing the end of Line 315 from . . . *GOSUB265:GO SUB200:GOTO350* to the following: . . . *GOSUB265:P=0:GOTO350*. Technically, all that is necessary is to delete the *GOSUB200* since all BASIC variables are initialized to zero at *RUN*, but this just seems a little more positive to me. If you do not wish to bother with the printer code at all, it may be omitted as follows:

Omit lines 195-205
Omit lines 220-245
Omit the *GOSUB 200* in Line 315
Omit the *IFP=1. . . ELSE* code in 330
Omit Line 620

Adapting To Your Printer

The program as listed contains printer driver codes and control sequences required by my printer, an Okidata Microline 92, and uses 12 cpi (96 column) printing. To assist you in adapting to other printers, Figure 2 gives a statement-by-statement description of the defect log printout subroutine. This explains what each step does so you can follow the same logical sequence using control codes for your printer, and come up with the same results. Special instructions are included to cover printers that are 80-column only. A sample of the output is shown at the bottom of the figure.

Creating Your Own Report

If you want to have an output that is less cryptic than my one-liner, you can write your own report subroutine to replace lines 225-245. Subroutine 225 is called at the end of the program in Line 620 and works with the following variables.

ARRAY G(69) in which the first 68 elements 0-67 contain one of four values representing the condition of the granules of the disk: Hex FF (OK), Hex B9 (bad from a previous test), Hex 99 (tested OK but declared bad by you in this test), and Hex E9 (bad due to an error detected during this test).

DN variable containing diskette number.


D\$ string variable containing the date.

D1 contains the device number for the test.

T\$ contains the test type, "Sh" or "Lg" for short or long test.

The **RAINBOW**

Back Issue Availability



Back copies of many issues of **THE RAINBOW** are still available.

All back issues sell for the single issue cover price. In addition, there is a \$3.50 charge for the first issue, plus 50 cents for each additional issue, for postage and handling if sent by United Parcel Service. A \$4 charge plus \$1 each additional copy for orders sent U.S. Mail. UPS *will not* deliver to a post office box or to another country.

Issues July 1981 through June 1982 are available on white paper in a reprint form. All others are in regular magazine form. VISA, MasterCard and American Express accepted. Kentucky residents please add 5 percent state sales tax. We do not bill and no C.O.D. orders accepted.

Due to heavy demand, we suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

THE RAINBOW

9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059

BACK ISSUE ORDER FORM

☐ Please send me the following back issues:

(Payment must accompany back issue orders. We do not bill.)

MONTH YEAR		VOLUME 1	PRICE
1	JULY '81	PREMIER ISSUE	\$2.00 <input type="checkbox"/>
2	AUG. '81		\$2.00 <input type="checkbox"/>
3	SEPT. '81	EDUCATION	\$2.00 <input type="checkbox"/>
4	OCT. '81	PRINTER	\$2.00 <input type="checkbox"/>
5	NOV. '81		\$2.00 <input type="checkbox"/>
6	DEC. '81	HOLIDAY	\$2.00 <input type="checkbox"/>
7	JAN. '82		\$2.00 <input type="checkbox"/>
8	FEB. '82		\$2.00 <input type="checkbox"/>
9	MAR. '82		\$2.50 <input type="checkbox"/>
10	APR. '82		\$2.50 <input type="checkbox"/>
12	JUNE '82		\$2.50 <input type="checkbox"/>
8	FEB. '83	VOLUME 2 BUSINESS	\$2.95 <input type="checkbox"/>
9	MAR. '83	NUCLEAR	\$2.95 <input type="checkbox"/>
10	APR. '83	SIMULATIONS	\$2.95 <input type="checkbox"/>
11	JUNE '83	PRINTERS	\$2.95 <input type="checkbox"/>
12	JULY '83	ANNIVERSARY	\$2.95 <input type="checkbox"/>
1	AUG. '83	VOLUME 3 GAMES	\$2.95 <input type="checkbox"/>
2	SEPT. '83	EDUCATION	\$2.95 <input type="checkbox"/>
3	OCT. '83	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '83	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '83	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN. '84	BEGINNERS	\$3.95 <input type="checkbox"/>
7	FEB. '84	ADVENTURE	\$3.95 <input type="checkbox"/>
8	MAR. '84	BUSINESS	\$3.95 <input type="checkbox"/>
9	APR. '84	GAMING	\$3.95 <input type="checkbox"/>
10	MAY. '84	PRINTER	\$3.95 <input type="checkbox"/>
11	JUNE '84	MUSIC	\$3.95 <input type="checkbox"/>
12	JULY '84	ANNIVERSARY	\$3.95 <input type="checkbox"/>
1	AUG. '84	VOLUME 4 GAMES	\$3.95 <input type="checkbox"/>
2	SEPT. '84	EDUCATION	\$3.95 <input type="checkbox"/>
3	OCT. '84	GRAPHICS	\$3.95 <input type="checkbox"/>
4	NOV. '84	DATA COMM.	\$3.95 <input type="checkbox"/>
5	DEC. '84	HOLIDAY	\$3.95 <input type="checkbox"/>
6	JAN. '85	BEGINNERS	\$3.95 <input type="checkbox"/>
		RAINBOW INDEX	\$2.50 <input type="checkbox"/>

TOTAL _____

SHIPPING & HANDLING _____

U.P.S. CHARGE _____

U.S. MAIL CHARGE _____

KY RESIDENTS ONLY _____

ADD 5% _____

TOTAL AMOUNT _____

ENCLOSED _____

Name _____

Address _____

City _____ State _____ ZIP _____

☐ VISA ☐ MC ☐ AE

CARD # _____

EXPIRATION DATE _____ PHONE # _____

Length And Comprehensiveness

The *DATA* statements in lines 460 and 465 control the data patterns and the sequence in which the tracks are tested. A longer test gives more confidence in the results than a short test, and the program provides you the option of making a choice between time and comprehensiveness. Line 460 does a rotating, worst-case pattern test (about six minutes), and Line 465 does a 1,0 test (about four minutes). Either alone is a complete test and both together are quite comprehensive. There is more information on these tests in the technical details section for those so inclined. If you think 10 minutes per diskette is a good investment, then both 460 and 465 should be used.

Drive Number

This provides for entering the number of the drive to be used for the test. If you have a single-drive system and wish to avoid this unnecessary menu step, you can delete the *GOSUB 255* in Line 315. You can also delete lines 250 and 255 entirely, but this is not necessary.

Now a couple of fun options:

Background Color

The screens are formatted with information fields blocked out in green according to the way CoCo prints to the screen. You can change the surrounding background to any of the eight-plus black colors by substituting your color code in the Line 20 statement *BC=3*. For a black background color, we need to fool CoCo and use a value for *BC = 1/16*. Color code 3 (blue) is in the program because it produces a nice gray-scale contrast on a black and white TV. Happy viewing.

Audible Signals

Two strings are played at appropriate times, *E\$* for error conditions and *A\$* for attention points (usually stops). These reside in Line 285 and sound like crickets. If you would prefer something different, please feel free to wax musical and redefine these strings to suit your tastes. Just keep in mind that we're close to the memory limit in 16K, and also that a long string may make it necessary to adjust the amount of string space *CLEAR*ed in 15.

Debug Aids

Here are some suggestions to help you debug the program.

Scratch Disks

The first and most important thing to remember is that after you have typed

the program, save it to disk and then take the disk out and insert a scratch disk to use for debug. Do *not* make your test runs with the disk containing the program in the drive because the execution of the program overwrites the disk! Another reason to use a scratch disk for debug is that the program contains machine language routines which are poked into memory. Errors in the ML code, or errors in the poking code, can cause CoCo to crash. The voice of experience speaks.

Shortened Test

The second tip is to shorten the test cycle so you can get all of the menu and program control code working without long waits for the test process. Listing 1 contains a "commented" Line 475 which does a short read of tracks 0-3. This is only for use during debug, but will not hurt anything if executed during actual running of the program. Line 490 causes the program to skip over the test codes contained in Line 460, so for debug, Line 490 can be changed to make it skip even more codes. For a short debug run remove the ' in Line 475, change the *TO70* in Line 490 to *TO120*, and use the short test option. This should reduce the "test cycle" to less than 10 seconds. When finished debugging, don't forget to recomment Line 475 (insert ' before *DATA*), and change the Line 490 *TO* value back to 70.

Forced Conditions

There are a number of branches in the program that may never be used unless you encounter the right conditions. Many of these deal with error processing. You can force these branches by temporarily editing the program to insert the right conditions at the branch points. You should observe the rule to do only one at a time and be sure to delete the temporary code before going on to the next branch. Here are the places to modify:

Insert		
EC=1:	after GOSUB35:	in Line
Insert		365
EC=1:	after GOSUB35:	in Line
Insert		390
EC=1:	after	
	EC=USR2(X3):	in Line
Insert		535
EC=2:	after	
	EC=USR2(X3):	in Line
Insert		535
EC=1:	after NEXTX4:	in Line
Insert		590
EC=1:	after NEXTX4:	in Line
Insert		605
X2=100:	after	
	G(X1)=&HB9:	in Line
		430

QUALITY HARDWOOD CABINET FOR YOUR COLOR COMPUTER

INSIDE THIS SOLID HARDWOOD CABINET YOU CAN INSTALL:

- * YOUR COLOR COMPUTER CIRCUIT BOARD
- * DISK DRIVE CONTROLLER
- * TWO HALF HEIGHT DISK DRIVES
- * ANY OTHER 5" X 7" CIRCUIT BOARD
(SUCH AS AN 80 COLUMN VIDEO BOARD)



INCLUDED WITH THIS FINE CABINET IS AN EFFICIENT SWITCHING POWER SUPPLY THAT CAN POWER YOUR COMPUTER, DISK DRIVES, DISK CONTROLLER, AND ACCESSORIES WITH POWER TO SPARE


ALSO INCLUDED IS A SEPARATE HARDWOOD KEYBOARD ENCLOSURE WITH CONNECTING RIBBON CABLE (SPECIFY YOUR KEYBOARD)

AVAILABLE IN YOUR CHOICE OF HARDWOODS :

OAK, MAPLE, CHERRY...\$ 189
WALNUT.....\$ 209
TEAK.....\$ 229

WE CAN INSTALL YOUR COMPUTER AND ACCESSORIES. WE ALSO CARRY TEAC DISK DRIVES AND JSM DISK CONTROLLERS AT COMPETITIVE PRICES. - CALL

PARALLEL PRINTER INTERFACE



MODEL CCP-2 **\$ 84**
(with modem switch & connector)

MODEL CCP-1 **\$ 69**

UPGRADE YOUR CCP-1 TO A CCP-2
\$17 including shipping

- * RUNS ANY PARALLEL PRINTER FROM THE SERIAL I/O PORT
- * NO HARDWARE MODIFICATIONS OR SOFTWARE PATCHES NEEDED. WORKS WITH ALL STANDARD COLOR COMPUTER COMMANDS
- * SWITCH SELECTABLE BAUD RATES FROM 300 TO 9600
- * ALL CABLES AND CONNECTORS INCLUDED
- * 1 YEAR WARRANTY

Either Model without power module DEDUCT \$3.00.

Shipping costs included in price
Mich. residents add 4% sales tax.

BOTEK INSTRUMENTS

313-739-2910 4949 HAMPSHIRE UTICA, MICHIGAN 48087 DEALER INQUIRIES INVITED



For Your Color Computer I or II and TDP 100


Model 103 Interface-Switcher Combo

Don't wear out the connectors on your computer, stop switching cables around — use the Model 103 and with just a turn of the knob switch your computer's RS232C serial port to any one of three outputs — two serial and one parallel.

The serial ports may be used for modems, serial printers or even another computer. The parallel port can be used with any "centronics" type printer.


Features of the Model 103

- Works with any level Coco Basic.
- Works with any color computer, 16K to 64K.
- Unleashes your printer allowing it to print it's maximum speed (up to 9600 BAUD).
- Indicator lights to show switch position.
- High quality electronic parts enclosed in a rugged anodized, heavy gage aluminum cabinet.





- Fully factory tested
- 180 day warranty.
- Comes complete with "UL" listed power supply.
- 3' cable connects to your printer.
- 2-1/2' cable connects to your computer.
- Has non-slip rubber feet to protect your furniture.

\$85.95



Free shipping — Ohio customers add 5.5% sales tax.

24 hour phone order line for

VISA  MASTERCARD 
or COD orders. (COD orders add \$2.00)

Send check or money orders to:

Metric Industries
P.O. Box 42396
Cincinnati, OH 45242

Technical Information

The information that follows is provided for persons wanting to know more about the program and the testing of magnetic recording media. This information need not be read to enter and use the program.

Recording Codes

When the drive records data on the disk, what it does is magnetize the iron oxide material moving under the head in a direction along the track. As the stream of bits is fed to the drive, the direction of the magnetization is switched back and forth along the track according to an encoding algorithm. The effect is equivalent to producing a series of small bar magnets laid end to end along the track, except they vary in length and each successive one is turned around (of opposite magnetic polarity) with respect to its neighbors.

Later on, when reading the track, these small magnets are moved under the head and each time the junction between two adjoining magnets passes under the head the magnetic flux through the head reverses, causing a small voltage to be induced in the head. This signal is amplified and processed to become the data sent back to the computer. What is important is the time sequence of these "flux reversals," because this is what determines if they are translated into ones or zeros.

The point of this discussion is if we want to test the media, what we want to do is find data patterns that let us

put flux reversals at all of the places they can be, and then read the disk to see if they are properly recorded. Some patterns of flux reversals are harder to recover than others, so our test can include data that will produce these worst-case patterns as well.

The main reason some patterns are hard to recover is because if the magnets are not all the same length, the short ones, being crowded and under more pressure, tend to get longer making their long neighbors shorter and shifting the point at which the flux reversal occurs. This produces what is called "peak shift" in the read signal which causes timing and data errors.

The standard data pattern used to create a worst-case peak shift is a repetitive Hex DB6. Since this is a 12-bit value it is sent to the drive in a 3-byte sequence, DB 6D B6, etc. Figure 3 shows five data patterns used in this test, the first of which is the DB6 pattern. For each pattern there is a line of asterisks representing where the flux reversals would occur along the track when the pattern is recorded. The symbols '(' and ')' show the direction of peak shift due to the magnetic crowding described above.

If you look over the set of patterns, you will see places where flux reversals can occur that DB6 does not test. It is for this reason that multiple patterns are used. Patterns 6DB and B6D together with DB6 produce what is known as a rotating worst-case pattern test, wherein all data 1 bits are subjected to peak shift in both directions.

In contrast, the Radio Shack disk initialization routine writes a repetitive FF pattern which tests all data 1 bit positions in one pass, but does not introduce peak shift. For a one-pass test this is a good choice, but more passes provide better comprehensiveness.

The 00 pattern also has uniform spacing (no peak shift), but you will notice that it is not in phase with the locations produced by an FF pattern. The 00 pattern essentially tests another whole set of flux reversal locations.

By using all five patterns, *DISKTEST*.*UTL* provides a quite comprehensive test of the media.

Other Causes of Errors

Data error problems can result from things other than imperfect media; here are a few other causes. The first is "adjacent track interference," meaning that the head is picking up some signal from the next track which is hindering its attempt to read the track it is on. This can be caused by wear, friction or looseness in the head positioning mechanism which prevents the head from stopping exactly in the center of the track.

An inadequate overwrite capability can also be a problem. When data is written, the head actually records the new data onto the track by forcefully remagnetizing the oxide surface. If the write current is not correct, the head may not be strong enough to completely remagnetize the track, meaning that remnants of the old data could be

Figure 3

TEST PATTERN CODING AND RECORDING

Pattern	0	is a repetitive Hex	D86	sent to disk as a repeating 3 byte sequence = DB 6D B6 etc.
Pattern	1	" "	6DB	" " " " " " " " = 6D B6 DB etc.
Pattern	2	" "	B6D	" " " " " " " " = B6 DB 6D etc.
Pattern	3	" "	00	" " " " " " " " = 00 00 00 etc.
Pattern	8	" "	FF	" " " " " " " " = FF FF FF etc.

[illegible]

The pattern number (#) is the argument sent to the "Pagefill" ML routine.
* indicates flux reversal points where direction of magnetization changes.

interfering with the new data when you try to read it.

Believe it or not, you could have media which is "too hot" for your drive. Your drive may be able to write these diskettes but not fully overwrite them.

The purpose of this discussion is to show that to test the media (and drive), you need to give it a sequence of writes, reads and seeks that will attempt to induce errors from the causes mentioned above; your actual operating modes will respect no orderly sequence of reads and writes.

Test Sequences

Figure 4 shows the sequence of writes and reads used in *DISKTEST*. It shows that each write is done in two passes, first by writing even tracks (or odd) while stepping in one direction and then by writing the odd (or even) tracks while stepping in the opposite direction. This is done to induce problems that would result from positioning errors. Not only that, but the pattern being written on

alternate tracks is different to induce problems from adjacent track interference.

Reads are also done in two passes following the odd/even scenario, except we always approach a track when reading from the opposite direction that we approached it when it was written. If this isn't fiendish enough, the rotating worst-case pattern test overwrites each track three times, each time with a different pattern and with the head approaching the track from the opposite direction than on the prior write.

If your drive and diskette media passes this test (and thankfully most do), then you have a high confidence that both are OK. If you run into problems which are widespread (occurring at many places on the disk), then it is more than likely that something is wrong with your drive or you have the wrong type of media for your drive. Media errors are random and generally not widespread.

Needless to say, the sources for errors

mentioned above are beyond the ability of most of us to fix, so a visit to your local repair center is called for if you cannot isolate the problem to the media.

Programming Techniques

Three machine language subroutines are used in the program to perform functions which were significant bottlenecks when implemented in BASIC. They are embedded in the BASIC program (lines 290, 295 and 300) in Hex program strings (PS). These contain the literal object code the assembler produced.

The string is defined and then a start address (X1) is sent to a subroutine (190) which pokes the string into memory. The same string name is reused on subsequent loads because this is done only once, and there is no reason to have a lot of string space tied up forever with these routines. At the end of the loads the program string is shortened by defining it to be of no length (""). Please check and recheck the entry of these strings.

The first routine (Line 290) is too short to list, it is simply JSR [\$C000] (Call *DSKCON*), followed by RTS. The second, *Pagefill* is described in Listing 2 and is in program Line 295. It puts the write patterns in the disk I/O buffer. The third is *Grantest* (Listing 3), which does an operation on all nine sectors of a granule and is in Line 300. These subroutines bring the run time down from over 30 minutes to a more reasonable level.

Editor's Note: At the last minute, we discovered that the *Pagefill* and *Grantest* source code listings were inadvertently left out. They will appear in next month's *RAINBOW*. They do not affect running the main program.

If you decide to study the program flow, here are a few tips. The array G(69) that stores the granule quality indicators does not always correlate with addressable logical granules. It does at the beginning, but before the test sequence the array is opened up in the middle to provide space for two pseudo-granules that the directory track occupies. At this point the array is considered to represent physical granules. Later, the array is closed up again (eliminating the directory granules), so the first 68 elements again correlate with the logical granules of the disk.

DISKTEST.UTL is offered for the personal use of readers of *RAINBOW* Magazine. I hope the program is useful and enhances your enjoyment of your CoCo system.

Figure 4

READ, WRITE & POSITIONING SEQUENCES

CYCLE#	OPERATION	PATTERN & SEEK DIRECTION	
		EVEN TRACKS	ODD TRACKS
INTERLEAVED ROTATING WORST-CASE PATTERN TEST			
1 (*)	WRITE WRITE Read track 0 only; to set up for next READ READ	DB6 IN OUT	6DB OUT IN
2 (*)	WRITE WRITE READ READ	6DB OUT IN	B6D IN OUT
3 (*)	WRITE WRITE Read track 0 only; to set up for next READ READ	B6D IN OUT	DB6 OUT IN
INTERLEAVED 1,0 TEST			
4 (1)	WRITE WRITE Read track 0 only; to set up for next READ READ	FF IN OUT	00 OUT IN
5 (2)	WRITE WRITE READ READ	00 OUT IN	FF IN OUT
6 (3)	WRITE	Directory track only, FF (a housekeeping cleanup pass)	

Patterns DB6, 6DB, B6D, FF & 00 are described in Figure 2.
(*) are cycle numbers shown in the short test, steps (*) are not done in the short test.



```

75 .....109
120 .....35
210 .....7
260 .....158
305 .....149
380 .....251
460 .....177
519 .....178
END .....5

```

The listing:

```

10 'DISKTEST.UTL 1.1 (C) 1983 BY
CHARLES C. ZIMMER 101 AUSTIN RD
SUDBURY, MA 01776

```

```

15 CLEAR0
20 BC=3:CLSBC
25 GOSUB180:GOTO 280
30 'i/o sub-----
35 POKEPP,01:POKEPP+1,D1:POKEPP+
2,T1:POKEPP+3,S1:POKEPP+4,4:POKE
PP+5,0:X=USR0(0):EC=PEEK(PP+6):R
ETURN
40 'gran to disp sub-----
45 IFX>33THENG=X+2ELSEG=X
50 IFG(X)=&HFF THENM$=" "ELSEM$
=RIGHT$(STR$(X),2)
55 PL=69+32*INT((G-24*INT(G/24))
/2)+10*INT(G/24)+(G-2*INT(G/2))*
3
60 IFG(X)<>&HE9 THENPRINT@PL,USI
NG"%";M$;:RETURNELSEFORX2=0TO1:
POKE&H0400+PL+X2,ASC(MID$(M$,X2+
1,1)):NEXTX2:RETURN
65 'inkey sub-----
70 K$=INKEY$:IFK$=""THEN70ELSERE
TURN
75 'pause sub-----
80 PRINT@I1,M1$;:GOSUB70:GOSUB17
0:RETURN
85 'defect list form sub-----

```

```

90 CLSBC:PRINT@3,"MAP OF DEFECTI
VE GRANULES:";:X3=0:FORX1=34TO54
STEP10:PRINT@X1,"TK/GR:GR";:FORX
2=1TO12:PRINT@X1+32*X2,USING"##"
;X3;:PRINT"/ : ";:X3=X3+1:NEXT
X2,X1:PRINT@438,STRING$(8,F$);:P
RINT@239,"(DIR)";:RETURN

```

```

95 'list defects sub-----
100 GOSUB90:FORX=0TO67:IFG(X)=&H
B9 ORG(X)=&H99 ORG(X)=&HE9 THENG
OSUB45:NEXT:RETURNELSENEXT:RETUR
N

```

```

105 'declare defects sub-----
110 PRINT@I3,M3$;"DEFECT ENTRY P
OINT ";:PRINT@I1,"<C>ONTINU
E <E>NTER DEFECTS ";:PLAYA$
115 GOSUB70:IFK$="C"THENRETURNEL
SEIFK$="E"THENGOSUB170:GOTO120EL
SEPLAYE$:GOTO115

```

```

120 PRINT@I3,STRING$(30,32);:PRI
NT@I1,"<I#>INSERT <D#>DELETE <C>
ONTIN";:PLAYA$:PRINT@I3,"";:INPU
T" ";I$:PRINT@I3+30,F$;:L$=LEFT$
(I$,1):IFL$="C"THEN110ELSEIFL$="
D"ORL$="I"THEN125ELSEGOSUB155:GO
TO120

```

```

125 X1=LEN(I$)-1:FORX2=1TOX1:IFM
ID$(I$,X2+1,1)<"0"ORMID$(I$,X2+1
,1)>"9"THENX2=X1:GOSUB155:NEXT:G
OTO120ELSENEXT:I=VAL(RIGHT$(I$,X
1)):IFI<0ORI>67THENGOSUB155:GOTO
120

```

```

130 IFG(I)=&HB9 ORG(I)=&HE9 THEN
PRINT@I3,"CANNOT OVERRIDE TESTED
RESULTS";:PRINT@I1,M1$;:PLAYE$E
LSE140

```

```

135 GOSUB70:GOTO120

```

```

140 IFL$="I"THENG(I)=&H99 ELSEG(I)
=&HFF

```

```

145 X=I:GOSUB45:GOTO120

```

```

150 'invalid resp sub-----

```

```

155 PRINT@I3,"INVALID ENTRY

```

**"Tape
Tamer"
(T.UTIL)**
and
**"A Snappy
Zapper"
(DAPPER)**
by Sadare Software

T.UTIL
Appends • Indexes • Copies • Verifies
...I haven't seen any tape utility that can compare to
T.UTIL. Rainbow, June 1984 Only \$12.95

DAPPER
Allows complete control of disk system.
...I highly recommend DAPPER...performed flaw-
lessly...It's a winner! Rainbow, October 1984 \$14.95

ROM Runner—Allows any ROM pack-based program
to run from tape or disk. Requires 64K and a cassette
drive. Easy-to-use. \$7.95

Library 1—The ultimate productivity tool for all Color
EDTASM users. Requires 32K, a disk drive and disk
EDTASM. Priced at only \$24.95

MDCOPY/NODISK—ease the transition from tape to
disk. Both for only \$9.95

DISCOUNTS on brand-name disks—send for price list!

**COMPARE
PRICE &
PERFORMANCE**



Sadare Software
programs are
Rainbow-certified.

**Sadare
Software**
P.O. Box 3891
Gaithersburg, MD 20878

Please send the following. Check/money order enclosed.

	Price	Name	Address	City	State	Zip
T.UTIL						
DAPPER						
ROM Runner						
Library 1						
MDCOPY/ NODISK						
Postage & Handling	\$1.50					
TOTAL	\$					

Please send:
☐ free catalog ☐ disk price list

Mail to: **Sadare Software**
P.O. Box 3891, Gaithersburg, MD 20878
Maryland residents add 5% sales tax.


```
"::PRINT@I1,M1$::PLA
```

YE\$

```
160 GOSUB70:RETURN
```

```
165 'msg clear sub-----
```

```
170 PRINT@I3,C$;F$;F$;C$::RETURN
```

```
175 'logo sub-----
```

```
180 PRINT@I34,"* D I S K T E S  
T *";PRINT@224,"COPYRIGHT (C) 1
```

```
983 BY C C ZIMMER";:RETURN
```

```
185 'ml load sub-----
```

```
190 FORX=0TOLEN(P$)/2-1:POKEX1+X  
,VAL("&H"+MID$(P$,1+2*X,2)):NEXT  
X:RETURN
```

```
195 'print question sub-----
```

```
200 PRINT@I1,"<P>FOR PRINTOUT <  
OTHER>CONTIN";:PLAYA$
```

```
205 GOSUB70:IFK$<>"P"THENP=0:RET  
URNELSEP=1:PRINT@I1,"ENTER DATE
```

```
<YMMDD> ">::PRINT@I3,S
```

```
TRING$(30,32)::PRINT@I3,"";:PLAY
```

```
A$:INPUTD$:PRINT@I3+30,F$::RETUR
```

N

```
210 'diskette # sub-----
```

```
215 PRINT@I1,"ENTER DISKETTE NUM  
BER <###> ">::PRINT@I3,STRING$(
```

```
30,32)::PRINT@I3,"";:PLAYA$:INPU
```

```
TDN:LN$=LEFT$(LN$,8)+RIGHT$("000
```

```
"+RIGHT$(STR$(DN),LEN(STR$(DN))-
```

```
1),3):GOSUB170:RETURN
```

```
220 'print id sub-----
```

```
225 POKE149,0:POKE150,18:POKE155  
,96:PRINT#-2,CHR$(28);CHR$(27);C  
HR$(48);
```

```
230 PRINT#-2,USING"% %d#% % %
```

```
% " ;RIGHT$(LN$,3),D1,T$,D$::RETU  
RN
```

```
234 'print log sub-----
```

```
235 X2=0:FORX=0TO67:IFG(X)=&HB9  
THENPRINT#-2,"-";ELSEIFG(X)=&H99  
THENPRINT#-2,CHR$(34);ELSEIFG(X  
)=&HE9 THENPRINT#-2,".";ELSEPRIN  
T#-2,USING"#";X2;
```

```
240 X2=X2+1:IFX2=10THENX2=0:PRIN  
T#-2,CHR$(27);CHR$(74);CHR$(28);  
CHR$(31);CHR$(27);"T";:PRINT#-2,  
USING"#";X/10::PRINT#-2,CHR$(27)
```

```
; "I";CHR$(28);CHR$(27);CHR$(75);
```

```
:NEXTELSENEXT
```

```
245 PRINT#-2,"":RETURN
```

```
250 'drive # sub-----
```

```
255 PRINT@I1,"ENTER DRIVE NUMBER  
(0-3) ">::PRINT@I3,STRING$(
```

```
30,32)::PRINT@I3,"";:PLAYA$:INPU
```

```
TD1:GOSUB170:RETURN
```

```
260 'test type sub-----
```

```
265 PRINT@I1,"<S>HORT TEST <OTH  
ER>FULL TEST";:PLAYA$
```

```
270 GOSUB70:IFK$="S"THENT$="Sh":
```

```
RETURNELSET$="Lg":RETURN
```

```
275 'initialization.....
```

...

```
280 I1=481:I3=449:FC=127+16*BC:B  
$=CHR$(128):C$=STRING$(30,FC):F$  
=CHR$(FC):PP=256*PEEK(&HC006)+PE  
EK(&HC007):DIMG(69):DEFUSR0=&H0E
```

```
00:DEFUSR1=&H0E0A:DEFUSR2=&H0E86
```

```
:B=&H0400
```

```
285 LN$="DEFLOG " :A$="V31;05;L3
```

```
5;T50;EP3EP3E":E$="V31;03;L35;T5
```

```
0;EP3EP3E"
```

```
290 P$="AD9FC00439":X1=&H0E00:GO  
SUB170
```

```
295 P$="347FBDB3ED338D002D33CB10  
AE8D00236F8D00211F31A68D001BB155
```

```
270EEC81EDA1A684A7A06C8D000B20E8  
A684A7A4357F39040000DB6DB6DB6D00
```

```
0000FFFFFF":X1=&H0E0A:GOSUB170
```

```
300 P$="343FBDB3EDBEC006A7028609  
3D4C5CE7031F02AD9FC004E6062710E6
```

```
02C1112605CC0002200ECC000120091F  
20810926DCCC0000BDB4F4353F39":X1
```

```
=&H0E86:GOSUB170:P$=""
```

```
305 M1$="<ANY> TO CONTINUE
```


```
" :M2$="<ANY> TO RESTART O
```

```
R QUIT "
```

```
310 PRINT@I1,M1$;
```

```
315 PRINT@I3,"PLEASE TURN UP VOL
```

**TEAC
SANYO
MPI**



**SLIM LINE
DISK
DRIVES**

DIRECT DRIVE, 1/2 HT. 40 track, 5ms t/t, DSDD
DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$399.
DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$519.
Above prices for Panasonic or Sanyo. Call for brand availability
if you have a preference.

MPI FULL HEIGHT, 40 track, 5 ms t/t, DSDD.
DRIVE 0, SINGLE DOUBLE SIDED DRIVE SYSTEM . \$299.
DRIVE 0 & 1 DUAL DOUBLE SIDED DRIVE SYSTEM . \$469.

All drives include case and power supply, J&M controller, all
cables and Disk BASIC Manual. All connections are gold plated.
Dual drives come assembled in dual case with dual supply and
rear gold plated data connector.

J&M controller with JDOS and manual \$129.
J&M controller with RSDOS subject to avail. \$129.
J&M controller without DOS ROM chip \$109.
JDOS ROM with manual \$ 30.

LIBRARY CASE
Holds 70 diskettes. key lock. 7 dividers. smoked acrylic case \$19.

DISK BANK
by Media Mate. Holds 50 diskettes. 5 dividers smoked cover tan base \$ 13.

How to order

All items have a 90 day or better replacement poli-
cy by us. Include a complete product description of
items desired. Add \$3. per order for S&H. Add
\$1.75 for COD. For MasterCard or Visa orders add
3% of total including shipping. Indiana residents
add 5% sales tax.

OZONE ENGINEERING
4769 South 200 East
Kokomo, IN 46902
Ph. 317-453-0989
5 - 10 p.m.


```

UME ON TV ";;FORX=1TO150:NEXT:
PLAYE$:K$=INKEY$:IFK$=""THEN320E
LSEGOSUB170:GOSUB255:GOSUB265:GO
SUB200:GOTO350
320 PRINT@I3,"please";B$;"turn";
B$;"up";B$;"volume";B$;"on";B$;"
tv";B$;B$;B$;FORX=1TO150:NEXT:P
LAYA$:GOTO315
325 'dir error abort point.....
330 PRINT@I3,"DIR. TRACK ERROR-C
AN'T CONTIN.";;IFP=1THENGOSUB225
:PRINT#-2,"DIR. TRACK ERROR-CANN
OT CONTINUE-DISK NOT USABLE OR U
NFORMATTED":PLAYE$ELSEPLAYE$
335 'restart point.....
340 PRINT@I1,M2$;:GOSUB70:CLSBC
345 'start point.....
350 GOSUB180:PRINT@I1,"<C>OMMENC
E TEST <Q>UIT ";;PRINT@I3
,"INSERT OR CHANGE DISKETTES
";:PLAYA$
355 GOSUB70:IFK$="C"THENGOSUB170
:GOSUB215:GOTO365ELSEIFK$="Q"THE
NGOSUB170:PRINT@I3-33,"";:ENDELS
EPLAYE$:GOTO355
360 'file check.....
365 GOSUB170:PRINT@357,"OPERATIO
N: FILE CHECK ";;T1=17:S1=2:O1=2

```

```

:GOSUB35:IFEC<>0THEN330ELSE370
370 X1=1:FORX2=0TO67:G(X2)=PEEK(
B+X2):IFG(X2)<>&HFF THENX1=0
375 NEXT:IFX1=1THENPRINT@I3,"NO
FILES ";;GOTO390
380 PRINT@I3,"files present ";
385 'directory check.....
390 T1=17:S1=3:O1=2:GOSUB35:IFEC
<>0THEN330
395 'log check.....
400 LF=1:FORX2=0TO7:IFASC(MID$(L
N$,X2+1,1))<>PEEK(B+X2)THENLF=0
405 NEXTX2:IFLF=1THENPRINT@I3+15
,"LOG PRESENT ";;ELSEPRINT@I3+
15,"NO DEFECT LOG ";
410 PRINT@I1,"<C>ONTINUE <OTHER
>ABORT TEST ";;PLAYA$
415 GOSUB70:IFK$="C"THENGOSUB170
:GOTO425ELSECLSBC:GOTO350
420 'log array prep.....
425 IFLF=0THEN435ELSEX1=PEEK(B+1
3)
430 X2=G(X1):G(X1)=&HB9:IFX2>=&H
C0 AND X2<=&HC9 THEN435ELSEIFX2<
=67THENX1=X2:GOTO430ELSEPRINT@I3
,"ERROR IN LOG - WILL TEST ALL
";:PLAYE$:LF=0:GOSUB80
435 FORX2=0TO67:IFLF=0THENX1=&HF

```



COLOR COMPUTERS

COLOR COMPUTER, DISK DRIVE AND PRINTERS

	LIST PRICE	OUR PRICE
26-3136 16K Extended Color Computer 2	\$ 139.95	\$ 120.00
26-3127 64K Extended Color Computer 2	\$ 199.95	\$ 169.00
26-3029 Disk Drive 0 for Color Computer	\$ 349.95	\$ 295.00
26-1161 Disk Drive 1, 2, 3 for Color Computer	\$ 279.95	\$ 230.00
26-1276 DMP-10580 cps Dot Matrix	\$ 199.95	\$ 169.00
26-1271 DMP-110 50/25 cps Triple Mode Printer	\$ 399.95	\$ 299.00
26-1255 DMP-120 120 cps Dual Mode Matrix	\$ 499.95	\$ 385.00
26-1257 DWP-210 14 cps Daisy Wheel Printer	\$ 459.00	\$ 485.00

OTHER PRINTERS AND ACCESSORIES

	OUR PRICE
EPSON Printer	\$ CALL
OKIDATA Printer	\$ CALL
STAR GEMINI 10X Printer	\$ 275.00
COMREX CR-II Daisy Wheel Printer	\$ 415.00
C. ITOH 8510 Prowriter Printer	\$ 335.00
BOTEK Serial to Parallel Interface	\$ 59.00

COLOR ACCESSORIES

	LIST PRICE	OUR PRICE
26-2226 RS-232 Program Pak	\$ 79.95	\$ 68.00
26-3012 Deluxe Joystick (EACH)	\$ 39.00	\$ 34.00
26-3017 64K RAM Kit	\$ 69.95	\$ 59.00
26-3008 Joysticks	\$ 24.95	\$ 21.00
26-3016 Keyboard Kit	\$ 39.95	\$ 34.00

CALL TOLL FREE 1-800-248-3823

COLOR COMPUTER SOFTWARE

	OUR PRICE
Teletwriter 64 Tape	\$ 49.95
Teletwriter 64 Disk	\$ 59.95
VIP Writer	\$ 59.95
VIP Speller	\$ 49.95
VIP Database	\$ 59.95
VIP Terminal Disk	\$ 49.95
TOM MIX Software	\$ CALL
RADIO SHACK Software	15% Off

MONITORS

	OUR PRICE
COMREX 12" Green Monitor	\$ 95.00
COMREX 12" Amber Monitor	\$ 110.00
COMREX 13" Color Monitor	\$ 285.00
AMDEK 300A Monitor	\$ 155.00
VIDEO PLUS Monitor Adaptor	\$ CALL
GORILLA Monitor	\$ 85.00

All prices and offers may be changed or withdrawn without notice. Advertised prices are cash prices. For shipping, add 2% (minimum shipping charge \$3.00). C.O.D. accepted. (\$4.00 charge per carton on C.O.D. Call for further COD information.) M.C., Visa, AX, add 3%.

PERRY COMPUTERS • 137 NORTH MAIN STREET • PERRY, MI 48872


```

F:GOTO440ELSEIFG(X2)=&HB9 THENX1
=&HB9:GOTO440ELSEX1=&HFF
440 G(X2)=X1:NEXT
445 'first declare point.....
450 GOSUB100:M3$="first ":GOSUB1
10
455 'test sequence.....
460 DATA0,34,2,0,3,33,1,-2,1,3,0
,0,1,0,0,1,33,2,1,2,34,0,-2,0,2,
1,33,2,2,3,34,0,-2,1,3,0,34,2,1,
2,33,1,-2,2,2,0,34,2,2,3,33,1,-2
,0,3,0,0,1,0,0,1,33,2,0,2,34,0,-
2,2,2
465 DATA0,34,2,8,3,33,1,-2,5,3,0
,0,1,0,0,1,33,2,5,2,34,0,-2,8,2,
1,33,2,8,3,34,0,-2,5,3,0,34,2,5,
2,33,1,-2,8,2
470 DATA17,17,1,8,3
475 'DATA0,3,1,0,2
480 DATA99,0,0,0,0
485 CLSBC:X1=.75:RESTORE:FORX=67
TO34STEP-1:G(X+2)=G(X):NEXT:DE=0
:G(34)=&HFF:G(35)=&HFF
490 IFT$="Sh"THENFORX=1TO70:READ
OP:NEXTX
495 READ T1,TE,ST,PA,OP:IFDE=1TH
EN565ELSEIFTI=99THENFORX=36TO69:
G(X-2)=G(X):NEXT:GOTO555ELSEIFOP

```

```

=3THENX=USR1(PA):GOTO500ELSEIFOP
=0THEN01=2:T1=TI:S1=1:GOSUB35:GO
TO495
500 O1=OP:X1=X1+.25:PRINT@295,"
CYCLE: ";;PRINT@327,"
TRACK: ";;PRINT@359,"
granule: ";;PRINT@391,"
OPERATION: ";;PRINT@423,ST
RING$(18,32);
505 POKEPP,O1
510 FORT1=TI TO TE STEP ST:PRINT
@307,USING"###";INT(X1);:PRINT@33
9,USING"###";T1;:IFOP=2THENPRINT@
403,"READ ";ELSEPRINT@403,"WRITE
";
515 FORX2=0TO1:PG=2*T1+X2
520 G1=2*T1+X2:IFT1>17THENG1=G1-
2
525 IFT1=17THENPRINT@371,"DIR";E
LSEPRINT@370,USING"### ";G1;
530 IFG(PG)=&HB9 ORG(PG)=&H99 OR
G(PG)=&HE9 THEN545
535 PRINT@423,STRING$(16,32);:X3
=256*T1+X2:EC=USR2(X3):IFEC=0THE
N545ELSEIFEC=2THENX2=1:T1=TE:DE=
1:GOTO540ELSEPRINT@423," BAD
GRANULE ";;PLAYE$
540 G(PG)=&HE9
545 NEXTX2:NEXTT1:GOTO495
550 'final declare point.....
555 GOSUB100:M3$="final ":GOSUB1
10:CLSBC
560 'format allow table.....
565 IFDE=1THEN330ELSEX=USR1(8):X
3=0:X2=0:X1=0
570 FORLG=0TO67:IFG(LG)=&H99 ORG
(LG)=&HB9 ORG(LG)=&HE9 THEN575EL
SE585
575 IFX3<>0THEN POKEB+X1,LG ELSE
X2=LG
580 X1=LG:X3=X3+1
585 NEXTLG:IFX3=0THEN590ELSEPOKE
B+X1,&HC9
590 T1=17:S1=2:O1=3:GOSUB35:FORX
4=1TO200:NEXTX4:IFEC<>0THEN330
595 'format dir entry.....
600 X=USR1(8):FORX=0TO10:POKEB+X
,ASC(MID$(LN$,X+1,1)):NEXT:POKEB
+11,1:POKEB+12,0:POKEB+13,X2:POK
EB+14,1:POKEB+15,0:IFX3=0THENPOK
EB,0
605 T1=17:S1=3:O1=3:GOSUB35:FORX
4=1TO200:NEXTX4:IFEC<>0THEN330
610 GOSUB90:PRINT@I3,"test cplt
- FINAL DEFECT LIST ";;FORX=0TO6
7:IFG(X)<>&HFF THENGOSUB45
615 NEXTX
620 IFP=1THENGOSUB225:GOSUB235
625 PLAYA$:GOTO340

```

Co Co - Cooler



- Brings operating temperature to ambient, regardless of accessory load

- Reduces temperature of ENTIRE computer... not just the SAM chip

- Easy 1-minute installation
- \$39.95

Companion Keyboard Cover \$7.95

Co Co Software

NOW SHIPPING

Co Co - Cooler Too


(Same Price, Same Fit, For Color Computer II)

- For Fastest Service Send Money Order Or Certified Check
- Add \$2.00 Shipping For Continental U.S.
- Add \$4.00 Shipping For Alaska, Hawaii, Canada, & APO's
- Add \$15.00 Shipping For Overseas
- Add \$3.00 For 220-250 Volt Model
- Calif. Residents Add 6 1/2% Sales Tax
- Will Ship C.O.D. On U.S.A. Shipments Only
- All Merchandise Shipped From Stock

REM Industries, Inc.

9420 "B" Lurline Ave., Chatsworth, CA 91311

(818) 341-3719





A Simple Text Processor

By Ashok Basargekar

One of my favorite hobbies is to improve the Color Computer software written by others in my favorite RAINBOW magazine, give it a personal touch and enjoy the results. I remember Mr. Lewandowski's series of articles on the simple text handling program. I used to read the articles, enhance them to my satisfaction and wait for his next installment. After waiting for several months for him to give me some hints on the *EDIT* feature of his text handling program, I decided to take on this task myself.

Before going into the *EDIT* feature, I would like to present a complete face lift that I have given to the other subroutines of the text handler.

The first six lines of my assembly lan-

guage source code define the ROM routines I will be using. The next 14 lines are the direct page addresses that I will be using to store my constants and variables. I may use a portion of the direct

"The Compose mode allows you to compose a new text, or to append a typed or loaded text from a tape or disk. Words will not wrap around to the next line while typing, but they will be properly moved to the next line at the time of printing on a paper."

(Ashok Basargekar, a civil engineer in California, has developed an interest in computer science as a hobby. He has developed some programs in civil engineering subjects on CP/M. He received his Bachelor's degree in civil engineering from Baroda University in India and further courses in civil engineering and computer languages at California State University in Long Beach, Calif., Polytechnic University, Pomona and Santa Ana College in Santa Ana, Calif.)

page; that's what the *Getting Started with Color BASIC* manual says! The *START* of my program uses the auto key repeat feature, published by Roger Schrag in his article on "Super Patched EDTASM". At *START* I release the alpha lock so I start my text processor with lowercase letters. In *WIPE*, I clear all the text buffer and then branch to *FIN1* for my new menu. I beg your pardon, Mr. Lewandowski, I have used my name instead of yours, in the *MES1*. Instead of using *LINPUT* routine for

text handling, I have made it character-oriented in *CONT* for continue. I thought that the original *PAPER* routine was very primitive, so I changed it to give me the top of the form, left margin, line width and line spacing selections. First I take the characters up to the line width and go back to the nearest place where I can break a word before going to the next line. The *CLOAD*, *CSAVE*, *LOAD* and *SAVE* routines are the gifts of Roger Schrag from his disk and tape I/O routines. Before I go to the *LINPUT* for filename, I lock the alpha lock, so that the filename is always in capital letters. The *EXIT* routine also does the same thing. Finally I come to my *EDIT* routine for some comments.

Here I have used the same memory locations that I used to store the constants of *PAPER* routine in the direct page. *SCL* is used to store the text buffer address that will equate to the top left corner of the video screen. *MARGIN* stores the text buffer address that equates to the bottom right corner of the video screen. These addresses are revised as soon as the Y register (cursor pointer) goes beyond \$400-\$5FF range. Before bringing the next portion of the text for editing, all the previous buffer area is revised to match the screen

buffer. The COPY routine brings a copy of a portion of text in video screen for editing and the REVISE routine sends the edited text from screen to the text buffer. The NXPGE and PRVPE routines change the SCL and MARGIN addresses of next page or previous page depending upon the cursor movement. The DELETE routine moves all the text one to the left when the CLEAR key is pressed. The INSERT routine moves all the text one to the right for making room for a character in the middle.

I have used Spectral Associates' ULTRA 80C for editing and assembling this program. Of course, you may use any other assembler you wish. Since I have installed the *Lower-Kit*, by Green Mountain Micro, in my CoCo, the entire text is very beautiful on the screen.

The entire machine language code resides from \$E00 through \$16D4 and for a 32K computer, you will have plenty of text buffer area from \$16D5 through \$7FFF. The program is completely position independent except the address table for the menu subroutines. The control keys and procedure in using my *Text Processor* are as follows:

Initialization

LOADM"TEXT PRO" and EXEC will access this program. You will get a complete menu of selection as follows:

1) COMPOSE

The Compose mode allows you to compose a new text, or to append a typed or loaded text from a tape or disk. Words will not wrap around to the next line while typing, but they will be properly moved to the next line at the time of printing on a paper. Any immediate mistakes can be corrected by moving the cursor backward, with the left arrow key. Once you exit this Composing mode, and return back for continuing the text, you will not be able to correct the previously typed text with the left arrow key. You will need to go to the Edit mode for this purpose. While composing the text, do not press the ENTER key unless you want to go to the next line for a new paragraph. Pressing ENTER will provide a hard carriage return when printing the text on a printer. To exit the Composing mode, simply hit the BREAK key. You will return back to the main menu of selections.

2) EDIT

The text in the Edit mode appears slightly different from that in the Composing mode. You will see a red block at the places you have pressed the ENTER key, for providing a hard carriage return for a new paragraph. The up, down,

right and left arrow keys will move the cursor anywhere in the text, while in the Edit mode. The CLEAR key will delete one character at a time. The SHIFT-CLEAR keys will allow you to insert any text in the middle. The flashing cursor will disappear when you are in the Insert mode. You will return back to the Edit mode by pressing the BREAK key. You will exit the Edit mode by pressing the BREAK key again. The text can also be appended at the end while you are in the Insert mode. To revise the text in the Edit mode, simply write new text over the existing text.

"...Simply enter the desired printing specifications for total line width, left margin and line spacing. Your text will be printed on the paper according to your specifications."

3) CLOAD

This selection will allow you to load a text from a cassette tape. The text can be loaded at the end of any typed or other-loaded text, allowing you to merge two or more texts.

4) DLOAD

This selection will allow you to load any text from a disk. You will be asked to enter a filename. The filename must be the entire name including the extension. If the filename is not found, or if the file is on a bad disk, you will receive an error message number. If so, simply press any key to go back to the main menu. Refer to Table 1 for the type of error.

5) PRINT

The underlining codes are presently set for the Brother Correctronic 50 typewriter. The Baud rate is set at 1200. Simply enter the desired printing specifications for total line width, left margin and line spacing. Your text will be printed on the paper according to your specifications. The paper will advance to the new page after printing 60 lines. Therefore, adjust the paper so that three blank lines are left at the top. This will provide three blank lines at the bottom. To change the printer Baud rate and printable lines per page or to change the underlining codes, you will need the following corrections to the software before executing the program.

POKE &HF74, msb: POKE &HF75, lsb of Baud rate constants.

POKE &H100D, n where n = printable lines per page.

POKE &H1016, m where m = blank lines at top and bottom of page.

POKE &H102C, 27: POKE &H1031, 45 for start of underlining codes for Brother.

POKE &H1037, 27: POKE &H103C, 82 for end of underlining codes for Brother.

POKE &H102C, 32: POKE &H1031, 15 for start of underlining codes of LP VIII

POKE &H1037, 14: POKE &H103C, 32 for end of underlining codes of LP VIII

6) CSAVE

This routine will allow you to save the text on a cassette tape.

7) DSAVE

This subroutine will allow you to save the text on a disk. You will be asked for a filename. It must be up to eight characters in length with an extension up to three characters. If an extension is not specified, none will be assumed. Therefore, give a filename like: TEXT/DAT or TEXT.TXT, etc.

The codes for the error messages while reading or writing text from or to the disk are as follows:

TABLE 1

CODE TYPE OF ERROR

19	File already open
20	Bad device or drive number
21	I/O error
22	FM error
23	File not open
24	Input past end of line
27	File not found
29	Disk full
30	Out of buffer space
31	Disk write protected
32	Bad filename
33	Bad file structure
37	Verification error

8) EXIT

This will exit to BASIC. You will lose all the text with this selection. Therefore, make sure that the text is saved on the tape or disk prior to selecting EXIT.

Happy text processing! If you have any questions or suggestions regarding my text processor please drop a line with a SASE to Ashok Basargekar, 1423 North Cleveland Street, Orange, CA 92667, (714) 639-3996.

The listing:

```

00010 *****
00020 * A SIMPLE TEXT PROCESSOR *
00030 * BY ASHOK BASARGEKAR. *
00040 * 1423 NORTH CLEVELAND STREET, *
00050 * ORANGE, CA. 92667. *
00060 *****
00070 * MAJOR ROM ROUTINES USED BY THIS PROGRAM.
00080 *
00090 *
A92B 00090 CLS EQU $A92B Clear screen.
A30A 00090 SCREEN EQU $A30A Print on screen.
A393 00100 LINPUT EQU $A393 Line input.
A2BF 00110 PRNTR EQU $A2BF Print on printer.
A1C1 00120 INKYS EQU $A1C1 INKEY$
A027 00130 QUIT EQU $A027 Back to Basic.
A7D3 00140 DELAY EQU $A7D3 Delay until x=0
00141 *
00142 * Constants & variables stored in Direct Page.
00143 *
0000 00150 KCLEAR EQU $0 Auto key repeat
0001 00160 KXOLD EQU $1 constants.
0002 00170 BUFST EQU $2 Start of text buffer address.
0004 00180 BUFEN EQU $4 End of text buffer address.
0006 00190 SCL EQU $6 Start of current line.
0008 00200 MARGIN EQU $8 Left margin.
0009 00210 LW EQU $9 Line width.
000A 00220 CLW EQU $0A Current line width.
000B 00230 SPACE EQU $0B Line spacing.
000C 00240 LCP EQU $0C Line counter of page.
000D 00250 LENGTH EQU $0D Length of filename.
000E 00260 DSAVE EQU $0E Tape/disk error vector.
0011 00270 STACK EQU $11 Tape/disk stack pointer.
00280 *
0E00 00290 DRG $E00
00300 *
00310 * Following interrupt service routine is similar to one
00320 * in Rainbow Sept 83, page 77
00330 *
0E00 30 8C 0B 00340 START LEAX <NMI,PCR
0E07 BF 010A 00350 STX $10A
0E06 30 8C 13 00360 LEAX <IRQ,PCR
0E09 BF 010D 00370 STX $10D
0E0C 20 62 00380 BRA START1
0E0E B6 09B2 00390 NMI LDA $9B2
0E11 27 5C 00400 BEQ REPUT
0E13 BE 09B3 00410 LDX $9B3
0E16 AF 6A 00420 STX $0A,S
0E18 7F 09B2 00430 CLR $9B2
0E1B 3B 00440 RTI
0E1C B6 FF03 00450 IRQ LDA $FF03
0E1F 2A 4E 00460 BPL REPUT
0E21 B6 FF02 00470 LDA $FF02
0E24 B6 09B5 00480 LDA $9B5
0E27 27 18 00490 BEQ REPEAT
0E29 7A 09B5 00500 DEC $9B5
0E2C 26 06 00510 BNE REPEAT
0E2E B6 09B6 00520 LDA $9B6
0E31 B4 00 00530 ANDA $9B0
0E33 B7 09B6 00540 STA $9B6
0E36 B7 FF40 00550 STA $FF40
0E39 BE 0152 00560 REPEAT LDX $0152
0E3C A6 00 00570 RP1 LDA ,X+
0E3E B1 FF 00580 CMPA $FF
0E40 26 13 00590 BNE RP2
0E42 BC 015A 00600 CMPX $015A
0E45 26 F5 00610 BNE RP1
0E47 BC 00 00620 INC <KCLEAR
0E49 96 00 00630 LDA <KCLEAR
0E4B B1 06 00640 CMPA $06
0E4D 26 20 00650 BNE REPUT
0E4F 0F 00 00660 CLR <KXOLD
0E51 0F 01 00670 CLR <KXOLD
0E53 20 1A 00680 BRA REPUT
0E55 0C 01 00690 RP2 INC <KXOLD
0E57 96 01 00700 LDA <KXOLD
0E59 B1 1E 00710 CMPA $01E
0E5B 26 12 00720 BNE REPUT
0E5D B0 03 00730 SUBA $03
0E5F 97 01 00740 STA <KXOLD
0E61 BE 0152 00750 LDX $0152
0E64 A6 04 00760 RP3 LDA ,X
0E66 BA 3F 00770 ORA $03F
0E68 A7 00 00780 STA ,X+
0E6A BC 015A 00790 CMPX $015A
0E6D 26 F5 00800 BNE RP3

```

MasterCard

Educational Programs

VISA

BASKETBALL STATISTICS

Coaches, let CoCo do the paperwork! Keeps each individual game, plus league, non-league and all game totals for a maximum of 16 players in up to 29 games. Stats can be kept in as many as 17 different categories — assists, steals, field goals, and free throw stats (made-attempted-percentages), offensive and defensive rebounds, turnovers, personal fouls, charges, playing time, quarters played and points. Totals for the opposition team and for your individual players are printable. Your season record and scores to date are available at any time. Also, prints a year end summary of each individual player on a game by game basis. Team stats for your team and the opponents' totals for the year are included. Menu driven - Easy to Run - Excellent for most any basketball team.

32K Disk
\$29.95



Write for a free brochure
or ask for a dealer demonstration. Priced from
\$9.95 to \$31.95. Requires Extended Basic. Avail-
able for both tape and disk.





B-5 Software Co.
1024 Bainbridge Place
Columbus, Ohio 43228
Phone (614) 276-2752

CONGRESS

An award winning political simulation by Jeff Stevens. Have you ever wondered what it feels like to be the President of the United States? Congress lets you be the President. You select a program to get through Congress. You decide which states to influence through pork-barrel legislation. You assign lobbyists to the House or Senate, and you determine how to use log

rolling favors. Finally, you decide whether to sign a bill into law or veto it. Your overall performance is rated in comparison to the popularity of other presidents. "Congress" also serves as a fine tutorial on how a bill becomes a law. It will add a spark to any government class. All would-be politicians will enjoy it.

Grades 7-12 and Adult
32K Cass. - \$29.95
32K Disk - \$31.95



RECESS GAMES

A superb Christmas gift! Four Games in one program provide an enjoyable format for using higher level thinking skills. Players must reason logically while playing Treasure Hunt, Masterbrain, Tic Tac Toe, and Number Guess. Children use co-ordinates and a hot/cold thermometer to find a treasure hidden behind a grid. Number Guess includes an optional use of a number line to help children approximate answers. In Master-

brain, players must consider the many possible ways to arrange specific digits to build numbers. Tic Tac Toe encourages children to predict and plan sequential moves. All games are multi-leveled so children of different ages can play the same game. One and two player options — Large graphic numerals — Attractive Screen Displays.

Grades 2-8
16K Cass.(2) - \$19.95
32K Disk - \$21.95

SPELLING

Add zest to the basics! **Spelling** allows you to input your own words and save them on data files (tape or disk). You may also purchase ready made data files (below). During the lesson a word flashes on the screen, and the student then types the word. If the word is misspelled, the correct spelling appears and aligns itself under-

neath the misspelling. The student can quickly determine the error and correct it. The score is given continuously, and all misspelled words are given at the end. A graphic display of superlative words and song provide a reward. Printer use is optional. **Spelling** will accept words with apostrophes, hyphens, and spaces. Word lists may be easily edited.

Grades 2-8.
16K Cass. - \$19.95
32K Disk - \$21.95

Data Files
Dolch Words
Most Misspelled
Space Words
Grades 2, 3, 4, 5, or 6
\$8.95 each - Cass.
\$10.95 each - Disk

Holiday Greetings From



New From Saguaro Software!

EAGLE



A graphic-enhanced lunar lander simulator. The pilot breaks out of lunar orbit and attempts a soft landing on the lunar surface. Joysticks control thrust and craft altitude and information is continually displayed on horizontal and vertical velocities, acceleration values, vertical and horizontal distances from target, fuel consumption and much more. On advanced levels, problems such as fuel leaks and computer screen failures can provide hair-raising final approaches. Disk version allows choice of landing site between Mars and Earth's moon. Takeoffs from the surface can be made and the upper stage placed back in orbit. The simulation is as educational as it is fun and exciting. A great tool for that future astronaut or physicist. 32K, 2 joysticks required. Available in tape or an enhanced disk version.

Tape - \$24.95

Disk or Amdek - \$29.95

SKETCHPAD

Sketchpad is a graphics drawing program designed to provide the computer hobbyist with easy manipulation of the powerful graphics capabilities of the Coco. Advanced programmers can design graphics screens and characters for Basic and ML programs and games. Sketchpad was used to create the graphics for "Eagle."

Two joysticks control cursors that provide endpoints and boundaries for lines, boxes, circles, ellipses and painting. Point-to-point drawstrings may be plotted on the screen and then rotated, enlarged or shrunk, moved or inverted. Patterns may be programmed in easily to create dazzling illusions using lines, boxes, circles, ellipses and drawstrings. Sketchpad supports all PMODES and color sets and gives false colors in Pmodes 1 and 4. Text and graphics can be combined on high-resolution screens. Animation is possible with up to 12 pages allowed in low-resolution and 3 full screens in high resolution. All pictures and drawstrings can be saved to disk for future use. 32K, 2 joysticks required. Disk only.

Disk or Amdek - \$29.95

The

Digestive System

An educational quiz game for 2 players covering different areas of the human digestive system. Each question is assigned a point value relative to its difficulty. A fun way to learn about a serious subject. 16K.

The

Circulatory System

Using the same format as "The Digestive System," this program covers the heart, lungs, veins, arteries, blood, etc. 16K.

BOTH ONLY:

Tape - \$19.95

Disk or Amdek - \$24.95

GAMES

OTHXO

Othello® machine language game for the 16K Co-Co. 2 modes of play - you against a friend or you against the computer. When playing the computer, it will play hard or easy. In either, you had better think hard! Object of the game is to change the opponent's spots to yours by placing your marker at the end of a row started by your marker. Not as easy as it sounds! Tape, \$24.95. Disk or Amdek, \$29.95.

Co-Co Keno

Bring Las Vegas' Keno game home with Co-Co Keno. Bet \$1, \$3 or \$5 & mark off 1 to 15 spots...can you beat the odds & win \$50,000? 16K, high resolution screen. Keno chart print included. Tape - \$24.95. Disk or Amdek - \$29.95.

Ultimate Bingo

The ultimate in Bingo! Use your LP 7 or 8 to print the number of calls you desire. Choose from 3 speeds of play & even pause the game to check winner's card.

Jackpot

Pull the one-arm bandit's arm - see if you can beat the odds!

Both Only

Tape - \$19.95 Disk or Amdek - \$24.95

Confusion

3 modes of play: 3-4, 5-6 or 7 letter words. You select time (30 or 60 seconds) to govern how long you get to unscramble the words. First person with ten correct wins! Tape - \$19.95. Disk or Amdek - \$24.95.

EDUCATION

Kidstuff

Picture, Letter, or Number Association. Play an old-time tune with correct answer (7 songs), buzzes when wrong & waits for correct choice, 8 screens. Tape - \$19.95. Disk - \$24.95.

Stars Of America

Education should be fun - this program is just that! This tutorial uses 25 of the superstars of American history, from George Washington to Ronald Reagan.

The Civil War

A challenging two-person game. Questions cover Carpetbaggers to the Battle of Vicksburg. Points are assigned according to the difficulty of the question, scores are displayed throughout the game.

Both Only:

Tape \$19.95 Disk \$24.95

History From 1863 To 1976

On two 16K non-extended tapes. For 1-4 people. Informative & fun way to learn important dates in world history. Written for students by a teacher. Tape - \$19.95. Disk or Amdek - \$24.95.

ADVENTURES

Treasure Hunt

A graphics text adventure. You walk with our graphics character through desert, mountains and city to seek the illusive treasure of gold. Super graphics with a person who walks with you at each turn. Disk & Amdek only - \$29.95.

Do Or Die

This year is 4001 A.D. You are a cargo trucker delivering a load in the Dorian star system. Your mission is to get back to your home planet of Irat, alive. Can you survive the journey? Tape - \$24.95. Disk or Amdek - \$29.95.

Loveless Manor

Trapped in a bedroom by your evil aunt, you've admired Queen Cinderella's castle in the distance...and you've just discovered she's a distant cousin. Can you escape to her protection? 32K. Great word adventure. Tape - \$19.95. Disk or Amdek - \$24.95.

Raid On Boordanovka

Your mission, should you decide to accept it, is to steal Russia's newest weapon and save the world. Text adventure with 50 rooms. Tape - \$24.95. Disk or Amdek - \$29.95.

Search For The Llangth

After years of study & searching, you have at last traced the alien race of Llangth to this valley. Now your quest for the power of Llangth begins! Tape - \$24.95. Disk or Amdek - \$29.95.

MISCELLANEOUS

Co-Co Receivables 32K Disk
Move-It! Co-Co 1 Only

29.95
15.95

Saguaro Software



Discount Software

From 20% - 25% Off

GAMES

PRICKLY-PEAR

Color Disk Trivia	22.75
Question Disk - Choose From: History • Science & The World Movies & TV • Sports The Written Word	14.75
Question Disk When Purchased With Game	7.50
Travelin' Toad 32K	18.75
Ockywocky 32K	18.75
Light Runner	18.75
Jumbo Jet	18.75
Adventure In Wonderland 32K	18.75
Decipher	18.75
Erland 32K	18.75
Flight	14.75
Football	14.75
Gangbusters	14.75
Monsters & Magic 32K	14.75
Naked Gamer	16.75
TeeeeOff	18.75
Viking	14.75

TOM MIX

Worlds Of Flight 32K	23.75
Chambers 32K	19.75
Warehouse Mutants	19.75
Draconian 32K	21.75
Quix 32K	19.75
elec*TRON	19.75
Junior's Revenge 32K	22.75
Space Shuttle 32K	22.75
SR-71 32K	22.75

PETROCCI

Guillotine	7.75
Flasher	14.75
Dunk-A-Duck Tape	14.75
Inspector Cluiseau	14.75
Patti Pak	16.75
Stagecoach	14.75
Tycoon Tape-32K	14.75

SUGAR

Flying Tigers 16K	19.75
Syntax Stories	8.75
Silly Syntax	16.75

EDUCATION

PRICKLY-PEAR

Music Reader	26.75
Phonics 1 or 2 (Tape Only) Each	18.75
Prereader 1, 2 & 3	18.75
Spelling	37.75

EDUCATION

PETROCCI

Alphabet	8.75
Chalkboard Math	15.75
123's, ABC's, Big-Bigger-Biggest, Shapes	18.75
Medical Terminology	14.75

SUGAR

Bible Stories	21.75
Great U.S.A.	15.75
Prereader	15.75
Presidents of the U.S. 16K	19.75

APPLICATIONS

PRICKLY-PEAR

Liz Pack	145.00
----------	--------

Statistical Analysis-8 Disks

Family Income Organizer (Disk)	22.75
Colorcal	18.75
Satellite Tracker	29.75
Super Astrology 32K	18.75

PETROCCI

Astro Cast 32K	22.75
Family	11.75
Super Bowling Secretary 32K	19.75
Stress Evaluator	18.75

SUGAR

Radio System Design	22.75
Co-Co Calligrapher 32K	19.75

COMPUTER HOUSE

FILMASTR	23.75
----------	-------

UTILITY

PRICKLY-PEAR

Oracle II Tape	26.75
Disk Zapper	26.75
Clone Master Tape-32K	29.75
Color Kit	26.75
Tape Omni Clone Tape	22.75
Super Scroll 64K	18.75
Rom Free 64K	18.75
Modem Master 16K	18.75

PETROCCI

Telepatch 64K	11.75
Demon+ 64K	26.75

(Edtasm, Graph. Ed., Music Ed.)


Adventure Game Decoder	11.75
Super Disk Utility (Disk)	35.75

SUGAR

Tim's Utility	11.75
Rainbow Screen Machine	22.75
Super Screen Machine	33.75
Auto Run	15.75
Semigraf 32K	15.75
Tim's	20.75
Tim's Mail	15.75

ADD \$3.00 FOR DISK, \$6.00 FOR AMDEK

Hardware, Too!




Amdek Dual 3" Disk Drive

\$350

Includes Box Of Diskettes
And Drive Cables

**If You Can Find A Better
Advertised Price, Show Us...
We'll Beat It!**

New!



Amdek Color Monitors Color 300 • Color 500

**Call For
Lowest Prices
Anywhere!**

ESK 5 1/4" Disk - SSDD Box of 10 \$20
100% Tested Disk - 10 Year Guarantee
Amdek 3" Diskettes 10 For \$55

Not Sure What To Give?
We Have Gift Certificates!
Available In Any Amount

Saguaro Software



TOLL-FREE ORDER LINE

1-800-223-5369, Ext. 260

Monday - Friday, 9 AM - 5 PM Mountain Time

602-623-3321

Saturday & Sunday, 9 AM - 3 PM Mountain Time



7331 E. Beverly Drive • Tucson, AZ 85710

Arizona Residents Add 7% Tax • Add \$1.50 Shipping Per Program (\$6 Max.)
Dealer Inquiries Welcome • Ask About Royalties • Quantities Limited

0E6F 3B	00810	REPOUT RTI	0EF5 26	F8	01600	BNE J7
	00820 *		0EF7 39		01610	J8 RTS
	00830 *	Entry to the main program with alpha lock released and			01620 *	
	00840 *	all text buffer cleared.			01630 *	Main menu selection routine.
	00850 *				01640 *	
0E70 7F 011A	00860	START1 CLR #11A	0EF8 8D	A928	01650	FINI JSR CLS
0E73 31 8D 0057	00870	LEAY BUF,PCR	0EFB 30	8D 067E	01660	LEAX MES1,PCR
0E77 109F 02	00880	STY <BUFST	0EFF 8D	87	01670	BSR PRINT
0E7A 109F 04	00890	STY <BUFEN	0F01 8D	A1C1	01680	WAIT JSR INKYS
0E7D 86 00	00900	LDA #0	0F04 27	F8	01690	BEQ WAIT
0E7F A7 A0	00910	WIPE STA ,Y+	0F06 80	31	01700	SUBA #031
0E81 109C 25	00920	CMPI <#25 Top of RAM reached?	0F08 25	F7	01710	BLQ WAIT
0E84 26 F9	00930	BNE WIPE	0F0A 81	08	01720	CMPI #08
0E86 20 70	00940	BRA FINI	0F0C 24	F3	01730	BHS WAIT
	00950 *		0F0E 48		01740	ASLA
	00960 *	Print on screen routine.	0F0F 8E	0F19	01750	LDI #MENU
	00970 *	Printing continues until a zero byte is reached.	0F12 AE	86	01760	LDX A,X
	00980 *				01770 *	X now points to the absolute address of jump
0E88 A6 80	00990	PRINT LDA ,X+	0F14 BF	0F2A	01780	STX BRANCH
0E8A 27 05	01000	BEQ DONE	0F17 20	10	01790	BRA JUMP
0E8C BD A30A	01010	JSR SCREEN			01800 *	
0E8F 20 F7	01020	BRA PRINT			01810 *	Table of address of different routines.
0E91 39	01030	DONE RTS			01820 *	
	01040 *		0F19	0F2C	01830	MENU FDB REST
	01050 *	Routine to continue with the text one character at a time	0F1B	130D	01840	FDB EDIT
	01060 *	at the end of previous text.	0F1D	104F	01850	FDB CLOAD
	01070 *		0F1F	118D	01860	FDB LOAD
0E92 109E 04	01080	CONT LDY <BUFEN	0F21	0F3B	01870	FDB PAPER
0E95 34 20	01090	PSHS Y	0F23	1173	01880	FDB SAVE
	01100 *		0F25	1173	01890	FDB SAVE
	01110 *	Make sure that the flashing cursor does not go below	0F27	116E	01900	FDB EXIT
	01111 *	#400 the top left corner of video screen.	0F29	7E	01910	JUMP FCB #7E
	01120 *		0F2A	0000	01920	BRANCH FDB #
0E97 9E 80	01140	FLASH LDI <#08			01930 *	
0E99 8C 0400	01150	CMPI #0400			01940 *	This routine prints all the text until end and goes
0E9C 24 04	01160	BHS J1			01950 *	for continuation.
0E9E 8C 09	01170	INC <#89			01960 *	
0EA0 20 F5	01180	BRA FLASH	0F2C BD	A928	01970	REST JSR CLS
	01181 *		0F2F 9E	02	01980	LDI <BUFST
	01182 *	Alternately place a black (#08) and green (#0F) cursor	0F31 17	FF54	01990	LBSR PRINT
	01183 *	until a key is pressed.	0F34 30	1F	02000	LEAX -1,X
	01184 *		0F36 9F	04	02010	STX <BUFEN
0EA2 86 00	01190	J1 LDA #08 Get a black cursor.	0F38 16	FF57	02020	LBRA CONT
0EA4 8D A5	01200	BSR KBSCAN			02030 *	
0EA6 26 06	01210	BNE J2 Go to J2 if key pressed.			02040 *	This routine gets the user specifications for printing
0EA8 86 8F	01220	LDA #0BF Wipe cursor with green.			02050 *	on printer and stores in the direct page.
0EAA 8D 3F	01230	BSR KBSCAN			02060 *	The location SCL is used for temporary storage of each
0EAC 27 E9	01240	BEQ FLASH Zero means no key pressed.			02070 *	user input.
	01241 *		0F3B BD	A928	02080 *	
	01242 *	Place a character on screen until BREAK is pressed.	0F3E 0F	0C	02090	PAPER JSR CLS
	01243 *		0F40 30	8D 0708	02100	CLR <LCP
0EAE 81 03	01250	J2 CMPI #03 BREAK?	0F44 17	FF41	02110	LEAX MES4,PCR
0EB0 26 00	01260	BNE J3	0F47 8D	31	02120	LBSR PRINT
0EB2 86 00	01270	LDA #00	0F49 96	06	02130	BSR SPECS
0EB4 35 20	01280	PULS Y	0F4B 97	09	02140	LDA <SCL
0EB6 A7 A4	01290	STA ,Y	0F4D 17	FF38	02150	STA <LW
0EB8 109F 04	01300	STY <BUFEN	0F50 8D	28	02160	LBSR PRINT
0EBB 20 3B	01310	BRA FINI Go to main menu routine.	0F52 96	06	02170	BSR SPECS
	01311 *	If Back Space key is pressed, J4 makes it sure that	0F54 97	08	02180	LDA <SCL
	01312 *	Y reg. is >=BUFEN of previously typed or loaded text.	0F56 96	09	02190	STA <MARGIN
	01313 *	J5 revises the text buffer address pointer and echoes	0F58 90	08	02200	LDA <LW
	01314 *	back space to screen. J6 ignores CLEAR key.	0F5A 97	09	02210	SUBA <MARGIN
0EBD 81 00	01320	J3 CMPI #00	0F5C 17	FF29	02220	STA <LW
0EBF 26 18	01330	BNE J6	0F5F 8D	19	02230	LBSR PRINT
0EC1 86 8F	01340	LDA #0BF	0F61 96	06	02240	BSR SPECS
0EC3 A7 9F 0080	01350	STA [#08]	0F63 97	08	02250	LDA <SCL
0EC7 35 20	01360	PULS Y	0F65 17	FF20	02260	STA <SPACE
0EC9 31 3F	01370	LEAY -1,Y	0F68 BD	A1C1	02270	LBSR PRINT
0ECB 109C 04	01380	J4 CMPI <BUFEN	0F6B 8D	03	02280	L1 JSR INKYS
0ECE 24 04	01390	BHS J5	0F6B 81	03	02290	CMPI #03
0ED0 31 21	01400	LEAY 1,Y	0F6D 27	89	02300	BEQ FINI
0ED2 20 F7	01410	BRA J4	0F6F 81	0D	02310	CMPI #0D
0ED4 86 00	01420	J5 LDA #00	0F71 26	F5	02320	BNE L1
0ED6 A7 A4	01430	STA ,Y	0F73 8E	0029	02330	LDI #0029 Baud Rate = 1200
0ED8 34 20	01440	PSHS Y	0F76 9F	95	02340	STI <#95
0EDA 86 00	01450	LDA #00	0F78 20	33	02350	BRA 60
0EDC BD A30A	01460	J6 JSR SCREEN			02360 *	
0EDF 81 8C	01470	CMPI #00C	0F7A 0F	06	02370 *	This subroutine gets the user input of specifications,
0EE1 23 B4	01480	BLS FLASH	0F7C 86	80	02380 *	converts from decimal to Hex number and returns in SCL
0EE3 35 20	01490	PULS Y	0F7E 17	FF6A	02390 *	
0EE5 A7 A0	01500	STA ,Y+	0F81 26	07	02400	SPECS CLR <SCL
0EE7 34 20	01510	PSHS Y	0F83 86	8F	02410	LDA #080
0EE9 20 AC	01520	BRA FLASH	0F85 17	FF63	02420	LBSR KBSCAN
	01530 *		0F8B 26	07	02430	BNE L2
	01540 *	This routine scans key board for a press. Returns zero	0F8D 86	8F	02440	LDA #0BF
	01550 *	if none pressed.	0F8F 17	FF63	02450	LBSR KBSCAN
	01551 *		0F8B 27	F2	02460	BEQ L0
0EEB A7 9F 0080	01560	KBSCAN STA [#08]	0F8A 81	0D	02470	L2 CMPI #0D
0EEF BD A1C1	01570	J7 JSR INKYS	0F8C 26	01	02480	BNE L3
0EF2 26 03	01580	BNE J8	0F8E 39		02490	RTS
0EF4 5A	01590	DECB				



ENDICOTT

COMPUTER SOFTWARE AND ACCESSORIES



PRINTERS

SPIRITp (SAME AS MX-80).....	\$279.00
OKIDATA 82 (SER.) W/COCO CABLE.....	\$329.00
OKIDATA 92 (PAR).....	\$394.00
(160 CPS Draft — 40 CPS Correspondance Quality)	
OKIDATA 93 (PAR — 15" CARRIAGE).....	\$595.00
(160 CPS Draft — 40 CPS Correspondance Quality)	
ABATI LQ-20 (PARALLEL).....	\$389.00
(18 CPS — DAISY WHEEL)	
TRACTOR FEED FOR ABATI.....	\$ 79.00
PANASONIC KX 1091 (PAR).....	\$306.00
(120 CPS DRAFT & NEAR LETTER QUALITY)	

PRINTER INTERFACE (Serial to Parallel)

pbh (PRINTER & MODEM CONNECTIONS) ..	\$59.95
PURCHASED WITH PRINTER.....	\$54.95

MODEMS

VOLKSMODEM WITH CABLE.....	\$69.95
(300 BAUD — MANUAL ANSWER/DIAL)	
HAYES	
SMART MODEM 300 W/COCO CABLE.....	\$240.00
(300 BAUD — AUTO ANSWER/DIAL)	
SMART MODEM 1200 W/COCO CABLE.....	\$530.00
(300/1200 BAUD — AUTO ANSWER/DIAL)	

MONITORS

AMDEK (2 YEAR WARRANTY)	
COLOR 300 (COLOR COMPOSITE AND B&W MODE)	
.....	\$262.00
VIDEO 300 (GREEN, NO GLARE).....	\$149.00
VIDEO 300 (AMBER, NO GLARE).....	\$155.00
GORILLA (GREEN).....	\$ 88.00
GORILLA (AMBER).....	\$ 94.00
TAXAN 100 (GREEN).....	\$125.00
TAXAN 105 (AMBER).....	\$129.00

MONITOR INTERFACES

VIDEO PLUS.....	\$24.95
(COLOR OR MONOCHROME)	
PURCHASED WITH MONITOR.....	\$20.95
VIDEO PLUS IIM.....	\$26.95
(MONOCHROME FOR COLOR II)	
PURCHASED WITH MONITOR.....	\$21.95
VIDEO PLUS IIC.....	\$39.95
(COLOR FOR COLOR II)	
PURCHASED WITH MONITOR.....	\$31.95

KEYBOARD

SUPER PRO BY MARK DATA.....	\$56.95
(NOT FOR COCO II)	
ADAPTER (FOR POST — 10/82 COCO).....	\$ 3.95

VOLKSMODEM AND CABLE Plus VIP TERMINAL

****SALE!** \$105.50 **SALE!****

DISKS

ELEPHANT SSSD.....	\$19.00
ELEPHANT SSDD.....	\$21.00
ELEPHANT DSDD.....	\$26.00
BASF QUALIMETRIC SSDD.....	\$20.00
BASF QUALIMETRIC DSDD.....	\$23.00

TAPES

C-10 (ONE DOZEN).....	\$7.50
TWO OR MORE DOZEN.....	\$7.00/DOZ

DISK STORAGE

FLIPN'FILE 10.....	\$ 5.45
FLIPN'FILE 25.....	\$23.95
FLIPN'FILE 50.....	\$29.95
DISK BANK 5 (HOLDS 50).....	\$12.95

JOYSTICKS/ADAPTERS

WICO JOYSTICK ADAPTER.....	\$17.95
WICO ANALOG JOYSTICK.....	\$38.95
(NO ADAPTER REQUIRED)	
(BIG BAT HANDLE — RUGGED!)	

Look at These Discounts and Compare...Remember WE PAY SHIPPING!

SOFTWARE PRICES SHOWN ARE **20% OFF** LIST PRICE!

SPECTRAL ASSOCIATES

	T	D
▶ CRYSTAL CASTLES.....	\$19.95	\$22.35
▶ GALAGON.....	\$19.95	\$22.35
▶ PENGON.....	\$19.95	\$22.35
▶ COLOR PANIC.....	\$19.95	\$22.35
▶ CUBIX.....	\$19.95	\$22.35
▶ LANCER.....	\$19.95	\$22.35
▶ MS GOBBLER.....	\$19.95	\$22.35
▶ WHIRLYBIRD RUN.....	\$19.95	\$22.35
▶ LUNAR ROVER PATROL.....	\$19.95	\$22.35

COMPUTERWARE

	T	D
* SAM SLEUTH (64K).....	\$19.95	\$22.35
▶ MR. DIG.....	\$22.35	\$24.75
▶ JUNIOR'S REVENGE.....	\$23.15	\$25.55
▶ RANDOM BASIC (OS-9).....		\$60.00
▶ COLOR BASIC COMPILER.....		\$31.95
▶ 64K SCREEN EXPANDER (64K).....	\$19.95	\$22.35
* THE SOURCERER (R DOS).....	\$27.95	\$31.95
▶ THE SOURCERER (OS-9).....		\$31.95
▶ MACRO ASSEMBLER & XREF (R DOS).....	\$39.95	
▶ MACRO ASSEMBLER & XREF (OS-9).....		\$39.95
▶ COLOR EDITOR.....	\$19.95	\$23.95
▶ COLOR MONITOR.....	\$19.95	\$22.35
▶ MOON HOPPER.....	\$19.95	\$22.35
▶ BLOC HEAD (Q-BERT).....	\$21.55	\$23.95
▶ DOODLE BUG (LADY BUG).....	\$19.95	\$22.35
▶ GRAN PRIZ.....	\$17.55	\$21.55

SOFT LAW

T & D INCLUDED

◻ VIP WRITER (INC. SPELLER!).....	\$55.95	---
◻ VIP SPELLER.....	\$39.95	---
◻ VIP CALC.....	\$55.95	---
◻ VIP TERMINAL.....	\$39.95	---
◻ VIP DATA BASE.....	\$47.95	(DISK)
◻ VIP DISK-ZAP.....	\$39.95	(DISK)
◻ VIP INTEGRATED LIBRARY.....	\$119.00	(DISK)

COGNITEC

	T	D
◻ TELEWRITER 64.....	\$39.95	\$47.95

ELITE SOFTWARE

	T	D
◻ ELITE-WORD.....	\$47.95	\$47.95
◻ ELITE-WORD/SPEL.....		\$59.95
◻ ELITE-SPEL.....		\$23.95
◻ ELITE-CALC.....	\$47.95	\$47.95
◻ ELITE-FILE.....		\$59.60
◻ ENTIRE LIBRARY (DISK).....		\$157.00

DEFT SYSTEMS

	T	D
DEFT PASCAL.....		\$63.95
DEFT BENCH.....		\$39.95
DEFT PASCAL WORKBENCH.....		\$95.95

SPECIAL SALE!
30% OFF

PRICKLY-PEAR SOFTWARE

	T	D
* MODEM MASTER.....		\$17.45
* SUPER SCROLL (64K).....	\$17.45	\$17.45
* COLOR DISK TRIVIA.....		\$20.95
▶ BIBLE.....		\$13.95
▶ ENTERTAINMENT.....		\$13.95
▶ SPORTS.....		\$13.95
▶ CHILDREN.....		\$13.95
▶ JUMBO JET.....	\$17.45	\$20.95
▶ MUSIC READER.....	\$24.45	\$27.95
* ERLAND.....	\$17.45	\$20.95
▶ TRAVELIN TOAD.....	\$17.45	\$20.95
▶ OCKYWOKY.....	\$17.45	\$20.95
▶ ADVENTURE IN WONDERLAND.....	\$17.45	\$20.95
▶ THE DISK MANAGER.....		\$20.95
▶ THE DISK MASTER.....		\$17.45
▶ COLORKIT (Programming Utility).....	\$24.45	\$27.95
▶ FLIGHT.....	\$13.95	\$17.45

TOM MIX

	T	D
▶ THE SAILORMAN (64K).....	\$23.95	\$27.95
▶ PAC PANIC.....	\$19.95	\$22.35
▶ QUIX.....	\$19.95	\$22.35
▶ WORLDS OF FLIGHT.....	\$23.95	\$26.35
▶ SKRAMBLE.....	\$19.95	\$22.35
▶ SR-71.....	\$23.15	\$25.55
▶ CU'BER.....	\$22.35	\$24.75
▶ BUZZARD BAIT.....	\$22.35	\$24.75
▶ AIR TRAFFIC CONTROLLER.....	\$23.15	\$25.55
▶ SPACE SHUTTLE.....	\$23.15	\$25.55
▶ THE KING.....	\$21.55	\$23.95
▶ COLOR GOLF.....	\$14.35	---
▶ TAPE TO DISK.....	\$14.35	---
▶ SCREEN PRINT ROUTINE.....	\$15.95	\$17.55
(Specify Printer)		

ADVENTURE INTERNATIONAL

	T	D
* FIRE COPTER.....	\$19.95	---
* SAIGON: THE FINAL DAYS.....	\$19.95	---
* EARTHQUAKE.....	\$19.95	---
* AIRLINE.....	\$19.95	---
▶ SEA DRAGON.....	\$27.95	---
▶ TRIAD.....	\$27.95	---
▶ DISKEY (Utility To Examine And Repair Disks, Plus Computer Diagnostics).....		\$39.95

B5 SOFTWARE

	T	D
MONEY.....	\$15.95	---
BORROW.....	\$15.95	---
CARRY.....	\$15.95	---
MATH FACT.....	\$13.55	---
ABC'S.....	\$ 7.95	---
ALL.....	\$64.00	---

PROGRAMMERS INSTITUTE

	T	D
▶ COMPLETE PERSONAL ACCOUNTANT — (1,2&3).....	\$59.95	\$63.95

NOTE: ALL SALES FINAL. NO RETURNS UNLESS DEFECTIVE. ADDITIONAL LISTINGS IN OUR FREE CATALOG — CALL OR WRITE.

*Requires 16K Ext. Basic Minimum. ▶Requires 32K Ext. Basic Minimum. ◻We Recommend 32K or 64K. Others 16K Ext. Std. Basic Minimum.

WE PAY SHIPPING TO U.S.A., CANADA, AND MEXICO.
C.O.D. ADD \$2.00 (U.S.A. ONLY). ALLOW 2 WEEKS
FOR CHECKS TO CLEAR. NO P.O. BOXES! MUST
HAVE STREET ADDRESS. SHIPPING — OTHER
COUNTRIES: ADD \$2.00 EACH SOFTWARE ITEM AND
EACH JOYSTICK. ADD \$5.00 EACH ALL OTHER ITEMS
(NO MONITORS OR PRINTERS SHIPPED OUTSIDE
U.S.A.). ITEMS ARE SHIPPED AIR MAIL. PRICES
SUBJECT TO CHANGE WITHOUT NOTICE.

ENDICOTT
Computer Software And Accessories
2806-A S. MEMORIAL PARKWAY
HUNTSVILLE, ALABAMA 35801
VISIT OUR STORE
PRICES IN AD ARE MAIL ORDER ONLY.

PHONE ORDERS
205/536-4400
(PHONE OPEN 7 DAYS A WEEK)



WE PAY SHIPPING!



0F8F 81	30	02500 L3	CMPA 0030
0F91 25	E9	02510	BLO L0
0F93 81	39	02520	CMPA 0039
0F95 22	E5	02530	BHI L0
0F97 8D	A30A	02540	JSR SCREEM
0F9A 80	30	02550	SUBA 0030
0F9C 0D	06	02560	TST <SCL
0F9E 26	04	02570	BNE L4
0FA0 97	06	02580 L6	STA <SCL
0FA2 20	D8	02590	BRA L0
0FA4 C6	0A	02600 L4	LDB 000A
0FA6 9B	06	02610 L5	ADDA <SCL
0FAB 5A		02620	DECB
0FAD 26	FB	02630	BNE L5
0FAB 20	F3	02640	BRA L6
		02650 *	
		02660 *	This is the main entry for printing text on printer.
		02670 *	
0FAD 9E	02	02700 6D	LDX <BUST
		02701 *	
		02702 *	Start address of current line to be printed is stored
		02703 *	at SCL, no. of characters that can be printed within
		02704 *	selected line width and margin is determined and is
		02705 *	stored at CLW.
		02706 *	
0FAF 9F	06	02710 LP99	STX <SCL
0FB1 5F		02720	CLRB
0FB2 A6	00	02730 LP1	LDA ,X+
0FB4 27	20	02740	BEQ STORE
0FB6 81	0D	02750	CMPA 000D CR?
0FB8 27	24	02760	BEQ STORE
0FBA 5C		02770	INCB
0FBB D1	09	02780	CMPB <LW
0FBD 26	F3	02790	BNE LP1
0FBE 30	1F	02800	LEAX -1,X
0FC1 81	20	02810 LP2	CMPA 0020 SPACE?
0FC3 27	19	02820	BEQ STORE
0FC5 81	2E	02830	CMPA 002E PERIOD?
0FC7 27	15	02840	BEQ STORE
0FC9 81	21	02850	CMPA 0021
0FCB 27	11	02860	BEQ STORE
0FCD 81	3B	02870	CMPA 003B
0FCF 27	0D	02880	BEQ STORE

0FD1 81	2D	02890	CMPA 002D
0FD3 27	09	02900	BEQ STORE
0FD5 81	3F	02910	CMPA 003F
0FD7 27	05	02920	BEQ STORE
0FD9 A6	02	02930	LDA ,X
0FDB 5A		02940	DECB
0FDC 20	E3	02950	BRA LP2
0FDE D7	0A	02960	STORE STB <CLW
		02970 *	
		02980 *	Main routine for printing a line on printer.
		02990 *	
0FE0 C6	FE	03000	LDB 00FE Device #2
0FE2 D7	6F	03010	STB <6F
0FE4 9E	06	03020	LDX <SCL
		03021 *	Print specified left margin if any.
0FE6 D6	00	03030	LDB <MARGIN
0FE8 27	00	03040	BEQ LP4
0FEA 86	20	03050	LDA 0020
0FEC BD	A2BF	03060 LP3	JSR PRNTR
0FEF 5A		03070	DECB
0FF0 26	FA	03080	BNE LP3
0FF2 D6	0A	03090 LP4	LDB <CLW
0FF4 A6	00	03100 LP13	LDA ,X+
0FF6 81	00	03110	CMPA 0000
0FF8 27	4B	03120	BEQ LP5
0FFA 81	0D	03130	CMPA 000D
0FFC 26	25	03140	BNE LP6
		03150 *	
		03160 *	This routine sends line feeds equal to spacing selected,
		03170 *	after printing each line.
		03180 *	
0FFE D6	00	03190 LP14	LDB <SPACE
1000 26	01	03200	BNE LP7
1002 5C		03210	INCB
1003 86	0D	03220 LP7	LDA 000D
1005 BD	A2BF	03230	JSR PRNTR
1008 0C	0C	03240	INC <LCP
100A 96	0C	03250	LDA <LCP
100C 81	3C	03260	CMPA 003C 60 LINES?
100E 27	05	03270	BEQ LP8
1010 5A		03280	DECB
1011 26	F0	03290	BNE LP7
1013 20	9A	03300	BRA LP99
		03310 *	
		03320 *	This routine skips six lines after printing sixty lines
		03330 *	on each page and goes to new page.
		03340 *	
1015 C6	06	03350 LP8	LDB 00 6 BLANK LINES.
1017 86	0D	03360 LP10	LDA 000D
1019 BD	A2BF	03370	JSR PRNTR
101C 5A		03380	DECB
101D 26	F8	03390	BNE LP10
101F 0F	0C	03400	CLR <LCP
1021 20	8C	03410	BRA LP99
		03420 *	This routine prints one character at a time on printer.
		03430 *	Check is made for special printer commands for underlining.
		03440 *	
1023 81	20	03450 LP6	CMPA 0020
1025 27	16	03460	BEQ LP11
1027 81	3C	03470	CMPA 003C (?)
1029 26	07	03480	BNE LP12
102B 86	1B	03490	LDA 001B
102D BD	A2BF	03500	JSR PRNTR
1030 86	45	03510	LDA 0045
1032 81	3E	03520 LP12	CMPA 003E ??
1034 26	07	03530	BNE LP11
1036 86	1B	03540	LDA 001B
1038 BD	A2BF	03550	JSR PRNTR
103B 86	52	03560	LDA 0052
103D BD	A2BF	03570 LP11	JSR PRNTR
1040 5A		03580	DECB
1041 26	B1	03590	BNE LP13
1043 20	B9	03600	BRA LP14
		03610 *	
		03620 *	This routine sends final carriage return, changes device
		03630 *	code to screen and returns to main menu.
		03640 *	
1045 86	0D	03650 LP5	LDA 000D
1047 BD	A2BF	03660	JSR PRNTR
104A 0F	6F	03670	CLR <6F
104C 16	FEA9	03680	LBRA FIN1
		03690 *	
		03700 *	Load from cassette tape routine.
		03710 *	BREAK key will abort routine and will return to main menu.
		03720 *	
104F BD	A92B	03730 CLOAD	JSR CLS
1052 30	BD 0667	03740	LEAX MESS,PCR
1056 17	FE2F	03750	LBRS PRINT
1059 BD	A1C1	03760 WAIT2	JSR INKYS
105C 27	FB	03770	BEQ WAIT2

• RADIO SHACK™ COLOR COMPUTER

ADVANCED MATH PROGRAMS

for

ENGINEERS • PHYSICISTS • STUDENTS

FUNCTION GRAPHING MODULE 16K EXT-\$19.95

- * HIGH RESOLUTION GRAPHS
- * GRAPH ANY FUNCTION — 4 AT ONCE
- * PARAMETERS EASY TO CHANGE
- * AUTO-SCALING OPTIMIZES GRAPH SIZE
- * COMPUTE FUNCTION VALUES & ZEROS
- * INTERSECTION OF FUNCTIONS
- * COMPLETE MANUAL — PROGRAM ON TAPE

CALCULUS MATH MODULE 32K EXT-\$37.95

- * INCLUDES THE GRAPHING MODULE ABOVE
- * LOAD UP 9 FUNCTIONS AT ONCE
- * FIND AND COMPUTE MAXIMA & MINIMA
- * NUMERIC INTEGRATION & DIFFERENTIATION
- * COMPOSITE AREAS
- * HANDLES PIECEWISE CONTINUOUS FUNCTIONS
- * HARD COPIES OF DATA AND/OR GRAPH
- * COMPLETE MANUAL — ON TAPE OR DISK



CALCSOFT
P.O. BOX 401
ST. ANN, MO 63074



SEND CHECK OR MONEY ORDER
Add \$2.00 for shipping


```

105E B1 03 #3780 CMPA #003
1060 1027 FE94 #3790 LBEO FINI
#3800 *
#3810 * Tape load routine is similar to that in Oct.83 Rainbow
#3820 * page 84
#3830 *
1064 C6 FF #3840 LDB #FFF Select motor on.
1066 17 00B8 #3850 LBSR MOTOR
1069 1026 0286 #3860 LBNE ERROR
106D AE 8D #49E #3870 LDX #NAME,PCR
1071 86 49 #3880 LDA #49 Select input from tape.
1073 C6 FF #3890 LDB #FFF Select on screen.
1075 17 01C9 #3900 LBSR COPEN
1078 1026 0277 #3910 LBNE ERROR
107C 9E 04 #3920 LDX <BUFE
107E 17 0210 #3930 LOOP4 LBSR CINPUT
1081 1026 026E #3940 LBNE ERROR
1085 A7 80 #3950 STA ,I+
1087 4D #3960 TSTA
1088 26 F4 #3970 BNE LOOP4
108A 30 1F #3980 LEAX -1,X
108C 9F 04 #3990 STX <BUFE
108E 17 01E0 #4000 LBSR CCLOSE
1091 1026 025E #4010 LBNE ERROR
1095 C6 00 #4020 LDB #00 Select motor off.
1097 17 008A #4030 LBSR MOTOR
109A 1026 0255 #4040 LBNE ERROR
109E 16 FE57 #4050 LBRA FINI

```

```

#4060 *
#4070 * Routine for user input of tape/disk filename.
#4080 *

```

```

10A1 BD A928 #4090 NAME JSR CLS
10A4 BE 020D #4100 LDX #20D
10A7 CC 2055 #4110 LDD #2055
10AA A7 00 #4120 LOOP2 STA ,I+
10AC 5A #4130 DECB
10AD 26 F8 #4140 BNE LOOP2
10AF 86 011A #4150 LDA #11A
10B2 34 02 #4160 PSMS A
10B4 86 FF #4170 LDA #FFF Set the alpha lock for
10B6 B7 011A #4180 STA #11A Capital letter filename.
10B9 38 8D #46E #4190 PEDD LEAX MES,PCR
10BD 17 FDC8 #4200 LBSR PRINT
10C0 BD A793 #4210 JSR #A793 Get name.
10C3 D1 00 #4220 CMPB <LENGTH Valid length?
10C5 2E F2 #4230 BGT REDD Do it again if invalid.
10C7 35 04 #4240 PULS B Reset the
10C9 F7 011A #4250 STB #11A alpha lock.
10CC 39 #4260 RTS

```

```

#4270 *
#4280 * Routine to save text on cassette tape.
#4290 * See Oct 83 Rainbow page 84
#4300 *

```

```

10CD C6 09 #4310 CSAVE LDB #9
10CF D7 00 #4320 STB <LENGTH
10D1 8D CE #4330 BSR NAME
10D3 38 8D #5E6 #4340 LEAX MES,PCR
10D7 17 FDAE #4350 LBSR PRINT
10DA BD A1C1 #4360 WAIT4 JSR #A1C1
10DD 27 FB #4370 BEQ WAIT3
10DF 81 03 #4380 CMPA #003
10E1 1027 FE13 #4390 LBEO FINI
#4400 * Main CSAVE routine.
10E5 C6 FF #4410 LDB #FFF Select motor on.
10E7 8D 38 #4420 BSR MOTOR
10E9 1026 0286 #4430 LBNE ERROR
10ED 8E 020D #4440 LDX #20D Point at name.
10F0 86 4F #4450 LDA #4F Select output to tape.
10F2 C6 FF #4460 LDB #FFF Select on screen.
10F4 17 014A #4470 LBSR COPEN
10F7 1026 01FB #4480 LBNE ERROR
10FB 9E 02 #4490 LDX <BUFE
10FD A6 00 #4500 CLOOP LDA ,X+ Read a character.
10FF 4D #4510 TSTA
1100 27 09 #4520 BEQ SOUT
1102 17 017C #4530 LBSR CSTPRT
1105 1026 01EA #4540 LBNE ERROR
1109 20 F2 #4550 BRA CLOOP
110B 17 0173 #4560 SOUT LBSR CSTPRT
110E 1026 01E1 #4570 LBNE ERROR
1112 17 015C #4580 LBSR CCLOSE
1115 1026 01DA #4590 LBNE ERROR
1119 C6 00 #4600 LDB #00 Select motor off.
111B 8D 07 #4610 BSR MOTOR
111D 1026 01D2 #4620 LBNE ERROR
1121 16 FDD4 #4630 LBRA FINI

```

```

#4640 *
#4650 * This routine turns cassette motor on or off (B=0 : off)
#4660 *

```

```

1124 17 01A7 #4670 MOTOR LBSR BEGIN
1127 5D #4680 TSTB
1128 26 06 #4690 BNE MOTORN
112A BD A7EB #4700 JSR #A7EB Motor off.

```

```

112D 16 01C7 #4710 LBRA L21
1130 BD A7CA #4720 MOTORN JSR #A7CA Motor on.
1133 16 01C1 #4730 LBRA L21

```

```

#4740 *
#4750 * Routine to process cassette file name.
#4760 *

```

```

1136 D7 68 #4770 CNAME STB #68
1138 CE 01D1 #4780 LDU #1D1
113B 6F C0 #4790 CLR ,U+
113D C6 20 #4800 LDB #20
113F E7 C0 #4810 CLEAR STB ,U+
1141 1183 01DA #4820 CMPU #1DA
1145 25 F8 #4830 BLO CLEAR
1147 CE 01D2 #4840 LDU #1D2
114A E6 00 #4850 PNAME LDB ,X+
114C C1 20 #4860 CMPB #20
114E 25 0B #4870 BLO RETURN
1150 E7 C0 #4880 STB ,U+
1152 7C 01D1 #4890 INC #1D1
1155 1183 01DA #4900 CMPU #1DA
1159 25 EF #4910 BLO PNAME
115B 39 #4920 RETURN RTS

```

```

#4930 *
#4940 * Abort save on tape/disk routines if text buffer is empty.
#4950 *

```

```

115C BD A928 #4960 NOTXT JSR CLS
115F 30 8D #40C #4970 LEAX ERNES,PCR
1163 17 F022 #4980 LBSR PRINT
1166 BD A1C1 #4990 WAIT4 JSR #A1C1
1169 27 FB #5000 BEQ WAIT4
116B 16 FDBA #5010 LBRA FINI

```

```

#5020 *
#5030 * Exit to basic with a cold start restoring interrupts and
#5040 * alpha lock.
#5050 *

```

```

116E 0F 71 #5060 EXIT CLR #71
1170 7E A027 #5070 JMP QUIT

```

```

#5080 *
#5090 * Save on tape/disk routines.
#5100 *

```

```

1173 34 02 #5110 SAVE PSMS A
1175 DC 04 #5120 LDD <BUFE
1177 93 02 #5130 SUBD <BUFE
1179 27 E1 #5140 BEQ NOTXT
117B 35 02 #5150 PULS A
117D 81 0A #5160 CMPA #10

```

"Good Memory Database"

(FROM 9/84 RAINBOW REVIEW). CALL FOR FREE REPRINT!

DISK & PRINTER ARE OPTIONAL IN THE SUPER-FRIENDLY DO-FILE SYSTEM: NEEDS ONLY TAPE, 32K & EXT. BASIC. ALL WORK DONE IN MEMORY. NO PROGRAMMING REQUIRED TO BUILD HOUSEHOLD INVENTORY, WINE LIST, ANY LIST. YOU DESIGN YOUR OWN RECORDS. AND - YOU DON'T HAVE TO GET IT RIGHT THE FIRST TIME. EXPAND ANY FIELD. ADD NEW FIELDS - WITHOUT LOSING ANY EXISTING DATA. CREATE, REMOVE AND CHANGE RECORDS - SEARCH, SORT, LIST AND TOTAL THEM - LOAD AND SAVE FILES USING CASSETTE OR DISK (OR BOTH). DISPLAY YOUR RECORDS ON THE SCREEN AND/OR PRINTER IN ORIGINAL OR SORTED SEQUENCE (OR BOTH). SELECT AND SORT (ASCENDING OR DESCENDING) RECORDS ON UP TO 3 FIELDS. YOUR FILES CAN BE AS BIG AS 16,500 CHARACTERS. DO-FILE HAS EASY, ONE-KEY COMMANDS AND A HELP MENU, TOO. IT IS EVEN DESIGNED TO PROTECT YOU FROM MAKING MISTAKES! DO-FILE IS EDUCATIONAL - YOU LEARN FILE MANAGEMENT USING A 35-PAGE TUTORIAL GUIDE & SAMPLE DATA FILE!

CALL FREE! 1-800-334-0854, EXT. 856. TO ORDER. OR, SEND \$29.95 (CHECK OR MONEY ORDER) PLUS \$2.00 FOR POSTAGE/HANDLING (PA RESIDENTS ADD \$1.92 TAX), TO:

SOLID

SOFTWARE



P.O. Box 712 • Levittown, PA 19058


```

117F 1027 FF4A 05170 LBEQ CSAVE
05180 *
05190 * Disk save routines. Refer to July 83 Rainbow page 71
05200 *

1183 8D 2E 05210 BSR SETUP
1185 17 008D 05220 LBSR LABEL
1188 0E 02D0 05230 LDX #2D0
118B 108E 01FF 05240 LDY #1FF
118F 86 4F 05250 LDA #4F
1191 C6 01 05260 LDB #01
1193 17 00C9 05270 LBSR OPEN
1196 26 56 05280 BNE GOOFED
1198 30 8D 0532 LEAX BUFF,PCR
119C A6 80 05300 WRITE LDA ,X+
119E C6 01 05310 LDB #01
11A0 17 00E5 05320 LBSR DSKPRT
11A3 26 49 05330 BNE GOOFED
11A5 B1 00 05340 CMPA #0
11A7 26 F3 05350 BNE WRITE
11A9 C6 01 05360 LDB #01
11AB 17 00CA 05370 LBSR CLOSE
11AE 26 3E 05380 BNE GOOFED
11B0 16 FD45 05390 LBRA FINI
05400 *
05410 * Routine to setup one buffer and verify on.
05420 *

11B3 C6 01 05430 SETUP LDB #01
11B5 8D 69 05440 BSR FILES
11B7 C6 01 05450 LDB #01
11B9 17 00EB 05460 LBSR VERIFY
11BC 39 05470 RTS
05480 *
05490 * Routine to load a disk data file.
05500 *

11BD 8D F4 05510 LOAD BSR SETUP
11BF 8D 54 05520 BSR LABEL
11C1 8E 02D0 05530 LDX #2D0
11C4 108E 01FF 05540 LDY #1FF
11C8 86 49 05550 LDA #49
11CA C6 01 05560 LDB #01
11CC 17 0090 05570 LBSR OPEN
11CF 26 1D 05580 BNE GOOFED
11D1 9E 04 05590 LDX <BUFEN
11D3 C6 01 05600 READ LDB #01
11D5 17 00C4 05610 LBSR INPUT
11D8 26 14 05620 BNE GOOFED
11DA A7 80 05630 STA ,X+
11DC B1 00 05640 CMPA #0
11DE 26 F3 05650 BNE READ
11E0 30 1F 05660 LEAX -1,X
11E2 9F 04 05670 STX <BUFEN
11E4 C6 01 05680 LDB #01
11E6 17 008F 05690 LBSR CLOSE
11E9 26 03 05700 BNE GOOFED
11EB 16 FD0A 05710 LBRA FINI
11EE 34 04 05720 GOOFED PSHS B
11F0 BD A928 05730 JSR CLS
11F3 35 04 05740 PULS B
11F5 30 8D 0318 05750 LEAX ERRMSG,PCR
11F9 17 FC8C 05760 LBSR PRINT
11FC 86 2F 05770 LDA #2F
11FE 4C 05780 ERR INCA
11FF C0 0A 05790 SUBB #0A
1201 24 F8 05800 BCC ERR
1203 C8 3A 05810 ADDB #3A
1205 BD A30A 05820 JSR #A30A
1208 1F 98 05830 TFR B,A
120A BD A30A 05840 JSR #A30A
120D BD A1C1 05850 LLI JSR INKYS
1210 27 FB 05860 BEQ LLI
1212 16 FCE3 05870 LBRA FINI
05880 *
05890 * Routine to process disk filename.
05900 *

1215 34 34 05910 LABEL PSHS B,X,Y
1217 C6 00 05920 LDB #00
1219 D7 00 05930 STB <LENGTH
121B 17 FE83 05940 LBSR NAME
121E 35 B4 05950 PULS PC,B,X,Y
05960 * Routine to setup disk system memory.

1220 17 00AB 05970 FILES LBSR BEGIN
1223 34 04 05980 PSHS B
1225 BD CA38 05990 JSR #CA38
1228 35 04 06000 PULS B
122A F7 0958 06010 STB #958
122D CE 0928 06020 LDU #928
1230 BE 0989 06030 LDX #989
1233 6F 04 06040 DOBUF CLR ,X
1235 AF C1 06050 STX ,U++
1237 30 89 0119 06060 LEAX #119,X
1238 5A 06070 DECB
123C 22 F5 06080 BHI DOBUF
123E 16 00B6 06090 LBRA L21
06100 * Routine to open cassette file.
06110 COPEN LBSR BEGIN
1244 17 FEEF 06120 LBSR CNAME
1247 81 49 06130 CMPA #49


```

```

1249 27 07 06140 BEQ OPENI
124B 81 4F 06150 CMPA #4F
124D 27 09 06160 BEQ OPEND
124F 7E A616 06170 JMP #A616
1252 BD A629 06180 OPENI JSR #A629
1255 16 009F 06190 LBRA L21
1258 4F 06200 OPEND CLRA
1259 BD A658 06210 JSR #A658
125C 16 0098 06220 LBRA L21
06230 * Routine to open disk file.
125F 8D 6D 06240 OPEN BSR BEGIN
1261 10BF 0957 06250 STY #957
1265 34 06 06260 PSHS D
1267 8D 45 06270 BSR FNAME
1269 35 06 06280 PULS D
126B 8D C468 06290 JSR #C468
126E 16 0086 06300 LBRA L21
06310 * Routine to close cassette tape file.
1271 8D 58 06320 CCLOSE BSR BEGIN
1273 8D A437 06330 JSR #A437
1276 20 7F 06340 BRA L21
06350 * Routine to close disk file.
1278 8D 54 06360 CLOSE BSR BEGIN
127A D7 6F 06370 STB #6F
127C 8D CA53 06380 JSR #CA53
127F 20 76 06390 BRA L21
06400 * Routine to write on tape.
1281 8D 48 06410 CSTPRT BSR BEGIN
1283 BD A290 06420 JSR #A290
1286 20 6F 06430 BRA L21
06440 * Routine to write on disk.
1288 8D 44 06450 DSKPRT BSR BEGIN
128A D7 6F 06460 STB #6F
128C 8D A282 06470 JSR #A282
128F 20 66 06480 BRA L21
06490 * Routine to read tape file.
1291 8D 38 06500 CINPUT BSR BEGIN
1293 0F 70 06510 CLR #0
1295 BD A17F 06520 JSR #A17F
1298 A7 60 06530 STA #,S
129A 28 58 06540 BRA L21
06550 * Routine to read disk file.
129C 8D 30 06560 INPUT BSR BEGIN
129E D7 6F 06570 STB #6F
12A0 BD A176 06580 JSR #A176
12A3 A7 E4 06590 STA ,S
12A5 20 50 06600 BRA L21
06610 * Routine to set verify on.
12A7 8D 25 06620 VERIFY BSR BEGIN
12A9 F7 0987 06630 STB #987
12AC 28 49 06640 BRA L21
06650 * Routine to process disk filename.
12AE C6 FF 06660 FNAME LDB #FF
12B0 5C 06670 GETLEN INCB
12B1 A6 85 06680 LDA B,X
12B3 81 20 06690 CMPA #20
12B5 24 F9 06700 BCC GETLEN
12B7 6F E2 06710 CLR ,S
12B9 B6 095A 06720 LDA #95A
12BC 97 E8 06730 STA #EB
12BE CE 094C 06740 LDU #94C
12C1 B6 20 06750 LDA #20
12C3 A7 C0 06760 L22 STA ,U+
12C5 1183 0957 06770 CMPU #957
12C9 26 F0 06780 BNE L22
12CB 7E C8A4 06790 JMP #C8A4
06800 * Routine to prepare everything. (Registers, Error traps etc)
12CE 34 7A 06810 BEGIN PSHS X,Y,U,DP,A
12D0 4F 06820 CLRA
12D1 1F 80 06830 TFR A,DP
12D3 B6 018E 06840 LDA #18E
12D6 FE 018F 06850 LDU #18F
12D9 97 0E 06860 STA <DSAVE
12DB DF 11 06870 STU #11
12DD B6 7E 06880 LDA #7E
12DF 33 8D 0010 06890 LEAU ERROR,PCR
12E3 B7 018E 06900 STA #18E
12E6 FF 018F 06910 STU #18F
12E9 A6 E4 06920 LDA ,S
12EB 10DF 11 06930 STS <STACK
12EE EE 66 06940 LDU #,S
12F0 6E F0 08 06950 JMP [0,S]
06960 * Pass through this routine if error.
12F3 54 06970 ERROR LSRB
12F4 5C 06980 INCB
12F5 20 03 06990 BRA L25
07000 * Pass through this if no error.
12F7 5F 07010 L21 CLRB
12F8 20 00 07020 BRA L25
07030 * Restore registers and return to caller.
12FA 96 0E 07040 L25 LDA <DSAVE
12FC DE 11 07050 LDU #11
12FE B7 018E 07060 STA #18E
1301 FF 018F 07070 STU #18F
1304 10DE 11 07080 LDS <STACK
1307 35 7A 07090 PULS A,DP,U,Y,X

```


DATA MAN INTERNATIONAL



1-416-529-1319



GRAPHIC MASTER

is a program in a class by itself. This extremely powerful, compact program adds 30 NEW COMMANDS to any version of RS COCO BASIC. The commands are more versatile and operate up to 60 TIMES FASTER than Extended Basic. 32 software sprights, dual page flipping, vert. scroll, polygon and dye are just a few of the features you can use in your own programs.

\$42.95 (T)US

\$46.95 (D)US

\$49.95 (T)CN

\$53.95 (D)CN

Includes 60
page manual.

TEXT MASTER

is the most comprehensive and powerful text utility available for the COCO. 24 printing sizes, printer echo, key click & repeat, underlining, full English error messages, even proportional and mirror printing. If you wish you may design your own character set and keyboard layout. TEXTMASTER includes an extensive manual in a 3 ring binder.

\$25.95 (T)US

\$29.95 (D)US

\$29.95 (T)CN

\$33.95 (D)CN

LIMITED TIME SPECIAL

REQUIRES 64K

SPECIAL

Buy the DISK versions of TEXT MASTER and GRAPHIC MASTER together at a special price and get a FREE 30 MINUTE DEMO.

\$69.95 US

\$79.95 CN

INCLUDE
\$2.50
SHIPPING

**DATA MAN
INTERNATIONAL**

125 SOUTH FIFTH STREET
LEWISTON, N.Y. 14092


**DATA MAN
INTERNATIONAL**

420 FERGUSON AVE. N.
HAMILTON, ONT., L8L 4Y9

TOTALLY INTEGRATED PACKAGE

After two years on the market, we've orchestrated our software to perform for you in ways other programs can't even play second fiddle to.

The all new **Pro-Color-Series™** offers total integration between its advanced database functions, word processing, spread sheet, graphics and communications.



PRO-COLOR-FILE will listen to your spread program and create data files that can be reported and sorted even further. **PRO-COLOR-FORMS** will take data from **PRO-COLOR-FILE** and merge it with a letter for bulk mailings. It will even merge hi-res graphics from **MASTER DESIGN** for placement within a letter or form. It will send reports to a printer, screen or an ASCII text file that can then be transmitted by your communications program or read by your word processor.

Pro-Color-Series™

© 1984 by Derringer Software, Inc.

Now there's a series of programs that offers integration between the five major uses of a computer — Database, Word Processing, Spread Sheet, Communications and Graphics!

PRO-COLOR FILE *Enhanced* 2.0 \$59.95

An all new version of **PRO-COLOR-FILE** will once again leave its mark as the most flexible database in its price range for the Color Computer.

- 60 Data Fields • 1020 BYTE RECORDS • TRUE MULTI DRIVE SUPPORT
- 4000+ RECORD CAPACITY • 4 USER DEFINED DATA ENTRY SCREENS • 28 MATH EQUATIONS • IF-THEN-ELSE FUNCTIONS IN EQUATIONS • FILE-WIDE RECALCULATION • 8 USER DEFINED REPORT FORMATS • 6 USER DEFINED LABEL FORMATS • TOTAL FIELDS ON REPORTS • SUMMARIZE FIELDS • SEND REPORTS TO PRINTER, SCREEN OR TEXT FILE • FAST ML SORT (750 RECORDS IN LESS THAN 5 MINUTES) • CREATE UP TO 16 INDEXES FOR SORTING OR REPORTING RECORDS • AUTO KEY REPEAT • KEYBOARD CLICK • STORES FORMATS FOR REPEATED USE • CUSTOM SELECTION MENUS • PASSWORD PROTECTION • CREATES FILES COMPATIBLE WITH DYNACALC® •

Because of **PRO-COLOR-FILES** ability to send reports to a text file, this means you can use your favorite communications program to transmit reports to other computers or read them in with your favorite word processor for creating customized reports. You can also convert ASCII files from your favorite spread sheet program into data files that can be accessed for further reporting and analyzing. **PRO-COLOR-FILE** is also supported by the **PRO-COLOR-FILE** National Users Group with quarterly newsletters. Join the rest of the world and discover for yourself what you've been missing.

MASTER DESIGN \$29.95

This graphics program does more for you than just hi-res graphic editing. It will generate lettering in hi-res graphics that can be different sizes, skinny, bold, textured, drop shadowed, raise shadowed or tall. It will also interface with the Telewriter-64 word processor for printing hi-res displays with your letters.

As a graphics editor, it takes full advantage of all the extended BASIC hi-res graphic commands. Create boxes, circles, lines, copy displays and utilize GET and PUT features. Some added commands include mirror reflection, turn displays backwards or upside down, Squish displays, create dot patterns for shading or diagonal lines for creative backgrounds.

Special text files created with the Letter Head Utility allow you to access hi-res graphics from Telewriter-64, your own BASIC programs or **PRO-COLOR-FORMS**.

MASTER DESIGN comes with its own screen dump routine which interfaces with all popular dot matrix printers that have dot addressable graphic ability.

See reviews in:

July '84 *Rainbow*, Oct. '84 *Hot CoCo* Telewriter-64 © 1983 by Cognitac

PRO-COLOR-DIR \$21.95

Need to organize all your diskettes so you know where each program is? **PRO-COLOR-DIR** will read your directories and create a master data file that can be accessed by **PRO-COLOR-FILE** for sorting and reporting. 1000+ records can be stored on one diskette with valuable information about each program.

- DISK ID NAME • FILENAME/EXT • TYPE OF FILE • DATE CREATED • DATE UPDATED • NUMBER OF GRANS ALLOCATED • NUMBER OF SECTORS ALLOCATED AND USED • MACHINE LANGUAGE ADDRESSES •

A diskettes directory can be re-stored in the data file with old entries deleted and new ones appended automatically. You can obtain hard copies of the information and create labels of the filenames for placing on the diskette itself.

PRO-COLOR-FORMS 2.0 \$29.95

PRO-COLOR-FORMS will access data files you create with **PRO-COLOR-FILE** and merge them with a letter or place them on pre-printed forms such as statements. Any field of information from your data file can be placed anywhere and repeated as many times in the letter or on the form. You can use the built in ML text editor for creating the form or use your favorite word processor.

- DESIGN UP TO 6 FORMATS AT ONE TIME • USER DEFINED PAGE SIZE
- SUPPORTS SPECIAL PRINTER CONTROL CODES • RIGHT JUSTIFICATION • PASSWORD PROTECTION • MERGES WITH GRAPHICS FROM MASTER DESIGN •

If you use our graphics program **MASTER DESIGN**, you can merge graphics with your forms for added enhancements. Have your graphic letter head printed at the top of each letter or incorporate designs, bar graphs or any display created within the form itself.

Buy any 3 and deduct 10% — Buy all 4 and deduct 15%

Shipping: Include \$3.00 for UPS shipping, \$6.00 postal, \$12.00 overseas
Send orders to: Derringer Software, Inc. P.O. Box 5300, Florence, SC 29502-2300
VISA/MasterCard customers call: (803) 665-5676 10:00 am to 5:00 pm EDT

NEW

DYNACALC®

THE BEST SPREAD SHEET PROGRAM ON THE MARKET* \$99.95 (Includes DYNAGRAPH®)
\$89.95 IF PURCHASED WITH ANY OF THE ABOVE PROGRAMS.

1309 32 62	07100	LEAS 2,S	13BA BB 40	08070	ADDA 0140
130B 5D	07110	TSTB	13BC 39	08080	CHNGOK RTS
130C 39	07120	RTS		08090	* This routine converts back the screen byte into ASCII
	07130	* Edit routine uses video screen display area (0400-05FF)		08100	* character for placing it in the text buffer.
	07140	* to display portions of text buffer for editing.	13BD 01 FF	08110	UNCHNG CMPA 01FF
	07150	* Editor uses direct page addresses as follows:	13BF 26 03	08120	BNE NONULL
	07160	* CLW : Cursor address upon entry to new screen page.	13C1 4F	08130	CLRA
	07170	* SCL : Start of current text buffer address corresponding	13C2 20 16	08140	BRA UNOK
	07180	* to top left corner of video screen.	13C4 01 BF	08150	NONULL CMPA 01BF
	07190	* MARGIN : End of current text buffer address corresponding	13C6 26 04	08160	BNE SKIP7
	07200	* to bottom right corner of video screen.	13C8 06 0D	08170	LDA 010D
130D 0E 0400	07210	EDIT LDX 01400 First, the cursor pointer at top left corner.	13CA 20 0E	08180	BRA UNOK
1310 9F 0A	07220	STX CLW	13CC 01 40	08190	SKIP7 CMPA 0140
1312 DC 02	07230	EDIT1 LDD (BUFST	13CE 24 04	08200	BNS SKIPB
1314 DD 06	07240	NEWPGE STD (SCL	13D0 0B 60	08210	ADDA 0160
1316 C3 01FF	07250	ADDD 01FF	13D2 20 06	08220	BRA UNOK
1319 1093 04	07260	CMPP (BUFEN	13D4 01 60	08230	SKIPB CMPA 0160
131C 25 05	07270	BLO SKIP	13D6 25 02	08240	BLO UNOK
131E DC 04	07280	LDD (BUFEN	13D8 00 40	08250	SUBA 0140
1320 B3 0001	07290	SUBD 01	13DA 39	08260	UNOK RTS
1323 DD 08	07300	SKIP STD (MARGIN		08270	* This routine brings a copy of portion of the text
1325 17 00B3	07310	LBSR COPY		08280	* buffer area to the video screen.
1328 109E 0A	07320	LDY CLW	13DB 0D A920	08290	COPY JSR CLS
	07330	* This routine waits for user to press a key. Y reg. points	13DE 10BE 0400	08300	LDY 01400
	07340	* to the screen address of cursor location. The character	13E2 9E 06	08310	LDX (SCL
	07350	* and a black cursor (080) are flashed alternately until	13E4 A6 00	08320	COP1 LDA ,X+
	07360	* a key is pressed.	13E6 0D 06	08330	BSR CHANGE
132B E6 A4	07370	EDWAIT LDB ,Y	13E8 A7 A0	08340	COP2 STA ,Y+
132D 34 04	07380	PSHS B Save character on stack.	13EA 9C 00	08350	CMPI (MARGIN
132F BE 0400	07390	LDX 01400	13EC 23 F4	08360	BLS COP1
1332 BD A7D3	07400	JSR DELAY	13EE 10BC 0600	08370	CMPI 01600
1335 BD A1C1	07410	JSR INKYS	13F2 27 04	08380	BEQ COPOUT
1338 C6 00	07420	LDB 0100 Get a black cursor.	13F4 06 FF	08390	LDA 01FF
133A E7 A4	07430	STB ,Y Place it at cursor pointer.	13F6 20 F0	08400	BRA COP2
133C 0E 0400	07440	LDX 01400	13F8 39	08410	COPOUT RTS
133F BD A7D3	07450	JSR DELAY		08420	* This subroutine takes the edited text from the screen
1342 35 04	07460	PULS B Get the character from stack.		08430	* area and places it back at the proper location in the
1344 E7 A4	07470	STB ,Y Place it again at cursor pointer.		08440	* text buffer area.
1346 01 00	07480	CMPA 01 Break?	13F9 10BE 0400	08450	REVISE LDY 01400
1348 27 E1	07490	BEQ EDWAIT	13FD 9E 06	08460	LDX (SCL
134A 01 03	07500	CMPI 03 Break?	13FF A6 A0	08470	REV1 LDA ,Y+
134C 26 06	07510	BNE SKIP0	1401 0D 0A	08480	BSR UNCHNG
	07520	* Always revise the text buffer to match screen before	1403 A7 00	08490	STA ,X+
	07530	* exiting routine.	1405 9C 00	08500	CMPI (MARGIN
134E 17 00AB	07540	LBSR REVISE	1407 23 F6	08510	BLS REV1
1351 16 FBA4	07550	LBRA FIMI	1409 39	08520	RTS
	07560	* Check if any of the arrow keys is pressed.		08530	* If Y > 05FF cursor goes to top of next page in this
	07570	* Revise cursor pointer if arrow key pressed.		08540	* routine. The text buffer is always revised to match
	07580	* If cursor pointer goes beyond screen display area,		08550	* screen buffer before going to next page.
	07590	* go to next page or previous page.	140A 31 A9 FE00	08560	NITPGE LEAY -512,Y
1354 01 0A	07600	SKIP0 CMPA 010A	140E 109F 0A	08570	STY (CLW
1356 26 00	07610	BNE SKIP1	1411 0D E6	08580	BSR REVISE
1358 31 AB 20	07620	LEAY 32,Y	1413 DC 00	08590	LDD (MARGIN
135B 10BC 05FF	07630	EDCHK CMPI 05FF	1415 C3 0001	08600	ADDD 01
135F 1022 00A7	07640	LBHI NITPGE	1418 1093 04	08610	CMPP (BUFEN
1363 20 C6	07650	BRA EDWAIT	141B 1027 FEF3	08620	LBQ EDIT1
1365 01 09	07660	SKIP1 CMPA 0109	141F 16 FEF2	08630	LBRA NEWPGE
1367 26 04	07670	BNE SKIP2		08640	* If Y < 0400 the cursor goes to bottom of previous page.
1369 31 21	07680	LEAY 1,Y		08650	* The text buffer is always revised to match screen buffer
136B 20 EE	07690	BRA EDCHK		08660	* before going to previous page.
136D 01 5E	07700	SKIP2 CMPA 015E	1422 31 A9 0200	08670	PRVPGE LEAY 0200,Y
136F 26 0D	07710	BNE SKIP3	1426 109F 0A	08680	STY (CLW
1371 31 AB E0	07720	LEAY -32,Y	1429 0D CE	08690	BSR REVISE
1374 10BC 0400	07730	EDCK CMPI 0400	142B DC 06	08700	LDD (SCL
1378 1025 00A6	07740	LBLO PRVPGE	142D 03 0200	08710	SUBD 0200
137C 20 AD	07750	BRA EDWAIT	1430 1093 02	08720	CMPP (BUFST
137E 01 00	07760	SKIP3 CMPA 0100	1433 1025 FEDB	08730	LBLO EDIT1
1380 26 04	07770	BNE SKIP4	1437 16 FEDA	08740	LBRA NEWPGE
1382 31 3F	07780	LEAY -1,Y		08750	* Delete a character routine.
1384 20 EE	07790	BRA EDCK		08760	* One character at a time is deleted and the text on
	07800	* CLEAR key will branch to DELETE routine and SHIFT CLEAR		08770	* screen is moved one to the left upto the bottom right
	07810	* key will branch to INSERT routine.	143A 1F 21	08780	* corner of screen. The next character from the text buffer
1386 01 0C	07820	SKIP4 CMPA 010C	143C 30 01	08790	* area is brought to screen. All the characters in the
1388 1027 00AE	07830	LBQ DELETE	143E 0C 0600	08800	* text buffer are also moved one address down.
138C 01 5C	07840	CMPI 015C	1441 27 26	08810	DELETE TFR Y,X Get cursor pointer in X reg.
138E 1027 00FB	07850	LBQ INSERT	1443 A6 04	08820	LEAX 1,X X=X+1
	07851	* Place the edited character at cursor pointer.	1445 07 B2	08830	CMPI 01600 Is it beyond screen buffer?
1392 0D 0A	07860	BSR CHANGE	1447 01 FF	08840	BEQ DEL2 Go to DEL* if yes.
1394 A7 A0	07870	STA ,Y+	1449 26 11	08850	LDA ,X Get the character.
1396 10BC 05FF	07880	CMPI 05FF		08860	STA ,X Place it to the left.
139A 22 6E	07890	BHI NITPGE		08870	CMPI 01FF End of the text?
139C 20 0D	07900	BRA EDWAIT		08880	BNE DEL1 Goto DEL1 if not.
	07910	* This routine changes the ASCII of character for		08890	* End of text means time to revise text buffer.
	07920	* screen printing.	144B 9E 00	08900	LDX (MARGIN
139E 01 00	07930	CHANGE CMPA 0100	144D 9F 0A	08910	STX (BUFEN
13A0 26 02	07940	BNE SKS	144F 30 1F	08920	LEAX -1,X
13A2 06 FF	07950	LDA 01FF	1451 9F 00	08930	STX (MARGIN
13A4 01 0D	07960	SKS CMPA 010D	1453 34 20	08940	PSHS Y Save Video screen cursor pointer.
13A6 26 02	07970	BNE SKIP5	1455 0D A2	08950	BSR REVISE
13A8 06 BF	07980	LDA 01BF	1457 35 20	08960	PULS Y Get back the cursor pointer.
13AA 01 60	07990	SKIP5 CMPA 0160	1459 16 FECD	08970	LBRA EDWAIT
13AC 25 00	08000	BLO SKIP6		08980	* Keep on shifting characters to the left until end of
13AE 01 00	08010	BNS SKIP6		08990	* video screen buffer.
13B0 24 04	08020	CMPI 0104	145C 30 02	08970	DEL1 LEAX 2,X
13B2 00 60	08030	SUBA 0160	145E BC 0600	08980	CMPI 01600
13B4 20 06	08040	BRA CHNGOK	1461 27 06	08990	BEQ DEL2
13B6 01 40	08050	SKIP6 CMPA 0140	1463 A6 04	09000	LDA ,X
13B8 24 02	08060	BNS CHNGOK			


Introducing NuBASE: *the uncomplicated* data base

It lets you throw away all the books!

NuBASE is a data base manager so versatile that you can use it to do what you want with your data. It's not complicated or overbearing; in fact, it's so easy to use that you'll be up and running in minutes.

Simple user-specified masks insure data accuracy. Data integrity is assured through the use of highly crash-resistant software. *See what you're doing* through the interactive generation of files, screens and reports.

NuBASE is as affordable as it is complete. There's nothing else to buy... \$150 brings you the comprehensive package, including a ready-to-use mailing list application to get your NuBASE working for you on day one.



**The computing power of NuBASE
is limited only by the capacity
of your hardware.**

DO WE HAVE YOUR NAME & ADDRESS
For new products news & announcements?



Currently available for OS-9 Level II

For more information or to place an order, contact:

Dept. RB 16

The JBM Group, Inc.
Continental Business Center
Front & Ford Streets
Bridgeport, PA USA 19405
TWX: 510-660-3999

the JBM group

215-275-1777

PA res. add 6% sales tax.
US orders, add \$5.00 postage and handling.

* OS9 is a registered trademark of Microware Corp.


```

150F 0000 09800 NONAME FDB 0
1511 3C 09810 ERRMSG FCC * (Break) TO EXIT. ERROR #*
1529 0000 09820 FDB 0
152B 20 09830 MES FCC * LOAD/SAVE ROUTINE*
1541 00 09840 FCB 0
1542 20 09850 FCC * PRESS break TO EXIT*
155A 0000 09860 FDB 0
155C 20 09870 FCC * enter FILE NAME: *
156E 00 09880 FCB 0
156F 00 09890 ERMES FCB 0
1570 42 09900 FCC * BUFFER EMPTY*
157C 00 09910 FCB 0
157D 20 09920 MES1 FCC * A SIMPLE TEXT PROCESSOR*
159B 00 09930 FCB 0
1599 20 09940 FCC * BY A.K. BASARGEKAR*
15B1 0000 09950 FDB 0
15B3 20 09960 FCC * TEXT IN < > WILL BE UNDERLINED*
15D2 00 09970 FCB 0
15D3 20 09980 FCC * SELECT 1-8. HIT break FOR MENU*
15F2 0000 09990 FDB 0
15F4 20 10000 FCC * 1 - COMPOSE*
1600 00 10010 FCB 0
1601 20 10020 FCC * 2 - EDIT*
160A 00 10030 FCB 0
160B 20 10040 FCC * 3 - CLOAD*
1615 00 10050 FCB 0
1616 20 10060 FCC * 4 - DLOAD*
1620 00 10070 FCB 0
1621 20 10080 FCC * 5 - PRINT*
162B 00 10090 FCB 0
162C 20 10100 FCC * 6 - CSAVE*
1636 00 10110 FCB 0
1637 20 10120 FCC * 7 - DSAVE*
1641 00 10130 FCB 0
1642 20 10140 FCC * 8 - EXIT*
164B 00 10150 FCB 0
164C 20 10160 MES4 FCC * TOTAL LINE WIDTH = *
1660 0000 10170 FDB 0
1662 00 10180 FCB 0
1663 20 10190 FCC * LEFT MARGIN = *
1672 0000 10200 FDB 0
1674 00 10210 FCB 0
1675 20 10220 FCC * LINE SPACING = *
1685 0000 10230 FDB 0
1687 00 10240 FCB 0
1688 20 10250 FCC * TURN ON PRINTER AND enter*
16A2 0000 10260 FDB 0
16A4 20 10270 FCC * OR PRESS break TO EXIT*
16B0 00 10280 FCB 0
16BC 00 10290 FCB 0
16BD 52 10300 MES5 FCC * READY CASSETTE?*
16CC 0000 10310 FDB 0
16CE 0000 10320 BUFF RMB 0
0E00 10330 END START

```



One-Liner Contest Winner . . .

Did you ever hear the old question about whether a penny doubled each day for a month is more than a million dollars? This program gives you the true scoop on your printer.

The listing:

```

10 POKE150,42:PRINT#-2,"KING OF
THE ONE-LINERS, PENNY DBLR";CHR#
(13);"SEND PRIZE TO Lee Veal, 88
09 Linda Vista, Rowlett, TX 7508
8":A=.01:PRINT#-2:PRINT#-2,TAB(1
0)"AMOUNT";" DAY":FOR X=1TO31:PR
INT#-2,USING"$$$###,###,###.##";A
;:PRINT#-2," ";X:A=A+A:NEXT

```


Lee Veal
Rowlett, TX

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

"The Best Typing Teacher For The Color Computer"

E.T.T. Electronic Typing Teacher

by
CHERRYSoft



Learning to type the right way can save you hours of tedious work when entering programs into your CoCo, and this is just what ETT was designed to do. Devote a little time every day practicing with ETT and before you know it you will be typing with confidence. Entering those programs will no longer be the chore it used to be.

ETT's video keyboard lets you practice with all the keys labeled, all the keys blank or only the "home" keys labeled. The visual cues guide you while you learn to type without watching your fingers. ETT shows your accuracy, response time, and words per minute. You will quickly see that you are improving with practice.

With the sentences provided by ETT learning to type can be fun. Over 1000 variations chosen because they include every letter in the alphabet. You can also create your own practice sets. This outstanding program was written by a certified teacher and professional programmer and comes with a ten page student manual-study guide. Requires 16K Extended Basic.

Cassette **\$21⁹⁵** plus \$2⁵⁰ shipping

"It's fairly obvious to someone with a couple of decades of typing experience that a professional instructor was instrumental in setting up this sophisticated program. It is a serious program for the person who wants to learn to type. It is not a game by any means, but it does make learning fun."

. . . an incredible value."

RAINBOW REVIEW
JULY 1984

"We bought the program ETT from you and it is an excellent tape for drilling and learning."

ST. ISIDORE SCHOOL
NEWTON, WISCONSIN

"Just received Electronic Typing Teacher it is the best typing tutor for Color Computer — Thanks."

TOMLINSON JR. HIGH SCHOOL
FARFIELD, CONNECTICUT

ETT is now being used by schools and colleges throughout the U.S.
See E.T.T. at your favorite dealer or order direct.

DEALER INQUIRIES INVITED

SOFTWARE AUTHORS. . . Let us market your program.

CoCo Warehouse

Where Shopping By Mail is "USER FRIENDLY"

500 N. DOBSON - WESTLAND, MI 48185

Phone (313) 722-7957

This is the final part in a series on diskette file organization

The Diskette Directories Handler System

By Marvin E. Swan

The complete "Diskette Directories Handler" system is being presented in three parts. You must *RUN* program *DIR1* before *RUNning* this month's program *DIR3*.

You can refer to RAINBOW two months ago for Part 1 and a full overview of all seven comprehensive reports generated

by the *Handler* system and an explanation of program *DIR1*. You can refer to last month's RAINBOW for an explanation of program *DIR2*. To refresh your memory, here is the cross reference of all programs and reports and their *RUN* sequence:

Consolidated Directories, Report #6

This month, report #6 is generated by program *DIR3*. The purpose of report #6 is to show all programs and data files cataloged to your PC system, sequenced by name, extension, format, type, granule size, byte size and diskette name. You can look up a particular program/data filename and see where it resides and how many multiple versions you may have saved to more than one diskette. An asterisk appears under the "FLAG" column when you have different byte-sized BASIC or machine language programs of the same name, allowing you to determine the correct version to *RUN* or *EXECUTE*. This report is the nucleus of the *Handler* system, which you will reference more often than others. You can cross reference all programs/data files in your PC system giving you the ability to purge and manage your entire diskette library.

Program Name	Optional Report	Report Title	Sequenced By:
DIR0	no	DOCUMENTATION	
DIR1	yes	#1 EXTR. & LOAD DIR	your own diskette filing
DIR1	yes	#2 DISKETTE NAMES	diskette name
DIR1	yes	#3 DISKETTE USAGE	number of bytes used
DIR1	yes	#4 DISK JACKET LABELS	your own diskette filing
DIR2	yes	#5 DISK LABELS (gum)	your own diskette filing
DIR3	no	#6 CONSOLIDATION	prog/size/diskette name
DIR3	no	#7 SUMMARY (stats)	

DM001 PRETTY PRINTER WORKED FLAWLESSLY-DOES ITS WORK EFFICIENTLY- <i>THE RAINBOW JUN '84</i> US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM012 MUSIC EDITOR PRINT PLAY BY NUMBER MUSIC FOR C OR G ORGANS-ALSO AVAILABLE FOR MC10. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)
DM002 P. U. F. F. TURN ANY ASCII WORD PROCESSOR INTO A SUPER PRINTER FORMATTER. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM013 HOME INVENTORY SMALL DATABASE TO FILE, STORE & SORT LISTS OF HOUSEHOLD ITEMS. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)
DM003 DATAMAIL DATAMAIL IS FAST - FLEXIBLE <i>THE RAINBOW JULY '83</i> US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)	DM014 IN ASSEMBLY LANGUAGE A BOOK TO TEACH ASSEMBLY LANGUAGE, INCLUDES SOURCE CODE OF ALL EXAMPLES US 25.95(T)-29.95(D) CDM 29.95(T)-33.95(D)
DM004 COCOCOPY BACKUP YOUR BASIC OR M/L PROGRAMS. CORRECT TAPES WITH I/O ERRORS. US 13.95(T) CDM 15.95(T)	DM015 SCREEN+ MULTIPLE FUNCTION UTILITY-SCREEN DUMP, KEY REPEAT, AUTO LINE NUM. ETC. US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)
DM005 FIRST SAMPLER-6 PROGRAMS FUN TO PLAY AND EDUCATIONAL AS WELL- OUTSTANDING- <i>THE RAINBOW OCT'83</i> US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM016 SUPER EDIT I GIVE IT FULL MARKS - <i>THE RAINBOW JULY '84</i> US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)
DM006 CONVERT SHOWS RELATIONSHIP BETWEEN VARIOUS SYSTEMS OF MEASUREMENT-EDUCATIONAL US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM017 CLUB CONTROL SMALL DATABASE TO TRACK COMPUTER CLUB LIBRARY ACTIVITIES. US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)
DM007 AMORTISE PRINT YOUR OWN AMORTISATION CHARTS. SELL TO LAWYERS, REAL ESTATE AGENTS. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM018 MINER HI-RES ALL M/L GAME OF STRATEGY FOR THE YOUNGER CROWD - ENTERTAINING. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)
DM008 NEWERROR CREATED AND PACKAGED WITH CARE - I WAS IMPRESSED- <i>RAINBOW APRIL '84</i> US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)	DM019 PAYCHECK FINANCIAL DATABASE KEEPS TRACK OF YOUR INCOME AND DEDUCTIONS. US 20.95(D) CDM 23.95(D)
DM009 EXECCART EXTREMELY EASY TO USE - WORKED FLAWLESSLY - <i>THE RAINBOW MAY '84</i> US 16.95(T)-20.95(D) CDM 19.95(T)-23.95(D)	DM020 ADVENTURE IN BIPLAND A GREAT ONE-YOU'LL BE DELIGHTED WITH THIS PROGRAM- <i>HOT COCO SEPT. '84</i> US 13.95(T) CDM 15.95(T) 16K MC10 ONLY
DM010 THE SPOOLER SPOOLS PRINTER OUTPUT FOR ANY COCO. EXTENDED BASIC <u>NOT</u> REQUIRED. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	DM021 RAM DOS USE UPPER MEMORY LIKE A SUPER FAST DISK DRIVE. WORKS WITH 16, 32 OR 64K US 25.95(T)-29.95(D) CDM 29.95(T)-33.95(D)
DM011 BONES 16K AN ORIGINAL DICE GAME FOR THE WHOLE FAMILY-SIMPLE YET ADDICTIVE. US 13.95(T)-17.95(D) CDM 15.95(T)-19.95(D)	

Disks Directory Summary, Report #7

This report is generated by program *DIR3*. The purpose of report #7 is to show statistical and percentage totals of all your diskettes, granules, bytes, programs and data files in your system. The following statistics and percentages will print:

- * Total diskettes
- * Bytes/granules used, not used, final total
(Note that percentage between granules and bytes do not match because granules are in increments of 2,304 bytes each and bytes are absolute.)
- * Total BASIC, assembly and machine language programs
- * Total data files
- * Total multiple program versions with different byte size
- * Total diskettes with disk read errors encountered
- * Total reports you requested from *Handler* system.

The purpose of *DIR3* is to print the *Consolidated Directories* report #6 and the statistical *Disks Directory Summary* report #7. *DIR3* is automatically *RUN* by program *DIR2* if you previously selected optional report #5, otherwise it is automatically *RUN* by program *DIR1*. The entire catalog file is sorted in RAM

for the consolidation report. The sort is unique because it passes the catalog file six times, allowing for faster sorting on smaller amounts of data giving the advantage of being able to sort up to 2,100 records from disk. I strongly urge you to replace the BASIC bubble sort with a machine language sort. I purchased one advertised through RAINBOW that literally sorts in seconds. When *DIR2* is complete, be sure to back up the catalog file to an archival diskette. The following BASIC line numbers contain Epson brand printer codes that you may change to satisfy your printer brand requirements and a high speed poke for the bubble sort: 0490, 0740 and 0820.

Program *DIR0*

The purpose of *DIR0* is to give you a quick blurb on how programs *DIR1*, *DIR2* and *DIR3* integrate. It gives you a record layout of the catalog file, BASIC line numbers within all programs for high speed pokes and Epson print codes and a host of other useful information. You do not have to *RUN* this program to process the *Handler* system. *DIR0* simply prints a quick and dirty explanation of the *Handler* system when you can't find your RAINBOW for reference.

The Final Saga


I sincerely hope you enjoy using the

Handler system. My friends and I have been using it successfully for about 18 months. I am putting together a sub-system to the *Handler* system which allows you to add and delete directory information to the catalog file without having to reprocess all your diskettes again when you want to regenerate the seven reports. I am hoping RAINBOW will share it with you in the near future.

3-D Filing Cabinet With 'Windows'

If you have not been keying in the four programs, you may *CLOADM* them off the RAINBOW ON TAPE or mail a formatted diskette with \$8.50 to Marv's Computer Room, 17323 40th Avenue South, Seattle, WA 98188, and I will mail them to you. In addition to the "complete" *Handler* system, I will include a program that displays up to 15 graphic *PMODE4* windows, showing a filing cabinet with drawers that open and shut, and printer paper images with text coming out of the drawers and hanging in front of the cabinet. The *Diskette Directories Handler* system can be *RUN* from one of the four drawers. The other three drawers will surprise you. Windows are commonly used on the more expensive business micros.

All programs and documentation are copyright 1984 by Marv Swan.



140	9
260	28
440	208
610	179
750	120
END	204

Listing 1:

```
10 '[DIR3]
20 'PROGRAM 3 OF 3
30 'COPYRIGHT 1984 BY MARV SWAN
40 '
50 CLS:PRINT
60 VERIFYON:GOTO930
70 CLEAR19500
80 DD$="disks directory":L=66:T$="FILE "
90 FT$(0)="Program Basic":FT$(1)="Data File":FT$(2)="Program Mac h L":FT$(3)="Program Assy L":DIM D$(450):G$(1)="" ' TO 'B':G$(2)="" 'C' TO 'E':G$(3)="" 'F' TO 'L':G$(4)="" 'M' TO 'Q':G$(5)="" 'R' TO 'S':G$(6)="" 'T' TO 'Z':G=1
100 GOSUB690:SOUND10,3:PRINT"mak
```

```
e sure THAT THE DISK WORK FIL
E CREATED BY PROGRAM DIR1 IS
IN DRIVE 0":PRINT@224,"type FILE
NAME OF 1-8 CHARACTERSWITHOUT E
XTENSION":PRINT"....."
110 PRINT@288,"";:INPUTDI$
120 IFLEN(DI$)<1 OR LEN(DI$)>8 G
OTO100
130 I=INSTR(DI$,"/"):IFI<>0 GOTO
100
140 I=INSTR(DI$,"."):IFI<>0 GOTO
100
150 FORX=3TO11
160 DSKI$,17,X,A$,B$:F=INSTR(B$,
DI$):IFF>0THENFT=FT+1
170 F=INSTR(A$,DI$):IFF>0THENFT=
FT+1
180 NEXT
190 IFFT=0THENSOUND10,3:GOSUB690
:PRINT@128,"";DI$;" " NOT FOUND
ON DISKETTE":PRINT"press ENTER T
O retype FILE NAME":GOSUB700:GOT
O100 ELSEDI$=DI$+"DIR"
200 OPEN"I",#1,DI$:INPUT#1,DA$
210 GOSUB680:PRINT"reading inpu
t directory file ";:PRINT@129,T$
```



```

"NAME:":PRINT@140,DI$;
220 PRINT@161,T$ "DATE:":PRINT@1
72,DA$;:PRINT@193,T$ "PASS:":I$=
STR$(G):I$=RIGHT$(I$,1):PRINT@20
4,I$ " OF 6":PRINT@225,"REC # IN
":PRINT@236,"0":PRINT@257,"DA
TA IN:":PRINT@268,"NONE":PRINT
@289,"SEARCHING:":PRINT@300,"PR
EFIX "G$(G);
230 PRINT@352," records selected
for sort ":PRINT@385,"REC # OU
T:":PRINT@396,"0":PRINT@417,"D
ATA OUT:":PRINT@428,"NONE";
240 P=P+1
250 INPUT#1,R$:TT=TT+1:I$=STR$(T
T-1):I$=RIGHT$(I$,LEN(I$)-1):PRI
NT@236,I$S$;
260 IFR$="T0TALS"THENSOUND10,3:D
$(P)=R$:S$=STR$(TT-1):S$=" OF "+
RIGHT$(S$,LEN(S$)-1):IFP<>1GOTO4
30ELSE720
270 PRINT@268,LEFT$(R$,8) " "MID$
(R$,9,3);
280 A$=LEFT$(R$,1)
290 IFG=1ANDAS$<"C"GOTO410
300 IFG=1GOTO250
310 IFG=2ANDAS$>"B"ANDAS$<"F"GOTO4
10
320 IFG=2GOTO250
330 IFG=3ANDAS$>"E"ANDAS$<"M"GOTO4
10
340 IFG=3GOTO250
350 IFG=4ANDAS$>"L"ANDAS$<"R"GOTO4
10
360 IFG=4GOTO250
370 IFG=5ANDAS$>"Q"ANDAS$<"T"GOTO4
10
380 IFG=5GOTO250
390 IFA$>"S"GOTO410
400 GOTO250
410 D$(P)=LEFT$(R$,41)
420 I$=STR$(P):I$=RIGHT$(I$,LEN(
I$)-1):PRINT@396,I$;:PRINT@428,L
EFT$(R$,8) " "MID$(R$,9,3);:GOTO2
50
430 SOUND10,3:GOSUB820:GOSUB680:
I$=STR$(G):PRINT " PRINTING REPOR
T #6, PASS "RIGHT$(I$,1)"..."
440 IFG=1 THEN PT=INT((TT/57)+.9
99999999):PK=0
450 JK=0
460 IFL>60GOSUB650 ELSEGOTO530
470 PK=PK+1:IFPK<10THENTB=46ELSE
TB=45
480 IFPT>9THENTB=TB-1
490 PRINT#-2,TAB(5)DA$;TAB(16)CH

```

RESET-POWER-SWITCHES


A REAL IMPROVEMENT

Move the power switch and reset switch where they belong. An LED power on light too! High quality parts. D, E boards and CoCo 2 totally solderless kit. F board requires soldering.

Reset 1 CoCo 1 \$24.95

Reset 2 CoCo 2 \$27.95

Either kit add \$2.00 shipping and handling



SAM DIAMOND, P.I.

The first of our new Sam Diamond graphic adventures. More than 30 detailed high resolution graphic scenes. A killer is loose in the city. Can you bring him to justice before he gets you? Excellent graphics and a tough mystery to solve.

32K EXB Disk Only \$29.95
plus \$2.00 shipping and handling



THE COCO-SWITCHER

A QUALITY PIECE OF HARDWARE

The CoCo Switcher allows you to hook up three peripherals to your RS-232 jack. Connect your modem, printer and any other RS-232 compatible peripheral to the CoCo Switcher. An LED on the CoCo Switcher shows if your computer is on or off at a glance. The LED flickers when transmitting or receiving data.

Dimensions: 2 1/2" (64 mm) x 4" (102 mm) x 5 7/8" (150 mm)
\$39.95 plus \$2.00 shipping and handling



MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET
SANTA BARBARA,
CALIFORNIA 93101
(805) 962-3127

VISA


```

R$(14);"consolidated directories
";CHR$(20);TAB(TB)"page";PK;"of"
;PT
500 PRINT#-2:PRINT#-2,TAB(5)"nam
e      ext  format  type";TAB(40)
"grans  bytes  diskette name";T
AB(75)"flag"
510 PRINT#-2,TAB(5)"====      ===
=====      =====";TAB(40)"=====
=====      =====";TAB(75)"==
=="
520 L=L+4
530 JK=JK+1:R$=D$(JK)
540 IFMID$(R$,12,1)="+"THENPRINT
#-2,TAB(5)"+++++++ ++ Fatal D
isk Read Error  00      0 ";M
ID$(R$,22,20):GOTO610
550 IF MID$(R$,12,1)="B" THEN FR
MT$="Binary" ELSE FRMT$="Ascii"
560 TYPE=VAL(MID$(R$,13,1))
570 BYTES=VAL(MID$(R$,16,6))
580 IF HR$=LEFT$(R$,13) AND HBYT
E$<>MID$(R$,16,6) THEN ERR$="*":
ERR=ERR+1:GOTO600 ELSE ERR$=""
590 HR$=LEFT$(R$,13):HBYTE$=MID$
(R$,16,6)
600 PRINT#-2,TAB(5)LEFT$(R$,8);T
AB(14)MID$(R$,9,3);TAB(19)FRMT$;
TAB(27)FT$(TYPE);TAB(43)MID$(R$,
14,2);:PRINT#-2,TAB(46);:PRINT#-
2,USING"###,###";BYTES;:PRINT#-
2,TAB(55)RIGHT$(R$,20);:IF ERR$=""
" THEN PRINT#-2 ELSE PRINT#-2,TA
B(78)ERR$
610 L=L+1
620 IFJK=P-1GOTO720
630 IFL>60GOTO460
640 GOTO530
650 IFL=66GOTO670
660 PRINT#-2:L=L+1:IFL<>66GOTO66
0
670 L=0:RETURN
680 SOUND10,3
690 CLS2:PRINT@1,"PRINT CONSOLID
ATED DIRECTORIES";:PRINT@41,"PRO
GRAM 3 OF 3";:PRINT@96,"";:RETUR
N
700 I$=INKEY$:IFI$=""GOTO700ELSE
RETURN
710 FORS=1TO500:NEXTS:RETURN
720 IFG<>6THENCLOSE#1:G=G+1:P=0:
TT=0:GOTO200
730 GOSUB690:PRINT" PRINTING REP
ORT #7..."
740 GOSUB650:PRINT#-2,DA$;TAB(15
);CHR$(14);"disks directory summ
ary";CHR$(20);TAB(47)"page 1 of
1"
750 INPUT#1,T$,T

```

```

760 IFT$="1"THENPRINT#-2:GOTO750
770 IFT$="END"THENCLOSE#1:PRINT@
416,"";:END
780 IFRIGHT$(T$,7)="flagged"THEN
T=ERR
790 J=40-LEN(T$):PRINT#-2,TAB(9)
:PRINT#-2,USING"#,###,###,###";T
;:PRINT#-2,STRING$(J,".");:PRINT
#-2,T$
800 IF(RIGHT$(T$,7)="flagged"AND
ERR>0)THENI=(ERR/TT)*100:I=I+.25
:I=INT(I):PRINT#-2,TAB(9):PRINT#
-2,USING"#,###,###,###";I;:PRINT
#-2,".....percentage ver
sions flagged"
810 GOTO750
820 POKE65495,0 '<===== note
830 GOSUB690
840 FORX=1TOP-1:P1=INT((X/P)*100
):PRINT@96,P1;"% SORTED"
850 FORY=X TOP-1:IFD$(Y)<D$(X)TH
ENS1$=D$(X):D$(X)=D$(Y):D$(Y)=S1
$
860 NEXTY:NEXT X
870 PRINT@96," 100 % SORTED"
880 PRINT@160,P-1"RECORDS SORTED
"
890 IFP-1>50THENPRINT@224," WHEW
!!"
900 FORX=1TO800:NEXT
910 POKE65494,0
920 RETURN
930 PMODE0:PCLEAR1:GOTO70

```


290 41
 580 184
 760 248
 END 255

Listing 2:

```

10 '[DIR0]
20 '
30 'DOCUMENTATION FOR PROGRAMS
   DIR1, DIR2 AND DIR3
40 'RUN THIS PROGRAM AND A HARD
   COPY WILL PRINT EXPLAINING
   THE 3 PROGRAMS
50 '
60 '
70 '
80 VERIFYON:CLEAR500
90 DATA" D o c u m e n t a t i o
   n"
100 DATA" "
110 DATA"               f o r"
120 DATA" "
130 DATA"Diskette Directories Ha
   ndler"
140 DATA"Programs DIR1, DIR2 and

```

From the programmer that brought **ZAXXON*** to the Color Computer,** Moreton Bay Software proudly presents **BJORK BLOCKS.**



An incredible graphic utility! Now you can design graphics just like the masters. You can even animate! User friendly. Precision drawing. Precision color selection. Fully menu driven. Only one joystick needed for menu selection and graphic creation. Compressed data storage or load and save 6K binary files. Almost impossible to crash. Create your own graphic adventure screens. Limitless applications in communication, education and program development. Read the October review by *Rainbow's* Technical Editor.

Pictures created
with Bjork Blocks




Requires 32K Extended Basic
(64K for animation)

\$34.95 Tape or Disk

SPECIAL: Bjork Blocks and Graphicom \$55.00

DOUBLE DRIVER

The BEST monitor driver available. Color composite, monochrome and audio output. For original CoCo D, E and F boards. \$24.95



Mono II for Color Computer 2. An excellent monochrome monitor driver that has audio output also. \$24.95. **Specify model needed.**

64K UPGRADES



Pretested.
Guaranteed.

Instantly access 64K via M/L totally solderless kit to upgrade E Boards. Kit includes eight 4164 prime chips and chips U29 and U11 already soldered. E Board Kit \$69.95
Color Computer 2 kit requires soldering. \$64.95

MINI MOUTH

Add sound to your mute monitor. Hear the bells and whistles of your software again. No batteries. Solderless installation. For CoCo I D, E and F boards and CoCo 2. \$24.95



MORETON BAY SOFTWARE

A Division of Moreton Bay Laboratory



316 CASTILLO STREET
SANTA BARBARA,
CALIFORNIA 93101
(805) 962-3127



Ordering information




Add \$2.00 shipping and handling per order. We ship within 24 hours on receipt of order. Blue Label Service available. California residents add 6% sales tax.

GRAPHICOM

Buy Graphicom from us and get one of our unique picture disks free! Get our improved picture disk one also. Graphicom is an excellent graphic utility. See the *Rainbow* review. Requires 64K EXB, Disk Drive and Joy Sticks. **THREE** Disks and the manual for only \$29.95.


100% New Graphicom Picture Disks \$15.95

Caligraphy Stamp Set Disk



Adventure Disk I (indoor scenes and objects)

Adventure Disk II (outdoor scenes)



The three stamps below are very useful for shading. Each one will make two different colors depending on horizontal position. When possible, shade first then draw the outline.

1 2 3

MORE BUSINESS -Ver 3.12 The *preferred* business package. Completely interactive. General Ledger. Accounts Receivable. Accounts Payable. Customer Statements. Mailing Labels. Profit/Loss. Balance Sheet Statements. Our most powerful business package. Buy the best!

32K Disk R/S DOS \$99.95

*Zaxxon Reg TM Sega Corp.

**Color Computer Reg TM Tandy Corp.

DIR3"
 150 DATA"Copyright 1984 by Marv
 Swan"
 160 DATA" "
 170 DATA" "
 180 DATA"The Diskette Directorie
 s Handler system consists of 3 p
 rograms"
 190 DATA"that generate all your
 diskette directories information
 onto"
 200 DATA"7 comprehensive reports
 "
 210 DATA" "
 220 DATA" "
 230 DATA"Minimum computer system
 requirements:"
 240 DATA" * 32K OF RAM"
 250 DATA" * EXTENDED DISK BASIC
 260 DATA" * 1 DISK DRIVE"
 270 DATA" * 1 TAPE DRIVE"
 280 DATA" * 1 PRINTER"
 290 DATA" "
 300 DATA"Program DIR1 explanatio
 n:"
 310 DATA" * READ ALL DISKETTE D
 IRECTORIES IN YOUR SYSTEM"
 320 DATA" AND EXTRACT INFORMA

TION ABOUT ALL YOUR PROGRAMS & F
 ILES"
 330 DATA" * GENERATE TAPE WORK
 FILE OF DIRECTORIES CONTAINED ON
 ALL DISKETTES"
 340 DATA" * PRINT (OPTIONAL) 'E
 XTRACT & LOAD DIRECTORIES' REPOR
 T #1"
 350 DATA" * STORE DISKETTE NAME
 S & USAGE IN TABLE"
 360 DATA" * SORT DISKETTE NAMES
 TABLE"
 370 DATA" * PRINT (OPTIONAL) 'D
 ISKETTE NAMES' REPORT #2"
 380 DATA" * SORT DISKETTE USAGE
 TABLE"
 390 DATA" * PRINT (OPTIONAL) 'D
 ISKETTE USAGE' REPORT #3"
 400 DATA" * TRANSFER TAPE WORK
 FILE TO DISK WORK FILE ON DRIVE
 0"
 410 DATA" * READ DISK WORK FILE
 AND PRINT (OPTIONAL) DISKETTE J
 ACKET"
 420 DATA" LABEL' DIRECTORY RE
 PORT #4"
 430 DATA" * THIS PROGRAM PASSES
 THE DISK WORK FILE ON DRIVE 0 T




Mouse Technological Software For The Color Computer!

*Many Companies call their
Home and Business Software
User Friendly . . .*

ONLY ONE CALLS IT

Child's Play™

COMING
SOON!



Send for
FREE Catalog

TCE BUSINESS DIVISION
 P.O. BOX 2477
 GAITHERSBURG, MD 20879
 1-(301) 963-3848




```

0 PROG DIR2 AND/OR DIR3"
440 DATA" * THIS PROGRAM LINKS
AND CALLS UP PROGRAM DIR2 OR DIR
3 ON DRIVE 0"
450 DATA" "
460 DATA"Program DIR2 explanatio
n:"
470 DATA" * THIS PROGRAM IS RUN
AFTER PROGRAM DIR1"
480 DATA" * READ DISK WORK FILE
GENERATED BY PROGRAM DIR1 FROM
DRIVE 0"
490 DATA" * PRINT 'DISKETTE GUM
LABELS' REPORT #5"
500 DATA" * THIS PROGRAM LINKS
AND CALLS UP PROGRAM DIR3 ON DRI
VE 0"
510 DATA" "
520 DATA"Program DIR3 explanatio
n:"
530 DATA" * THIS PROGRAM IS RUN
AFTER DIR1 OR DIR2"
540 DATA" * READ DISK WORK FILE
GENERATED BY PROGRAM DIR1"
550 DATA" * SORT DISK WORK FILE
, IN RAM, TO PROGRAMS & FILES SE
QUENCE"
560 DATA" * PRINT 'CONSOLIDATED
DIRECTORIES' REPORT #6"
570 DATA" * PRINT 'DISKS DIRECT
ORY SUMMARY' REPORT #7"
580 DATA" "
590 DATA"record layout of tape w
ork file & disk work file:"
600 DATA" * RECORD SIZE = 42 BY
TES"
610 DATA" * 01-08 = 08 BYTE = N
AME OF PROGRAM OR DATA FILE"
620 DATA" * 09-11 = 03 BYTE = E
XTENSION"
630 DATA" * 12-12 = 01 BYTE = F
ILE FORMAT CODE"
640 DATA" *
A = ASCII"
650 DATA" *
B = BINARY"
660 DATA" * 13-13 = 01 BYTE = F
ILE TYPE CODE"
670 DATA" *
0 = BASIC PROGRAM"
680 DATA" *
1 = DATA FILE"
690 DATA" *
2 = MACHINE LANGUAGE PROGRAM"
700 DATA" *
3 = ASSEMBLY LANGUAGE PROGRAM"
710 DATA" * 14-15 = 02 BYTE = N
UMBER OF GRANULES"
720 DATA" * 16-21 = 06 BYTE = N

```

```

UMBER OF BYTES"
730 DATA" * 22-41 = 20 BYTE = N
AME OF DISKETTE"
740 DATA" * 42-42 = 01 BYTE = S
PECIAL CODE USED BY PROGRAM DIR1
"
750 DATA" *
'X' IDENTIFIES EVERY OTHER DISK
ETTE DURING DIR1 AND DIR2"
760 DATA" "
770 DATA"Printer brands:"
780 DATA" * ALL PROGRAMS PRINT
ON ANY PRINTER, HOWEVER, REPORT"
790 DATA" TITLES ARE DESIGNED
& CODED TO PRINT ENLARGED LETTE
RS USING"
800 DATA" EPSON CODES. TO MO
DIFY FOR OTHER PRINTERS, LOOK AT
LINES:"
810 DATA" * DIR1: 0820 0830
2680 3790"
820 DATA" * DIR2: 0510 0960
1020 1030 1040 1330"
830 DATA" * DIR3: 0490 0740
840 DATA" "
850 DATA"High speed poke:"
860 DATA" * THE FOLLOWING PROGR
AMS USE THE HIGH SPEED POKE FOR"
870 DATA" FAST SORTING. TO T
AKE OUT THE POKE, LOOK AT LINES:
"
880 DATA" * DIR3: 0820"
890 DATA"END"
900 VERIFYON:CLS2:PRINT@1," DISK
ETTE DIRECTORIES HANDLER ";:PRIN
T@40," DOCUMENTATION ";
910 PRINT@129," ready THE PRINTE
R ";:PRINT@193," press ENTER WHE
N READY ";
920 I$=INKEY$:IFI$=""GOTO920
930 PRINT@289," PRINTING.....
.. ";
940 PRINT@384,"";
950 READA$:IFA$<>"END"THENPRINT#
-2,A$:GOTO950
960 END

```

COCO-ADS

A MONTHLY CLASSIFIED NEWSPAPER

FOR THE COCO OWNER - SELL YOUR USED ITEMS.
CIRCULATION OF OVER 15,000 - YOUR SURE TO
SELL. SUBSCRIPTION IS ONLY \$5.00 A YEAR
CLASSIFIED ADS ARE ONLY .25 PER WORD.DISPLAY
ADS AVAILABLE. PLEASE HAVE CHECKS PAYABLE TO
P D SOFTWARE PO BOX 13124 HOUSTON TX 77219



Designing Your Own Adventure

By George Firedrake and Art Canfil
Rainbow Contributing Editors

If you have never played a role playing game and want to begin playing, try a play-by-mail (PBM) game. Flying Buffalo Inc. created the play-by-mail industry. Anyone can learn to play these games. No previous gaming experience is required.

Begin by getting the rules for the game you play from Flying Buffalo Inc., Dept. GMA, P.O. Box 1467, Scottsdale, AZ 85252-1467. Below are names of PBM games and the prices for the rules.

— STARWEB	\$2.00
— HEROIC FANTASY	1.00
— BATTLE PLAN	0.50
— NUCLEAR DESTRUCTION	0.25
— GALACTIC CONFLICT	1.00
— STARLORD	1.00
— BOARD OF DIRECTORS	0.25
— FEUDAL LORDS	1.00

Last time we suggested you sign up for *HEROIC FANTASY* and make a move every two weeks or once a month. First get the rules, then design a party of Adventurers and send them in as described in the rules, of course.

Your characters can be human or otherwise. Each character is a fighter or magic-user, but not both. The strength (STR) of a character is used to attack other characters or monsters, to defend oneself and others, cast

magic spells, and numerous other things. The constitution (CON) of a character determines the amount of damage a character can withstand and continue living. Each character type has a price (COST). Here are all possible character types.

CODE	KINDRED	CLASS	STR	CON	COST
F	Fairy	Fighter	1	1	1
F	Fairy	Magic-user	1	1	2
G	Gremlin	Fighter	3	4	3
L	Leprechaun	Magic-user	3	4	4
H	Hobbit	Fighter	5	15	5
H	Hobbit	Magic-user	4	15	7
K	Goblin	Fighter	7	20	6
P	Human	Fighter	15	30	9
P	Human	Magic-user	10	30	11
E	Elf	Fighter	25	25	15
E	Elf	Magic-user	20	25	18
D	Dwarf	Fighter	30	40	23
D	Dwarf	Magic-user	30	40	36
O	Ogre	Fighter	35	40	29
O	Ogre	Magic-user	35	40	46
T	Troll	Fighter	50	50	57
X	Giant	Fighter	60	60	72

For any character, you may choose the name and whether the character is male or female.

You assemble a party of Adventurers by "buying" up to 15 characters. You have 100 points to spend in acquiring characters.

You have 100 points to spend.

(George Firedrake, a.k.a. Bob Albrecht, is one of the most prolific authors in the microcomputer world today. A specialist in writing for beginners, he is author of numerous books including TRS-80 Color BASIC. Art Canfil enjoys designing games and writing. He is co-author of Taipan: A Game In Context.)

Let's try it. For our first group, how about a big guy and 14 tiny helpers? Our group consists of a giant and 14 fairy magic-users.

QTY	KINDRED	CLASS	STR	CON	POINTS
1	Giant	Fighter	60	60	72
14	Fairy	Magic-user	14	14	28
TOTALS			74	74	100

Or, instead of 14 fairies, let's try seven leprechauns.

QTY	KINDRED	CLASS	STR	CON	POINTS
1	Giant	Fighter	60	60	72
7	Leprechaun	Magic-user	21	28	28
TOTALS			81	88	100

The second bunch is higher in both STR and CON than the first group.

When Frodo, et al. set forth to return the ring to Orodruin, his group included hobbits, humans, elves, and dwarves (plus Gollum, of course). Let's put together our own *Fellowship of the Ring*.

QTY	KINDRED	CLASS	STR	CON	POINTS
2	Hobbit	Fighter	10	30	10
2	Hobbit	Magic-user	8	30	14
1	Human	Fighter	15	30	9
1	Human	Magic-user	10	30	11
1	Dwarf	Fighter	30	40	23
1	Elf	Fighter	25	25	15
1	Elf	Magic-user	20	25	18
			118	210	100

This Adventuring party has much more total CON and STR than either previous group. Of course, we really don't know what is important until we send one of our groups into the labyrinth and find out what happens.

YOUR TURN. Design your own bunch of Adventurers. Remember, you have 100 points to spend and you can select, at the most, 15 Adventurers. Choose a name for each character and decide who is male and who is female.

CoCo Can Help Design A Group

The ratios of STR to COST and CON to COST might be useful indexes to help design a group of Adventurers. Here are some examples.

Fairy fighter: STR/POINTS=1 CON/POINTS=1
 Fairy magic-user: STR/POINTS=.5 CON/POINTS=1
 Goblin fighter: STR/POINTS=1.17 CON/POINTS=3.67

Goblins are durable, compared to their cost, while fairies are fragile, relative to their cost. You can buy a lot of CON for your money by stocking up on goblins!

We have in mind several programs to help design Adventuring teams and play *HEROIC FANTASY*. First, we need a database of information about character types. Here it is:

```
32000 REM**HEROIC FANTASY GMA 21
32002 REM**CHARACTER TYPES
32004 REM**CODE$, KIN$, CLASS$, STR
```

, CON, PTS

```
32010 DATA F, FAIRY, F, 1, 1, 1
32020 DATA F, FAIRY, M, 1, 1, 2
32030 DATA G, GREMLIN, F, 3, 4, 3
32040 DATA L, LEPRECHAUN, M, 3, 4, 4
32050 DATA H, HOBBIT, F, 5, 15, 5
32060 DATA H, HOBBIT, M, 4, 15, 7
32070 DATA K, GOBLIN, F, 7, 20, 6
32080 DATA P, HUMAN, F, 15, 30, 9
32090 DATA P, HUMAN, M, 10, 30, 11
32100 DATA E, ELF, F, 25, 25, 15
32110 DATA E, ELF, M, 20, 25, 18
32120 DATA D, DWARF, F, 30, 40, 23
32130 DATA D, DWARF, M, 30, 40, 36
32140 DATA O, OGRE, F, 35, 40, 29
32150 DATA O, OGRE, M, 35, 40, 46
32160 DATA T, TROLL, F, 50, 50, 57
32170 DATA X, GIANT, F, 60, 60, 72
32180 DATA Z, ENDFILE, Z, 0, 0, 0
```

This is a small data file consisting of 18 records. Each record contains information about one character type. For instance:

```
32010 DATA F, FAIRY, F, 1, 1, 1
```

CODE KINDRED CLASS STR CON POINTS

Line 32004 tells you the names of the variables that we will use to store information from a *DATA* statement.

```
32004 REM**CODE$, KIN$, CLASS$, STR, CON, PTS
32060 DATA H, HOBBIT, M, 4, 15, 7
```

The last record, called ENDFILE, with CODE\$ = "Z", is not a character type. It is the End-of-File (EOF) record.

```
32180 DATA Z, ENDFILE, Z, 0, 0, 0
```

End-of-File record
(No more records in the file.)

We have written two programs that use the data file of *HEROIC FANTASY* character types.

The *SCAN CHARACTER TYPES* program begins at Line 1000. It lets you scan the entire file. To run it, type *RUN* or *RUN 1000*. It begins like this.

```
F FAIRY            F 1 1 1
TO DO AGAIN, PRESS SPACE BAR
```

↑
SPACE BAR is in
reverse color.


Press the space bar and you get the next record.

```
F FAIRY            F 1 1 1
F FAIRY            M 1 1 1
TO DO AGAIN, PRESS SPACE BAR
```

Keep pressing the space bar until you see 15 records on the screen. Press the space bar again to get the 16th record — the top record is "pushed off the top of the screen" and disappears.

Keep pressing the space bar until ENDFILE appears at the bottom of the screen. Press the space bar again and the CoCo starts over with the first record.


The *COMPUTE COST RATIOS* program begins at Line 2000. Type *RUN 2000* to run this program. First you see:



This program works the same way as the *SCAN CHARACTER TYPES* program. Each time you press the space bar, you see another line of information near the bottom of the screen. If you see ENDFILE and press the space bar, the CoCo starts over at the top of the data file.

Here are both programs and the subroutines they use.

The listing:



```
1 REM**HEROIC FANTASY GMA 21-1
1000 REM**SCAN CHARACTER TYPES
1010 CLS
1020 RESTORE      'START AT TOP
1030 GOSUB 11010 'READ RECORD
1040 GOSUB 12010 'SHOW RECORD
1050 GOSUB 10010 'TELL HOW AGAIN
1099 '
1100 REM**START OVER IF ENDFILE
1110 IF KIN$="ENDFILE" THEN 1020
ELSE 1030
```

```
1199 '
2000 REM**COMPUTE COST RATIOS
2010 CLS
2020 RESTORE      'START AT TOP
2030 GOSUB 11010 'READ RECORD
2040 GOSUB 13010 'COST RATIOS
2050 GOSUB 14010 'SHOW RATIOS
2060 GOSUB 10010 'TELL HOW AGAIN
2099 '
2100 REM**START OVER IF ENDFILE
2110 IF KIN$="ENDFILE" THEN 2020
ELSE 2030
2199 '
10000 REM**DO AGAIN SUBROUTINE
10010 PRINT @480, "TO DO AGAIN,
PRESS space bar";
10020 IF INKEY$="" THEN 10020
ELSE RETURN
10099 '
11000 REM**READ RECORD SUBR.
11010 READ CODE$,KIN$,CLASS$,STR
,CON,PTS
11020 RETURN
11099 '
12000 REM**SHOW RECORD SUBR.
12010 PRINT @480, CODE$ TAB(2)
KIN$ TAB(16) CLASS$ TAB(19) STR
TAB(23) CON TAB(27) PTS
12020 RETURN
12099 '
13000 REM**COST RATIOS SUBR.
13010 IF KIN$="ENDFILE" THEN
SC=0: CC=0: RETURN
13020 SC = STR/PTS
13030 SC = INT(100*SC+.5)/100
13040 CC = CON/PTS
13050 CC = INT(100*CC+.5)/100
13060 RETURN
13099 '
```



FOUR STAR SOFTWARE

GALACTIC FIGHTER

A fast-paced arcade game with great graphics and sound. CoCo at its best!

Save earth by fighting your way to Dracoz, the home world of the invaders. Fly earth's secret weapon, 'The Galactic Fighter'. Overcome alien ships, missiles and meteor showers. Try and survive the deadly laser trench.

32K, one joystick required.

CASS. \$19.95 (U.S.) \$24.95 (CDN.)
DISK \$24.95 (U.S.) \$29.95 (CDN.)

Write for free catalogue
Dealer enquiries welcome
Overseas orders add 10%

COCO PAINT

A very advanced, easy-to-use graphics development system for a 64K, single-drive CoCo!

- Supports: keyboard, single joystick, mouse or X-pad
- Mix graphics and text, using built-in or user-definable characters and textures
- Create stamps: rotate, mirror, shrink, expand or invert
- Screen dump to most common printers
- 300 — 1200 baud modem communications capabilities
- Plus many more excellent features

DISK \$39.95 (U.S.) \$49.95 (CDN.)

BUGS II

An adventure game with all the excitement of arcade action.

Earth is infested with intelligent killer bugs. Find your way through the maze and destroy their reactor. However, you must fight the bugs all the way!

New and improved version of the game that won the Color Computer Magazine® programming contest. 64K required.

CASS. \$19.95 (U.S.) \$24.95 (CDN.)
DISK \$26.95 (U.S.) \$32.95 (CDN.)

Cheque or Money Order



Add \$2.50 shipping
Ont. Residents add 7% tax



P.O. BOX 730
STREETSVILLE, ONTARIO
CANADA
L5M 2C2

WHERE'S-IT

by C.E. Laidlaw

What programs are on this disk? Which disk is my WIDGET program? WHERE'S-IT will answer these questions for you and maintain disk directory index files with up to 972 programs in each. Completely user-friendly, just run WHERE'S-IT and follow the prompts to: Create index files holding up to 972 programs

Load or save existing index files

Add, delete or update index files for a specific disk

Sort index files alphabetically with a machine language sort

List index files to screen

Print index out with 162 programs to the page

Disk only.....\$19.95
(32K Extended Color BASIC)

We are also a dealer for the following companies:

Moreton Bay Software
Computerware
Spectrum Projects
Mark Data, Amdek, Epson
Pal Creations, Tom Mix
PBH Computer, Inc.
Spectral Associates.
Cognitec, Elite Software
Prickly Pear, Botek
Cobra Software
and many more fine companies

JARB

SOFTWARE
HARDWARE

1636 D Avenue, Suite C
National City, CA 92050

After hours:
BBS 619-474-8981

Orderline:
619-474-8982

T.A.G. THE ADVENTURE GENERATOR

ADVENTURE

Cassette.....\$34.95
Disk/Amdisk.....\$39.95



FEATURES

- Creates stand-alone programs
- Up to 100 rooms, 60 objects, 30 command words, and 9 conditional flags
- Supports tape and disk output
- Optional printer output of important sections during creation of ADVENTURE
- Complete documentation
- Includes sample ADVENTURE
- Works with all models of the CoCo except MC-10
- Requires 32K Extended Color BASIC

NEW GRAY LADY

by Terry A. Steen


Control your submarine in its efforts to destroy the enemy fleet. You must launch your sub to surface missiles while avoiding the depth charges. Five different types, hi-res graphics and spectacular sounds. Also a talking version included at no extra charge for those who have an SC01 based voice pack. Four screens and progressive difficulty make this all machine language program a real bargain.

Cassette: \$19.95

Disk/Amdisk: \$24.95

U.S. COD orders accepted, no charge cards please.
Shipping and handling \$3.00
California residents please add 6% sales tax

Help Us Battle the High Cost of Disk Drives



**NOW...
V-PRINT**
A utility to print
directory on paper
\$9.95



Sale - Sale - Sale Un-DISK Drives ~~\$49.95?~~ **\$34.95**

You Bet! There are empty spaces in your 32K and 64K CoCo. The Preble VDOS Un-DISK helps you fill them up with PROGRAMS!

- Un-DISK uses your computer's extra memory like a fast disk drive.
- Un-DISK can store BASIC and MACHINE LANGUAGE programs.
- Un-DISK is INVISIBLE. Yup! Un-DISK does not interfere with normal Color Computer Operation.
- Un-DISK appears only when you type the magic word VDOS.
- Un-DISK comes with comprehensive instructions which you may not need because:
- Un-DISK is self-prompting and easy to use!
- Un-DISK is provided on cassette.
- Un-DISK is faster than a slow clumsy DISK DRIVE and best of all...
- Un-DISK is CHEAPER than a DISK DRIVE!
- Un-DISK will work even if you already own a disk but WHY BUY A DISK AT ALL?
- Un-DISK should be in the library of every serious CoCo user even if you own a disk says Frank J. Esser, independent reviewer for RAINBOW Magazine!

OK sure, disk drives ARE NICE. I own one. But if your finances are limited, the Un-DISK can give you much of the power of the mechanical drive. Even if you already own a disk the Un-DISK can work like a super fast extra disk.

EXTRA... EXTRA... EXTRA... EXTRA... Additional Power For \$14.95

Only with VDUMP for the Un-DISK!

- VDUMP lets you make a cassette backup copy of everything stored in the Un-DISK.
- VDUMP lets you save 5, 10, 15 or more programs on a single cassette tape file.
- VDUMP lets you switch Un-DISKs. With a single load operation replace a group of financial programs with a set of children's programs. (The new VDUMP tape overwrites the old.)
- VDUMP can allow you to save a whole lot of RAINBOW ON TAPE in a SINGLE file.
- VDUMP is the perfect companion to the Preble VDOS Un-DISK.

Available from Doctor Preble's Programs, naturally! Bringing you fine Color Computer Products Since 1983!

The Preble VDOS Un-DISK **\$34.95**
The Preble VDUMP \$14.95
Shipping & handling
U.S. and Canada \$1.50
or \$5.00 to other foreign points

VISA and MasterCard accepted



Order From:
Dr. Preble's Programs
6540 Outer Loop
Louisville, KY 40228
(502) 966-8281

Canadians may order from Kelly Software


```

14000 REM**SHOW COST RATIOS SUBR
14010 PRINT @480, CODE$ TAB(2)
CLASS$ TAB(5) STR TAB(9) CON
TAB(13) PTS TAB(17) SC TAB(24)CC
14020 RETURN
14099 '

```

Of course, remember to add the data file (lines 32000 through 32180) to the programs.

— To run *SCAN CHARACTER TYPES*, type *RUN* or *RUN 1000* and press ENTER.

— To run *COMPUTE COST RATIOS*, type *RUN 2000* and press ENTER.

These are “bare bones” programs. Try your hand at improving them. Also think about other programs to help

you design an Adventuring team and guide them as they explore the labyrinth.

Who Is A Character?

A character is any imaginary person or other creature created according to the rules of a game system. The characters in *HEROIC FANTASY* are quite simple. The characters in *Dungeons & Dragons* or *RuneQuest* are much more detailed and complex. Characters in *Adventurer's Handbook* are simplified versions of characters found in the very elegant *RuneQuest* system.

We need a way of recording a character's characteristics, abilities, knowledge, possessions, and anything else we want to remember. Below is a blank character record. You may copy it for your own use.

Character Name _____		Age _____		Sex _____		Race _____					
Background _____											
STR _____	HIT PTS.		0 1 2 3 4 5 6 7 8 9 10								
CON _____			11 12 13 14 15 16 17 18 19 20 21 22 23 24 25								
SIZ _____											
INT _____	Idea _____	Armour _____									
POW _____	Luck _____										
DEX _____	Dodge _____	POW PTS.		0 1 2 3 4 5 6 7 8 9 10							
CHA _____	Persuade _____	11 12 13 14 15 16 17 18 19 20 21 22 23 24 25									
SKILLS		WEAPONS		DAMAGE		ATTACK		PARRY		BRK PTS.	
CLIMB	_____	_____		_____		_____		_____		_____	
FIRST AID	_____	_____		_____		_____		_____		_____	
HIDE	_____	_____		_____		_____		_____		_____	
JUMP	_____	_____		_____		_____		_____		_____	
LISTEN	_____	_____		_____		_____		_____		_____	
MOVE QUIETLY	_____	_____		_____		_____		_____		_____	
SPOT HIDDEN	_____	_____		_____		_____		_____		_____	
SWIM	_____	_____		_____		_____		_____		_____	
THROW	_____	_____		_____		_____		_____		_____	
_____	_____	_____		_____		_____		_____		_____	
_____	_____	_____		_____		_____		_____		_____	
_____	_____	_____		_____		_____		_____		_____	
_____	_____	_____		_____		_____		_____		_____	
		EQUIPMENT				MONEY					
		_____				_____					
		_____				_____					
		_____				_____					
		_____				_____					

Last time we showed you the character record for Aloysious Anonymous, a very average character. Now meet Rokana.

Character Name <u>Rokana</u>		Age <u>16</u>	Sex <u>F</u>	Race <u>Human</u>
Background <u>Villager</u>				
STR <u>9</u>		HIT PTS.	0 1 2 3 4 5 6 7 8 <u>9</u> 10	
CON <u>9</u>			11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	
SIZ <u>9</u>				
INT <u>17</u>	Idea <u>55</u>	Armour <u>Cloth, 1 point</u>		
POW <u>18</u>	Luck <u>90</u>			
DEX <u>9</u>	Dodge <u>45</u>	POW PTS.	0 1 2 3 4 5 6 7 8 9 10	
CHA <u>10</u>	Persuade <u>50</u>		11 12 13 14 15 16 17 <u>18</u> 19 20 21 22 23 24 25	
SKILLS		WEAPONS	DAMAGE	ATTACK PARRY BRK PTS.
CLIMB <u>65</u>		<u>FIST</u>	<u>125</u>	<u>60</u>
FIRST AID <u>60</u>		<u>ROCK</u>	<u>124</u>	<u>55</u>
HIDE <u>60</u>		<u>STAFF</u>	<u>128</u>	<u>55</u>
JUMP <u>55</u>				<u>15</u>
LISTEN <u>60</u>				
MOVE QUIETLY <u>30</u>				
SPOT HIDDEN <u>40</u>				
SWIM <u>30</u>				
THROW <u>55</u>				
		SPELL	%	SPELL %
		<u>HEALING</u>	<u>35</u>	
		<u>PROTECTION</u>	<u>25</u>	
		<u>LIGHT</u>	<u>25</u>	

Rokana is a beginning magic-user. She has learned three magic spells called HEALING, PROTECTION, and LIGHT. However, she has not yet mastered these spells. She

has a 35 percent chance of successfully casting a HEALING spell and a 25 percent chance with PROTECTION or LIGHT.

Next time we will take Aloysious, Rokana, and perhaps some other characters to a county fair where they can have a wonderful time exercising their skills. In the meantime, we suggest you do some homework. Dig out the following back issues of THE RAINBOW and read "GameMaster's Apprentice."

August 1983 — pages 74-78

October 1983 — pages 170-174

November 1983 — pages 140, 144, 146, 148

Do any of you want us to run a small play-by-mail game? In this game, you would run one character like Aloysious or Rokana. You take your character to a county fair. Today they are called "Renaissance Faires," but in the world of Aloysious and Rokana they were contemporary fairs.

No previous experience is needed to play our play-by-mail game. Your only costs will be a copy of *Adventurer's Handbook* and some self-addressed, stamped envelopes. If you want to play, send a self-addressed, stamped envelope to DragonFun, P.O. Box 310, Menlo Park, CA 94026.

ROLE PLAYING GAMES

Millions of people play fantasy role playing games. A role playing game is a game in which one or more players create and play characters (adventurers) who live their imaginary lives in a specially made game world. The game world is created, managed, and operated by a GameMaster (GM), referee, or dungeon master (DM).

Most people who play role playing games use a formal rule system. Some of the best known are shown below.

Champions. Hero Games, 92A 21st Avenue, San Mateo, CA 94402.

Dungeons & Dragons (D&D). TSR, P.O. Box 756, Lake Geneva, WI 53147.

RuneQuest (RQ). Chaosium, P.O. Box 6302, Albany, CA 94706.

Traveller. Game Designer's Workshop, P.O. Box 1646, Bloomington, IL 61701.

Tunnels & Trolls (T&T). Blade, P.O. Box 1210, Scottsdale, AZ 85252.

Beginners beware! The rule books are formidable. If you are a beginner, we suggest you start with one of the following books, both from Reston Publishing Company, 11480 Sunset Hills Road, Reston, VA 22090.

Adventurer's Handbook: A Guide to Role Playing Games by Bob Albrecht & Greg Stafford.

Through Dungeons Deep by Robert Plamondon.

In "GameMaster's Apprentice," we include how-to-play information for all beginners.

Copyright© 1984 by DragonQuest, P.O. Box 310, Menlo Park, CA 94026.

SuperSpooler

Free your fast computer from your slow printer!

SuperSpooler allows your computer to work on one task while your printer works on another.

- works with any size memory (64K recommended)
- compatible with Telewriter, Ultra 80CC etc., and all BASIC programs
- small - 64K version uses only 80 bytes of user RAM
- written in relocatable machine language
- 32K buffer with a 64K system
- selectable buffer size and location
- reprint buffer as many times as you want, when you want
- clear buffer at any time
- check status of buffer
- adjust speed of output to suit your printer and interface
- most features enabled with one keystroke at any time, even during application program execution

\$19.95 U.S. or **\$24.95 Canadian**

Also Available:
SBASIC 1.0—a structured BASIC pre-compiler.

\$19.95 U.S. or **\$24.95 Canadian**

Ordering Information:

Please specify cassette or disk. To order send check or money order, or use VISA or MasterCard. If using VISA or MasterCard, include card number and expiration date.

For UPS delivery add \$1 in Ontario and Montreal.

\$3 in the U.S.

Ontario residents add 7% sales tax.

To order or for more information please write,

Tandar Software

12 Araman Drive Agincourt, Ontario Canada M1T 2P6 (416) 293-2014

DEALER INQUIRIES WANTED



One-Liner Contest Winner . . .

This shows the moon with many stars in the background. Let it run for a while (a half hour or so); it gets better with age!

Mark Perry
Rutherfordton, NC

The listing:

```
Ø PMODE4:PCLS:SCREEN1,1:CIRCLE(1
60,50),45,,.8:PAINT(160,50),1,1:
FORX=1TO99999999:PSET(RND(255),R
ND(192)):PRESET(RND(255),RND(192
)):NEXT'LET RUN FOR HALF A HOUR
OR SO.
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

FEELING HELPLESS? YOU NEED TO LEARN A LESSON!



MICRO LANGUAGE LAB: LEARNING THE 6809

Feeling at the mercy of a programmer somewhere? Mystified by a machine? My **Micro Language Lab** will give you the power to end those helpless feelings.

Here's why. The heart of *any* computer program *anywhere* is machine language. Every piece of software uses it — your favorite game, spreadsheet, word processor, data base manager, or recipe file. Every time you hit "Enter", it's working. All the languages and operating systems are created from it. Basic, Fortran, Pascal, Flex, OS-9,

TRSDOS...they're 6809 machine language, the whole lot!

And you can learn the language of the 6809, the programming heart of your Color Computer, with my **Micro Language Lab**.

Not everyone can program. Writing a few lines in Basic now and then doesn't make you a programmer. But if you *can* program, then my **Micro Language Lab** will teach you — the right stuff, the right way.

I'll teach you in 24 half-hour lessons on 12 audio cassettes, with a 220-page textbook, with data booklets, with 35 sample programs, and with a programming reference card. You'll spend 50 hours or more with my course, listening, watching, and working. And when


you're done, you'll be programming your Color Computer in the 6809's language.

Stop ignoring those gnawing feelings of helplessness. The 6809 is where the power lies in your computer. Turn on that power with the **Micro Language Lab**.

• **Micro Language Lab**, \$99.00
(plus \$3.50 shipping and handling)

Requires 16K Extended Basic EDTASM +

Not sure? Write or call for a Table of Contents and sample pages — and your "I'll Teach You A Lesson" button!



ALSO AVAILABLE FROM GREEN MOUNTAIN MICRO

(Add \$2.50 shipping and handling to your order)

Lowerkit III

- Full-time upper and lowercase installs in 15 minutes.
- Normal and reverse video standard
- Fully compatible with all Alpha and Graphic modes

\$79.95 assembled and tested

\$49.95 complete kit of parts

Important! Specify Color Computer or Color Computer II

TV Buff II, clear image for video monitors, \$19.95 (specify CoCo or CoCo2)

CoCoPort parallel interface (now includes plastic case), \$54.95 / \$44.95 kit

ColorPack ROM/RAM pack, \$29.95 (specify configuration) / \$19.95 kit / case \$3.00 extra

64K memory upgrade kit with full instructions, \$49.95 / with memory test on tape, \$54.95

Color Quaver Software Music Synthesizer on tape (requires 32/64K), \$19.95

Color Burner EPROM Programmer (2716/32/32A/64/64A/128, 68764/66) with software, \$69.95 / \$56.95 kit

User Group, Educational, Club and Dealer Discounts are available.

TRS-80 and TRSDOS are trademarks of Tandy Corporation. Flex is a trademark of TSC, Inc. OS-9 is a trademark of Microware Corporation.

Green Mountain Micro
Bathory Road, Box R
Roxbury, Vermont 05669
802 485-6112

Hours: 9am - 5pm EST, Monday - Friday
COD/VISA/MASTERCARD

PIPELINE

SOME INTERESTING THINGS are being done in advanced information storage technology in Japan by Nippon Columbia, parent of Denon America, Inc. Nippon Columbia, credited with developing digital audio recording in 1972, has applied the technology of the Compact Disc to a very high capacity read-only memory storage system for personal computers. Dubbed the CD-ROM, the new disc has the same compact dimensions (4¾ inches) and uses the same type of laser pickup "player" mechanism as the audio Compact Disc.

The primary advantage of the CD-ROM is its 550-megabyte storage capacity on one side — the equivalent memory potential of 500 to 1,000 conventional 5¼-inch floppy disks. Additionally, the optical CD-ROM and its drive mechanism is free from magnetic mishaps and head/drive problems that plague the more conventional magnetic media and it has a built-in error detection and correction system.

For more information about the CD-ROM system, contact Robert Heiblim, Denon America, Inc., 27 Law Drive, Fairfield, NJ 07006; (201) 575-7810.

* * *

THE PRINTED WORD. Several recently released books are now available that Color Computer users might find interesting. First in the lineup are *The Computer Blue Book* and the *Orion Buyer's Guide to Computers*, published by Orion Research, 1315 Main Avenue,

Suite 230, Durango, CO 81301. Both books are industry reference guides for both the buyer and seller in the marketplace and are available for \$49.50 apiece.

Next we come to *Digital Deli*, authored by "the Lunch Group and Guests" and edited by Steve Ditlea. Billed as "the computer book with the human touch," this book combines contributions from 140 authors and artists into a 400-page *potpourri* of computer lore and culture and technological trivia. *Digital Deli* is available for \$12.95 from Workman, 1 West 39 Street, New York, NY 10018.

If you're interested in success stories, there is *The Computer Entrepreneurs*, a look at the biggest names in the computer industry and how they made it to the top. Written by Robert Levering, Michael Katz and Milton Moskowitz, *The Computer Entrepreneurs* is an intimate portrait of these new cultural heroes. It is currently available for \$19.95 from NAL Books, 1633 Broadway, New York, NY 10019.

Finally, we come to a two-volume reference set entitled *Abbreviations: The Comprehensive Dictionary of Abbreviations and Letter Symbols for the Computer Era* (it probably took two volumes just to get the name across the cover). The title pretty well says it all except that the volumes are arranged separately: one contains words to abbreviations and the other contains abbreviations to words. *Abbreviations* was compiled by C. Edward Wall and is currently available for \$98 through


Pierian Press, P.O. Box 1808, Ann Arbor, MI 48106.

* * *

BACK ON THE LINE. Glancing at a couple of the information networks this month, CompuServe Incorporated has announced that they have entered into a joint agreement with VideoFinancial Services of Dallas, Texas, to expand their home and small business market for video banking by personal computer. Under the agreement, all CompuServe subscribers will be able to conduct transactions electronically with any bank in the country linked through VideoFinancial's computer gateway facilities. CompuServe will be the first nationwide computer network to offer this service, which is expected to be active on the system by March of 1985. For more information, contact Carl Byoir & Associates, Inc., 401 North Michigan Avenue, Chicago, IL 60611; (312) 527-5100.

The Business Computer Network has recently announced that they have added Knight-Ridder's VU/TEXT to their system. This means that their subscribers can now get the full text of the *Washington Post*, the *Philadelphia Enquirer* and the *Miami Herald*, with plans to have the *Boston Globe* online by the end of the year and the *Chicago Tribune*, *Detroit Free Press* and the Associated Press's *DataStream* soon after that. For more information, contact Business Computer Network, Inc., 1000 College View Drive, Riverton, WY 82501; or call Fred Rackmil at Howard J. Rubenstein Associates, (212) 489-6900.

CoCo Cat





SPECTRUM ADVENTURE GENERATOR



The Spectrum Adventure Generator (SAG) allows you to create silent and talking adventure games that are 100% machine language and very fast in execution. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags can be used. Get a head start in next month's Rainbow Adventure Contest NOW! 32K/64K DISK \$39.95

Note - Talking version requires Spectrum Projects' Voice Pak, a Disk "Y" Cable or Multipak and 64K.

Quotes from Jorge Mir (#1 CoCo Adventure Expert) from Dec'84 Rainbow Review -

"Overall, I think this is a great system for those interested in writing adventures. It sure eliminates a lot of time involved in developing them and allows the non-programmer to develop some very interesting Adventures since no programming knowledge is required. Try SAG, you'll like it!"

THE RAINBOW BOOKSHELF

The Complete Rainbow Guide To OS-9

by #1 CoCo OS-9 Expert - Dale Puckett

Order NOW, as we expect huge backorders to possibly develop !!!

Only \$19.95

The Rainbow Book of Simulations

Be an air traffic controller, Presidential candidate... 20 Super Simulations

Book \$9.95 Tape \$9.95

Please NOTE - Book & Tape are sold separately. There is NO documentation with Tape.

ALL ORDERS PLUS \$3.00 S/H - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

WEST DIVISION

PO BOX 9866

SAN JOSE, CA 95157-0866

EAST DIVISION

PO BOX 21272

WOODHAVEN, NY 11421

ORDER HOT LINES - 408-243-4558 & 718-441-2807

SPECTRUM PROJECTS

SOFT AND HARD WARES FOR COLORFUL COMPUTING

SPREADSHEET

Competition DYNACALC

Screen 32X16 51X24
Precision 9 digits 16 digits
Hi-Res Graphics NO YES
Visicalc cmd format NO YES
DYNACALC now runs on CoCo DOS!
New low price! 64K Disk \$79.95
(see Sept '84 Rainbow Review)

SAVE \$50 !


BUY 'EM
BOTH FOR
\$129.95

DATA BASE MANAGER

PRO-COLOR FILE "Enhanced" - 60
Data Fields, 8 Report Formats,
1020 bytes/record, Sorts 3
Fields, 4 Screen Formats,
Duplicate Records and Fields,
Global Search - Disk \$79.95
(see June '84 Rainbow Review)

DISK DRIVES

DRIVE Ø System* - Single Sided,
40 Trks, Double Density \$299.95
Disk Drive 1, 2 or 3 - \$169.95
Single Drive PS & Case - \$59.95
Bare Disk Drive - \$129.95
Disk Controller w/o ROM \$99.95
Controller w/1.1 ROM - \$139.95
* PLUS: controller-manual-cable



GAME CONTROLLERS

Graphicom Joystick - Has 2 Fire
buttons (menu/pen), smooth and
easy joystick control - \$24.95
Mach II Joystick - 360 Degree
control with center return or
analog positioning. "A first-
class performer... best feel of
any CoCo joystick..." - \$39.95

UTILITIES (DISK)

1. CoCo Calligrapher ...\$29.95
2. FHL O-PAK\$34.95
3. Bjork Blocks\$34.95
4. Musica 2\$39.95
5. Super Screen Machine.\$49.95
6. FULL Basic Compiler!.\$69.95
7. DEFT Pascal\$79.95
8. MicroWorks MACRO-80C.\$99.95



NEW

NEW PRODUCTS

POKES, PEEKS and EXECS ...\$7.95
500 POKES & PEEKS\$16.95
CoCo 40Pin Project Board.\$19.95
GEMINI 15X w/PBH Int ...\$429.95
1 2 8 K CORNER
64K to 128K Upgrade - Specify
D, E, F or CoCo Model II.\$99.95
'Watch for 128K CoCo programs!'

WEST

PO BOX 9866
SAN JOSE, CA 95157-0866

SPECTRUM PROJECTS

PO BOX 21272

WOODHAVEN, NY 11421

EAST

SPECTRUM PROJECTS

SOFT AND HARD WARES FOR COLORFUL COMPUTING

COMMUNICATION

COLORCOM/E - A complete smart terminal package! Upload, Download, Hi-Res (51X24) screen, 300/1200 Baud, Offline Printing and much more. Rompak or Disk - \$49.95
(see Feb '84 Rainbow Review)




WORD PROCESSING

TELEWRITER-64 - Top CoCo Word Processor for 2 years! Three Hi-Res screens, true lowercase characters, right justification, full screen editor. Tape \$49.95 Disk \$59.95
(see June '83 Rainbow Review)

MODEMS

MINI-MODEM - 300 Baud, Originate/Answer, Full Duplex, Direct Connect - \$79.95
J-CAT Modem - Lowest priced auto/answer modem - \$129.95
HAYES Auto Dial/Answer \$239.95
ANCHOR - 300/1200 Baud \$299.95
Prices include Modem cable.



PRINTERS

GEMINI 10X - 120 cps, 9x9 dot, tractor/friction feed \$299.95
GEMINI Daisywheel - Ltr quality 18 cps, bi-dir, PS! - \$349.95 (Parallel interfaces required.)
PBH Parallel Interface - Save \$40 if ordered with above printers! - \$49.95 (Reg. \$89.95)

KEYBOARDS

SUPER-PRD (Mark Data) \$59.95*
HJL57 PROFESSIONAL - \$79.95**
KEYTRONICS Keyboard - \$89.95**
Specify Model/Revision Board.
* Add \$5 for "F" board adapter
** Free function key software
CoCo II HJL version available!!
15 key Numeric Keypad - \$69.95



MONITORS

MONOCHROME Monitors - 80x24 screens plus Hi-Res w/AUDIO!
Green - \$99.95 Amber - \$119.95
BMC Color Monitor - \$269.95
VIDEO PLUS - Video Interface for above monitors - \$24.95
CoCo II (Monochrome) - \$29.95
CoCo II (Color) Version - \$39.95

SAVE \$10

OFF COLORCOM/E WITH ANY MODEM
OFF TELEWRITER-64 WITH ANY PRINTER,
KEYBOARD OR MONITOR

SAVE \$10

ORDER PHONE LINES : 718-441-2807 & 408-243-4558

The Hi-Res lowercase punctuation INTERPLANETARY Fruit Fly Baby

By Martin Kaste

I'm sure most of you ambitious amateur programmers are familiar with the profound message of KISS, "Keep It Simple, Stupid!" Yet some people never seem to learn and continue slaving over thousand-line programs for months, only to watch them die slowly before their eyes on the screen, wondering where they went wrong. To me, the beauty of programming is that the most successful programs are usually the shortest, supported by a good idea, written in a few hours time and gradually perfected over a period of weeks.

This is true in the case of *The Interplanetary Fruit Fly*. It's short, simple and demonstrates a nifty little technique for displaying pseudo high-resolution graphics on the text screen: "lowercase punctuation."

You're probably asking, "A which?!"

Let me explain. "Lowercase punctuation" is what I call all the periods, commas, question marks, brackets, etc., which your trusty old CoCo uses, with a special twist. Using *POKEs*, we can display these punctuation marks and other characters the same way the computer displays lowercase letters: the white symbol on a black rectangular background. With these characters, using a little ingenuity, we can create just about any figure we please.

These symbols can't be *PRINTed*, but, as I said before, the *POKEs* come to our rescue. I know some of you beginning programmers may shy away a little from *POKEs*. But don't worry, these *POKEs* are all addressed to the video RAM part of the computer, and can't interfere with its normal functioning, so bear with me.

The *POKE* addresses we are going to use range from 1024 to 1535, one location for every one of the 512 characters on the text screen. Except for the symbols we're interested in, most of the 256 characters available with *POKE* can be *PRINTed*, some only with the use of *CHR\$* codes. To save

time, I have compiled a convenient list of the symbols we want and the value of each:

0 = @	38 = &	51 = 3
1-26 = alphabet	39 = ^	52 = 4
27 = [40 = (53 = 5
28 = \	41 =)	54 = 6
29 =]	42 = *	55 = 7
30 = !	43 = +	56 = 8
31 = -	44 = ,	57 = 9
32 = black rectangle	45 = -	58 = :
33 = !	46 = .	59 = ;
34 = "	47 = /	60 = <
35 = #	48 = 0	61 = =
36 = \$	49 = 1	62 = >
37 = %	50 = 2	63 = ?

Now, let's get to the point. Type in the program listing, but be careful! There is one of those useful but occasionally dastardly speed up *POKEs* in Line 5. Before you run the program, save it on tape. If you want to run it before that, delete Line 5 and add it again when you're ready to save.

After the opening title, a green stripe appears at the top of the otherwise black screen displaying the current score, high score and number of shots remaining,

(Martin Kaste is an American high school student living in Brazil. He develops programs for local home computer owners on his Color Computer.)

SPECTRUM VOICE PAK

CoCo I

\$69.95

\$49.95

SPECIAL

CoCo II

\$79.95

see NOV '83
Rainbow
Review

Special price good with purchase of any Talking Software below!
Offer expires Feb 15, 1985. All PAKs work w/\$29.95 Disk "Y" cable!

TALKING SOFTWARE

Talking CoCo BINGO - Same as the popular game of BINGO but this one talks! Contains 20 Bingo player cards, 200 markers with complete documentation. Additional features: Color Graphics, 3 timing levels, ball count and pause control plus Disk compatible. 32K EXT \$24.95

Talking Final Countdown - You must stop the mad general from launching a missile at the Russians and causing WW III ! Has multiple voices for added realism. 32K EXT \$24.95

Educational Software - Computer Island's educational programs turn your CoCo into a true teaching machine. Reinforce basic lessons with the aid of voice. Three/pak special includes Math Drill, Spelling Tester and Foreign Languages. 16K EXT \$24.95

Talking Adventure Generator - Create talking adventure games that are 100% Machine Language and very fast in execution. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags. Get a head start in the Rainbow Adventure contest **NOW!** 64K Disk \$39.95 (see Dec'84 Rainbow Review)

Term Talk - A speaking smart terminal program for your CoCo. It contains all the features of an intelligent communications package, plus it talks! (Shades of War Games) 16K EXT Tape \$39.95 Disk \$49.95 (see Mar'84 Rainbow Review)

All orders plus \$3.00 S/H - NY Residents add sales tax

SPECTRUM PROJECTS

WEST DIVISION :
PO BOX 9866
SAN JOSE, CA 95157-0866

EAST DIVISION :
PO BOX 21272
WOODHAVEN, NY 11421

ORDER HOT LINES : 408-243-4558 & 718-441-2807



COLORFUL UTILITIES



COCO CHECKER

Something possibly wrong with your CoCo??? CoCo CHECKER is the answer!! Will test your ROMs, RAMs, Disk Drives & Controller, Printer, Keyboard, Cassette, Joysticks, Sound, PIAs, VDG, Internal Clock Speed, and more!! 16K TAPE/DISK **\$19.95**

MULTI-PAK CRAK

Save ROMPAKs to your 64K Disk system using the RS Multi-Pak Interface. Eliminate constant plugging in of ROMPAKs now by keeping all your PAK software on disk. Includes POKEs for "PROBLEM" ROMPAKs. DISK **\$24.95**

TAPE OMNI CLONE

Easily handles programs with auto loaders, no headers, no EOF markers, unusual size blocks and more! Now is the time to get your tape software collection protected ... against loss!!! TAPE **\$24.95**

DISK OMNI CLONE

Back everything up! This amazing program handles "non standard" disks with ease. We haven't found any disk yet that it can't handle. Don't ever be caught without a backup again! Lowest price too! 32K DISK **\$29.95**

COCO SCREEN DUMP

The best screen dump program for the Epson & Gemini printers ever! Have the option of standard or reverse images w/regular or double sized pictures. 600-9600 Baud too! A must for Graphicom and Bjork Block users. 16K TAPE/DISK **\$19.95**

DISK UTILITY 2.1

A multi-featured tool for USER FRIENDLY disk handling. Utilize a directory window to selectively sort, move, rename and kill file entries. Lightning fast Disk I/O for format, copy and backup. Examine contents of files, the Granule Table, plus the size, load addresses and entry points of all programs. Single command execution of both Basic and ML programs. 32K/64K Disk **\$24.95** (see Oct '84 Rainbow Review)

MASTER DESIGN

A text designer/editor to generate graphics mode lettering with multiple font sizes, textures, shadowing and thicknesses, plus special patterns for creative backgrounds. Comes with a screen print routine and Letter Head Utility that interfaces with Telewriter-64 and BASIC. DISK **\$29.95** (see July '84 Rainbow Review)

BASIC COMPILER

Convert BASIC pgms into machine language. Produce faster and more compact code than BASIC. Integer compiler w/16K-64K versions included. TAPE **\$39.95**

SCHEMATIC DRAFTING PROCESSOR

Save time and design pro looking diagrams using a 480X540 pixel worksheet w/6 viewing windows. Over 30 electronic symbols w/10 definable symbols. Print hard copy and save to disk. 64K DISK **\$49.95** (see Jan '84 Rainbow Review)

COLORAMA

A first-class Bulletin Board package... especially geared towards CoCo users... has an ordering section for those who want to run a mail-order business... supports Color Graphics... one nice piece of work. 64K DISK **\$99.95** July '84 Rainbow



COCO CHECKBOOK

Use your CoCo to keep track of your checking and savings accounts! Printout individual personal checks! 32K/64K TAPE **\$29.95**

SPECTRUM DISTRIBUTORS



CANADA

800-361-5155

MID-WEST

312-736-4405

SOUTH

502-499-9393





COLORFUL UTILITIES



FAST DUPE II

The fastest Disk copier ever! Will format and backup a diskette in only one pass and can make up to 4 Disk copies at once in 2 minutes! The must utility for every Disk owner. 32K/64K DISK **\$19.95** (see May '84 Rainbow Review)

NEW!

COOO VIDEO TITLER

Start your VCR tapes with dazzling title frames followed by professional countdown to black fade-outs! 16K TAPE **\$19.95**

NEW!

AUT-O-START

Autostart your Basic/ML programs with impressive title screens using a mixture of text and graphics! 16K TAPE **\$19.95**

64K DISK UTILITY PACKAGE

Take advantage of an expanded 64K machine. Make an additional 8K of RAM available. Copy ROM cartridges to disk and create a 32K SPOOL buffer for printing. DISK **\$21.95** (see July '83 Rainbow Review)

TAPE/DISK UTILITY

A powerful package that transfers tape to disk and disk to tape automatically. Does an automatic copy of an entire disk of programs to tape. Ideal for Rainbow On Tape to disk. TAPE/DISK **\$24.95** (see Sept '83 Rainbow Review)

FAST TAPE

Save and load cassette files at twice the speed! Now you can run tape and printer I/O operations in the high speed mode without a locked up system or I/O ERRORS! "If you are tired of waiting for those long tapes to load, I strongly recommend that you buy this fine utility." TAPE **\$21.95** July '83 Rainbow

GRAPHICOM

The ultimate CoCo graphics development tool with sophisticated editing, preview animation, telecommunications and printer support. Hi-Res graphics for only **\$24.95**. W/Spectrum's Menu Foot Switch **\$34.95**. 64K DISK (see April '84 Rainbow Review)

EZ BASE

A truly user friendly data base program at an affordable price. Maintain inventories, hobby collections, recipes, greeting card lists and much, much more! Hi-Res screen, up to 500 records with 15 fields, record or field search, and a Mailing Labels option. 32K DISK **\$24.95** (see July '84 Rainbow Review)

BLACKJACK ROYALE

A Hi-Res graphics casino blackjack simulation and card counting tutor. Fully realistic play includes: double down, splits, surrender, insurance bets, 1-8 decks, burnt cards, shuffle frequency and more! "This fine program is a must for the CoCo Blackjack player." (Aug '83 Rainbow Review) 32K TAPE/DISK **\$24.95**

SHIPPING \$3.00 - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS

WEST DIVISION

PO BOX 9866

SAN JOSE, CA 95157-0866

408-243-4558

EAST DIVISION

PO BOX 21272

WOODHAVEN, NY 11421

718-441-2807

**DEALER/CLUB INQUIRIES INVITED
SOFTWARE SUBMISSIONS WELCOMED**

respectively. The game starts immediately, but can be stopped using the pause feature on the CoCo.

The *Interplanetary Fruit Fly* has already started to make irritating kamikaze dives at you, and all you have to defend yourself with are fifty shots of space age fruit fly repellent! You are controlling a cannon loaded with the stuff at the bottom of the screen, which you move with the left and right arrow keys. With the help of two *PEEKs*, your cannon has continuous smooth movement, meaning that it keeps traveling until you release the key. The fire button, which is the up-arrow key, also has this feature.

The action in the game is not difficult to explain. The movements of the cannon and the projectiles it fires are simple: *POKE* the figure into the new location, cover up its trail with black *POKE* 32s. The cannon travels at


intervals of two spaces at a time, the projectile zips upward on a *FOR/NEXT* loop, jumping 32 spaces at a time for vertical movement. The Fly is a little more complicated, but not much. It flies down much the same way the projectile goes up, only the 32 spaces added each time are varied by a *SIN(X)* function, (Line 17). The result is a fly that weaves around and appears to dodge shots. As you probably guessed the flapping of its wings is an illusion caused simply by switching the parentheses back and forth, open and closed, in each step.

The player is awarded 500 points when he or she "wings" the Fly, 1,000 when the player manages to kill it, blasting the center of its body with the deadly repellent, and a new one takes its place almost instantly. The game ends if and when the Fly touches your cannon or when you run out of shots, whichever comes first. I suggest you

ration your shots, because they go quickly, so try to shoot only when the Fly is in range. Another tip: try not to let yourself be fenced into the corners; they're perfect for the Fly to nail you.

One last note for those of you with Extended Color BASIC. You may want to liven up the game a bit by substituting the *SOUND* commands with faster, more exotic *PLAYs*. I use *PLAY"4505D04E03A#02DD01AADA"* in Line 10, *PLAY"750D"* in Line 19, *PLAY"750;01ADDE#D#AACA"* in Line 24, and *PLAY"7250;01A405D03CCCCC"* in Line 28. You can think up something much better, I'm sure. Also, feel free to change any characters that I used in the game. The program layout is simple enough to allow you to make all kinds of modifications.

Enjoy and happy spritzing!



The listing:

```

0  '***THE*****INTERPLANETARY***
1  '*****FRUIT*****FLY*****
2  'BY***MARTIN*OLAF*KASTE*****
3  '*****MAY*1984*****
4  '*****
5  POKE65495,0
6  CLS0
7  FORA=1186TO1213
8  FORC=C TO C+5:POKEA,RND(26):NE
  XTC
9  PRINT@162,MID$("the"+CHR$(128)
  +"interplanetary"+CHR$(128)+"fru
  it"+CHR$(128)+"fly",1,A-1186);:S
  OUND C,1:NEXTA
10  PRINT@189,"y";:FORA=1TO4:SOUN
  D50,1:SOUND75,3:SOUND150,3:SOUND
  2,1:SOUND3,1:PRINT@200,"by"+CHR$
  (128)+"martin"+CHR$(128)+"kaste"
  ;:POKE1480,40:POKE1481,3:POKE148
  2,41:POKE1483,32:PRINT@462,"smar
  tsoft";:NEXT
11  FORN=1056TO1535:POKEN,32:NEXT
  N
12  PRINT@0," "
13  PRINT@1,"0000";:PRINT@22,"SHO
  TS";:PRINT@29,"50";:IFHS=0THEN1
  4ELSEPRINT@12,HS;
14  SH=50:XY=40:YX=41
15  A=1516

```

```

16  Z=1056+RND(32):IFSH=<0THEN24
17  POKEZ,32:POKEZ+1,32:POKEZ+2,3
  2:IFZ>1503THEN16ELSEZ=Z+SIN(M)*R
  ND(3):Z=Z+32:M=M+1:POKEZ,XY:POKE
  Z+1,43:POKEZ+2,YX:CC=XY:XY=YX:YX
  =CC
18  IFZ<A+3ANDZ>A-2THEN24
19  IFPEEK(341)=247THENFORC=A-31T
  O1056STEP-32:POKEC,42:POKEC+32,3
  2:NEXTC:POKEC+32,32:SH=SH-1:PRIN
  T@28,SH;:IFPEEK(Z+1)=32THENS=S+1
  000:GOSUB28:PRINT@1,S;:POKEZ,32:
  POKEZ+1,32:POKEZ+2,32:GOTO16:ELS
  EIFPEEK(Z)=32ORPEEK(Z+2)=32THENS
  OUND50,1:S=S+500:PRINT@1,S;
20  IFSH=0THEN24
21  IF PEEK(343)=247THENB=-2:IFA=
  1504THENB=0
22  IF PEEK(344)=247THENB=2:IFA=1
  532THENB=0
23  POKEA,32:POKEA+1,32:POKEA+2,3
  2:A=A+B:B=0:POKEA,47:POKEA+1,42:
  POKEA+2,28:GOTO17
24  SOUND1,2:SOUND13,1:SOUND1,3:S
  OUND2,4:SOUND1,2:FORA=1TO300:NEX
  T
25  PRINT@33,"TO PLAY AGAIN, PRES
  S THE A KEY";:A$=INKEY$:IFA$<>"A
  "THEN25
26  IF HS<=S THEN HS=S
27  S=0:GOTO11
28  POKEZ,62:POKEZ+2,60:POKEZ-31,
  22:POKEZ+33,1:SOUND50,1:SOUND150
  ,2:SOUND123,1:SOUND140,3:POKEZ,3
  2:POKEZ+1,32:POKEZ+2,32:POKEZ-31
  ,32:POKEZ+33,32:RETURN

```


A SPECTRUM PROJECTS SHOPPING LIST

A CHIP OFF THE OLD...

6821 Standard PIA\$9.95
 6822 Industrial Grade PIA\$14.95
 MC1372 CoCo Video Driver Chip\$14.95
 6847 Video Display Generator Chip.\$17.95
 68764 (Fits Disk Basic Skt) Eprom.\$24.95
 27128 16K DOS Eprom\$24.95
 6883 SAM Chip w/heat sink\$29.95
 6809E CPU Chip\$29.95
 Basic ROM 1.2 Chip (**30% FASTER**) ..\$39.95
 Disk ROM 1.1 (New DOS Command) ..\$39.95
 Ext Basic 1.1 ROM - **NEW LOW PRICE** \$49.95
 CoCo First Aid Kit - includes 2 PIAs,
 6809E & 6883 (Be Prepared!!!)\$69.95
 Lower Kit III from Green Mountain Micro
 by D. Kitsz. Specify CoCo I/II ...\$79.95
 Intronics Eprom Programmer\$139.95

COCO LIBRARY...

CoCo I Technical Manual\$7.95
 The World Connection - All about
 Bulletin Boards, Modems & Sysops ..\$9.95
 CoCo Memory Map\$12.00
 Basic Programming Tricks Revealed.\$14.95
 The FACTS - Inside "guts" of CoCo.\$14.95
 Basic 09 Tour Guide\$18.95
 Disk Basic (1.0/1.1) Unraveled ...\$19.95
 Color Basic 1.2 Unraveled\$19.95
 New! CoCo II Service Manual\$19.95

MORE GOOD STUFF...

CoCo Light Pen with 6 programs ...\$24.95
 16K DOS Card - Plugs into J&M controller
 and allows you to map an extra 8K Eprom
 above DOS. Great for utilities. ..\$24.95
 CoCo Voice Chip - Votrax SC01A ...\$34.95
 PBH Parallel Interface - Beats Botek!
 300-9600 baud w/ptr-modem switch ..\$69.95
 The Spectrum Switcher - Have your Disk &
 Cartridge too! Dual Slot System ..\$69.95
 PBJ WORD-PAK - Give your CoCo a Hi-Res
 80x24 crisp video display\$139.95
 CoCo 10 Meg Hard Disk System ...\$1495.00

COCO CABLES AND...

Four Pin Male to Four Pin Female
 Extension- 15 feet. Move your printer or
 modem to another location.....\$14.95
 Tired of plugging and unplugging devices
 from the RS232 port? Make your life
 easier. Try our RS232 "Y" cable ..\$19.95
 Joystick/Touch Pad 10' Extender - For
 more convenience & flexibility ...\$19.95
 Disk Interface/Rom Pak Extender - Move
 your disks and ROM Paks where you want
 them. Gold connectors.* (3 feet) ..\$29.95
 Triple RS232 Switcher - Now select one
 of any three RS232 peripherals ...\$29.95
 40 Pin Dual "Y" Cable - Hook up a Disk
 w/Voice or Word Pak, X-Pad, etc ..\$29.95
***NOT for use with Multipak**

OTHER GOOD STUFF...

C-10 tapes in any quantity49 cents
 5 1/4 Diskettes in any quantity ...\$1.99
 Joystick, Cassette or Serial plug ..\$3.99
 32K, 64K or 128K RAM Button\$4.99
 GEMINI 10X/OKIDATA Ribbon\$4.99
 Amdek 3" diskettes in any quantity.\$5.99
 Epson MX/RX 80 Cartridge\$6.99
 Rompak w/Blank PC Brd 27xx series ..\$9.95
 RS Disk Controller Case\$9.95
 The Disk Doubler - Doubleside your 5 1/4
 diskettes for 160K more storage ..\$14.95
 Video Clear- Cleanup TVI for good!\$19.95
 The Magic Box - load Mod I/III Basic
 program tapes into the CoCo\$24.95
 DOS Switcher - Select any DOS (Disk 1.0
 1.1, JDOS) inside J&M controller ..\$24.95
 CoCo Cooler- State D,E or CoCo II.\$49.95
 Stereo Hardware Music Synthesizer w/3
 hours of (100) four voice songs! ..\$79.95

SPECTRUM PROJECTS

EAST DIVISION :

PO BOX 21272
 WOODHAVEN, NY 11421

WEST DIVISION :

PO BOX 9866
 SAN JOSE, CA 95157-0866

ALL ORDERS PLUS \$3.00 S/H

NY RESIDENTS ADD SALES TAX

718-441-2807 / 408-243-4558

SPECIAL 64K RAM CHIPS \$49.95

GRA

*Graphics
Quickies*

The Line Box

By Kevin Oberberger

```

10 PMODE3,1:PCLS1:SCREEN1,1
20 CIRCLE(128,95),85,4:CIRCLE(128,95),60,4:PAINT(128,30),4,4
30 LINE(165,50)-(70,115),PSET:LINE(185,70)-(85,137),PSET:PAINT(100,95),4,4
40 CIRCLE(128,95),36,2,1,.26,.35:DRAW"BM116,129C2M-2,+8M-10,+7BM86,105M-6,-5"
50 CIRCLE(53,82),32,2,1,.1,.24:DRAW"BM51,111F462H4L7F2L7G4H2E6L7G2H2E4R2BL2M-4,-1H2L2U1E2M+10,+3M+20,+1BL2M+14,-25M+6,-8M+2,-2M+4,-2"
60 CIRCLE(88,57),18,2,1,.3,.7:CIRCLE(108,54),18,2,1,.85,.2:CIRCLE(102,30),20,2,1,.5,.8:DRAW"BM82,40E2U7":CIRCLE(102,30),20,2,1,.87,.1
70 CIRCLE(113,25),20,2,1,.65,.85:DRAW"BM118,12E7R4D6M-8,+8":CIRCLE(140,88),38,2,1,.7,.83:LINE(159,54)-(86,105),PSET:PAINT(90,80),1,2:PAINT(90,60),1,2
80 DRAW"BM173,81E7F2M+22,-8R2D2M-10,+4G3BE2M+6,-1M+6,+1F2D1L9G2M+10,+4G2M-10,-4L9G5L2H2U3L4H2":PAINT(180,78),1,2
90 CIRCLE(94,29),2,2,2:CIRCLE(104,29),2,2,2:DRAW"BM96,56F2E2U2H2G2D2":PAINT(98,55),2,2:DRAW"BM96,66F2E3BU24G3H2BU22BL2G4BR18BU1H3"
100 GOTO 100
    
```


PHIC

Nova

By Michael Rosenberg
and
Tobin Wonn

```

10  *   **** N O V A ****
20  BY MICHAEL ROSENBERG
30  AND
40  TOBIN WONN
50  MAY 10, 1984
60 PCLEAR8
70 PMODE 4,1:PCLS:SCREEN1,1
80 FORJ=0T0255STEP2
90 LINE(J,191)-(128,96),PSET:NEX
T
100 FORJ=0T0255STEP2
110 LINE(J,0)-(128,96),PSET:NEXT
120 FORJ=0T0191STEP2
130 LINE(128,96)-(255,J),PSET:NE
XT
140 FORJ=0T0191STEP2
150 LINE(128,96)-(0,J),PSET:NEXT
160 PMODE4,5:PCLS:SCREEN1,1
170 FORJ=0T0255STEP4
180 LINE(J,191)-(128,96),PSET:NE
XT
190 FORJ=0T0255STEP4
200 LINE(J,0)-(128,96),PSET:NEXT
210 FORJ=0T0191STEP4
220 LINE(128,96)-(255,J),PSET:NE
XT
230 FORJ=0T0191STEP4
240 LINE(128,96)-(0,J),PSET:NEXT
250 FORX=1105STEP4
260 PMODE3,X:SCREEN1,1:FORY=1T01
00:NEXTY,X
270 GOTO250

```

No Ghosts

By Balinda Fortman

```

1 POKE65495,0
2 PMODE1,1
3 PCLS3
4 SCREEN1,0:POKE65314,248
5 FORX=3T07
6 FORY=2T06
7 FORZ=0T03
8 COLORZ
9 A=0:B=255:C=0:D=191
10 LINE(A,C)-(B,D),PSET,B
11 A=A+Y:B=B-Y:C=C+X:D=D-X
12 IFA<255ANDC<191THEN10
13 NEXTZ
14 NEXTY,X
15 RUN

```

An Optical Illusion

By Bryan Kerr

```

1  AN OPTICAL ILLUSION
2  BRYAN KERR
3  1195 BRIARWOOD DR
4  JACKSON,MS 39211
5  8/17/83
10 PMODE3,1:PCLS:SCREEN1,0
20 A$="C4D30M-30,-15U30NM+30,+15
M+30,-15M+30,+15NM-30,+15D30M-30
,+15U30"
30 DRAW"S3XA$;BM-80,-40XA$;BM+80
,-40XA$;BM+80,+40XA$;BD80XA$;BM-
80,+40XA$;BM-80,-40XA$;"
40 B$="C1BM-30,+15C1NU8D2NM+8,+4

```



```

U2BM+30,-15":C$="C1BM+30,+15NU8D
2NM-8,+4U2BM-30,-15":D$="C1BU29N
M-8,+4NM+8,+4BD29"
50 E$="C4BM-30,-15M-40,-20D10M+4
0,+20U10M+10,-5M-40,-20M-10,+5M+
40,+20BM+30,+15"
60 F$="C4BD31D40NM-8,-4M+8,-4U40
BM-8,+4BM-8,-4ND40BM+8,+4BU31"
70 G$="C4BD1M+30,-15M+40,-20NM-8
,-4D10M-40,+20U10M-10,-5NM+40,-2
0M+10,+5M-30,+15"
80 DRAW"BM128,96C4XA$;BU2XB$;XC$
;XD$;BD80XD$;BM-80,-40XC$;XD$;BU
80XC$;BM+80,-40XB$;XC$BM+80,+40X
B$;BD80BM+80,+40XD$;XB$;XE$;BU80
XB$;BD80BM-80,+40XG$;XE$;BM-80,-
40XG$;BU80XF$;XG$;BM+80,-40XF$;B
M+80,+40XE$;XF$BM-80,+40XE$;XF$;
BM-80,+40XG$;XE$;XF$;
90 FOR C=2TO3:FOR T=1TO15:READX,Y
:PAINT(X,Y),C,4:NEXTT,C
100 FOR T=1TO7:READX,Y:PAINT(X,Y
),4,4:NEXTT
110 DATA 128,94,130,153,128,30,1
60,74,188,60,68,60,96,74,96,49,1
58,49,68,120,188,120,116,100,140
,100,105,140,152,140
120 DATA 135,95,130,160,130,37,1
90,75,190,135,70,135,70,75,130,8
5,130,135,118,105,95,56,165,80,1
58,145,190,95,70,95
130 DATA 103,65,151,65,158,95,98
,95,103,125,158,125,128,0
140 GOTO140

```

The Hole

By Gregg A. Ford

```

1 'CIRCLE2
2 'GREGG FORD
3 '95 ELDRED BEDFORD, OHIO 44146
10 PMODE 4,1:PCLS:SCREEN 1,1:FOR
X=10 TO 170 STEP 2
20 CIRCLE(128,96),X,7
30 NEXT
40 CLS:FOR X=10 TO 170 STEP 5
50 CIRCLE(128,96),X,7
60 NEXT
70 FOR X=10 TO 170 STEP 10
80 CIRCLE(128,96),X,2
90 NEXT
100 FOR X=0 TO 170 STEP 4
110 CIRCLE(128,96),X,3
120 NEXT
130 FOR X=0 TO 170 STEP 15
140 CIRCLE(128,96),X,0
150 NEXT

```

```

160 FOR X=10 TO 170 STEP 9
170 CIRCLE(128,96),X,4
180 NEXT
190 FOR X=10 TO 170 STEP 3
200 CIRCLE(128,96),X,5
210 NEXT
220 FOR X=10 TO 170 STEP 1
230 CIRCLE(128,96),X,6
240 NEXT
250 FOR X=10 TO 170 STEP 2
260 CIRCLE(128,96),X,7,2
270 NEXT
280 FOR X=10 TO 170 STEP 3
290 CIRCLE(128,96),X,8,2
300 NEXT
310 FOR X=0 TO 170 STEP 5
320 CIRCLE(128,96),X,0,2
330 NEXT
340 FOR X= 10 TO 170 STEP 7
350 CIRCLE(128,96),X,1,2
360 NEXT
370 FOR X=0 TO 170 STEP 1
380 CIRCLE(128,96),X,6
390 NEXT X
420 CLS:PRINT@232,"THAT'S ALL FO
LKS!"
430 GOTO 430

```

The Impossible Cube

By Stephen Lai

```

5 ' IMPOSSIBLE CUBE
10 PMODE4,1:PCLS:SCREEN1,0
20 DRAW"S44BM34,3NFR12NM-1,2F5NM
-2,1D12NH2L12NEH5NU12URNM+2,1ER3
D2L2F2NU8M+1,2ENRBU3NR3U2NR3U3NR
3HNELH3ND7M-1,-2M+3,1NF3R7F4D9UH
3U4NR3U2NR2U2HLD3NL3D5FNRGF3"
30 FORF=1TO8:READA,B:PAINT(A,B):
NEXT:DATA0,0,100,30,60,70,140,90
,190,90,170,50,140,160,76,140
40 GOTO40

```

Pascal's Triangle

By Stephen Lai

```

5 ' PASCAL'S TRIANGLE
10 DIM P(256)
20 PMODE 4,1:PCLS:SCREEN 1,1
30 P(128)=1
40 FOR S=1 TO 127
50 FOR F=128-S TO 128+S STEP 2
60 P(F)=P(F-1)+P(F+1)-SGN(P(F-1)
+P(F+1))*2
70 PSET(F,S,P(F)+5)
80 NEXT F,S
90 GOTO 90

```


Free Offer

HOW TO EARN EXTRA MONEY
WITH YOUR HOME COMPUTER.

See Details Below.

I'M WORKING HARD
TO SAVE YOU MONEY.



BUY, SWAP AND SELL

MOM'S CLASSIFIED BULLETIN BOARD OF COMPUTER ITEMS IS YOUR OPPORTUNITY TO LIST FOR SALE OR SWAP-ITEMS THAT YOU NO LONGER NEED. ALSO, IT'S THE PERFECT PLACE TO SHOP FOR BARGAINS OFFERED BY OTHER MEMBERS OF MOM'S FAMILY.



NEW PRODUCTS

MOM CAN SAVE YOU MONEY ON NEW HARDWARE, SOFTWARE PRINTERS, MODEMS, MONITORS, DISC DRIVES AND MUCH MORE - MANY OF THE SAME ITEMS ADVERTISED HERE IN RAINBOW MAGAZINE.

DISCOUNTS

SAVE 5% TO 35% ON ALL NEW ITEMS YOU BUY THROUGH MOM - BEFORE YOU BUY, CHECK WITH MOM FOR LOWEST PRICES.

SPECIAL OFFER

FREE WITH MEMBERSHIP - YOUR PERSONAL COPY OF "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER" JOIN TODAY AND YOU CAN START EARNING EXTRA MONEY USING MOM'S GUIDE.

MOM PROMISES

PERSONALIZED SERVICE - TO MOM YOUR NOT JUST AN-OTHER NAME . . . YOUR PART OF HER FAMILY. SHE'S INTERESTED IN YOU AND HOW YOU USE YOUR COMPUTER. WRITE TO HER ABOUT PROGRAMMING, EQUIPMENT, SOFTWARE, PROGRAMMING AND YOUR OWN IDEAS. HAVE COMPUTER PROBLEMS? WRITE MOM - SHE CARES !!

Software Programmers

Mom can help you Market YOUR programs.

Others have benefited - why not You ?

BECOME A MEMBER OF MOM'S FAMILY

Yes, I want to become a member of MOM'S COMPUTER CLUB FAMILY and enclose my personal check for \$14.95 for which Mom will rush my MEMBERSHIP CARD and my CERTIFICATE along with complete details and benefits of membership. Also included will be my FREE issue of "18 WAYS TO EARN EXTRA MONEY WITH YOUR HOME COMPUTER." I understand that my membership will be entered promptly and that there will be no delay due to payment with personal check, or money order.

Name _____ Date _____
Address _____ Apt # _____
City/State/Zip _____
Phone (_____) _____ My computer is a _____

Make checks payable to:

COMPUTER MOM

4111 Lincoln Blvd. #319
Marina del Rey, CA 90292

Ever become exasperated with the acrobatics required by the SHIFT @ method of stopping a fast-scrolling LIST? Or have you sometimes wanted to format the margins and line length of your LLISTINGS? Now you can easily accomplish either of these things by employing one of the useful processes described here.

SCROLL CONTROL AND LLIST MASTER

By H. Allen Curtis

This article concerns two programs which produce new varieties of CoCo's *LIST* and *LLIST* commands. The programs apply regardless of the size of RAM or the type of BASIC in your CoCo.

Have you ever become exasperated trying to use SHIFT @ to stop the listing process at an appropriate place? The program of Listing 1 was written to avert such exasperation. This program offers you the option of two different varieties of *LIST* commands. Henceforth, the program of Listing 1 will be referred to as *Lister*.

Under the first option, *Lister* will produce a slow *LIST* command. With that *LIST* command, the scrolling of the BASIC lines will take place slowly. The slowed scrolling gives you the needed SHIFT @ control in the strategic stopping of the listing process. This *LIST* variety can operate at any one of five different speeds. You may choose the speed you find to be most convenient.

The second *LIST* variety operates at the normal speed, but without scrolling.

(H. Allen Curtis resides in Williamsburg, Va. He is interested in 17th and 18th century history and enjoys biking through the colonial capital. He balances past and present with his computer work.)

With this variety, when the screen is filled to a point where scrolling would ordinarily occur, listing is automatically stopped. You then must press ENTER for the screen to clear and the listing to resume at the top of the screen. Rather than stopping the listing process with SHIFT @, you must press ENTER to start it.

***“... you may modify
LIST and LLIST to meet
your particular needs.
Disassemblies of the
machine language
subroutines associated
with Lister and LLister
should prove helpful in
making modifications.”***

The key to producing the two *LIST* varieties is the employment of the “hook” at RAM addresses 422 through 424. This hook connects the ROM routine for the *LIST* command with RAM. This hook is not used by Color BASIC, Extended Color BASIC or Disk BASIC. Therefore, it is available to use in the

alteration and improvement of the *LIST* command.

In the slow *LIST* variety, the hook is made to connect the ROM's *LIST* routine with a machine language subroutine residing at the 61 highest RAM locations of your CoCo. In the no-scroll variety of *LIST*, the hook connects the *LIST* routine and a 43-byte machine language subroutine stored in high RAM.

The values in the *DATA* statements of lines 180 and 190 of *Lister* are the 16 bytes comprising the subroutine associated with the slow *LIST*. Likewise, the values of the remaining *DATA* statements, lines 200 through 260, are the bytes that comprise the subroutine associated with the no-scroll *LIST* command.

Lines 10 through 40 are employed to store the subroutine of slow *LIST* in high RAM as well as setting the appropriate hook address. Lines 90 through 110 along with Line 130 serve a similar purpose for the no-scroll *LIST*. Line 170 completes the connection between the ROM's *LIST* and the selected variety. Line 120 checks the accuracy of your typing of the *DATA* statements.

Except for Line 5, the other lines of *Lister* are concerned with prompts to aid you in taking your *LIST* variety options. The *REM* of Line 5 informs



120 122
END 87

Listing 1:

```
5 REM TO RETURN TO NORMAL LIST
  POKE422,57
10 X=256*PEEK(116)+240: CLEAR100,
  X-1
20 X=256*PEEK(116)+240
30 FORI=0TO15: READA: POKEX+I, A: NE
  XT
40 POKE423, PEEK(116): POKE424, 240
50 CLS: PRINT@134, "CHOOSE LIST VA
  RIETY": PRINT@166, "BY PRESSING 1
  OR 2
60 PRINT: PRINT" 1. SLOW": PRINT:
  PRINT" 2. NO SCROLL
70 K$=INKEY$: ON VAL(K$) GOTO140,
  90
80 GOTO70
90 X=256*PEEK(116)+213: CLEAR100,
  X-1
100 X=256*PEEK(116)+213: FORI=0TO
  15: READA: B=B+A: NEXT
110 FORI=0TO42: READA: B=B+A: POKEX
```

```
+I, A: NEXT
120 IFB<>6844THENCLS: PRINT"DATA
  ERROR": STOP
130 POKE424, 213: POKE422, 126: END
140 CLS: PRINT@164, "FOR A FASTER
  SLOW LIST": PRINT" PRESS A NUM
  BER KEY FROM": PRINT" 1 TH
  ROUGH 4.": PRINT" OTHERWISE, P
  RESS ENTER.
150 K$=INKEY$: K=VAL(K$): IFK<5 AN
  D K>0 THEN160ELSEIFK$=CHR$(13)TH
  EN170ELSE150
160 K=256/2^K: POKE256*PEEK(116)+
  249, INT(K+.5)
170 POKE422, 126: END
180 DATA 52, 16, 134, 254, 145, 111, 3
  9, 6
190 DATA 142, 0, 0, 189, 167, 211, 53,
  144
200 DATA 220, 136, 159, 66, 227, 132
210 DATA 147, 66, 16, 131, 5, 224, 44
220 DATA 1, 57, 182, 2, 220, 129, 155
230 DATA 39, 248, 129, 182, 39, 244
240 DATA 52, 16, 189, 163, 144, 189
250 DATA 169, 40, 48, 95, 189, 185
260 DATA 156, 12, 137, 53, 144
```

you how to return to the normal *LIST* from either variety of *LIST*.

The subroutines of both *LIST* varieties will occupy the same RAM area as RAINBOW Check Plus. Therefore, if you make use of RAINBOW Check Plus as an aid in the correct typing of *Lister*, do not run *Lister* until it has been completely and accurately typed.

After correctly typing *Lister*, save it on tape or disk, then *RUN* it. You will quickly receive the first prompt. To test

Lister initially, press the '1' key to select the slow *LIST* variety. Doing this immediately produces another prompt. The slow *LIST* will operate at one of five speeds. Pressing *ENTER* will make it operate at its slowest speed. Pressing 1, 2, 3 or 4 will, respectively, make it operate at two, four, eight or 16 times the speed of the slowest *LIST*.

Press *ENTER* to get the slowest *LIST*. Then type *LIST*, press *ENTER*, and test the use of *SHIFT @* to stop the listing

process. Run *Lister* four more times. Each time select the slow *LIST* variety, but at a different speed. Determine what speed is most convenient for you by *Listing Lister* and stopping it by means of *SHIFT @*.

In another run of *Lister*, select the no-scroll *LIST* variety, then *LIST* the program. Note that the listing stopped after completing only BASIC Line 5. Listing Line 10 would have caused scrolling, so the process was stopped.

Listing 2:

```
10 CLS: X=256*PEEK(116)+194: CLEAR
  100, X
20 X=256*PEEK(116)+195
30 FORZ=X TOX+60
40 READA: B=B+A: POKEZ, A: NEXT
50 IFB<>5998THENPRINT"DATA ERROR
  ": STOP
60 PRINT@231, " "; INPUT"MARGIN";
  M
70 POKEX+60, M
80 INPUT" LINE LENGTH"; L
90 L=L+M: POKEX+43, L
100 IFPEEK(32768)<>69THENPOKEX+1
```

```
1, 57
110 IFPEEK(186)=6THENPOKEX+12, 13
  0: POKEX+13, 115ELSEPOKEX+12, 203: P
  OKEX+13, 74
120 POKE360, PEEK(116): POKE361, 19
  5
130 DATA 52, 124, 246, 2, 220, 193
140 DATA 155, 39, 5, 53, 124, 57, 0, 0
150 DATA 48, 140, 42, 129, 13, 39, 34
160 DATA 230, 132, 38, 16, 230, 1, 52
170 DATA 6, 231, 132, 134, 32, 189
180 DATA 162, 133, 90, 38, 248, 53, 6
190 DATA 92, 193, 80, 39, 4, 231, 132
200 DATA 32, 215, 189, 162, 133, 134
210 DATA 13, 111, 132, 32, 206, 0, 0
```


Pressing ENTER permits the nearly full screen display of lines 10 through 80. By pressing ENTER again, you will be shown lines 90 through 140. Two more similar presses of ENTER will complete the program listing. As you have seen, the no-scroll *LIST* lets you examine BASIC lines at your own pace.

Setting Margins With *LLister*

Would you like to start a notebook of program listings? Or, would you like to have the ability to select the left margin size and the number of characters per line of any hard copy listing? If so, the program of Listing 2 should be of interest to you. The product of this program, called *LLister*, is a new variety of *LLIST* command that allows you to format your hard copy listings insofar as left and right margins are concerned.

Another hook, at addresses 359 through 361, is the key to the development of a new variety of *LLIST* command. The *DATA* statements (lines 130 through 210) of *LLister* comprise a 61-byte machine language subroutine that will be connected via the hook to the ROM's *LLIST* command routine. Lines 10 through 40 of *LLister* are concerned with storing the aforementioned subroutine at the highest 61 RAM locations. Line 50 provides a check on the accuracy of your *DATA* values typing.

Both Extended Color BASIC and Disk BASIC make use of the hook at addresses 359-361, but Color BASIC does not. *LLister* sets a hook address entry to the 61-byte machine language subroutine. For systems with Extended Color BASIC or Disk BASIC, *LLister* also sets the subroutine exit address, which is the replaced hook address entry to the appropriate BASIC ROM. Lines 100 through 120 are used to set up the hook address and the exit address, if needed.

The remaining lines of *LLister* provide prompts to enable you to specify the desired left margin size and the number of characters per line.

A high RAM conflict exists between *LLister* and RAINBOW Check Plus. When using the latter, do not run *LLister* until it has been typed correctly. If you are using a new *LIST*, type and ENTER *POKE422,57* to disable it before running *LLister*.

When you have finished the required typing, save *LLister* on tape or disk. Turn your computer off and turn on your printer and CoCo in the recommended sequence. *LOAD LLister* and *RUN* it.

A MARGIN prompt will soon appear

ADDRESS	HEX CODE	MNEMONIC	OPERAND	COMMENT
3FF0	34 10	PSHS	X	;Save X
3FF2	86 FE	LDA	#FE	;A is printer device number
3FF4	91 6F	CMPA	6F	;Is LLIST current command?
3FF6	27 06	BEQ	3FFE	;If so, go to exit
3FF8	8E 00 00	LDX	#0000	;X is delay constant (POKEd from BASIC for speeds 1 thru 4)
3FFB	BD A7 D3	JSR	A7D3	;Delay
3FFE	35 90	PULS	PC,X	;Restore X and exit

Table 1

ADDRESS	HEX CODE	MNEMONIC	OPERAND	COMMENT
3FD5	DC 88	LDD	88	;D is cursor position
3FD7	9F 42	STX	42	;Save line address pointer
3FD9	E3 84	ADDD	,X	;Add next pointer
3FDB	93 42	SUBD	42	;D is cursor position if current line were listed
3FDD	10 83 05 E0	CMPD	05E0	;Would cursor be on bottom screen line?
3FE1	2C 01	BGE	3FE4	;If so, branch
3FE3	39	RTS		;Exit
3FE4	B6 02 DC	LDA	02DC	;A is current command token
3FE7	81 9B	CMPA	#9B	;Is command LLIST?
3FE9	27 F8	BEQ	3FE3	;If so, go to exit
3FEB	81 B6	CMPA	#B6	;Is command EDIT?
3FED	27 F4	BEQ	3FE3	;If so, go to exit
3FEF	34 10	PSHS	X	;Save X
3FF1	BD A3 90	JSR	A390	;Wait for ENTER to be pressed
3FF4	BD A9 28	JSR	A928	;Clear screen
3FF7	30 5F	LEAX	-1,U	;X points to ASCII representation of current line number
3FF9	BD B9 9C	JSR	B99C	;Print line number
3FFC	0C 89	INC	89	;Bump cursor position
3FFE	35 90	PULS	PC,X	;Restore X and exit

Table 2

on the screen. The prompt requires you to type the margin size. A frequently used margin size is 10 characters long. Thus, type 10 and press ENTER.

The next prompt asks you to specify the line length. For an 80-column printer, 60 characters per line will yield left and right margins of 10 characters each. Therefore, type 60 and press ENTER.

Test the new *LLIST* command by using it to *LLIST* *LLister*. *RUN LLister* several times and try *LLISTing* with different margin and line length selections. If the selected margin size and line length total more than 80 characters, *LLister* will reduce the line length to 80 minus the margin size.

LLister as presented does not have any effect on the *PRINT#-2* command, but it can easily be made to do so. If you would like to employ *LLister* to select and use margins and line lengths on other matter as well as BASIC programs, make the following changes in *LLister*: in Line 130 replace values 246, 2 and 220 with 214, 111 and 18. In Line 140 replace the value 155 with 254. Finally, in Line 50 replace the checksum 5998 with 5972.

As *Lister* and *LLister* were written, the new varieties of *LIST* and *LLIST* cannot concurrently be a part of BASIC's vocabulary. The new *LIST* and *LLIST* commands can be made to belong to BASIC's repertoire by making the following changes in *Lister*: in lines 10, 20 and 40 replace the number 240 with 179. Similarly, in lines 90, 100 and 130 replace 213 with 152. Then save the changed *Lister* on tape or disk.

When adding both the new *LIST* and *LLIST* commands to BASIC's vocabulary, you must *LOAD* and *RUN LLister* before doing the same with the changed *Lister*.

Some of you may be interested in further modifying *LIST* and *LLIST* to meet your own particular needs. Disassemblies of the machine language subroutines associated with *Lister* and *LLister* should prove helpful to you in making such modifications. Disassemblies of the slow *LIST*, no-scroll *LIST* and *LLIST* subroutines are presented in Tables 1, 2 and 3.

In the tables all numbers and addresses have been expressed in hexadecimal, so there is no need to use the symbol '\$' to indicate that a given number or address is in hexadecimal. The table addresses correspond to those used with a CoCo having a 16K byte RAM. For a 32K RAM mentally add 4000 hexadecimal to each of those addresses.

ADDRESS	HEX CODE	MNEMONIC	OPERAND	COMMENT
3FC3	34 7C	PSHS	UXYB,DP	;Save registers
3FC5	F6 02 DC	LDB	02DC	;B is command token
3FC8	C1 9B	CMPB	#9B	;Is it LLIST token?
3FCA	27 05	BEQ	3FD1	;If so, branch
3FCC	35 7C	PULS	UXYB,DP	;Restore registers
3FCE	7E 00 00	JMP	0000	;Exit set by POKEs
3FD1	30 8C 2A	LEAX	2A,PC	;X points to current character count
3FD4	81 0D	CMPA	#0D	;Is character carriage return?
3FD6	27 22	BEQ	3FFA	;If so, branch
3FD8	E6 84	LDB	,X	;B is current character count
3FDA	26 10	BNE	3FEC	;Branch if not start of new line
3FDC	E6 01	LDB	1,X	;B is margin size
3FDE	34 06	PSHS	B,A	;Save margin size and current character
3FE0	E7 84	STB	,X	;Set character count to margin size
3FE2	86 20	LDA	#20	;A is space
3FE4	BD A2 85	JSR	A285	;Line print space
3FE7	5A	DECB		;Have all margin spaces been printed?
3FE8	26 F8	BNE	3FE2	;If not, loop
3FEA	35 06	PULS	B,A	;Restore margin size and current character
3FEC	5C	INCB		;Bump B
3FED	C1 50	CMPB	#50	;Have all characters of current line been printed?
3FEF	27 04	BEQ	3FF5	;If so, branch
3FF1	E7 84	STB	,X	;Save current character count
3FF3	20 D7	BRA	3FCC	;Prepare to exit
3FF5	BD A2 85	JSR	A285	;Line print final character of line
3FF8	86 0D	LDA	#0D	;A is carriage return
3FFA	6F 84	CLR	,X	;Zero character count
3FFC	20 CE	BRA	3FCC	;Prepare to exit
3FFE	00			;Current character count
3FFF	00			;Margin size

Table 3

CALINDEX[®]

The automated computer calendar






If you use a calendar you need Calindex!

Use Calindex every day and . . .


- always know what's coming due.
- never miss an important deadline.
- feel secure everyone is up to date.
- have a permanent record of activities.



So easy to use

Once you enter a due date and other information on a file card

Calindex starts reminding you a month in advance of upcoming items. And Calindex keeps reminding you until you tell it the item is taken care of. The power of Calindex.



So automatic

A chain of command feature allows each member of your group to have a personal calendar. Up to sixteen individual calendars can be managed by the master calendar. Calindex automatically reports seriously overdue items from the interrelated calendars up the "chain of command" until they are taken care of down the line.

The power of Calindex

Indispensable for every . . .

- | | |
|------------|----------------|
| * Family | * Student |
| * Business | * Committee |
| * Group | * Organization |
| * Parent | * Club |
| * Teacher | |

Packed full of helpfull features . . .

- Easy to write file cards
- Chain of command supervisor
- Automatic tickler file
- Multiple calendar management
- Perpetual calendar entries
- List creation feature
- Archive for satisfied entries
- Automatic scan selection
- Uses standard printer

\$35.00
SPECIAL
HOLIDAY
PRICE

Grantham Software Division
702 W. Washington Street
Marina del Rey, CA 90292
(213) 827-8087



Grantham Software Division
702 W. Washington Street
Marina del Rey, CA 90292

YES! RUSH me my copy of Calindex for CoCo.

Name

Address

City State ZIP

- ☐ My check for \$35.00 is enclosed (California residents add 6.5% sales tax).

Like Sands Through The Hourglass . . .

By Mary Crooks



Hourglass is a short graphics routine for visual entertainment. It fills a time delay or visual gap in the on-screen proceedings. You can use it as a subroutine in programs you create that need such a time filler. If you add it to the "20 Odd-Ball Screen Rou-

(Mary Crooks, a housewife and mother of two, has been programming for about a year. She is currently helping to organize and run the computer center at her son's elementary school. She holds a degree in art and enjoys all things creative.)

tines" by Gregory Clark in THE RAINBOW, Jan. 1984, then you will have quite a collection from which to choose.

A Color Computer 16K Extended BASIC is required. Type *RUN* and the program writes the words "Please Wait" on the screen, then draws an hourglass. The sand in the hourglass falls for an interval of time that you can change to fit your needs. Lines 10-20 reserve memory for variables and determine the graphics mode. Lines 30-110 draw the cursive letters and assign them a variable name. The actual drawing of the words happens in Line 120 using *DRAW*

and concatenation (adding together) of the variables. The rest of the program constructs and colors the hourglass and creates the falling sand particles. The time delay is for ten seconds. You can change the timing interval in Line 230 by increasing or decreasing the 50 in the *FOR NEXT* loop.

If you use *Hourglass* as a subroutine, include *CLEAR 350* at the start of your main program and delete it from the subroutine. Call the subroutine with a *GOSUB* from the place in your program that it is needed, then change Line 260 to read *RETURN*.


The listing:

```
10 CLEAR 350
20 PMODE4,1:PCLS:SCREEN 1,0
30 AP$="EU2UNHNUER2FDGL2HBD3BR4"
40 BL$="BRRE2U3HGD4FR"
50 BE$="RE2HG6F2R"
60 BA$="RU2ERFDNFGLHBD3BR4"
70 BS$="REU2F2GNHR2"
80 AW$="BU5FD3FENU4FEU3EBD5"
90 BI$="REU2BUNEBD3DRBR"
100 BT$="REU3NL2NR2NUBD3FR"
110 SS$="BR5" & SPACE
120 DRAW"SB8M20,20"+AP$+BL$+BE$+
    BA$+BS$+BE$+SS$+AW$+BA$+BI$+BT$+
    SS$
130 CIRCLE(126,60),30,,.25
```

```
140 CIRCLE(126,152),30,,.25
150 LINE(96,60)-(156,152),PSET
160 LINE(156,60)-(96,152),PSET
170 LINE(116,90)-(136,90),PSET
180 PAINT(118,91),1,1
190 PAINT(126,152),1,1
200 FOR Q=1 TO 3
210 FOR T=1 TO 40
220 P=124+RND(4):Q=110+RND(26)
230 PSET(P,Q,1):FOR L=1 TO 50:NEXT
    T
240 NEXT T:CIRCLE(126,152),15,,.
    75,.50,1:PAINT(126,143),1,1
250 NEXT Q:CIRCLE(126,152),19,,.
    75,.50,1:PAINT(126,140),1,1
260 FORX=1 TO 2000:NEXT
```


Sugar
& Software

Sugar Software



RAINBOW SCREEN MACHINE

SUPER SCREEN MACHINE

- The Rolls Royce of graphics/text screen enhancers — more screen features than all others combined!
- Add these features to your computer/program: ML extension of Basic loads on top of 16, 32, or 64K machines to enable easy mixture of **hi-res graphics and text** in your programs. Dense text or large lettering for children, visually impaired or VCR title screens with no programming!
- User definable 224 character set featuring lower case descenders, Greek, cars, tank, planes, etc., completely interfaced with **all keys, commands, and PMODES**. 12 sizes (most colored) from 16 x 8 to 64 x 24. **PRINT @, TAB and comma fields are fully supported.**
- 2 distinct character sets automatically switch for sharpest lettering featuring **underline, subscript, superscript, reverse video, top and bottom scroll protect, double width, colored characters in PMODE 4, and help screen.**
- Simple 2-letter abbreviated commands inside your program or **control key** entry from keyboard, even during program execution!
- Includes demo program, **character generator** program and manual. 16K Ext. Basic required — 32K recommended. **\$29.95 Tape; \$32.95 Disk.**

- Revolutionary — heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer!
- All of the features of Screen Machine and more:
- Variable **SMOOTH Scroll** for professional displays, listings, business use.
- Variable volume **KEY Click** (tactile feedback).
- **EDTASM + command** for instant compatibility with cartridge EDTASM
- **Superpatch + command** for instant compatibility with the Superpatch + Editor-assembler
- True **Break key** disable and recognition.
- 10 User Definable commands used to activate your special drivers or subroutine.
- Dynamic **Screen Dump command** for use with Custom Software Engineering's Graphic Screen Print program for simple printer "Snapshots" of your screen even during program execution!
- **The new standard** — Upgradeable at any time from previous Rainbow-Writer or Screen Machine purchase. Return old program, manual, plus cost difference and \$7.00 shipping and handling.
- Super Screen Machine **\$44.95 Tape; \$47.95 Disk.**

Screen Machine can be used in games, word processors, utilities, etc. In addition, the custom graphics characters can be used to develop easy, effective hi-res character-graphics programs. The potential is truly unlimited.

Screen Machine can be used to directly create video recorder title screens or large lettering for children or the visually impaired simply by typing.

Screen Machine is fully interfaced with all keys and commands. Although some Basic programming knowledge is recommended just a few minutes spent studying and referencing your computer's Basic manuals will turn you on to the power of computing with Screen Machine.

Sugar Software

Gift Certificate

Pay to the order of _____ available in _____ \$ _____

Amount _____ any amount!

Memo _____

A complete catalog of other sweet Sugar Software products is available.

SUGAR SOFTWARE
2153 Leah Lane
Reynoldsburg, Ohio 43068
(614) 861-0565
No refunds or exchanges.



Add \$1.00 per tape for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. CIS orders E-MAIL to 70405, 1374. Dealer inquiries invited.



For Ordering Call TOLL FREE

1-800-338-6800
FROM - DATA-COMP, C.P.I.

C.P.I.
 Color Micro Journal
 '68' Micro Journal
 Data-Comp
 S.E. Media

A Family of 100% 68XX Support Facilities
 The Folks who FIRST Put FLEX™ on
 The CoCo
 Now Offering: *FLEX™ (2 Versions)
 AND *STAR-DOS PLUS+™

FLEX-CoCo Sr.
 with TSC Editor
 TSC Assembler
 Complete with Manuals
 Reg. \$250.⁰⁰ **Only \$79.⁹⁵**

STAR-DOS PLUS+
 • Functions Same as FLEX
 • Reads - writes FLEX Disks
 • Run FLEX Programs
 • Just type: Run "STAR-DOS"
 • Over 300 utilities & programs
 to choose from. **\$34.⁵⁰**

FLEX-CoCo Jr.
 without TSC
 Editor & Assembler
\$49.⁹⁵

PLUS

ALL VERSIONS OF FLEX & STAR-DOS• INCLUDE

TSC Editor
 Reg \$50.00
NOW \$35.00

- + Read-Write-Dir RS Disk
- + Run RS Basic from Both
- + More Free Utilities
- + Super 800 Support
- + Free Color Micro Journal 1 yr. sub.

- + External Terminal Program
- + Test Disk Program
- + Disk Examine & Repair Program
- + Memory Examine Program
- + Many Many More!!!

TSC Assembler
 Reg \$50.00
NOW \$35.00

DISK SYSTEMS FOR THE COLOR COMPUTER

THESE PACKAGES INCLUDE DRIVE, *CONTROLLER,
 POWER SUPPLY & CABINET, CABLE, AND MANUAL.

* SPECIFY WHAT CONTROLLER YOU WANT J&M, OR RADIO SHACK.

PAK #1 - 1 SINGLE SIDED, DOUBLE DENSITY SYS.	\$389.95
PAK #2 - 2 SINGLE SIDED, DOUBLE DENSITY SYS.	\$639.95
PAK #3 - 1 DOUBLE SIDED, DOUBLE DENSITY SYS.	\$439.95
PAK #4 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS.	\$699.95
PAK #5 - 2 DOUBLE SIDED, DOUBLE DENSITY SYS. THINLINE DRIVES, HALF SIZE	\$659.95

COLOR COMPUTER II 64K W/EXT. BASIC \$189.95

CONTROLLERS

J&M DISK CONTROLLER W/ JDOS OR RADIO SHACK
 DISK BASIC, SPECIFY WHAT DISK BASIC. \$139.95

RADIO SHACK DISK CONTROLLER 1.1 \$134.95

DISK DRIVE CABLES

CABLE FOR ONE DRIVE \$ 19.95
 CABLE FOR TWO DRIVES \$ 24.95

MISC

64K UPGRADE W/MOD. INSTRUCTIONS,
 C,D,E,F, AND COCO 2 \$ 49.95

HJL KEYBOARDS	\$ 69.95
MICRO TECH LOWER CASE ROM ADAPTER	\$ 74.95
RADIO SHACK BASIC 1.2	\$ 29.95
RADIO SHACK DISK BASIC 1.1	\$ 29.95
RADIO SHACK EXT. BASIC	\$ 39.95
SCREEN CLEAN CLEARS UP VIDEO DISTORTION	\$ 39.95
MEMOREX DISKS 5" SS,DD	\$ 24.00
SHIPPING INCLUDED ON DISK PRICES	
DISK DRIVE CABINET & POWER SUPPLY	\$ 49.95
SINGLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$199.95
DOUBLE SIDED, DOUBLE DENSITY 5" DISK DRIVE	\$249.95

PRINTERS

EPSON RX-80	\$325.00
EPSON RX-80FT	\$375.00
EPSON MX-100	\$650.00
EPSON FX-100	\$799.00
EPSON FX-80	\$549.00
EPSON MX-70	\$200.00

SERIAL BOARDS FOR PRINTERS

MX-SERIES	\$119.95
FX-SERIES	\$ 99.95

USA ADD 2% SHIPPING
FOREIGN ADD 5% SHIPPING

5900 Cassandra Smith Rd. Hixson, TN 37343
TEL. (615) 842-4600 • TELEX 558 414 PVT BTH

*FLEX is a Trademark of Technical System Consultants
 *STAR-DOS+ is a Trademark of STAR-Kits & Data-Comp

A Practical Alternative For Creating A Pupil Database

**By Michael Plog Ph.D.
Rainbow Contributing Editor**

Recently, I had a chance to talk with some school people about using a pupil database. These people were directors of a program operating in schools, and needed to supply information to funding agencies (state education agencies, Federal grant agencies, or even foundations and industries). The funding agencies request information about each student being served with the money provided. Thus, the pupil database is a set of information wherein each student represents one record. Specific data elements may include such things as birth date, grade level, sex, scores on tests, date of entering the program, length of service by program personnel, and so on.

A pupil database is ideally suited for a microcomputer. There is the need to store information, have access to that information for updating, and prepare a report to be delivered to the funding agency. In this article, we will consider

some of the features of a pupil database, and some of the uses.

With many commercial databases on the market, there is no need for local programmers to try to write their own database. Local efforts will probably not be as flexible as commercial programs, and will have to go through a long period of debugging. The time required to prepare a complete database program is probably not worth the amount of money required to buy one of several excellent products. I have no idea how many database packages are available for the Color Computer, but I have seen some in operation. With the power available for the low price, it is silly for local people to try to write their own. Thus, it is suggested that school personnel buy a commercial product; one that fits their needs and is easily understood.

When designing the database, and determining what information to store, include more than the minimum required by the funding agency. Consider what will be needed for local school use, in addition to what the outside agency will need. Such things as parents' names, address, telephone number, grades in classes, etc., are of local concern, but generally not of concern

to funding agencies. Design the database carefully. Remember, it will be impossible to get anything out of the pupil database that has not been put in.

Getting information out of a database may prove more complex than most people think. To get local reports from a database, the commercial reporting formats may work fine. However, the report to the funding agency may be a different matter, and after all, what is the sense of storing information on a microcomputer if you cannot have the machine prepare the reports for you?

Most funding agencies now use computer printer paper for student reports. After all, they have to enter the information they receive (typically on a mainframe), and simply use what is convenient. The trouble is that most of these forms will not be appropriate for commercial database report formats. Such things as the name of the school district may have to be printed on each page. Line spacing may prove to be a difficulty. Summary calculations may be required. Judging from the student reports I have seen, commercial database report formats are inadequate for the job.


The best solution to having the microcomputer print the necessary

(Michael Plog received his Ph.D. degree from the University of Illinois. He has taught social studies in high school, worked in a central office of a school district, and currently is employed at the Illinois State Board of Education.)

REAL TIME CLOCK

RTC-10

Full featured, yet very easy to use. RTC-10 is a quartz-based, Time/Date clock contained in a compact ROM case. RTC-10 makes it simple to access the time and date with just a few Basic PEEKS. A 2-year + replaceable battery (included) keeps time accurate when the computer is off and even when the cartridge is unplugged.



ONLY \$69.00

Compatible with any 16K or greater. Extended or non-extended Color Computer, RTC-10 may be used with or without a Radio Shack or any other Multi-Slot unit. To use it with a disk, without a Multi-Slot, order the Y-cable below.

Completely assembled, tested and ready to plug-in and use, with programs included for clock setting and for continuously displaying the Time/Date in the upper right corner of the video screen. ONLY..... \$69.00

COCO CABLES

Top quality cable and connectors with all gold plated contacts.....

Y-CABLE- 40 conductor, 1 ft. long, 1 Male, 2 Females. Allows you to connect your disk controller pack and the RTC-10 Clock or most voice synthesizers, etc. ONLY..... \$29.95

DISK PACK EXTENDER CABLE- 40 Conductor, 2 ft. long, 1 Male, 1 Female. Lets you place your disk controller pack where you want it, out of your way. ONLY..... \$22.95

CUSTOM FLAT CABLES- Call-in or send us your requirement. We will quote a reasonable price for the cable you need.

Custom Computer Products
6 Dogwood Court
Goshen, NY 10924
(914) 469-2043

ccp

ADD \$3.00 PER ORDER FOR SHIPPING & HANDLING
FOR C.O.D., INCLUDE AN ADDITIONAL \$3.00
NY RESIDENTS MUST INCLUDE SALES TAX.

reports is to write a program to take the data from storage, format it in the required manner, and print it directly to the forms provided by the funding agency. If the records are stored in ASCII format, a BASIC program will solve this problem easily.

But there is the rub. Most program directors would find that hard to do. Few would have the time necessary to write such a program in BASIC. Even if program directors had the time, few have the background in programming. Generally, their training has not included a study of computer languages. Naturally, there will not be a major inclination to learn BASIC just for this purpose.

Hiring professional programmers is expensive. And while I have nothing against people selling their programming skills (I have done so myself), it must be recognized that many schools simply cannot afford the luxury of contracting with a programmer for what may well be a small program affecting only a few students. What is needed is inexpensive

"It seems an entirely workable idea to have students put classroom experiences to use on a real life problem."

programmers. (I refuse to say cheap programmers, because that implies low quality.)

There is a solution which makes this difficulty minor. Why not use students in school taking computer classes? The majority of schools in the country are teaching classes in BASIC. Students in these courses are learning a great deal about programming, and even writing programs that get published in magazines such as THE RAINBOW. The instructors of these courses are right in the buildings with the projects needing assistance from microcomputers. And of course, the price is right.

It seems an entirely workable idea to approach the instructor of a computer course with the idea of having the students put their classroom experiences to use on a real life problem. This would not only help the local district (getting reports in on time), but would give the students a chance to show their creativity, and progress beyond the typical exercises and activities of the classroom. The task would provide an excellent opportunity for the more advanced students in the computer course, but

would also be appropriate as a project for the entire class.


I realize that most readers of this article are not going to be program directors in need of microcomputer assistance. A more likely audience will be instructors of the computer classes. Well, go ahead — take the initiative. If you think your class could accomplish this type of activity, seek out those directors and coordinators of programs that might benefit from such a program. They will not be hard to find. Such folks are involved in things like special education, bilingual, chapter I, vocational programs, or in Federal programs funded directly to schools. Sometimes foundations and large industrial firms will fund special programs in schools.

The point of this suggestion is to advance and expand the use of microcomputers in schools. This is perhaps a non-traditional use of the microcomputer, and certainly a non-traditional use of microcomputer courses. But the cooperation that results cannot be anything but helpful — to students, teachers, program directors, and the school system itself.

Another thought about the database concept needs to be mentioned. The initial data load can be a problem, much more so than simply updating information already stored. Most school systems do not have enough secretarial help to keep up with the daily tasks that have to be done, much less take the time to load a host of student information into a microcomputer. What is needed is an inexpensive source of typing labor. Since we are using inexpensive programmers, why not continue the same idea here. Approach the typing teacher. I would imagine most teachers would appreciate the opportunity to have their students gain experience with a different keyboard, learn something about data entry, and get some practice on an activity that has immediate value.

So, it should be possible to use the microcomputer to further the cause of cooperation in schools, provide services that would not be available otherwise, and broaden the potential uses of modern technology in education. Not a bad deal. If anyone is currently engaged in such an activity, please let me know. If anyone starts something like this, I would appreciate knowing about it. My address is 829 Evergreen, Chatham, IL 62629. Until next month, take care and keep learning.

It's no job to give the perfect gift for this Christmas.



THE RAINBOW
A Falsoft Publication

The Falsoft Bldg.
P.O. Box 385
Prospect, KY 40059
(502) 228-4492

I would like to send a gift certificate for a one year (12 months) subscription.

To:

Name _____

Address _____

City _____ State _____ ZIP _____

From:

Name _____

Address _____

City _____ State _____ ZIP _____

Payment Enclosed ☐

Charge Visa ☐ MasterCard ☐ American Express ☐

My Account# _____ Interbank # (MC only) _____

Signature _____ Card Expiration Date _____


Get the ball rolling and fill out the form above to give someone a **RAINBOW** certificate in time for the holidays.

Subscriptions to **THE RAINBOW** are \$31 a year in the United States. Canadian rate is \$38 U.S. Surface rate to other countries \$68 U.S.; air rate to other countries \$103 U.S. Kentucky residents add 5% sale tax. All subscriptions begin with the current issue. Please allow up to 5-6 weeks for first copy. U.S. FUNDS only. We do not bill in order to hold down cost.

Just for your
TRS-80® Color
TDP System 100
Dragon-32
MC-10

DISK DRIVES **DISK DRIVES** **DISK DRIVES** **DISK DRIVES** **DISK DRIVES**

Super Sale on New Hard Drives



Warranty - One Full Year

Introducing

MEGADISK™

Winchester Hard Drive ready to run on the TRS 80 Model I/III/IV/4P, Color Computer, I.B.M.-PC, Apple, Franklin, Max/80.

Software Drivers: LDOS, NewDos/80, Dosplus, TRSDOS 6.0, CP/M

CALL FOR NEW LOW PRICE

DRIVE A HARD BARGAIN™ Complete Systems Starting at ~~\$899.95~~

Call Toll Free Ordering 1-800-343-8841




High Quality Lowest Price

Drive 0, 1, 2, 3
for the

Color Computer

Starting at ~~\$199.95~~ CALL FOR NEW LOW PRICE



Disk Drive Upgrade

for Model III/IV easy to install system

Starting at ~~\$309.95~~ CALL FOR NEW
LOW PRICE

SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

Hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10:00 am to 3:30 pm

DEALER INQUIRIES INVITED.

TERMS:

M.C./Visa/Amex and personal checks accepted at no extra charge. C.O.D., please add \$3.00.

Shipping: Please call for amount.
Not responsible for typographical errors.
Prices subject to change.

CANADA

MICRO R.G.S. INC.

751, CARRE VICTORIA, SUITE 403
MONTREAL, QUEBEC, CANADA, H2Y 2J3
Regular Tel. (514) 287-1563
Canadian Toll Free 800-361-5155

Service! Service!

All in stock products are shipped within 24 hours of order.

Repair/Warranty service is performed within 24 hours of receipt unless otherwise noted. We accept C.O.D., foreign and APO orders. School and D&B corporate P.O.s accepted.

TRS/80 Registered Trademark Tandy Corp.

Apple Registered Trademark Apple Computer Corp

IBM-PC Registered IBM Corp.

Franklin Registered Trademark Franklin Corp.

LDOS Reg. Logical System Inc.

Dosplus - Micro Systems Software

Max/80 Registered Trademark Lobo Int.

Newdos/80 - Apparat Inc.

DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES

DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES

PRICE BREAKTHROUGH

Super Sale on New Disk Drives

Starting at ~~\$169.00!~~ CALL FOR NEW
NEW LOW PRICE

Tandon — Siemens — Remex — MPI — Teac — Shugart
40 or 80 Tracks — Single or Dual Head

IBM/PC — TRS/80 — Sanyo Computers ----- \$Call

Drive a Hard Bargain™!! For your TRS/80, **Color Computer**, IBM, Apple, Franklin,
Max/80, Complete Systems.....from ~~899.95~~ CALL FOR NEW
LOW PRICE

PLEASE CALL FOR OUR MOST CURRENT PRICE REDUCTIONS.

TOLL FREE ORDERING
1-800-343-8841

GENERAL AND TECHNICAL
1-617-872-9090

Disk Drives (0123) TRS/80-IBM-Apple-TI-Franklin-Max/80-LNW	▲	CALL
Model I/III/IV Upgrade (Disk Drives - Memory)	▲	
Printers—Daisywheel/Dot Matrix	▲	TOLL
Double Density Controller (Model I)	▲	
Color Computer Printer Interfaces	▲	FREE
Disk Drive Operating Systems	▲	
Repair Services Now Offered—FAST Turn-a-Round	▲	FOR
Apple/Franklin Compatible Add-On Drives with Case & Cable	▲	
Diskettes — Lifetime Guarantee — Low-Low Prices	▲	NEW
DISK DRIVE CASES AND POWER SUPPLIES (5 year warranty)	▲	PRICES
Printer Buffers 8K to 512K		starting at \$143.95
Model I/III/IV Speed-up Mod		starting at \$75.00
Cables—Printer/Disk Drive		starting at \$16.00

Warranty on Disk Drives — 1 Full Year Parts and Labor

SOFTWARE SUPPORT, INC.

1 Edgell Road, Framingham, MA 01701 (617) 872-9090 Telex-383425

hours: Mon. thru Fri. 9:30 am to 5:30 pm (E.S.T.) Sat. 10 am to 3:30 pm

DEALER INQUIRIES INVITED.

TERMS:
M.C./Visa/Amex and personal
checks accepted at no extra charge.
C.O.D., please add \$3.00.
Shipping: Please call for amount.
Not responsible for typographical errors.
Prices subject to change.

CANADA
MICRO R.G.S. INC.
751, CARRE VICTORIA, SUITE 403
MONTREAL, QUEBEC, CANADA, H2Y 2J3
Regular Tel. (514) 287-1563
Canadian Toll Free 800-361-5155

Service! Service!

*All in stock products are shipped
within 24 hours of order.
Repair/Warranty service is performed
within 24 hours of receipt unless
otherwise noted. We accept C.O.D.,
foreign and APO orders. School
and D&B corporate P.O.s accepted.*

TRS/80 Registered Trademark Tandy Corp. Apple Registered Trademark Apple Computer Corp.
IBM-PC Registered IBM Corp. Franklin Registered Trademark Franklin Corp. Max/80 Registered Trademark Lobo Int.
LDOS Reg. Logical System Inc. Dosplus - Micro Systems Software Newdos/80 - Apparart Inc.

DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES DISK DRIVES

*COOKING
With
CoCo*



Part VII

By Colin J. Stearman

*Teaching CoCo how to
clean up after its errors
and own up to mistakes*

Probably the most frustrating limitation of the Microsoft BASIC in CoCo is its lack of ability to trap errors. Even the best written programs generate errors and when they do, it's infuriating to have CoCo tell you how you messed up and then tell you with a condescending smirk that it's OK! It isn't OK, so we must do something about it.

Error Trapping

Most flavors of BASIC have a statement similar to *ON ERROR GOTO nnn* which tells the interpreter that if an error occurs jump to line 'nnn' and continue running. Then at line 'nnn' we can write some lines which handle the error and continue the running of the program.

Because *ON* is already a BASIC keyword I decided to simplify the syntax. So here is a description of the error trapping command and some associated variables.

ERRORS

The syntax for the error directing line is *ERRORS GOTO nnn*, where 'nnn' is an existing line number or zero. When such a line is encountered in your program it simply tells the interpreter that, should an error occur, go to line 'nnn'. This command will stay in effect until another such line is encountered saying go to a different line on an error. Except if 'nnn' is a zero, error trapping is canceled and errors cause BASIC to stop the program and report just as before (or nearly as before, as you will see).

If line 'nnn' does not exist, then a 'No such line number' error will occur if the statement is entered in the direct mode. However, if it is in a program, it will create an error itself, but the error will have nowhere to go, and the program will lock up. Pressing Reset is the only option left.

Because the line number follows a normal *GOTO* statement, the *RENUM*

(Colin J. Stearman is an electronics engineer educated in the U.K. He has worked with all kinds of computers and has been a CoCo enthusiast for over two years.)

command will handle it correctly.

When any error occurs all *FOR* . . . *NEXT* loops and subroutine return addresses are canceled, allowing the error handling routine to jump to anywhere in the program without a problem.

ECODE

This numeric variable returns the current error code number. If no error has yet been encountered, it will have the value -1, so if a NO SUCH FILE error was the most recent error, then doing a PRINT ECODE would print 26, the code number for that error. ECODE may be used just as any other numeric variable, but it may not be assigned a value by putting it on the left of an equal sign.

ELINE

This is also a numeric variable and all comments about ECODE apply equally to it. This returns the BASIC line number on which the most recent error occurred. If no error has yet occurred this variable will have the value of -1.

ENAMES

This is a string variable which contains the name of the most recent error. If no errors have yet occurred, ENAMES is a zero length string. All normal string manipulation functions may use it, but it too must not appear on the left of an equal sign.

The error code numbers returned by ECODE and the associated error strings are:

ECODE	ENAMES
0	NEXT without FOR
1	Syntax
2	Return without GOSUB
3	Out of Data
4	Function Call
5	Overflow
6	Out of Memory
7	No such line #
8	Subscript
9	Redimensioned Array
10	Divide by 0
11	Illegal Direct Command
12	Type Mismatch
13	Out of String Space
14	String too long
15	String too complex
16	Can't Continue
17	File Data
18	Already Open
19	Device Number
20	Read/Write
21	File Mode
22	File Not Open
23	Read past End of File

24	Direct Command in File
25	Undefined Function
26	No such File
27	Record #
28	Disk Full
29	Out of Buffer Space
30	Write Protect
31	File Name
32	Directory
33	File Exists
34	Field Overflow
35	Set to Non-Fielded String
36	Verify
37	Access past End of File

If no error trapping is set, BASIC will return these fully spelled out error messages followed by the word ERROR, instead of the cryptic question mark and two letter code.

Due to memory space limitations, ENAMES and fully spelled out error messages are not included in the patch to DECBI.1.

SWAP

The final BASIC command to be added is SWAP. This has no connection with error trapping but is useful to have around. The syntax is: *SWAP var1, var2*

"When any error occurs all FOR...NEXT loops and subroutine return addresses are canceled, allowing the error handling routine to jump to anywhere in the program without a problem... If no error trapping is set, BASIC will return these fully spelled out error messages followed by the word ERROR, instead of the cryptic question mark and two letter code."

where 'var1' and 'var2' are like variables. This means that SWAP A\$,B\$ will cause the string associated with A\$ to be assigned to B\$ and vice versa. Similarly, SWAP DL,WP will cause the value assigned to DL to be assigned to WP and that of WP to be assigned to DL. If the two variables are not of the same type, (string or numeric) then a 'Type Mismatch' will occur.

The SWAP command saves the need for an intermediate holding variable when exchanging variable values and is considerably faster than this approach. The obvious application is in 'bubble

sorts' where elements must be swapped.

A Final Flourish

If you look at Listing 1 around the label RESET you will notice some additional start-up codes. This executes when CoCo does a cold start. The first thing this code does is restore all the drives to track 0. This eliminates that annoying search up and down the disk during the first disk access. The slight increase in start-up time is worth the subsequent savings in access time and reduction in wear and tear on the drive itself, not to mention your nerves!

This code restores all possible drives to track 0. If you do not have four drives you can improve the start-up time a little by only restoring the drives you do have. This is done by changing the '3' in the line immediately after the line defining RESET (which reads 'LDB #3 NUMBER OF DRIVES') to one less than the number of drives you do have.

Adding This Month's Code

Just as in previous months, pull the assembly file built up so far into your editor, then remove the commenting asterisks from the start of line with [REF #] of 2, 9-1, 9-2 and 9-3. Completely delete reference lines 18, 19, 25, 26 and 27. Also delete all lines at the end starting with 'ZZLAST EQU *-1'.

Now type in the new code found in Listing 1 and reassemble the result. As this month's addition is the last, rename the composite assembly language source as DISKPTCH.ASM and the binary file as DISKPTCH.BIN. Test the binary patch file just as you have for the past few months.

Wrapping It Up Next Month

The next issue of THE RAINBOW will see the last installment of this series. In it we will tie up a few loose ends; put the entire revised version of Disk BASIC in an EPROM and mount it in the disk controller, and make some suggestions for commands you could add yourself. I hope you'll plan on joining me then.

If you would like the entire DOS-PATCH program source, along with binary files with and without the parallel port driver for DECBI.0 and DECBI.1, just send me a disk (no cassettes please) along with \$6 and a stamped, addressed disk mailer. I will load the disk and return it to you promptly.

Address this request or any questions to: Colin Stearman, 143 Ash Street, Hopkinton, MA 01748.

The listing:

```

1087      OPT LIS
1088 *****
1089 * PATCH #4 to RSDOS (C)1984 Colin Stearns *
1090 *****
1091 *
1092 * "BAUD" COMMAND CODE
1093 * SYNTAX IS BAUD(N) WHERE N =
1094 * 300,600,1200,2400,4800,9600
1095 *
DC62 BE 1096 BDCNST FCB $BE,$57,$29,$12,$6,$1 300,600,1200,2400
1097 * 4800,9600 BAUD CONSTANTS
1098 *
1099 *
DC60 BDB262 1100 BAUD JSR $B262 EVAL BRKT ARGUMENT
DC6B BDB740 1101 JSR $B740 GET INTEGER IN X
DC6E 6FE2 1102 CLR ,S FOR COUNTER
DC70 1F10 1103 TFR X,D GET BAUD VALUE
DC72 10832580 1104 CMPD $9600 HIGHEST LEGAL VALUE
DC76 1022FB8F 1105 LBHI FCERR ERROR IF HIGHER
DC7A 6CE4 1106 CNTBD INC ,S COUNT SUBTRACTION
DC7C 83012C 1107 SUBD $300 DIVIDE BAUD BY 300
DC7F 1028FB86 1108 LBMI FCERR NOT A VALID VALUE
DC83 26F5 1109 BNE CNTBD CONTINUE SUBTRACTION
1110 * GOT A VALID MULTIPLE OF 300
DC85 3502 1111 PULS A GET RESULT
DC87 5F 1112 CLRB CLR POWER COUNTER
DC88 BEDC62 1113 LDX #BDCNST POINT X TO BAUD CONSTANTS
DC8B 44 1114 SFTAGN LSRA BIT INTO CARRY
DC8C 2503 1115 BCS GETCON GOT BIT GET CONSTANT
DC8E 5C 1116 INCB COUNT SHIFT
DC8F 20FA 1117 BRA SFTAGN GO SHIFT AGAIN
DC91 A685 1118 GETCON LDA B,X GET BAUD RATE
DC93 9796 1119 STA BAUDRT SET BAUD RATE
DC95 0F95 1120 CLR BDFLAG CLEAR TO ENABLE SERIAL PORT
1121 * AND SET LSB OF BAUD RATE
1122 *
DC97 39 1123 RTS ALL DONE
1124 *****

```

```

1125 * "LDIR" COMMAND, PRINT DIRECTORY
1126 *
DC98 C6FE 1127 LDIR LDB #2 POINT DEVNUM TO PRINTER
DC9A D76F 1128 STB DEVNUM
DC9C 7ECBCF 1129 JMP A0016 DO DIR COMMAND
1130 *****
1131 IFDF PARPRT ASSEMBLE FOR PARALLEL PORT
1132 *
1133 * "PARALLEL" COMMAND CODE AND OUTPUT ROUTINE
DC9F CC01CA 1134 PARA LDD #1CA 120 BAUD DELAY
1135 * SET MSB TO 1 FOR PARALLEL PORT
1136 STD BDFLAG TO MAKE PARALLEL ACTIVE
1137 RTS
1138 *****
1139 * Parallel port output routine
1140 * This is called by the modified jump at $168
DCA5 0D95 1141 PAROUT TST BDFLAG IF NOT ZERO THEN PARALLEL
DCA7 1027EE9F 1142 LBEQ A0015 DO SERIAL OUTPUT
DCAB 3402 1143 PSHS A SAVE VALUE
DCAD 966F 1144 LDA DEVNUM GOING TO DEVICE -2?
DCAF 81FE 1145 CMPA #2
DCB1 3502 1146 PULS A RECOVER CHAR, FLAGS DONT CHANGE
DCB3 1026EE93 1147 LBNE A0015 NOT DOING DEVICE #2
1148 *
1149 * PARALLEL OUTPUT WANTED
DCB7 810D 1150 CMPA #00D WAS IT A CR?
DCB9 2703 1151 BEQ WASCRL
DCBB 0C9C 1152 INC <#9C INCREMENT LINE PRINT POSITION
DCBD 8C 1153 FCB #0C SKIP NEXT 2 BYTES
DCBE 0F9C 1154 WASCRL CLR <#9C LINE COUNTER
DCD0 3411 1155 PSHS CC,X PRESERVE BASIC VALUES
DCD2 0EFF26 1156 LDX #DATA POINT X TO PIA
DCD5 6D1E 1157 CHKRDY TST -2,X BUSY IF LINE 7 HI
DCD7 2BFC 1158 BMI CHKRDY WAIT UNTIL LOW
DCD9 A78A 1159 STA ,X DATA REGISTER
DCDB 3511 1160 PULS CC,X RECOVER VALUES
DCDD 3262 1161 LEAS 2,S OLD RETURN OFF STACK
DCDF 39 1162 RTS TO ORIGINAL CALLER
1163 *****
1164 ENDC
1165 OPT LIS
1166 *****
1167 * PATCH #5 to RSDOS (C)1984 Colin Stearns *
1168 *****
1169 *
1170 *****
1171 * "SWAP"
1172 *
1173 * CODE FOR SWAP COMMAND SYNTAX IS SWAP V1,V2
1174 * WHERE V1 AND V2 ARE LIKE VARIABLE TYPES
1175 *
DCDD BDB357 1176 SWAP JSR $B357 GET FIRST STRING POINTER
DCD3 9606 1177 LDA <6 TYPE 0=NUMBER -1=STRING
DCD5 3412 1178 PSHS X,A SAVE ON STACK
DCD7 BDB26D 1179 JSR $B26D PARSE REQUIRED COMMA
DCDA BDB357 1180 JSR $B357 GET 2ND STRING POINTER IN X
1181 * NOW TEST THAT BOTH VARIABLES ARE SAME TYPE
DCDD 3502 1182 PULS A RECOVER FIRST TYPE
DCDF 9106 1183 CMPA <6 CHECK FOR SAME AS SECOND
1184 * NOT SAME TYPE SO ISSUE ?TN ERROR
DCE1 1026D46C 1185 LBNE $B151 TYPE MISMATCH
1186 * SAME TYPE SO SWAP POINTER INFO
DCE5 3540 1187 PULS U ONE IN X, OTHER IN U
DCE7 C605 1188 LDB #5 COUNTER
DCE9 A684 1189 SWAP5 LDA ,X GET VALUE AT X
DCEB 3402 1190 PSHS A PRESERVE IT
DCED A6C4 1191 LDA ,U GET VALUE AT U
DCEF A700 1192 STA ,X+ PUT AT X
DCF1 3502 1193 PULS A GET ORIGINAL AT X
DCF3 A7C0 1194 STA ,U+ PUT AT U
DCF5 5A 1195 DECB REDUCE COUNTER
DCF6 26F1 1196 BNE SWAP5 CONTINUE SWAPPING
DCF8 39 1197 RTS
1198 *****
1199 * "ERRORS" Command
1200 * Executed when the ERRORS command is encountered
1201 *
DCF9 C681 1202 ERRCMD LDB #081 CHECK "GO"
DCFB BDB26F 1203 JSR $B26F NOT THEN SYNTAX ERROR
DCF5 C6A5 1204 LDB #0A5 CHECK "TO"
DD00 BDB26F 1205 JSR $B26F NOT THEN SYNTAX ERROR
DD03 BDAF67 1206 JDR $AF67 PROCESS LINE # INTO #2B
DD06 DC28 1207 LDD <#28 GET THE LINE #

```

DATEBOOK & CALENDAR

«Tape or Disk files

«Index records by date,
month, year, or day

«Prints date-to-date

«Encryption by password,
Password is not stored

32k ECB

\$25.95

RELATIONAL DATABASE

«Blistering fast sort, 1000
records in 10 sec OR LESS!

«Multikey sort

«Tape or Disk files

«Math ability

SASE for more info

32k ECB

\$39.95

Butterfly Software

Rt 7 Box 565-A

Lubbock, Tx 79401

(806)

762-1941


```

DD08 DDC 1208 STD JLINE SAVE IT
          1209 ** IF ZERO THEN CLEAR TRAPPING
DD0A 2773 1210 BEQ ERRSET
          1211 ** CHECK FOR VALID LINE NUMBER
DD0C DCA6 1212 LDD #A6 GET PARSER POINTER
DD0E 3406 1213 PSHS D SAVE ON STACK
DD10 BDAEA9 1214 JSR #AEA9 CHECK VALID NUMBER
          1215 *IF WE GOT BACK HERE IT'S OK
DD13 3506 1216 PULS D RESET PARSER POINTER
DD15 DDA6 1217 STD #A6
DD17 39 1218 RTS
          1219 *****
          1220 * ERROR TRAPPING AND HANDLING ROUTINE
          1221 *
          1222 * this code is executed when an error is
          1223 * encountered by BASIC from jump at #18F
          1224 *
DD18 BDD81B 1225 ERRTRP JSR DIRECT CURRENT LINE
DD1B 2724 1226 BEQ NOTRAP SO DONT TRAP IT
DD1D 9EDC 1227 LDX JLINE GET ERRLINE JUMP
DD1F 2720 1228 BEQ NOTRAP SO DONT TRAP IT
          1229 *****
          1230 * WE WANT TO TRAP ERROR NOW B HAS ERROR CODE *2
          1231 * IF AN OD ERROR THEN THEN ADDRESS AT #2B NEEDS
          1232 * PUTTING AT #A6 BECAUSE READ MOVED IT TO SCAN
          1233 * THE DATA STATEMENTS
          1234 *
DD21 C106 1235 CMPB #6 OD ERROR NUMBER
DD23 2604 1236 BNE NOREAD NOT A OD ERROR
DD25 9E2B 1237 LDX #2B GET POINTER
DD27 9FA6 1238 STX #A6 PUT IT IN PARSER
DD29 54 1239 NOREAD LSRB DIVIDE BY 2
DD2A D75A 1240 STB ECODE CODE ADDRESS
DD2C 9E68 1241 LDX <#68 CURRENT LINE
DD2E 9F76 1242 STX ELINE ERRLINE ADDRESS
DD30 9EDC 1243 LDX JLINE GET ERROR GOTO LINE #
DD32 9F2B 1244 STX <#2B PREPARE TO GO TO IT
DD34 18DE21 1245 LDS #21 CLEAN STACK
DD37 CCADC4 1246 LDD #ADC4 RETURN TO INTERPRET LOOP
DD3A 3406 1247 PSHS D PUT ONTO STACK
DD3C 0F6F 1248 CLR DEVNUM RESET DEVICE CODE
DD3E 7EAEA9 1249 JMP #AEA9 GO TO NEW LINE
          1250 ****
          1251 *PROCESS NO TRAP
DD41 B03C 1252 NOTRAP BSR ERRSET RESET ERROR CODE
          1253 *
          1254 IFGT REV <----
          1255 JMP #AC49 ! DOS 1.1 only
          1256 ENDC <----
          1257 *
0000 1258 IFEQ REV <----
          1259 * Process new error display ;
DD43 BDD1E5 1260 JSR A0026 CLEAR DISK SYSTEM ;
DD46 3404 1261 PSHS B PRESERVE ERROR CODE ;
DD48 B0CA3B 1262 JSR A0014 MORE DISK SHUTDOWN ;
DD4B 3504 1263 PULS B GET ERROR CODE BACK ;
DD4D BDA7E9 1264 JSR #A7E9 MOTOR OFF ;
DD50 BDA033 1265 JSR #AD33 RESET STACK ETC. ;
DD53 0F6F 1266 CLR DEVNUM REST TO SCREEN ;
DD55 BDB95C 1267 JSR #B95C OUT RETURN IF NEEDED ;
DD58 54 1268 LSRB DIVIDE ERROR CODE BY 2 ;
DD59 B006 1269 BSR ERIND FIND ERROR MESSAGE ;
          1270 * OUTPUT NEW ERROR MESSAGE ;
DD5B BDB9A2 1271 JSR STROUT OUTPUT IT ;
DD5E 7EAC65 1272 JMP #AC65 PRINT " ERROR" ETC. ; DOS 1.0 only
          1273 ***** ;
          1274 * error message finder ;
          1275 * B has error count/2 coming in ;
          1276 * HAS CHARACTER COUNT COMING OUT ;
          1277 * X HAS POINTER TO FIRST CHAR ;
          1278 ERIND TFR B,A MOVE ERROR CODE TO A ;
          1279 LDX #ERR0 POINT X TO MSG #0 ;
          1280 CLRB DONT AFFECT X FIRST TIME ;
          1281 KPLONK ABX ADD COUNT TO ERROR ADDRESS ;
          1282 LDB ,X+ GET CHARS IN MESSAGE ;
          1283 DECA DECREASE ERROR COUNT ;
          1284 BPL KPLOOK KEEP LOOKING ;
          1285 RTS ;
          1286 ENDC <----
          1287 *****
          1288 * CLEAR ERROR TRAPPING ON RUN
          1289 ERCNCL BSR ERRSET
DD6E B0F


```

```

DD70 7EC990 1290 JMP A0013
          1291 *****
          1292 * THIS CODE RUNS ON A COLD START AND RESETS ALL
          1293 * DRIVES TO TRACK ZERO AND RESETS ERROR TRAPPING
          1294 *
          1295 * Reset drive #1 to track zero
DD73 0FEA 1296 RESET CLR #EA RESTORE OPCODE =0
DD75 C601 1297 LDB #1 NUMBER OF DRIVES-1
DD77 D7EB 1298 STB #EB DRIVE NUMBER
DD79 B014 1299 NXTDRV BSR HOME DO RESTORE TO TRACK 0 WITH 1 RETRY
DD7B 0AEB 1300 DEC #EB NEXT DRIVE
DD7D 2AFA 1301 BPL NXTDRV
          1302 *
          1303 *
          1304 * Clears ERROR trapping
          1305 *
DD7F 3416 1306 ERRSET PSHS D,X SAVE REGS
DD81 9E8A 1307 LDX ZERO
DD83 9FDC 1308 STX JLINE
DD85 CCFFFF 1309 LDD #FFFF
DD88 DD76 1310 STD ELINE
DD8A 975A 1311 STA ECODE
DD8C 3516 1312 PULS D,X RECOVER REGS
DD8E 39 1313 RTS
          1314 *****
          1315 * restore drive head with no retries
DD8F 3476 1316 HOME PSHS A,B,X,Y,U
DD91 8601 1317 LDA #1 RETRY COUNT != NO RETRIES
DD93 7ED670 1318 JMP A0032 RESTORE CODE ENDS WITH AN RTS
          1319 *****
          1320 *
          1321 * "ELINE"
          1322 *
DD96 DC76 1323 ERRLIN LDD ELINE
DD98 10B3FFFF 1324 CMPD #FFFF IF #FFFF NOT SET?
DD9C 1026FEBD 1325 LBNE UNSIGN YES IT IS
DDA0 7EB4F4 1326 SIGNED JMP #B4F4 RETURN AS SIGNED VALUE (-1)
          1327 *****
          1328 *

```

6809 SYSTEM DEVELOPMENT



EXPANSION HARDWARE FOR THE TRS-80 COLOR COMPUTER

XPNDR1™

SuperGuide™

We've added grounding tabs to the XPNDR1 and, on the out-board end, an array of plated-through solder pads. Shown is the bottom side of the card with the CoCo signals identified and the +5V and ground buses. The edge connector and tabs are gold plated; the 4.3x6.3 inch glass/epoxy card is drilled for standard .3 and .6 inch DIP sockets. Includes 8 page *Application Notes* to help you get started.

Precision molded plastic insert designed specifically to align and support printed circuit cards in the CoCo cartridge slot; an unbreakable removable card guide. Patent Pending.

\$3.95 each

Available now from:

ROBOTIC MICROSYSTEMS

\$19.95 each or 2 for \$36

BOX 30807 SEATTLE, WA 98103


```

1329 *      "ECODE"
1330 *
DDA3 4F      1331 ERRCD CLRA
DDA4 D65A    1332 LDB ECODE
1333 *IF MINUS THEN IT IS -1 AND THEREFORE UNSET
DDA6 102AFEB3 1334 LBPL UNSIGN OUTPUT UNSIGNED # TO VARIABLE
DDA8 1D      1335 SEX MAKE D HAVE VALUE IN B
DDAB 20F3    1336 BRA SIGNED OUTPUT TO VARIABLE(-1)
1337 *****
0000 1338 IFEQ REV <----
1339 *      ENAME# ;
DDAD D65A    1340 ERNAME LDB ECODE GET ERROR CODE ;
DDAF 2A02    1341 BPL GETNM GET ERROR NAME STRING ;
DDB1 5F      1342 CLRB FOR NULL STRING LENGTH ;
DDB2 A1      1343 FCB #A1 SKIP NEXT INSTRUCTION ;
1344 *      ;
DDB3 BDD061 1345 GETNM JSR ERFINDD RETURNS X AT ERROR NAME ;
1346 *      B WITH COUNT ;
DDB6 1F13    1347 TFR X,U SAVE ERROR STRING POINTER ;
DDB8 BDB50F 1348 JSR #B50F CHECK FOR AVAILABLE SPACE ;
1349 *X NOW HAS STRING START ADDRESS ;
DDBB 2705    1350 BEQ STREXT NULL LENGTH STRING ;
DDBD 1E13    1351 EXG X,U SWAP THE POINTERS ;
DDBF BDA59A 1352 JSR #A59A MOVE STRING ;
DDC2 7EB69B 1353 STREXT JMP #B69B RETURN VIA STRING CODE ;
1354 *****
1355 *      ;
1356 * ERROR MESSAGES ;
1357 *      ;
1358 * FORMAT IS CHARACTER COUNT/CHARACTERS ;
1359 *      ;
DDC5 10      1360 ERR0 FCB ERR1-(+1) ;
DDC6 4E      1361 FCC /NEXT WITHOUT FOR/ ;
DD06 06      1362 ERR1 FCB ERR2-(+1) ;
DD07 53      1363 FCC /SYNTAX/ ;
DD0D 14      1364 ERR2 FCB ERR3-(+1) ;
DD0E 52      1365 FCC /RETURN WITHOUT GOSUB/ ;
DDF2 0B      1366 ERR3 FCB ERR4-(+1) ;
DDF3 4F      1367 FCC /OUT OF DATA/ ;

```

```

DDFE 0D      1368 ERR4 FCB ERR5-(+1) ;
DDFF 46      1369 FCC /FUNCTION CALL/ ;
DE0C 0B      1370 ERR5 FCB ERR6-(+1) ;
DE0D 4F      1371 FCC /OVERFLOW/ ;
DE15 0D      1372 ERR6 FCB ERR7-(+1) ;
DE16 4F      1373 FCC /OUT OF MEMORY/ ;
DE23 0E      1374 ERR7 FCB ERR8-(+1) ;
DE24 4E      1375 FCC /NO SUCH LINE #/ ;
DE32 09      1376 ERR8 FCB ERR9-(+1) ;
DE33 53      1377 FCC /SUBSCRIPT/ ;
DE3C 13      1378 ERR9 FCB ERR10-(+1) ;
DE3D 52      1379 FCC /REDIMENSIONED ARRAY/ ;
DE50 0B      1380 ERR10 FCB ERR11-(+1) ;
DE51 44      1381 FCC /DIVIDE BY 0/ ;
DE5C 16      1382 ERR11 FCB ERR12-(+1) ;
DE5D 49      1383 FCC /ILLEGAL DIRECT COMMAND/ ;
DE73 0D      1384 ERR12 FCB ERR13-(+1) ;
DE74 54      1385 FCC /TYPE MISMATCH/ ;
DE81 13      1386 ERR13 FCB ERR14-(+1) ;
DE82 4F      1387 FCC /OUT OF STRING SPACE/ ;
DE95 0F      1388 ERR14 FCB ERR15-(+1) ;
DE96 53      1389 FCC /STRING TOO LONG/ ;
DEA5 12      1390 ERR15 FCB ERR16-(+1) ;
DEA6 53      1391 FCC /STRING TOO COMPLEX/ ;
DEB0 0E      1392 ERR16 FCB ERR17-(+1) ;
DEB9 43      1393 FCC /CAN'T CONTINUE/ ;
DEC7 09      1394 ERR17 FCB ERR18-(+1) ; DOS 1.0 only
DEC8 46      1395 FCC /FILE DATA/ ;
DED1 0C      1396 ERR18 FCB ERR19-(+1) ;
DED2 41      1397 FCC /ALREADY OPEN/ ;
DEDE 0D      1398 ERR19 FCB ERR20-(+1) ;
DEDF 44      1399 FCC /DEVICE NUMBER/ ;
DEEC 0A      1400 ERR20 FCB ERR21-(+1) ;
DEED 52      1401 FCC %READ/WRITE% ;
DEF7 09      1402 ERR21 FCB ERR22-(+1) ;
DEF8 46      1403 FCC /FILE MODE/ ;
DF01 0D      1404 ERR22 FCB ERR23-(+1) ;
DF02 46      1405 FCC /FILE NOT OPEN/ ;
DF0F 15      1406 ERR23 FCB ERR24-(+1) ;
DF10 52      1407 FCC /READ PAST END OF FILE/ ;
DF25 16      1408 ERR24 FCB ERR25-(+1) ;
DF26 44      1409 FCC /DIRECT COMMAND IN FILE/ ;
DF3C 12      1410 ERR25 FCB ERR26-(+1) ;
DF3D 55      1411 FCC /UNDEFINED FUNCTION/ ;
DF4F 0C      1412 ERR26 FCB ERR27-(+1) ;
DF50 4E      1413 FCC /NO SUCH FILE/ ;
DF5C 0B      1414 ERR27 FCB ERR28-(+1) ;
DF5D 52      1415 FCC /RECORD #/ ;
DF65 09      1416 ERR28 FCB ERR29-(+1) ;
DF66 44      1417 FCC /DISK FULL/ ;
DF6F 13      1418 ERR29 FCB ERR30-(+1) ;
DF70 4F      1419 FCC /OUT OF BUFFER SPACE/ ;
DF83 0D      1420 ERR30 FCB ERR31-(+1) ;
DF84 57      1421 FCC /WRITE PROTECT/ ;
DF91 09      1422 ERR31 FCB ERR32-(+1) ;
DF92 46      1423 FCC /FILE NAME/ ;
DF9B 09      1424 ERR32 FCB ERR33-(+1) ;
DF9C 44      1425 FCC /DIRECTORY/ ;
DFA5 0B      1426 ERR33 FCB ERR34-(+1) ;
DFA6 46      1427 FCC /FILE EXISTS/ ;
DFB1 0E      1428 ERR34 FCB ERR35-(+1) ;
DFB2 46      1429 FCC /FIELD OVERFLOW/ ;
DFC0 19      1430 ERR35 FCB ERR36-(+1) ;
DFC1 53      1431 FCC /SET TO NON-FIELDED STRING/ ;
DFA 06      1432 ERR36 FCB ERR37-(+1) ;
DFDB 56      1433 FCC /VERIFY/ ;
DFE1 17      1434 ERR37 FCB ENDERR-(+1) ;
DFE2 41      1435 FCC /ACCESS PAST END OF FILE/ ;
DFF9          1436 ENDERR EQU * <----
1437          ENDC
1438
1439
DFFB          1440 ZLAST EQU *-1 last used address value
1441 *
1442 * ZLAST must not be greater than $DFFF for
1443 * DOS 1.0 and $DEFF for DOS 1.1. The latter
1444 * has the OS-9 Boot program and SWI set routines
1445 * from $DF00 to $DF4C
1446 *
1447 *
1456          OPT LIS
1457          END ADDCOM

```

RAINBOW SCREEN MACHINE

The Rolls Royce of graphics text screen enhance 5-more features than all others combined.

Tape \$29.95; Disk \$32.95

SUPER SCREEN MACHINE

Revolutionary — Heralded as the most useful, powerful and versatile state-of-the-art utility ever developed for the Color Computer.

Tape \$44.95; Disk \$47.95

GRAPHICOM II

Rotate graphic image about on any Z axis • slide position graphic with wrap around • copy/enlarge with user-defined shapes • pan and zoom — "blow-up" or "zoom in" on image • font editor — create font styles or char sets • special effects — tunnel vision, fish eye etc • pixel blaster — widen lines color separation.

Disk \$24.95; Disk only

GRAPHCOM/Video Digitizer only \$199.95

- | | | | |
|------------|---------|-------------------|----------|
| 1. G/L | \$59.95 | 5. Mail Labels | \$ 49.95 |
| 2. A/P | \$59.95 | 6. Invoice Writer | \$ 49.95 |
| 3. A/R | \$59.95 | 7. Budget | \$ 49.95 |
| 4. Payroll | \$79.95 | 8. Master 1-7 | \$299.95 |

We carry DFS forms to run with our software. These forms are compatible with over 385 software companies.

Bluegrass Software
P.O. Box 573
Franklin, KY 42134

Send 3.00 for shipping and handling for free catalog and product information.

Postage paid on all orders. To receive **Free** catalogue & product information send \$3.00 to cover shipping & handling.

NEW!

'HOME COMMANDER' \$49.95



CONTROL YOUR WORLD

Give yourself piece of mind while on vacation by programming the HOME COMMANDER to control lamps, radios, TVs and more. Or make life easy on yourself by turning on the coffee pot before you wake up. You can do this and more with the HOME COMMANDER.

NO WIRES NECESSARY

The HOME COMMANDER uses your home's existing electrical wiring to control virtually anything. Appliances are controlled via small control modules (sold separately). The LAMP DIMMER MODULE allows you to turn a lamp on or off and control 16 brightness levels. The APPLIANCE MODULE is used to control appliances up to 400 watts such as a TV, radio, stereo system, fan or motor.



ON FRIDAY 7:42 PM, OFF SUNDAY 1:26 AM

Included FREE is a program to allow you to control up to 256 devices and specify the time and date they are to be activated. That's right, the software has its own built in accurate clock.

LAMP DIMMER MODULE \$16.95 APPLIANCE MODULE \$16.95

NEW!

PRECISION TIME MODULE



Now your computer will always know the correct time and date. This amazing precision time module is calibrated to the National Bureau of Standards (WWV) atomic clock and you should never have to change it. Use the PRECISION TIME MODULE to add the time element to your game. Or use on your BBS so that the time will always be perfectly accurate.

BATTERY BACKUP

Even when your computer is off, the clock keeps correct time by operating using the internal battery backup system.



FREE TALKING CLOCK PROGRAM requires VOICE, SUPER VOICE, or SPEECH & SOUND PAK

MONTHS, LEAP YEARS & DST

The PRECISION TIME MODULE automatically adjusts for the different number of days in each month as well as leap years. And believe it or not, it adjusts for DST so you don't have to remember if it's SPRING FORWARD or FALL FORWARD.



Y-CABLE \$28.95

Why pay \$100 to \$200 for a multi-pak. With the Y-CABLE, you can connect your disk system to your computer along with either our STEREO PAK music synthesizer, our VOICE, SUPER VOICE speech synthesizers, or our PRECISION TIME MODULE. All connectors gold plated.



NEW! ATTENTION EXPERIMENTERS!

Interested in building your own project? Our oversized board gives plenty of room for construction while the sturdy aluminum case with black satin finish assures protection and a professional appearance.

Prototype Board only \$19.95
Prototype Enclosure only \$19.95
Buy both for \$29.95

Advanced Speech Chip
SSI-263 (SC-02)
\$34.95

Need an SC-01? \$29.00

Disks	(any quantity) \$1.49
Tape C-10, C-20	\$0.69
Hard Tape Box	\$0.29
6821	\$2.95
74LS138	\$0.79
7407	\$0.79
IC sockets 14, 16, 22 pin	\$0.29
IC sockets 24, 28, 40	\$0.39



Dealer Inquiries Invited

Speech Systems

38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)
(312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6 1/4% sales tax

NEW!

MUSICA 2

~~Tape \$34.95~~
~~Disk \$39.95~~


Offer ends
Jan. 15

\$29.95

Tape or Disk




- High resolution graphic display, looks just like sheet music.
- Loudness of each voice may be individually specified.
- Memory available is constantly displayed.
- Voice waveshapes may be exchanged between voices at any point.
- Tempo may be specified and may even be altered as the music plays.
- Flats and sharps supported.
- Billions of timbre combinations.



- When in stereo mode, music is played through our STEREO PAK (purchased separately).

- Voice timbre (waveshape) may be altered by specifying harmonic content just like stops on an organ.
- During editing, voice being inserted is displayed.
- Each measure is numbered for easy reading of music.
- Measure bars aid in reading and developing music.
- Each voice may be visually highlighted for easy identification.

GREAT
MUSIC
TEACHER



Output your music to any dot matrix printer (Gemini 10X, Epson, R.S. printers, Okidata, etc.)

"Musica 2 is GREAT!"

Stephen Wilson

"It's the best four part harmony composer on the market and the most used program in my files."

R.G. Wrights

"Of all the music programs, and I've had them all, there is no comparison in flexibility, simplicity of operation and in the warm vibrant tones that it produces. I went out and spent \$700.00 on stereo equipment just so I could more thoroughly enjoy Musica 2 and the Stereo Pak!"

Howard Lentz
TCI Industries

Download
music
from our BBS
or Compuserve

THERE'S MORE

- 4 Voices produced simultaneously
- Input notes from keyboard or joystick
- Play music from your own BASIC program
- Block copy music for easy music development
- 100% machine language so it is lightning fast
- Vibrato effect easily produced
- With STEREO PAK, voices may be switched between left and right speakers as music plays
- MUSICA 2 is 100% software, no need for hardware unless you want music produced in STEREO. In that case, the STEREO PAK may be purchased separately. It's a must for the audiophile!
- Durations include: whole, half, quarter, eighth, sixteenth, thirty second, sixty-fourth, and triplet.
- 30 page manual describes all.

'I THOUGHT ONLY AN APPLE SOUNDED THAT GOOD'

That's what I was told after I gave a seminar and demonstration of MUSICA 2 and the STEREO PAK at the Chicago Rainbowfest. I smiled and thanked the young man for the "supposed" compliment, but upon reflection, I became angered by the apparent belief that the CoCo is inferior in this regard. Nothing could be further from the truth.

To help fight this false belief, we've decided to lower the price of MUSICA 2 to help spread the word.

We will also keep the STEREO PAK price at \$39.95 and give you a complete refund if you are not 100% satisfied with the STEREO PAK.



NEW!

STEREO PAK™

Plug this gem into your computer, connect to your home stereo system and sit back and enjoy music realism. The STEREO PAK is a hardware music synthesizer that plays our MUSIC LIBRARY and MUSICA 2 music in stereo. Because it was designed specifically with music reproduction in mind, the sound is superb. The highs are crisp and clear while the bass notes will rattle your walls.

The STEREO PAK is all hardware. It is intended as an enhancement for MUSICA 2 and our MUSIC LIBRARY. Disk owners may use the STEREO PAK with the R.S. Multi-Pak or our Y-CABLE (\$28.95)



NEW! MUSIC LIBRARY™ — 3 VOLUMES

You get over 100 four voice songs with a combined playing time of 3 hours. That's right, 3 hours of music. You won't believe your CoCo could sound so good. To fit over 100 songs required both sides of 5 C-20 tapes and the disk version uses 5 full disks (that's a half box of disks).

A JUKE BOX selection program is included to allow you to select specific songs or automatically play each. These songs are ready to go, you don't need MUSICA 2 or a knowledge of music.

These songs were developed using the best music program available for the CoCo; MUSICA 2. The tunes may be used as source files for MUSICA 2 and changed by the user. When coupled with the STEREO PAK the songs are reproduced in stereo with unsurpassed realism.

MUSIC LIBRARY 100 categories:

Stage, Screen, and TV	Classical
Music of the 70's	Christmas (popular)
Music of the 60's	Christmas (traditional)
Music of the 50's	Patriotic
Old Time Favorites	Polka Party

MUSIC LIBRARY 200

Our second volume of 100 tunes, 3½ hours of music.

MUSIC LIBRARY 300

Our third volume of 100 tunes, 3 more hours of music.

MUSIC LIBRARY (Each Volume) .. (32 K Tape) ... \$34.95
(Specify 100, 200, or 300) (32 K Disk) ... \$39.95



NEW!

SPEECH SYSTEMS DATAPEN

only . . . \$29.95



Two programs are provided free with each DATAPEN. SKETCH is a superb high resolution color drawing program allowing precise drawing and freehand sketching, painting and much more. SHAPE CREATE is a high resolution library shape drawing program. You can even save your work to tape or disk for later display or editing.

The software is shipped on tape and may easily be moved to disk. Included is complete documentation to allow you to integrate the DATAPEN into your own BASIC program.



EASY TO
USE!

The DATAPEN is a lightpen, but unlike other light pens, it is far more sophisticated.

- Insensitive to ambient light.
- Responds to different colors
- Program accessible LED lamp readout
- Switch for program control

WE STAND BEHIND OUR PRODUCTS

Like all our other products, if it is not the best, we won't sell it. If you're not 100% satisfied, merely return the DATAPEN for a complete refund.



Dealer Inquiries
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6¼% sales tax

Speech Systems

38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)
(312) 879-6811 (24 HR. BBS)

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.

'TALKING SOFTWARE'

FOR THE VOICE, SUPER VOICE™, RS SPEECH & SOUND PAK

RADIO SHACK® SPEECH & SOUND TRANSLATOR

FREE

When you buy
any 5 of our
Talking Programs

We believe that no COCO speech synthesizer gives you the power and flexibility of the SUPER VOICE. Nevertheless, some have decided to go with the Radio Shack SPEECH & SOUND PAK. For those we've decided to open our TALKING LIBRARY by offering the SPEECH & SOUND TRANSLATOR. Just load this program and our entire library is open to you.

But that's not all, this program adds features. You get increased intelligibility, the power of an exception table to specify specific pronunciations, \$12.81 is spoken in dollars and cents, 1,234,567 is spoken in millions, thousands, and hundreds, and much more.

\$24.95

TERMTALK All the features of an intelligent telecommunications program plus what appears on the TV is spoken.

- Upload and Download programs
- Control Xmit Protocols
- Full or Split Screen
- Buffer Editing
- Normal or Reverse Video
- It talks

Please specify version (VOICE or RS SPEECH & SOUND PAK)
Tape **\$39.95** Disk **\$49.95**

TALKING BINGO BINGO was never like this. The VOICE or SUPER VOICE makes all the calls while you sit back and play. Comes with 20 playing cards and 200 markers. High Resolution graphic screen, 3 timing level, ball count and pause control.

\$24.95

ESTHER the talking psychoanalyst. An excellent example of artificial intelligence. She may not solve all your problems, but her insight will amaze you. Just like the original Eliza.

\$24.95

SCORE E-Z A yahtzee type game. Up to six can play.

\$24.95

ADVENTURES

CULT OF THE CAVE BEAR You're a stranded time traveler 50,000 years in the past. Can you fix your time machine while still surviving in this alien environ, and make it back?

\$29.95

SHIP HUNT Play Battleship with your CoCo. All status reports are spoken. Ready battery, aim, fire at will!

\$24.95

FINAL COUNTDOWN You must stop the mad general from launching a missile at Moscow and causing WW III. Has multiple voices for added realism.

\$24.95

STAR TALK You're the Star Fleet Captain. Your mission...destroy the enemies' Dragon Star Ships. All status reports are spoken!

\$24.95

ADVENTURE GENERATOR Create talking adventure games that are 100% Machine Language. Up to 99 rooms, 255 objects, 70 command words and 255 conditional flags.

64K Disk **\$39.95**

EDUCATION

**CONTEST
WINNER**

ANIMATED SENTENCES The child builds complete sentences from a graphic menu using keyboard or joystick. The action is then spoken and acted out graphically. It's a great way to learn the parts of speech (ie. verb, subject, noun, etc.)

\$24.95

**Congratulations
Glenn
Chamberlin**

PRE-SCHOOL

TALKING COUNT TO ONE HUNDRED A program designed to teach the child counting to 100 by 1, 2, 5, and 10 forwards and backwards.

\$29.95

TALKING ALPHABET A program designed to help the pre-schooler master the alphabet.

\$29.95

TALKING NUMBERS & COLORS A must program for the very young. High Resolution graphics to insure attention and concentration.

\$29.95

TALKING NUMBER SKILLS The child becomes familiar with the shape and meaning of numbers.

\$29.95

TALKING CLOCK In these days of the digital clock, children miss an important education. This program aids the student in mastering the traditional analog clock. High Resolution graphics.

\$29.95

TALKING SUBTRACTION A program specifically designed to help the student learn subtraction.

\$29.95

KING AUTHOR'S TALES A creative writing tool to allow a child to write compositions, or short stories. Q & A option is also included.

\$29.95

COLOR MATH Addition, Subtraction, Multiplication, and Division are mastered. Student may specify difficulty level.

\$24.95

SPELL-A-TRON Student builds a dictionary of words to be quizzed on. Perfect for Spelling B.

\$24.95

SPELLING TESTER A graphic spelling game. The student is shown objects to be spelled.

\$9.95

POETRY CREATOR The VOICE speech unit is used to speak poetry that is created.

\$9.95

GRADES 2 - 6

SHORT STORY MAKER A program to create and speak stories created by the child.

\$9.95

FOREIGN LANGUAGE Learn a foreign language. French dictionary is included.

\$9.95

PRESIDENTS The student is able to master the Presidents of the US.

\$9.95

STATES A program designed to aid the student in learning correct spelling of the states.

\$9.95

CAPITALS Learning the State's Capitals is made more interesting using speech.

\$9.95

HANGMAN A word guessing game. You must guess the word before you hang.

\$9.95

MATH DRILL A program to help teach arithmetic.

\$9.95

All software, except as noted, shipped on tape but may be moved to disk.

'SUPER VOICE' T.M.



**COCO'S MOST ADVANCED
SPEECH SYNTHESIZER.**

**NOW IT TALKS,
SINGS AND MORE.**

only . . . \$79.95

In 1979, VOTRAX brought us the SC-01 chip which made inexpensive speech synthesis possible. Speech Systems was proud to bring the COCO community the first speech synthesizer using this miracle device.

Now Silicon Systems Inc. brings us the SSI 263 (sometimes called the SC-02). Once again Speech Systems is happy to be the first to bring you this breakthrough in speech synthesis. The SSI 263 is the most advanced speech chip available. Read "Build a Third Generation Phonetic Speech Synthesizer" in the July 84 issue of BYTE magazine for details of this amazing chip.

The SUPER VOICE gives you COCO's most intelligible speech. In addition, the free TRANSLATOR text-to-speech program allows you to easily write your own BASIC programs. Highest quality speech may be achieved by specifying inflection, intonation, articulation, and filtration. But that's not all, the SUPER VOICE can actually sing over a 6 octave range. And while the SUPER VOICE was intended for speech synthesis, the fact that you can specify complex speech parameters means you can even create sound effects.




YOU DECIDE

	SUPER VOICE	BRAND X	BRAND Y	BRAND Z
Synthesizer Device	SSI-263	SC-01	SP-256	SC-01
Speaking Speeds	16	1	1	1
Volume Levels	16	1	1	1
Articulation Rates	8	1	1	1
Vocal Tract Filter Settings	255	1	1	1
Basic unit of Speech	64 phonemes 4 durations each	64 phonemes	64 allophones 5 pause lengths	64 phonemes
Pitch Variations	4096 (32 absolute levels with 8 inflection speeds)	4	1	4

SUPER VOICE SONGBOOK VOL. 1

SUPER VOICE sings many of your favorite songs. Start your singing library today!
ONLY ...\$24.95

SUPER TALKING HEADS



Two heads are better than one.



When the SUPER VOICE speaks in a low pitched voice, the man speaks, when a high pitched voice is used the woman speaks. **\$24.95**
(see special offer)

Radio Shack® SPEECH & SOUND PAK version

\$24.95



Dealer Inquiries
Invited

We accept CASH, CHECK, COD, VISA and MASTER CARD orders.
Shipping and handling US and Canada \$3.00
Shipping and handling outside the US and Canada \$5.00
COD charge \$2.00
Illinois residents add 6 1/4% sales tax

Speech Systems

**38W 255 DEERPATH ROAD
BATAVIA, ILLINOIS 60510
(312) 879-6880 (VOICE)
(312) 879-6811 (24 HR. BBS)**

CALL ANY DAY, ANYTIME TO ORDER. ALSO ORDER BY MAIL OR BBS.



SUPER BACK-UP UTILITY®

...WITH S.B.U. FROM COMPUTIZE - YOU'LL NEVER NEED ANOTHER BACK-UP UTILITY FOR YOUR COCO!!!

SUPER BACK-UP UTILITY WILL PERFORM ALL OF THE FOLLOWING FUNCTIONS:

1. **TAPE TO TAPE** (Regardless of most protection schemes!)
2. **TAPE TO DISK** (Move Cassette programs to Disk!)
3. **AUTO RELOCATE** (For those Cassette programs that conflict WITH Disk operating systems.)
4. **DISK TO TAPE** (Place Disk programs onto Cassette)
5. **DISK TO DISK** (Our powerful Spit-N-Image Program, *Regardless of protection schemes!)

- * **MENU DRIVEN!**
- * **REQUIRES 32K EXTENDED COCO**
- * **REQUIRES 1 OR 2 DRIVES** (For Disk Functions)
- * **ALL MACHINE LANGUAGE!!!**

COMPARE WITH OTHER INDIVIDUAL PROGRAMS COSTING IN EXCESS OF \$100.00 OR MORE!!!

★★★ONLY \$49.95!★★★
(SUPPLIED ON DISK)



T.T.U. - TRIPLE TRANSFER UTILITY (C)

M/L For Cassette & Disk Program Transfer

Transfer contents of disk to tape * Transfer content of tape to disk * "Select" or "All" Option * Will automatically relocate those cassette programs that conflict with the disk operating system * Will display machine language program address * Copies ASCII, Basic, & Machine Language Programs * All contained in 1 menu driven program! !!



REQUIRES 32K CC EXT.
Cassette \$19.95 Disk \$24.95



SPIT-N-IMAGE (C)

M/L Disk Back-Up Utility

There is no need to suffer the heartbreak of crashed disks any longer. Spit-N-Image will create a mirror image of your valuable disk programs which do not respond to normal back-up functions. Will also initialize and back-up in one pass. Data processing experts always insist on having a back-up - it's good practice - Don't wait!



REQUIRES 32K CC AND 1 OR MORE DRIVES
DISKETTE \$34.95



ONLY

\$99.95

Have you ever lost a program and didn't have a backup? Sooner or later it happens to everyone. The best policy is to have a backup of EVERYTHING. Thus comes the problem - many programs are copy-protected and won't backup easily. So how do you protect your investment?

The MASTER KEY was developed just for this problem. Just as a master key unlocks all doors in a building, this MASTER KEY will unlock ALL programs that load into your CoCo's memory. And it's as easy as flipping a switch! Once you have control, you can copy your programs, protected or not, to tape or disk. The MASTER KEY offers:

Complete Disassembler
Display/Change memory in Hex or ASCII
View memory in all Graphic Modes
Versatile printer routine for All printers
Rom-Pak model has gold contacts for more reliable operation.
Comprehensive, easy to follow manual

Search for text or M/L routines
Copy memory from one location to another
Write memory to tape or disk
Defeats All auto-start programs.
Rom-Pak design allows use of disk system while Master Key is installed.
Works with all versions of CoCo, 16k+

The MASTER KEY may be used to convert many programs from tape to disk, and yet does not require a background in assembly language. Using the METHODS section of the manual will allow even a novice to copy many programs. As you learn more about assembly language, you'll be able to use the MASTER KEY's full capabilities.

You can leave the MASTER KEY plugged in all of the time. The gold contacts will improve the I/O of your disk drive, and at the flip of a switch you'll have a quality disassembler. The Examine/Change feature will allow the entry of short M/L routines, and the Screen command will allow quick debugging of graphic screens.

30 DAY MONEY BACK GUARANTEE: If you find any program that MASTER KEY cannot take control of, simply return for a full refund.

NOTE: The MASTER KEY has been developed as an educational tool and to allow the user to examine and save for archival purposes programs he/she has purchased.

NOTE: "F" board owners must cut a capacitor - details included.

SUPPLIED ON ROM PAK MODEL #MK035

"BARMASTER" (C)

PROFESSIONAL BARTENDERS GUIDE

- * Menu Driven! * Over 180 Listings! * Easy to add your favorites!
- * Print to 3X5 Index cards for easy reference! * Access drink by name or liquor content! * Utilizes computizes "Fast Access Record Retrieval" (any record in just two reads!)

Requires 32K CC and 1 Drive

Disk Only \$19.95

64K-IT®

New - From Computize . . .

Enables the Full 64K of RAM in your 64K Color Computer. Provides up to an additional 16K of RAM. Permits you to change, modify or copy the BASIC, EXTENDED BASIC, ROMPACK, OR DISK PAK.

REQUIRES 64K COCO

TAPE \$11.99

TAPE-DIR®

Tape-Dir is a basic program used for displaying and/or printing information about cassette files. In addition to listing file name, Tape-Dir will list and/or print the following information:

1. Type of file - Machine Language, Data, Basic.
2. Format - Binary or ASCII.
3. M/L Start, End, and Execute addresses.
4. For Basic & Data Files - will show number of bytes used! Useful for sorting out your tape files by those that will run on your 16K, 32K machine!
5. Will bypass tape I/O errors - no aggravation!

REQUIRES 16K EXTENDED COCO, CASSETTE PLAYER.
(PRINTER OPTIONAL)

CASSETTE \$11.99

OS-9 ★★★★★ "CONVERT" ★★★★★

New - From Computize . . .

This high quality M/L Utility will CONVERT Standard OS-9 Formatted Files/Disks (5 1/4") to Radio Shack OS-9 to run on your COCO. Will also convert 40 track to 35 track if you require. Runs under COCO OS-9.

REQUIRES 64K COCO AND 2 DRIVES

SUPPLIED ON DISK ONLY \$49.95

FASTAPE

The Next Best Thing To A Disk Drive
From Spectro Systems

Fastape gives you cassette I/O at 3000 baud-Twice Normal Speed. It uses the high-speed (POKE 65495,0) mode, and makes it convenient to stay in this mode throughout. Features automatic adjustment of cassette and printer parameters when speed mode is changed. Control-key functions for many Basic commands and for changing speed modes. Compatible with all tape file types. Can be used with Telewriter-64 and many other utilities.

"I strongly recommend this fine utility" Rainbow, 7/83
"A treat for those without disk systems" Hot Coco, 10/83

REQUIRES 16K COCO

CASSETTE \$21.95

THE PEEPER

A Unique Interrupt-Based Program Tracer
From Spectro Systems

Imaging being able to monitor the operation of a machine-language program While It Is Running. To display any portion of memory in any of CoCo's 26 documented display modes, and to move through memory using the arrow keys. To slow the action to a crawl, or freeze it at will. Instantly switch between watching the output of your program and watching Peepers dynamically display (on screen or printer) the contents of the 6809's registers and stack, showing changes as they are happening. In the slowest speed mode, Peeper provides continuous single-stepping; faster modes give a coarser trace. Or, halt the action and single-step by repeatedly pressing the space bar. Peeper supports breakpoints, memory examine/change, and more. Think how much easier it would be to modify someone else's ML software if you could determine what routines were being executed at any given point!

For fun, (and this requires no ML experience), use Peeper with arcade games, watching the fine details of the animation effects in slow motion. See how the game looks and plays in other graphics modes. Or watch what is happening on "hidden screens" you never see. (Makes a superb demonstration.)

REQUIRES 16K COCO
ON CASSETTE (COPYABLE TO DISK)
WITH ASSEMBLER LISTING

\$24.95



Computize INC.

(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047



Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax





High Fidelity Hardware Hacking

By Ed Ellers
Rainbow Technical Writer

• *Is there any way to get parallel data in and out of a CoCo? I would like to store data using an eight-track tape recorder at a higher speed than my single track serial data recorder. Would I need more than eight tracks?*

Is it possible to change the Baud rate of data to and from the cassette recorder like you can to the printer? I use a Pioneer reel-to-reel tape deck, which I'm sure can handle a faster Baud rate.

David DeGomez
Denver, CO

The idea of using an eight-track recorder to store data has been tried before, but not in the way you describe. It sounds like you're talking about recording eight tracks simultaneously; that is not what the conventional eight-track tape decks do, and would require a special recording head. As for faster cassette I/O, you might try this if your computer will accept the speed-up poke:

```
POKE 65497,0:CSAVE"filename"  
:POKE 65496,0
```

(Ed Ellers, a RAINBOW and PCM staff member, is a self-confessed electronics fanatic whose other interests include science fiction.)

This should *CSAVE* a program at 3000 Baud instead of 1500, though I make no promises. The reason that I have the two *POKEs* in a single command line is that *POKEing* 65497 disrupts a number of normal CoCo functions (including video); this method does the *POKE*, saves the file and then puts the machine back at normal speed. The same procedure (with *CLOAD* in the middle) would be used to load such a file. You shouldn't need to move up to a different recorder to do this.

Frozen Contacts

• *I have a General Electric cassette recorder for my CoCo, and all of a sudden the recorder won't stop when it's done loading or recording a program. A friend said that my computer is not turning the recorder off and it is stuck in the "on" position. Is there any way to fix this without opening up the computer?*

D. Milsom
Newark, DE

I don't see how. The problem is probably in the relay inside the CoCo that controls the cassette motor; it may have

become spot-welded in the closed position from excessive current and the resulting sparks. Early models of the CoCo (C, D and E boards) had a rather small relay; newer machines had a better one that clicks rather loudly. I'd have to say your recorder probably contributed to the problem. Radio Shack recorders are wired so that the remote jack switches only the motor; most other makes (including GE, as far as I know) switch all power within the recorder, which means that the relay has to carry more current than Radio Shack allowed for when they picked that relay for the CoCo. To make absolutely sure that the CoCo is at fault before trying a repair, unplug the remote plug from the recorder and connect an ohmmeter across the plug contacts. The remote circuit should read "open" unless you have the computer in a cassette I/O function (or you have selected *AUDIO ON*).

Moving The Multi-Pak

• *I received a Multi-Pak Interface for my CoCo as a Christmas gift. It seems to work properly when hooked directly to the expansion port on my computer. The problem, however, is that my computer desk is similar to a typing desk and*

there isn't room for both the computer and the interface.

To solve the problem I constructed an interface cable about 38 inches long. I brought all 40 lines and the two grounding tab lines out of the computer to the Multi-Pak, but it doesn't work. The wiring is known to be correct, because the cable works fine for the disk controller and various cartridges. I tried a shorter (12-inch) cable with the same results. I then tried to shield and ground the whole cable with aluminum foil, and this helped, but the cable still wasn't reliable. Would you have any knowledge of a solution to this problem?

John J. Gallagher
Williamson, NY

The Multi-Pak Interface doesn't seem to be able to work with extender cables, because of the many signals that go back and forth between the CoCo and the Multi-Pak unit. You might try using a commercially available shielded or twisted-pair cable (available from industrial electronics distributors), but I'm hesitant to tell you to spend the money because it may well do no good whatsoever.

Printer Echo No Go

I read with much anticipation the hardware article dealing with connecting the 4-pin DIN plugs of the printer and modem together, so that everything appearing on the screen would be printed. I did the whole project, and then discovered that the Radio Shack DMP-100 printer doesn't have a 300 Baud setting. Is there any way to change the Baud rate setting on the DMP-100 to 300 either by software or by a hardware project?

Craig Luecke
Brinklow, MD

The DMP-100's two Baud rates are fixed in the ROM inside the printer, and changing to 300 would be rather difficult. You could use one of the several serial-to-parallel interfaces on the market to pick up 300 Baud data and feed it into the DMP-100's parallel port. Note that this will only work if the system on the other end is operating at 8 bits with no parity; if 7 bits with even or odd parity is used there will most likely be garbage on the printer, because the characters with the parity bit added will correspond to special characters instead of regular alphanumeric.

32 or 64 — What's The Difference?

I have a 32K CoCo. I hear so much about having 64K, but I wonder what the difference is between my computer and the 64K model.

Also, I have a short program that moves BASIC into RAM. Does that make my computer 64K?

Michael Rosenberg
Prestonsburg, KY

If your BASIC-in-RAM program works, then that means the machine in question is actually 64K. Radio Shack made a large number of machines between late 1982 and the middle of 1983 that actually had 64K of RAM; they only advertised them as 32K because none of the software they sold (until OS-9 became available) could make use of the all-RAM 64K mode. Some other machines were sold with 64K RAM chips installed, but were only wired for 32K because Tandy saw no need to provide 64K capability at the time.

Ed Ellers will try to answer any questions you may have about the CoCo and its applications. Send your questions to "Earth To Ed," THE RAINBOW, P.O. Box 385, Prospect, KY 40059.

(Continued from Page 16)

Too long	2.6
Too many	1.8
Too few	7.2
Too generous	10.7
Too critical	0.3
Do our reviewers seem:	
Well qualified	37.0
Qualified	60.0
Under qualified	3.0
Do you wait to see a RAINBOW review before buying a product?	
Always	24.3
Usually	51.8
Sometimes	22.3
Never	1.6
Are you hesitant to buy from a new advertiser?	
Yes	57.4
No	42.7
Are you more inclined to buy after	

seeing a product advertised?	
Once	12.6
Two or three times	65.0
Six times	13.4
More than six times	9.0
Do you like the discount coupon pages?	
Yes	85.7
No	14.3
Do you like our issue themes?	
Yes	93.2
No	6.8
Do you use RAINBOW Check?	
Frequently	18.4
Seldom	35.2
Never	46.4
Would three-column listings of BASIC programs (in smaller type) be useful?	
Yes	36.3
No	63.7
Do you get RAINBOW ON TAPE?	
Yes	35.3


No	64.7
Age:	
18 or Under	17.2
19-25	8.6
26-35	22.3
36-45	29.0
46-65	20.2
Over 65	1.7
Occupation:	
Engineer/Technical	27.6
Professional	19.8
Business person	18.7
Student	18.3
Educator	7.5
Skilled Trade	5.0
Retired	3.0
Household Income:	
Under \$10,000	9.2
\$10,000-\$20,000	10.1
\$21,000-\$30,000	21.1
\$31,000-\$50,000	38.2
\$51,000-\$75,000	15.2
Over \$75,000	6.2

We had some other questions dealing strictly with the show itself and a few questions were so ambiguous that the response was statistically meaningless. For instance, there was hardly any numerical spread to the "rate our departments" and "rate our themes" responses; this is probably due to the poor wording of the questions, but could possibly be because the respondents had a wide disparity of opinions, each with their own favorites. In general, though, the results suggest that our columns on BASIC, letters to the editor and technical Q&A columns are most highly rated. RAINBOW Scoreboard and its accompanying Scoreboard Pointers

were at the bottom. In regard to themes, apparently the most popular are graphics, hardware and data communications, while the lowest ratings went to our holiday (bah, humbug, yourself), music and Simulations. With more specific questions, we should be able to learn more when we poll those who attend the Irvine, Calif., RAINBOWfest. Then, maybe we'll be ready to poll the entire readership. In the meantime, a reminder that subscription rates are being slightly increased and that you can save money by subscribing, or extending your subscription, before the first of the year.

— Jim Reed

Introducing Volksmodem



SPECIFICATIONS

Data Interface	RS-232C compatible
Outputs	MARK (OFF) -4.0V min (typical) SPACE (ON) +4.0V min (typical)
Inputs	MARK (OFF) 0 to -25V SPACE (ON) +2.5 to +25V
Data Format	Serial, binary, asynchronous
Operate Mode	Manual dial, manual answer, automatic answer/originate mode select
Data Rate	0 to 300 bps, full duplex or half duplex
Modulation	Phase coherent, frequency shift-keyed (FSK)

REG. \$99
ONLY
\$59.95

MODULAR
WALL OUTLET

Includes cable for color computer

GET ON LINE FOR \$85



AUTOTERM
TURNS YOUR COLOR COMPUTER INTO THE
**WORLD'S
SMARTEST TERMINAL!**
YOU'LL ALSO USE AUTOTERM FOR SIMPLE
WORD PROCESSING & RECORD KEEPING.

Cassette \$39.95

Diskette \$49.95

- * Total Communications Capability
- * Send/Receive Text, Graphics, & ML Programs
- * Scroll, Search, Edit, Load, Save while On Line
- * Built-in Word Processor
- * HI-RES Lower Case is Optional & Fast
- * Screen Widths of 32, 40, 42, 51, & 64
- * Many Printer Options
- * Optional Key-Beep & Error Beebop
- * Automatic Block Graphics
- * Unbelievable Keystroke Multiplier Abilities

SPECIAL PACKAGE PRICE

Volksmodem™
& AUTOTERM



Basic transportation for data. \$150 VALUE

COLOR TERM + PLUS +

\$29.95 (TAPE) Now even more + PLUS+ features than before!!!
\$39.95 (DISK) New and Improved!!

An Intelligent Terminal Program For The Color Computer or TDP 100.

- * Communications BAUD rate: 110-19200
- * Change printer BAUD rate: 800-9600
- * Select printer line feeds if needed
- * Select Half or Full Duplex
- * Select Odd, Even, or No Parity
- * Select 7 or 8 Bit Words
- * Select 1 or 2 Stop Bits
- * Send Control Characters
- * Separate Keys for Escape & Delete (Rubout)
- * Turn off those UGLY Lower-case letters
- * Word Wrap — eliminate all split words
- * Selectable Reverse or Normal Video

**THE BEST
YOU CAN BUY**

COLORCOM/E SMART TERMINAL PACKAGE

- * Complete Upload and Download Support
- * Online Cassette/Disk Reads and Writes
- * 110, 300, 600, or 1200 Baud
- * Full or Half Duplex
- * Printer Data Before Culling (Saves \$5's)
- * Offline and Online Scrolling
- * ROM Pack or Disk
- * Automatic Capture of Files
- * Send All 127 ASCII Characters From Keyboard
- * Word Mode Eliminates split Words
- * 7 or 8 Data Bits (Including Graphics Support)
- * Efficient Data Storage 5-11-1-1-1-1-1-1 Memory
- * 100% Compatible w/ Rainbow Connection (85) if Disk Version 6.1K and 11.1K screen now available

COLORCOM/E \$49.95

**A GREAT
BUY!**

**ORDERING
INFORMATION**

ADD \$2.00 PER ORDER
FOR SHIPPING.
WE ACCEPT VISA, MASTERCARD,
CHECKS, M.O.
C.O.D. ADD \$3.00 EXTRA.

California Residents, Add 6%

Sales Tax to Orders



6201 C Greenback Lane

SOFTWARE PLUS

(916) 726-8793



Citrus Heights, CA 95610

Sale Price Good Thru 3/31/85

RAINBOW

Give us your best: Join the ranks of these courageous CoCoists in showing the Color Computer world your high score at your favorite micro-diversion. We want to put your best effort on record in THE RAINBOW's Scoreboard column. All entries must be received by the first of the month to be eligible for the following month's Scoreboard. They must include your *full* name, address, game title, company name and, of course, your high score. Each individual is limited to three score entries per month. Send your entries to Scoreboard, c/o THE RAINBOW.

★ New Number One

ANDRONE (Radio Shack)

40,030 ★Matthew W. Swadling, North Vancouver, British Columbia
27,805 John Marcogliese, Eastchester, NY
27,450 Alan Bucior, Victoria, British Columbia
18,290 Bill Sain, Charlotte, NC
17,170 Jamie Schultz, Ontario, Canada

AREX (Adventure International)

29,794,900 ★Barbara Blumenberg, St. Francis, WI

BAG-IT-MAN (Aardvark)

418,790 ★Cornelius Caesar, Hofheim, West Germany
310,400 Eric Lecrouart, Ottawa, Ontario
109,620 Ronald Gates, Grand Rapids, MI
101,400 Daniel Belisle, Montreal, Quebec
70,510 Stephane Asselin, Hauteville, Quebec

BASEBALL (Radio Shack)

464-0 ★Dave Fisher, St. Downey, CA
460-0 Walter Trainilips, Janesville, WI
324-0 Michael Rosenberg, Prestonsburg, KY
297-0 Joe Milligan, Julian, PA
296-0 Seth Newman, Yardley, PA
136-0 Stefan Mecay, Austin, TX
103-0 Rusty Johnson, Des Moines, IA
100-0 Chris Dunlap, Springfield, MA
40-0 Mario Asselin, Hauteville, Quebec

BATS AND BUGS (THE RAINBOW)

24,600 ★Michael Rosenberg, Prestonburg, KY
7,200 Lezlee Bishop, Salt Lake City, UT
3,600 Apollo Latham, Rich Square, NC
3,350 Eugene Watanabe, Salt Lake City, UT
3,300 Joey Lewis, Cabin Creek, WV

BUZZARD BAIT (Tom Mix)

6,447,950 ★Jon Griffith
5,488,250 Jim Kennett
2,983,350 Blossom Mayor, East Greenwich, NY
2,902,700 Michael Popovich, Nashua, NH
2,087,650 Edmund Greene, Nashua, NH

CANYON CLIMBER (Radio Shack)

8,990,000 ★Glen Giacomelli, Woodbridge, Ontario
2,326,200 Scott Oberholzer, Lexington, MA
1,603,400 Shen Mansell, Calgary, Alberta
1,571,300 Jeff Weaver, Gordonville, PA
1,426,600 Sean Whitley, Arvada, CO
512,000 Lisa Veaudry, Midland, Ontario

CASHMAN (MichTron)

\$25,320 ★Chris Dunlap, Springfield, MA
\$20,750 Melvin Pettuk, Nampa, Alberta
\$19,330 Dan Ralston, Janesville, WI

CAVERN COPTER (THE RAINBOW)

1213 ★Doug Schwartz, Glendale, AZ
968 Michael Mefferd, Wren, OH
790 John Rivers, North Adams, MA
760 David Figel, Sardis, OH
747 Susan Ballinger, Uxbridge, Ontario

CHOPPER STRIKE (MichTron)

162,400 ★Andrew Figel, Sardis, OH
130,200 Benny Pischke, Lloydminster, Saskatchewan
87,600 David Figel, Sardis, OH
83,300 Doug Masten, Macon, OH
72,100 Lisa Siclari, Staten Island, NY

CLOWNS & BALLOONS (Radio Shack)

143,300 ★Moe Tindell, Sebring, FL
116,475 Jeffrey Kochs, Grove City, OH
116,470 Colin Kerridge, Ladysmith, British Columbia
114,140 Cheryl Pratt, Moab, UT
110,475 Andrew Truesdale, Ferguson, MO

COLOR BASEBALL (Tandy Corporation)

61-0 ★Paul Brouwers, Ontario, Canada
10,001,051 ★Mark Smith, Santa Ana, CA
5,756,808 Scott Oberholzer, Lexington, MA
3,355,248 Scott Drake, Pine City, NY
2,614,230 Jerry Petkash, Warren, MI

2,547,299 Rich McGervey, Morgantown, WV

CRUISING (Sunshine)

3,936 ★Paul Hotz, Herzlia, Israel

DEFENSE (Spectral Associates)

48,350 ★Jeff Kennedy, Scottsburg, IN
40,000 James Kennedy, Scottsburg, IN
37,000 Kevin Hawkins, Scottsburg, IN

DEVIL ASSAULT (Tom Mix)

4,569,305 ★David Fitzpatrick, Ogallala, NE
3,096,900 Chad Barry, Rochester, NH
3,048,400 Brent Murphy, Mesa, AZ
2,890,000 Rich Van Manen, Grand Rapids, MI
1,762,980 Michael Rosenberg, Prestonsburg, KY

DOWNLAND (Radio Shack)

38,954 ★Mary Ward, Groton, CT
35,539 Rusty Johnson, Des Moines, IA
23,000 Dan Feinstein, Mobile, AL
23,000 Doug Feinstein, Mobile, AL
22,304 Don Ward, Groton, CT
19,427 Albert Diaz, Canoga Park, CA

DRACONIAN (Tom Mix)

395,400 ★Peter Kral, Arcata, CA
326,180 George Hoffman, Shavertown, PA
190,840 Kyle Keller, Overland Park, KS
139,010 Paul MacArthur, Gillette, WI
181,710 Bryan Jenner, Calgary, Alberta

DUNKY MONKEY (Intellectronics)

2,116,200 ★Dan Price, Tacoma, WA
1,936,000 Tim Greenen, Sterling Hts., MI
1,244,400 Jack Baran, Bensalem, PA
1,015,000 Kyle Keller, Overland Park, KS

FIRE COPTER (Adventure International)

112,550 ★George Dougherty, Hampton, VA
107,370 Chris Hafey, Auburn, CA
97,390 Sam Hughes, Colton, CA
78,860 Woody Farmer, Acme, Alberta
53,280 Kevin Marsh, Bokeelia, FL

FOODWAR (Arcade Animation)

104,075 ★Mike Scharf, Fremont, OH
94,905 Stephane Asselin, Hauteville, Quebec

FROGGIE (Spectral Associates)

86,660 ★David Garozzo, Morrisville, PA
84,440 Bill Ide, Newark, DE
74,050 Mike Garozzo, Morrisville, PA
73,190 Brendan Smith, Coral Springs, FL

GONE FISHING (THE RAINBOW)

29 ★Eric Burk, Williamsburg, NY
12 Lisa Ballinger, Uxbridge, Ontario
12 Kevin Oberberger, Sparks, NV
11 Brian Austin, New Salisbury, IN
11 Emily Doubt, Deep River, Ontario

GRABBER (Tom Mix)

147,600 ★Brian Foley, Blackstone, MA
129,100 Blossom Mayor, East Greenbush, NY
70,600 Michael Corman, Lafayette, IN
31,900 Stephane Asselin, Hauteville, Quebec
27,750 Ellen Ballinger, Uxbridge, Ontario

HEIST (THE RAINBOW)

2,100 ★Sergio Waisser, Mexico City, Mexico
1,500 Susan Ballinger, Uxbridge, Ontario
1,500 Julio Comello, Scarborough, Ontario
1,500 Kirstie Compton, Suffield, CT
1,500 Andy Dater, Medford, OR
1,500 David Figel, Sardis, OH
1,500 Tim Hoven, Eckville, Alberta
1,500 Joel Lombardi, Newark, DE
1,500 Jason Morrison
1,500 Jeff Roberg, Winfield, KS
1,500 Brendan Smith, Coral Springs, FL
1,500 Kevin Speight, Bridgewater, Nova Scotia
1,500 Rupert Young, Sheffield, MA

HYPER ZONE (Computerware)

59,830 ★Mario Asselin, Hauteville, Quebec

INVASION (Spectral Associates)

88,000 ★Kevin Hawkins, Scottsburg, IN
35,420 Jeff Kennedy, Scottsburg, IN

THE JUNGLE (THE RAINBOW)

1,110,729 ★Tony Boring, Armagh, PA
644,694 Matt Hazard, Columbia Station, OH
29,735 Craig Boring, New Florence, PA
4,230 Doug Schwartz, Glendale, AZ
3,048 Jon Hobson, Plainfield, WI

KATERPILLAR ATTACK (Tom Mix)

65,682 ★Jason Morrison
38,676 James Lafave, Williamstown, MA
31,672 Scott Fairfield, Williamstown, MA
18,949 Vadim Gotovsky, Toronto, Ontario

LANCER (Spectral Associates)

74,250 ★Matthew Crabtree, Pittsburgh, PA

LUNAR-ROVER PATROL (Spectral Associates)

79,950 ★Paul Hotz, Herzlia, Israel
45,600 Bryan Jenner, Calgary, Alberta

MAZELAND (Chromasette)

5,500 ★Todd Knapp, Prairie du Chein, WI

MICROBES (Radio Shack)

178,550 ★Apollo Latham, Rich Square, NC
144,350 Theodore Latham Jr., Rich Square, NC
98,450 Kent Jakway, Garrett, IN
59,960 Steven Allen, Sharsburg, MD
40,850 Joey Lewis, Cabin Creek, WV

MOON HOPPER (Computerware)

114,540 ★Susan Ballinger, Uxbridge, Ontario
78,820 Brian Austin, New Salisbury, IN
59,970 Cole McDonald, St. Cloud, MN
58,520 Brendan Smith, Coral Springs, FL
53,570 Robert Harmon, Virginia Beach, VA

MR. DIG (Computerware)

2,520,650 ★Thomas Henry, Boca Raton, FL
2,371,550 Ann MacKery, Port Hardy, British Columbia
2,301,000 Jeff Roberg, Winfield, KS
1,976,500 Tim Magnussen, Lafayette, TN
1,881,350 Ellen Ballinger, Uxbridge, Ontario

MUDDIES (MichTron)

365,900 ★Glenn Wasson, Castleton, NY
185,200 Bertha Jeffries, San Bernardino, CA
181,200 Anthony van Dijk, The Pas, Manitoba
173,900 Andrew Chin, Austin, TX
164,000 Paul Baker, Pittsburgh, PA
77,100 T.J. Buckley, Warrenton, VA

NINJA WARRIOR (Programmer's Guild)

157,400 ★Sandra Maguire, Port Elgin, Ontario
151,100 Douglas Rodger, Harvard, MA
106,300 Bud Seibel, Tumbler Ridge, British Columbia
105,200 Martin W. Grimm, Elkview, WV
102,400 Christopher Gelowitz, Claresholm, Alberta

PAC'EM (THE RAINBOW)

2,372 ★Stephanie Gregory, Coco Solo, Panama
2,301 Lawrence Gore, Glencoe, AL
2,106 Dr. James Peterson, Radcliff, KY
2,059 Art Hartsough, Ft. Wayne, IN
1,999 Kevin R. Hubbard, Huntington, WV

PARACHUTE JUMP (Jarb Software)

62,650 ★Dan Sobczak, Mesa, AZ

PARA-JUMPER (THE RAINBOW)

3,118 ★Jon Clevenger, Lima, OH
822 Peter MacLeod, Montague, Prince Edward Island
783 Ronald Gates, Grand Rapids, MI

PIPELINE (THE RAINBOW)

478 ★Susan Ballinger, Uxbridge, Ontario
302 Lisa Ballinger, Uxbridge, Ontario

POPCORN (Radio Shack)

64,380 ★Susan Rushing, Tucson, AZ
57,860 Jeffrey Kochs, Grove City, OH
54,280 Wyatt Godines, Lawrence, MI
48,930 Paul Baker, Pittsburgh, PA
48,520 Nicole Freedman, Wellesley, MA
39,030 Susan Ballinger, Uxbridge, Ontario
23,540 Teri Block, Sewell, NJ

SCOREBOARD

PYRAMID (Radio Shack)

- 220/113 ★John Dupre, Mobile, AL
 220/130 Cornelius Caesar, Gundelhardtstr,
 West Germany
 220/130 George R. Fairfield, Victoria,
 British Columbia
 220/133 Robert Dickau, Sacramento, CA
 220/136 Andy Nelson, Winona, MN
 220/138 Ellen Ballinger, Uxbridge, Ontario

Q-NERD (THE RAINBOW)

- 6,512,020 ★Ray Ravalitera, Bethune, France
 326,810 David Chabot, Granby, Quebec
 184,780 Ray Suplee
 181,920 Susan Bennington, Pensacola, FL
 130,000 Robert Dickau, Sacramento, CA

RAKA-TU (Radio Shack)

- 50 ★Mike Bubb, Grafton, OH
 50 ★Chris Cope, Central, SC
 50 ★Richard Gain, Tyler, TX
 50 ★John Kidd, Clarksboro, NJ
 50 ★Barney Laverty, Gauley Bridge, WV
 50 ★Michael Thomas, Flint, MI
 40 Ellen Ballinger, Uxbridge, Ontario
 20 Russ Auld, St. Petersburg, FL

RADIO BALL (Radio Shack)

- 1,103,090 ★Mike Sengstock, Meriden, CT

REACTOIDS (Radio Shack)

- 3,781,815 ★Rusty Johnson, Des Moines, IA
 931,395 Linda Mobbs, Pt. Huron, MI
 702,125 Jeff Loeb, Mobile, AL
 203,800 Andrew Lehtola, Mound, MN
 88,615 Robbie Anderson, Monrovia, CA

RETURN OF THE JET-1 (ThunderVision)

- 406,788 ★Chris Russo, Miami, FL
 395,029 Joseph Russo, Miami, FL
 389,453 Gary Bachtel, Huntsville, AL
 208,602 Robert Buerkle, Conway, PA
 188,000 Todd Kaplan, Lawrenceville, NJ
 65,050 Todd Knapp, Prairie du Chein, WI

ROBOTTACK (Intracolor)

- 7,528,100 ★Mike Scharf, Fremont, OH
 3,242,812 Edwin Prather & Cory Soper,
 Oxnard, CA
 2,516,050 Horace Hamilton, Calgary, Alberta
 2,216,950 Randy Hankins, Tabor, IA
 1,922,200 Erik Merz, Noblesville, IN

SCOOPER PACK (Spectral Associates)

- 5,000,000 ★Jeff Kennedy, Scottsburg, IN
 2,400,020 Kevin Hawkins, Scottsburg, IN

SEA QUEST (Mark Data Products)

- 100/147 ★Harry Price, Tacoma, WA

SHOOTING GALLERY (Radio Shack)

- 149,940 ★Robert Wallace, Waldorf, MD
 85,120 Lezlee Bishop, Salt Lake City, UT
 80,220 Vernell Peterson, Radcliff, KY
 44,870 Mark Nichols, Birsay, Saskatchewan
 44,480 R. Duguay, St. Bruno, Quebec

SKIING (Radio Shack)

- 01.10 ★Mike Scharf, Fremont, OH
 05.85 John Hopkins, Greenville, SC
 12.02 Brian Austin, New Salisbury, IN
 12.08 Kelly Kerr, Wentzville, MO
 12.58 Kevin Hawkins, Scottsburg, IN
 13.35 Jeff Kennedy, Scottsburg, IN

SKRAMBLE (Tom Mix)

- 61,020 ★Paul Hotz, Herzlia, Israel
 46,440 Steve Schutjer, Hazel Green, WI

SLAY THE NEREIS (Radio Shack)

- 344,115 ★Ed Meyer, Vancouver,
 British Columbia
 47,442 Joseph DiBattista, Brooklyn, NY
 34,089 Craig Alexander, Heflin, AL

SNAKER (THE RAINBOW)

- 1:26 ★Dan Sobczak, Mesa, AZ
 1:57 Susan Ballinger, Uxbridge, Ontario
 1:59 Baiju Shah, Deep River, Ontario
 2:21 Eric Burk, Williamsburg, NY

STARBLAZE (Radio Shack)

- 11,000 ★Steve Schutjer, Hazel Green, WI
 9,950 Albert Diaz, Canoga Park, CA
 9,700 Robbie Sablotny, Mt. Zion, IL
 9,050 Mark Welte, Baxter, TN
 6,850 Craig Alexander, Heflin, AL

STELLAR LIFE-LINE (Radio Shack)

- 100,070 ★Alex Gatlin, McKinleyville, CA
 33,100 Kenn Booth, Grand Rapids, MI
 29,670 Craig Alexander, Heflin, AL
 22,610 David Sullens, Cabool, MO
 16,920 Jeff Loeb, Mobile, AL

STORM ARROWS (Spectral Associates)

- 35,000 ★Stephane Asselin, Hauteville, Quebec

TIME BANDIT (MichTron)

- 413,620 ★Doug Seibel, Tumbler Ridge,
 British Columbia
 248,530 Sally Naumann, Hailey, ID
 243,620 Mark Wooge, Omaha, NE
 225,950 Chris Oberholtzer, Lexington, MA
 142,200 Fred Naumann, Hailey, ID

TOUCHSTONE (Tom Mix)

- 98,500 ★Glenn Wasson, Castleton, NY
 88,300 Michael Mefferd, Wren, OH
 65,520 Kevin Marsh, Bokeelia, FL

TRAILIN' TAIL (THE RAINBOW)

- 105,300 ★Jerry Dill, Frankfort, MI
 87,345 Philip Parent, Smiths Falls, Ontario
 76,275 Michael Rosenberg, Prestonsburg, KY
 74,395 Jean-Marc Parent, Smiths Falls,
 Ontario
 33,454 Kenneth Bergenham, Lawton, MI

TUT'S TOMB (Mark Data)

- 163,060 ★Michael McCafferty, Oceanside, CA
 158,000 Chris Russo, Miami, FL
 106,460 Eileen Kaakee, Royal Oak, MI
 104,360 Gary Marshall, Layton, UT
 60,780 Stephane Asselin, Hauteville, Quebec
 27,320 Chris Dunlap, Springfield, MA

WACKY FOOD (Arcade Animation)

- 241,200 ★Todd Kaplan, Lawrenceville, NJ
 227,900 Jon Jenkins, Milton, GA
 135,800 Mario Asselin, Hauteville, Quebec
 105,100 Stephane Asselin, Hauteville, Quebec

WILD CATTING (Radio Shack)

- 250,450 ★John Kidd, Clarksboro, NJ
 33,090 Jack Ballinger, Uxbridge, Ontario

ZAXXON (Datasoft)

- 2,057,800 ★Chris Oberholtzer, Lexington, MA
 1,510,000 James Quadrella, Brooklyn, NY
 666,000 Andy Green, Whitehall, PA
 401,900 Mike Hughey, King George, VA
 370,400 Chris Coyle, Selden, NY
 150,050 Jeff Kennedy, Scottsburg, IN
 135,000 Kevin Hawkins, Scottsburg, IN
 102,000 Bryan Jenner, Calgary, Alberta
 74,700 Mike Sengstock, Meriden, CT

Debbie Hartley

SCOREBOARD POINTERS

In conjunction with THE RAINBOW's Scoreboard, we offer this column of pointers for our game-playing readers' benefit. If you have some interesting hints and tips, we encourage you to share them by sending them to the Scoreboard, c/o THE RAINBOW.

PROGRAM EXCHANGE

Scoreboard:

Anybody looking for another insane CoCo user to trade programs with? I would appreciate it very much. It would make my gloomy day!

Todd Knapp
 Prairie du Chien, WI

DRAIN PROBLEMS?

Scoreboard:

This is the best magazine that has ever been put out on the CoCo. It takes all the bits of information from a variety of sources

and compiles it into one. Keep up the good work.

I have several Adventure games and the one that gives me the most problem is *Sands of Egypt*. I would appreciate it greatly if anyone can help out. I've found the pool, gotten in it, can't get out, and I know I have to drain it somehow. I've also found the big palm tree. Please send the solution if possible. My address is 51-2 Maine St., 94535.

Jeff McKay
 Travis A.F.B., CA

THE 220 POINT QUESTION

Scoreboard:

In the game *Pyramid*, what happens at 220 points? Please write to let me know. My address is 501 Buckley Highway, 06076.

Chris Caovette
 Union, CT

IN LIMBO

Scoreboard:

Help! I am having trouble with *Calixto Island*. What do you do after you go down the trap door? I can't get my flashlight on. Also, in *Black Sanctum*, I have found the beach house, but I can't do anything with it. My son and I will be waiting for your

replies so we can get going. Write me at 1446 Marline Ave, 92021.

Liz Newman
El Cajon, CA

MISSION IMPOSSIBLE?

Scoreboard:

As it is neither practical nor possible for your editors to verify the legitimacy of your readers' score submissions, you cannot be criticized for publishing them, verbatim, on the assumption that they are genuine. No doubt, the possibility of deceit exists in any honor system.

Most (if not all) arcade-type games allow for phenomenally high scores. In contrast, logical (Adventure) games generally do not. Adventure games usually have a fixed, maximum number of point-scoring objects, and require a certain minimum number of moves to realize a particular score. Moreover, whereas someone who has achieved an unprecedented high score in a "shoot-em-up" game probably cannot duplicate that score on demand (perhaps never again), one who has reached an optimal solution in a determinate game should be able to reproduce that score consistently. With the exception of a trivial quasi-random element, the Adventure game *Pyramid* is a determinate game — solutions are replicable.

I do not believe that it is possible to score 220 points in *Pyramid* in less than 130 moves. The proof relies upon details of the program's (sloppy, but copyrighted) source code and data, and so will not be given here, but it is believed to be accurate and complete.

George R. Fairfield
Victoria, British Columbia

BEST BETS FOR BEDLAM

Scoreboard:

For those of you having trouble with *Bedlam*, pay attention! Get the red key in the Dispensary, but first go to the Maintenance room and get the hook. Go back to the Dispensary and type GET RED KEY WITH HOOK. If the man with the hypo gets you just type PLUGH. Go right outside the shock room and type GET GREEN KEY WITH HOOK. Now that you have everything you need, find Napoleon. Go to every room and type OPEN DOOR. Pretty soon you will find a secret door. You will not be able to open it, so ask Napoleon to open it and you're home free. I forgot to mention that in order to get Napoleon to follow you, type ASK NAPOLEON TO FOLLOW.

In *Raaka-Tu*, search each room by typing SEARCH ROOM. You should find a gem in a crack. That's 10 points right there. Also, you should never pull the lever, just get it.

In *Dungeons of Daggorath*, I think I have the list of rings:

NAME

INCANT TO

Vulcan
Lime

Fire
Ice

John Kidd
Clarksboro, NJ

CHOCK FULL O' HINTS

Scoreboard:

Here are some tips on *Black Sanctum*, *Calixto Island*, *Sequest*, and *The Crown of Merro*.

To get past the natives on *Merro*, type LIGHT MATCH. Then type GIVE MATCHES. This will get you past them. To get past the poisoned arrows you must have the water. (You get this by pushing the nose on the fountain.) Type DRINK WATER. I'll give one more hint; you had better have your hacksaw before going in any further!

To get the caretaker's tools on *Sanctum* just give him the jug of wine.

On *Calixto*, always get the boots. To get the paddles you must have the mice. To get them you need the trap. Then go to the pyramid and DROP MICE when you get to the snake. Always remember to have the bucket with you when you cross the river!

On *Sequest*, to get into the beach house you must break the window. (The beach house is behind the falls. Just type GO FALLS and you will be in the cavern. When you enter the cavern you will trip over something. That is the shovel. Type GET SHOVEL.) To open the clam you must have the shovel. To get to the clam you must buy the air tanks with the credit card. Then type FILL TANKS. Now you can go into the water.

If anybody has found a way to open the trapdoor in the beach house or has found a way to buy the speargun on *Sequest*, then write to me at 390 St. Charles Ave., 32953.

Keith Schuler
Merritt Island, FL

PRESS AHEAD

Scoreboard:

I would like to pass along to the readers a little hint to use while playing *The Frog* from Tom Mix. I found out that on my CoCo 2 (64K ECB) the frog would only go once in any direction. Meaning that in order to go across the street you had to first press the up-arrow once, then go left or right before you could go ahead once more. I found that by holding down the space bar you could travel in any direction more than once. So by doing this, you can

travel across the street or logs more than once just by pressing the up-arrow. If anyone knows of a software fix for this I am sure the readers that have this program would like it.

John D. Cleveland
Lunenburg, Nova Scotia

Scoreboard:

The game *Arex* has 32 different levels. After 32 it starts repeating itself from Level 12. At Level 60 you do not start out with any stars, but they do come into play. At Level 256 the game starts over with Level 1 and one star, and then increases the stars with the point value. The score only goes to 700,000 and I went through that 42 times.

This game also throws distractions in. When you get to the higher levels it will go slow and then all of a sudden it will speed up again. At times during the game it takes all your men away and you have to start over, but by then each square is worth so much that in a couple of moves you have one back.

The only help I can give in playing the game is to play aggressively. Go right after the stars. When you have 12 at a time you can usually get about 10 before they get you, if you go after them.

Barbara Blumenberg
St. Francis, WI

Scoreboard:

Enough is enough! I need help with *Sands of Egypt*. A recent pointer in the Scoreboard hinted that you need to place the scepter on the sarcophagus to get into the treasure room.

I know this is a dumb question, but how do you place the scepter on the sarcophagus? I can't even drop the darn thing!!

Send any help to P.O. Box 115, 20862. Thank you.

Craig Luecke
Brinklow, MD

Scoreboard:

I have solved the following Adventure games: *Dungeons of Daggorath*, *Pyramid*, *Arconiax Assignment*, *Bedlam*, *Calixto Island*, *Karrak*, *Crown of Merro*, and *The Trip*. If you need help with one of these Adventure games send a SASE and I will reply.

If anyone has solved *Pyramid 80*, I need help.


Chuck Poynter
Hector, AR

your best buys!

are with **SOUTHWESTERN DIGITAL**

DISK DRIVES

DRIVE 0 40 track single sided	\$279.
DRIVE 1 40 track single sided	\$169.
DRIVE 0 and 1 SS/DD	\$428.
(add \$70. for double sided drives)	



MEMORY

64K KIT (8 chips)	\$45.
-------------------	-------



PRINTER ADAPTERS

PBH SERIAL TO PARALLEL ADAPTER	\$50.
--------------------------------	-------

KEYBOARDS

HJL Keyboard	\$69.
Micronix Keyboard	\$69.
Keytronic Keyboard	\$79.

DISKETTES

VERBATIM box of 10	\$20.
--------------------	-------



Southwestern Digital

1-713-480-3296

2515 W. Main #337, Houston, Texas 77098

Ordering Information

All prices reflect a pre-made discount for cash. Visa, MasterCard orders are at regular price (add 5%).

Mail your payment directly to us, or call your order in today. All non-certified funds are held for proper clearance.

Upgrade Your Color Computer With A KeyTronic Keyboard.

Simple to install in your TRS-80 Color Computer*. A high-quality Replacement Keyboard from KeyTronic... the world's leading keyboard manufacturer for computer terminals.

Additional features include -- high spring force on "clear" and "break" keys to prevent entry errors. Full sculptured keypad array with low profile keytops, and locating "trips" on home row keys.

FEATURES

- 15-20% higher data input rate compared to standard color computer keyboard.
- User programmable function key.
- Familiar typewriter layout.
- Complete legend description.
- High reliability -- keys do not stick or jam.


\$69.



SOUTHWESTERN DIGITAL
2515 W. MAIN #337
Houston, Texas 77098

Visa/ MasterCard add 5%

NEW! HDS FLOPPY DRIVE CONTROLLER



FEATURES:

- GOLD PLATED EDGE CARDS
- DUAL SELECTABLE ROM SOCKETS
- NO POTS TO ADJUST
- COMPATIBLE WITH COCO I & II
- 120 DAY WARRANTY
- DOUBLE AND SINGLE DENSITY
- FULLY SOCKETED BOARD

REDUCE YOUR I/O ERRORS WITH THE NEW HARD DRIVE SPECIALIST FLOPPY DRIVE CONTROLLER FOR THE COLOR COMPUTER. GOLD EDGE CARD CONNECTORS AND THE ABSENCE OF POTENTIOMETERS MAKE THIS THE BEST BOARD AVAILABLE TO DATE. SOLD WITH AND WITHOUT ROM (Read Only Memory)

COMPLETED & TESTED BOARD WITH ROM \$139.00
(INCLUDES CASE, AND DOS INSTRUCTIONS)	
COMPLETED & TESTED BOARD WITHOUT ROM \$119.00
(INCLUDES CASE)	
BARE BOARD WITH INSTRUCTION MANUAL \$39.95
(ADD \$40. FOR COMPLETE PARTS KIT, ADD \$20. FOR ROM)	

HARD DRIVE SPECIALIST

Ordering Information

We accept Visa, Mastercard, Wire Transfers, and Certified checks for quickest shipping. Orders received on personal checks are held.

Dealer inquiries invited

16206D Hickory Knoll, Houston, Texas 77059

Order Line

1-800-231-6671

Local Sales and Service Line

1-713-480-6000

GREAT COCO PRODUCTS



SUPER SCREEN

The Color Computer
Supercharger

- A big 52 character by 24 line screen
- 'PRINT @' is fully implemented on the big screen
- Easily combine text with hi-res graphics
- Auto-key repeat for greater keyboard convenience
- The 'ON ERROR GOTO' statement is fully implemented
- Control codes for additional function

Super Screen comes with complete, well detailed instructions and is available on cassette or disc. It adjusts automatically to any 16K or greater, Extended or Disc basic Color Computer or TDP-100 and uses only 2K of memory in addition to the screen memory reserved during power up. Guaranteed to be the most frequently used program in your software library...once you use it, you won't be without it!

Hot CoCo, Jan. '84 "Super Screen represents a quality utility program that fills a definite need for the serious CoCo user. No other programs on the market so far have offered the error-trapping utility of Super Screen."

Color Computer Magazine, May '84 "Super Screen is a worthy addition to anyone's software library. It has become my most used utility and has made programming in BASIC on the Color Computer a joy..."

Cassette \$29.95

Disc \$32.95

NEW!

EASY-FILE Data Management System

- Need a good mailing list or customer list program? How about a program to keep track of your investments, your computer magazines, or record collection? Do you have an inventory of all household items for insurance purposes? **EASY-FILE** will do all of these things and many more.
- **EASY-FILE** makes data managing a breeze with single key menu selections, extensive error handling procedures, a demonstration data file and a detailed, easy to understand instruction manual.
- **EASY-FILE** is powerful, too. It automatically enhances your monitor screen to a full upper and lower case, 51 character by 24 line display. **EASY-FILE** allows up to 30 data fields and provides password file protection, selectable numeric totalling and complete data searching and editing capabilities. You can quickly enter, locate, review and modify data records, and even transfer records from one file to another.
- Sorting? You bet! **EASY-FILE** allows you to sort up to 5 levels of data and allows you to define upper and lower limits as well. You can sort in many different ways and save the results in individual index files. These index files may be used later to determine what will appear on your printed reports.
- Reports are easily prepared with **EASY-FILE** because it offers so many automatic features. There is no need to generate complex report forms. With **EASY-FILE** you simply select from a list of options to determine what your report and header will look like. There are countless variations. **EASY-FILE** takes care of tabstops and field spacing automatically. Prepare horizontal reports (80 or 132 columns), vertical reports or labels! Save your favorite report formats right in a data file so they may be used whenever you need them.
- The **EASY-FILE** master disc and instructions are packaged in an attractive 3-ring binder. Requires 32K and at least one disc drive.

Order yours now! Get organized for only \$59.95!


UNIVERSAL VIDEO DRIVER

Carefully engineered to work with **ALL** Color Computer models, including the new

COCO II

ENABLES YOUR COCO TO OPERATE WITH A VIDEO MONITOR INSTEAD OF A TELEVISION!

- Works with Monochrome Monitors!
- Works with Color Monitors!
- Audio Connection Included!
- Easy Installation—No Soldering!
- Great Price! **ONLY \$29.95**



ORDER ENTRY SYSTEM

Rainbow, Feb. '84 "If you are looking for a program to keep track of your sales and print invoices, then this one will take care of those needs quite well...A good program that would serve the invoicing needs of a small company quite nicely."

The Mark Data Product sales order processing system provides a fast, efficient means to enter orders, print shipping papers and invoices, prepare sales reports, and monitor receivables. The system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

The MDP Order Entry System is a family of programs which operate interactively by means of a "menu" selection scheme. Up to 900 products may be defined and a single disc system can hold over 600 transactions. When the operator selects a task to be performed, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary paperwork including shipping and invoice forms, daily sales reports, a monthly (or other period) sales report and a receivables report.

This order entry software equals or exceeds higher priced packages for other computers and includes a detailed operating manual. **ONLY \$99.95**

SUPER PRO KEYBOARD



**ONLY
\$64.95***

- Original key layout
- Fast, easy installation—no soldering
- Individually boxed with full instructions
- Smooth "Touch Typist" feel—no sagging
- U.S. made—high quality, quad gold contacts
- Professional, low profile, finished appearance

* Computers produced after approximately October 1982 require an additional keyboard plug adapter. Please add \$4.95.

ACCOUNTING SYSTEM

Rainbow, May '84 "Considering what it can do to organize a small business, it is quite a value."

Hot CoCo, June '84 "...a serious, professional accounting program and well worth its price. The programs are complete and simple to use."

The Mark Data Products Accounting System is ideal for the small businessman needing a fast, efficient means to process income and expenses, prepare detailed reports and maintain most of the information required at tax time. The system is a family of programs which operate by means of a "menu" selection scheme. When the operator selects a task to perform, the computer loads a program designed to handle that task from the system disc. The system disc contains all of the programs required to create, update and maintain data files and prepare the necessary accounting reports including a transaction journal, a P & L or income report, an interim or trial balance and a balance sheet.

Up to 255 separate accounts may be defined and a single disc system can hold over 1,400 transactions. This system automatically enhances the monitor screen to a 51 character by 24 line display. 32K of memory is required along with an 80-column printer and one or more disc drives.

This accounting software equals or exceeds higher priced packages for other computers and includes a detailed operating manual.

SHIPPING: All orders under \$100 please add \$2 regular, \$5 air. All orders over \$100 please add 2% regular, 5% air. California residents please add 6% sales tax. Orders outside the continental U.S., check with us for shipping amount; please remit U.S. funds. Software authors—contact us for exciting program marketing details. We accept MasterCard and VISA. Distributed in Canada by Kelly Software.



FREE - Send for our NEW 24 page catalog!

Mark Data Products

24001 ALICIA PKWY., NO. 207 • MISSION VIEJO, CA 92691 • (714) 768-1551

\$\$ SAVE MONEY ON YOUR \$\$ CASSETTE & DISC SUPPLIES

CASSETTES

We buy cassettes and discs in large quantities for our own use and can pass the savings on to you.

C-10 Cassettes w/labels	.59 ea	10 for \$5.50
Cassette storage box	.25 ea	10 for 2.00

5 1/4 DISCS

High quality, nationally advertised brand. *Guaranteed Performance!* We will replace any disc that fails during normal use. Discs are single sided, double density, reinforced hub with Tyvek sleeve. \$2.25 each 10 for \$19.95

ROMS

Basic 1.2	\$39.95
Extended 1.1 w/manual	69.95
Disc 1.1	39.95

NEED MORE MEMORY?


64K Memory Expansion Kit

All parts and complete instructions (For 'E' and 'F' boards and CoCo II)
\$59.95

COCO DISC DRIVES

COMPLETE SYSTEMS INCLUDE:

- Hi-Quality Teac Thin Line Drives
- Attractive, Beige Dual Drive Cabinet/Power Supply
- Fill Panel for Single Drive Disc Systems
- Radio Shack or J & M Controller
- Cable and Operating Manual
- Full 90 Day Warranty



Single Drive (SSDD) in Dual Cabinet w/Controller	389.95
Additional Drive	129.95
Two Drives (SSDD) in Dual Cabinet w/Controller	499.95
Single Drive (DSDD) in Dual Cabinet w/Controller	469.95
Additional Drive	209.95
Two Drives (DSDD) in Dual Cabinet w/Controller	669.95
Dual Cabinet/Power Supply	79.95
Disc Controller (Radio Shack or J & M)	139.95
Connecting Cable	24.95
Radio Shack DOS ROM 1.1	39.95

NEW!



It's Fun!
It's Educational!
It's a great new way to learn typing skills! **Cassette \$24.95 Disc \$27.95**

The combination of exciting game-play action and colorful, hi-res graphics in Zookey make it an outstanding typing tutor. Speed and skill levels are fully adjustable to train the beginner or challenge the most experienced typist.

Stimulating for both youngsters and adults...Ideal for classroom or individual instruction.

NEW! SUPER BUG



Mark Data Products **SUPER BUG** is a powerful, relocatable machine code monitor program for your CoCo. If you are a beginner, the program and documentation are an indispensable training aid, helping you to gain a better understanding of your Color Computer and machine code programming. If you are an accomplished computerist, **SUPER BUG'S** capabilities, versatility and convenience will prove invaluable during programming and debugging.

SUPER BUG offers so many outstanding features that we are unable to list them all in this limited space but here are a few: hex and alpha numeric memory display, modify, search, and test; full printer support with baud rate and line feed select; up to 220 breakpoints; mini object code disassembler; 64K mode setup; decimal, hex and ascii code conversion routines and extensive documentation.

Tape \$29.95

Disc \$32.95

INFORMATIVE BOOKS

"Your Color Computer" by Doug Mosher

Over 300 pages of detailed information...an indispensable introduction to your Color Computer, complete with diagrams, photographs, and a BASIC thesaurus and command reference section. A CoCo encyclopedia. **\$16.95**

"Programming the 6809" by Rodney Zaks


One of the best machine language texts available—required reference material. This book explains how to program the 6809 in machine language, covering all aspects progressively and systematically. **\$15.95**

QUALITY VIDEO MONITORS



SAKATA COLOR SC-100-\$299.95

The SC-100 is a streamlined 13" composite monitor which produces sharp, brilliant colors. The cabinet is made of durable styrene and is available in an attractive off-white color. Includes audio with speaker and earphone jack. We highly recommend this color monitor because of its excellent performance and beautiful styling.




TAXAN AMBER SCREEN-\$149.95

A 12" amber screen composite monitor of the highest quality with exceptional reliability and performance. 18 MHz bandwidth. Attractive off-white cabinet. We use this monitor in our offices.

VIP SOFTWARE

We carry the most asked for softlaw products for your convenience.

SUPER NEW GAMES!



NEW!

TIME FIGHTER

Pilot your MD-64 fighter through a hazardous time tunnel. Your mission is to destroy the dreaded Time Guardian who threatens the natural order of the universe. In order to reach this menace you must fight aerial dangers from strange and different time zones. If you like fast action, this one's for you! 16K required.


Rainbow, March '84 "One of the best in your library of computer games. It's a real gem."

CASSETTE

\$24.95

DISC

\$27.95



NEW!

TUT'S TOMB

Explore the ancient, mystical tomb of the great Pharaoh. Find the magical keys which lead you to unbelievable treasures as you out-manuever the creatures that slither and swarm about you. Super fast arcade action—this one will knock your socks off with 16 screens of incredible color and sound. Fabulous! 32K required.

Hot CoCo, April '84 "State of the art CoCo graphics. A first rate game."

CASSETTE

\$24.95

DISC

\$27.95

Mark Data Products

GEMINI 10X COMPLETE SYSTEM

Gemini 10X

PRINT SPEED—120 cps. Bidirectional Logic Seeking

PRINT SIZE—10, 12, 17, 5, 6, 8.5 cpi

NUMBER OF COLUMNS—80, 96, 136, (40, 48, 68 in Double Wide)

CHARACTER MATRIX—9 x 9 Standard, with True Descenders • 18 x 9 Emphasized • 18 x 18 Double Strike • 6 x 6 Block Graphics • 60 x 72 Low Resolution, Bit Image Graphics • 120 x 144 Hi Resolution, Bit Image Graphics • 240 x 144 Ultra Hi Resolution, Bit Image Graphics

CHARACTER SETS—96 Standard ASCII Characters • 96 Italics • 64 Special Characters • 32 Block Graphic Characters • 96 Downloadable Characters • Super and Sub Script

LINE SPACING—Programmable by n/144"

PAPER HANDLING—Roll Paper • Cut Sheet • Tractor Fanfold • Copies: 3 Carbonless Sheets

THE BLUE STREAK

Serial to Parallel Interface

SLEEK—1"x2"x4" Optional AC Supply plugs into side - AC not required with most printers

FAST—300 to 9600 Baud - 30% faster than the standard 9600 Baud Interface.

STRONG—Built sturdy with jacked cable, strain reliefs and highest quality components.

- Complete with ALL cables and connectors
- 180 Day Warranty

SUPER GEMPRINT

A Full 8x11 Screen Dump Program

- User definable color shading
- Prints all 5 Pmodes
- Machine language position independent code
- Tape transferrable to disk

COMPLETE — NOTHING MORE TO BUY — INCLUDES:

- GEMINI 10 X PRINTER
- SUPER GEMPRINT
- BLUE STREAK INTERFACE
- DELUXE MANUAL

ONE YEAR WARRANTY

Serviceable at over 4000
Locations Coast to Coast

299⁹⁵ + \$10 SHIPPING
AND INSURANCE
15X SYSTEM 439.95

BLUE STREAK ALONE — 54⁹⁵ SPECIFY PRINTER

COMPLETE DATA COMMUNICATIONS PACKAGE

VOLKSMODEM™

Connects directly to wall phone jack

- Telephone jack with voice/data switch • 300 Baud (bits per second)
- Originate/answer mode automatically selected • Battery powered.
- Low drain for long life (batteries included) • Lifetime warranty
- Includes all cables for COCO

AUTOTERM™ by PXE Computing

"Best of Class" - Randolph Graham Rainbow

Highest Ratings by Hot CoCo

"A Cut Above" - Wayne Day Color Computer

Includes subscription to
THE SOURCE. Limited Time Offer
May Not Be Available.

VOLKSMODEM
with
Cables

59⁹⁵ + \$2 S&I

VOLKSMODEM
AUTOTERM
(TAPE)

89⁹⁵ + \$2 S&I

VOLKSMODEM
AUTOTERM
(DISK)

94⁹⁵ + \$2 S&I

DAYTON ASSOCIATES, INC.
STAR AUTHORIZED DEALER • DUN & BRADSTREET LISTED
7201 CLAIRCREST BLDG. C • DAYTON, OHIO 45424

(513) 236-1454

OHIO RESIDENTS ADD 6% SALES TAX
C.O.D. ADD \$2.00

The Animator	Turns CoCo Into An Animation Studio/ <i>Triad Pictures Corp.</i>	204
Calorie Counter — Weight Analyzer	Just What The Doctor Ordered/ <i>Draco Software</i>	220
CoCo Checker	Best In Its Class/ <i>Spectrum Projects, Inc.</i>	194
Color Power II	Run CP/M/ <i>Color Power Unlimited, Inc.</i>	209
Counting Things	Learning to Count/ <i>Thompson House</i>	215
Drive 0 Package	Disk System Offers More Storage/ <i>Howard Medical Computers</i>	219
High Resolution Picture Puzzle	Unscramble Those Boxes/ <i>DSL Computer Products</i>	196
Jungle Queen	Seeks A Safari Hero/ <i>ZOSO Software</i>	226
Key-Wiz	Easy, Fast, Useful Database Manager/ <i>Interactive Micro Systems</i>	218
Key Tronic Keyboard	Among The Best/ <i>Spectrum Projects, Inc.</i>	227
Lotto	Play The Lottery/ <i>RAM Publications</i>	202
Option 1	Is Number One/ <i>YGS Software</i>	198
Pak-Panic	The Old Game With A New Twist/ <i>Tom Mix Software</i>	216
Play With Language	Is Exhilarating, Entertaining And Educational/ <i>Radio Shack</i>	223
RAMDOS	A Good Disk-type Tape Program/ <i>Dataman International</i>	212
Semigraphics Support (SGS)	Combines Text And Graphics/ <i>Micro Computer Systems</i>	228
Space Frame	CoCo Can Engineer/ <i>Kage Engineering</i>	208
Speed Racer	Offers Good Challenge For The Racing Enthusiast/ <i>MichTron</i>	231
Star Trap	Promotes Cooperation Among Children/ <i>Radio Shack</i>	214
Super Disk Utility	A Collection Of Useful Tools/ <i>Petrocci Freelance Assoc.</i>	213
Talking Adventure Starter	A Vocal Experience For Adventurers/ <i>Owls Nest Software</i>	221
Test Manager	A Useful Addition To Your School/Home Library/ <i>80 Custom Software</i>	217
Tic-Tac Math	Improves Arithmetic Skills/ <i>Wish Software</i>	200
Trekboer	Explore The Universe And Rescue The Earth/ <i>Mark Data Products</i>	230
Where's It	Organize Your Disk Library/ <i>Jarb Software</i>	206



ULTRA TERM + Plus +

This program is the **ultimate** in CoCo communicating!! Ultra Term+ is used with a plug-in 80 column board. Supports either Double 80 Plus, Color Power II or Word Pak.

Here are just some of the features Ultra Term+ has to offer:

Select:

- Half, Full Duplex or Echo
- Odd, Even, Mark, Space or No Parity
- 7 or 8 Bit Words
- 1 or 2 Stop Bits
- All Caps if needed
- Several Printer Formats
- Trapping of incoming characters

BAUD Rates:

- 110-4800 (communicate)
- 600-9600 (printer)

Screen Format:

- 80 x 24 upper/lowercase
- Send all 128 characters from keyboard

Buffer:

- Merge text or programs
- 49K to 53K memory
- Four Buffer Send Modes
- Display Bytes Used/Remaining
- Editor—Move forward and reverse thru buffer. Insert, type over, delete lines, characters or words. Block delete.

10 Macro keys

Automatic Capture of incoming files

X on/X off capabilities

Send True Line Break

Transmit/Receive BASIC Programs, Files or Machine Code. No need to translate BASIC programs to ASCII Format.

Save/Load Macros or Parameters to Disk

Use 1 to 4 Disk Drives (w/SAVE, LOAD, DIR & Granule Display)

Print while receiving information*

Easy to use MENU driven format

Comprehensive users manual

Works on All Radio Shack Color Computers, and All Radio Shack Disk systems.

15-day money back guarantee (less a \$10.00 restocking/use charge.)

Only \$5.00 each for all future upgrades when you return your warranty card.

PRICE: Ultra Term + \$59.95 (Disk)
 Y-Cable \$29.95
 Double 80 Plus \$99.95
 Complete Package \$189.95 + \$&H

*Requires PC Pak from PBJ, Inc.

HARDWARE

DOUBLE SWITCH — Two LEDs show you which port is being used, 1 or 2. High Quality parts with a great looking face plate! \$29.95

DOUBLE CABLE — Hook a MODEM and a PRINTER up at the same time with this Y-connector \$14.95

EXT-CABLE — long printer or MODEM cable (15 feet) \$14.95

Y-CABLE — You can connect two devices at the same time to your ROM port (80 column card and disk Drive) \$29.95

DOUBLE DRIVER — Best video driver available for your CoCo. Made by our friends at Moreton Bay Software. Specify CoCo or CoCo II \$24.95

MINI MOUTH — Now get sound from your mute monitor. Plugs right in, nothing to solder \$24.95


COLOR POWER II — This plug in CP/M board will allow you to use thousands of CP/M programs \$329.00

MINI-MODEM — 300 BAUD, Originate/Answer Full Duplex, Direct Connect . \$79.95 (Save \$10.00 when you buy one of our terminal programs and a modem)


DISKS — DISKS — DISKS — DISKS

Save on blank 5 1/4" diskettes. Buy in bulk and save! No sleeves. (10 minimum in each order) \$16.00


DOUBLE SWITCH



DOUBLE DRIVER



DOUBLE CABLE



MINI-MOUTH



DOUBLE 80 PLUS

TRUE 80 COLUMN OUTPUT
 BUILT IN SWITCH FOR COCO OR DOUBLE 80 PLUS

ADJUSTABLE VIDEO OUTPUT

GOLD PLATED EDGE CONNECTOR

DRIVERS AVAILABLE FOR BASIC, OS9 and FLEX

DISPLAY ALL ASCII CHARACTERS

ALTERNATE CHARACTER SETS AVAILABLE

METAL CASE (not cheap plastic)

ULTRA TERM+ available for this board

BACKED BY A 90 DAY PARTS AND LABOR WARRANTY

DOUBLE 80 PLUS (80 column board) \$99.95
Y-CABLE 29.95
BASIC DRIVER 12.95
OS9 DRIVER 12.95
FLEX DRIVER (available soon) 12.95
ULTRA TERM+ (disk only) 55.95

COLOR TERM + Plus +

Screen Format:

32 x 16, 42, 51, 64 or 85 x 24

BAUD Rates:

Printer—600 to 9600

Communicate—110 to 19200

Select:

Half or Full Duplex

Odd, Even, or No Parity

7 or 8 Bit words

Mask Lowercase if needed

Word Wrap—no split words

Reverse or Normal Video

Printer—Ignore/Add Line Feeds

Buffer Editor:

Insert, Delete, Type over

Block Delete, Block Insert

Communicate Mode:

Scroll Protect up to 9 lines

Three Buffer Transmit Modes

Send Control Characters

Disk Drives:

Display Directory, Free Space

Buffer:

Scroll Through Received Data

Print a Page or Print All

Works on all Radio Shack Color Computers, regardless of ROM type.

Price: ~~\$39.95~~ (Disk/Tape)
49.95



Version 5.0 Now Available
Same Features As
ULTRA TERM +PLUS+



DOUBLE SPOOLER...No more waiting for your listings. This is THE spooling program!!
32/64K req. \$21.95

ROM MOVE...Move your Extended BASIC 1.0 ROM up higher in memory. Get 8K more for your programs! 64K req. \$12.95

COLOR DISK SAVER...Don't let the disk crasher get you! Archive that important disk to tape. 32/64K req. \$12.95

AUTOLOAD II...Will send most programs to disk automatically and fix those that crash your disk \$12.95

GALACTIC MATH...Addition and multiplication drill (saucer game) for ages 6 to 10. 16K ext. \$15.95

DOUBLE MAILER...A powerful, easy to use mailing list program. Print out 1800 names at once! 16K ext. \$21.95

COLOR BIORHYTHM...Chart your future or past on screen or printer. Popular program for 2 yrs. 16K ext. \$14.95

MODEM CHESS...You and a friend can play chess over the phone! All moves are supported! 16K ext. \$19.95

UNDERGROUND...How do you tame the guardian of Hell's gate?? Find the Golden Apple. 32K (disk) \$19.95

COLOR KEY COMMAND...A powerful programmer's aid for a small price. Auto line number, Macro Keys, Copy Lines, plus more. Add real power to your Computer. Uses no memory in a 64K machine. 16K req. \$19.95

DOUBLE DOS II

Double DOS II—Now use 35,40, or 80 track (double or single sided) drives, all on one system, all at the same time. All regular disk commands are supported with Double DOS II and are totally transparent to your BASIC programs! You can get up to 158 granules on a disk using an 80 track drive. These are the added commands:

BAUD 1-6...change the BAUD rate.

TRACK 35,36,40,80...change number of tracks.

DOUBLE...enable the double sided option.

PDIR...print your directory to printer.

DUMP ON/OFF...send programs without a terminal program.

RATE 6,35...change the head stepping rate.

VIDEO ON/OFF...reverse video without a hardware mod.

SCROLL 1-255...change your screen scrolling speed.

COMMAND...will list all new commands.

DUPE 0,1,2...will allow copy & backup from one side of a drive to another!

DATE...you can enter the month, day and year as an extension to your programs when they are displayed during a DIR command.

We **guarantee** that this program will work using the above commands, with all types of 35, 40 or 80 track drives!

PRICE: \$29.95 (DISK ONLY) 64K required



Double Density Software™

620 Kings Row • Denton, Texas 76201 • 817-566-2004

\$2.00 shipping and handling on all orders.



RECEIVED & CERTIFIED

The following products recently have been received by THE RAINBOW, examined by our magazine staff and approved for the *Rainbow Seal of Certification*, your assurance that we have seen the product and have ascertained that it is what it purports to be. This month the *Seal of Certification* has been issued to:

PC Index is an organizational tool consisting of a packet of 40 cards printed on both sides to fit on the protective envelope of your 5¼" diskettes allowing you to see at a glance the information a particular disk contains. ABACUS Computer Services & Education Group, P.O. Box 23438, Pleasant Hill, CA 94523, \$2.95

Air Traffic Control Simulator, a 32K simulation designed to provide an orderly and safe flow of aircraft from their origins to their destinations following an established set of rules and procedures. You, as the controller, are given this set of rules as well as a choice of three levels of difficulty to develop techniques of skill, judgment and experience equal to performing the assigned task. Betasoft Systems, P.O. Box 1174, Smithtown, NY 11787, cassette \$34.95, disk \$37.95

The Designer, a 32K ECB Hi-Res program targeted for budding young fashion designers. Possible are the creation, saving and display of more than 1,000 style combinations in hundreds of color and fabric options. Cognitive Development Co., Suite 141A, 12345 Lake City Way, NE, Seattle, WA 98125, disk \$24.95

Diet-Ade, a 32K program for health-conscious CoCo owners. A calorie counter is put at your fingertips, a calorie quoter tells you what to eat to attain your desired weight and a calorie minder nudges you to exercise to exceed your daily caloric limit. Color Connection Software, 1060 Buddlea Dr., Sandy, UT 84070, cassette or disk \$19, plus \$2 S/H

MAZERUNNER, a 16K ECB game requiring a joystick. As a member of the Maze Runner Corps, your mission is to fight off the forces of Ytirrod, the Pretender, from invading the Centrist Confederation and overtaking the Grand Dias from His Wisdom Arad Ennaed. You must destroy Ytirrod's fortresses by navigating remote controlled attack

power sleds. Color Connection Software, 1060 Buddlea Dr., Sandy, UT 84070, cassette or disk \$14.95, plus \$2 S/H

Metabot, a 32K invitation to *le danse macabre* as you trick the menacing, mimicking Metabots into waltzing into fatal fences and lethal acid pots. Color Connection Software, 1060 Buddlea Dr., Sandy, UT 84070, cassette or disk \$18.95, plus \$2 S/H

CDSORT and **KEY-EXTR**, two 32K utilities requiring at least one disk drive. **CDSORT** allows the sorting of records of up to 256 bytes by more than one key field. **KEY-EXTRA** is designed to allow the extraction of key fields from databases and has the ability to include only specified keys in the extraction by means of 10 possible AND comparisons specified by the user. Computize, Inc., P.O. Box 207, Langhorne, PA 19047, disk \$34.95

CONVERSIONS, a 16K ECB disk or cassette utility that makes short work of converting any unit of measurement to U.S., Imperial, or Metric. Choices include lengths, areas, volumes, liquids, weights and temperatures. Cozy Software, 25142-53 Ave., Aldergrove, British Columbia, Canada V0X 1A0, cassette \$12 U.S., \$15 CAN., disk \$14 U.S., \$17 CAN., plus \$2 S/H

Disk Sort and Order, a 32K or greater utility requiring at least one disk drive. Compatible with Disk BASIC or **JDOS**, this program will sort directories alphabetically removing all "killed" filenames, change a Disk BASIC format of 35 tracks to **JDOS**' 40 tracks, restructure the entire diskette so that all granules for each file are sequenced saving wear and tear on the mechanical parts of your drive(s). Derby City Software, 3141 Doreen Way, Louisville, KY 40220, disk \$11.95

SIDE WISE, a 32-64K program requir-

ing disk drive that will read any ASCII text file from disk and print it out sideways down the page. Useful for obtaining printouts of spreadsheets that are too wide for the printer to handle. Fully menu-driven, **SIDE WISE** has selections of printer capabilities for Radio Shack, Epson, C-Itoh, Okidata and Gemini printers. Derringer Software, Inc., P.O. Box 5300, Florence, SC 29502, disk \$19.95

Word Processor, a 16K ECB utility that includes ease-of-use commands such as; 'D'—displays whole file (except underlines) to screen as it will sent to printer; 'Z'—display of memory left and change of Baud rate, 'H'—help key displays list of commands. Drayon Software, P.O. Box 2516, Renton, WA 98056, cassette \$5

ME-128-64, an upgrade kit to expand your 64K CoCo to 128K giving it a second bank which will run the same programs as the first bank. Complete instructions included. Dynamic Electronics, Inc., P.O. Box 896, Hartselle, AL 35640, \$169

Multiprogram Manager, a 16-32K utility which when used with Dynamic's **96KX** allows the loading of five programs at once as a block. Dynamic Electronics, Inc., P.O. Box 896, Hartselle, AL 35640, cassette \$14.95

Musx, disks one through five, a 32K monthly disk that plays eight to 10 current hits in four simultaneous voices with related graphics. GRAFX, P.O. Box 254, West Mifflin, PA 15122-0254, each disk \$13.95 plus \$2 S/H

Speed Racer, a 32K racing game requiring a joystick. The object is to pass the required number of cars for each lap. This number is indicated by an arrowhead under the "cars passed" marker. You must overtake these cars to progress to the next lap. Complete all five laps (10 miles) and you've won the race. MichTron, 576 S. Telegraph Rd., Pontiac, MI 48053, disk \$34.95 cassette \$34.95

Bakersfield KENO, a 32K ECB game of chance adapted from the game Lotto. The player chooses an initial bankroll and one to 15 numbers to wager on. The payoff on winners increases as more

numbers are played and hit. It's possible to win 1,000,000 "dollars" with daring and prowess. SEIBYTE Software, P.O. Box 6464, Bakersfield, CA 93386

Chipaway, a 16K ML game requiring one joystick that pits your skill with a paddle and ball against a wall of multi-hued chips. Each color chip gives a different point value when hit. Options include FLIP, which flips the wall over thus displaying high point chips; COL-LAPSE, which causes any chips above the chip that the ball hits to collapse down a notch and a game save routine. Sigma Software, 14024 152nd Avenue, S.E., Renton, WA 98056-7313, cassette \$5.95

LINER, a 16K ECB game that casts you in the role of small game hunter. Your quarry: the tiny Eeblewalkers of Oktry who try and turn your system of locomotion against you. Michael Stuller, 2 Audubon Place, Rolla, MO 65401, cassette \$7.95 plus \$1.50 S/H

SBASIC, a 32-64K pre-compiler that adds commands and constructs to the CoCo. Among commands/constructs included are: *LOOP/UNTIL()*, *IF/THEN/ELSE/ENDIF*, *Continue*, *Quit* and 64K version allows source and object code in memory at once (save and retrieve with one keystroke). Tandar Software, 12 Araman Drive, Agincourt, Ontario, Canada M1T 2P6 specify disk or cassette \$19.95 U.S., \$24.95 Canada, \$3 S/H U.S., \$1 S/H Ontario and Montreal


MLBASIC, a 64K enhanced BASIC compiler designed to allow greater compatibility with existing Interpreter BASIC programs. A full compiler that features all of the commands available with Standard, Extended and Disk BASIC. *MLBASIC* offers additional commands to make it possible to interface programs with assembly language and write structured programs. WASATCHWARE, 7350 Nutree Dr., Salt Lake City, UT 84121 cassette \$69.95, disk \$69.95, disk \$69.95 both \$74.95, \$4 S/H

The *Seal of Certification* program is open to all manufacturers of products for the TRS-80 Color Computer, the TDP-100, or the Dragon-32, regardless of whether they advertise in THE RAINBOW.

By awarding a *Seal*, the magazine certifies the program *does exist*, but this *does not* constitute any guarantee of satisfaction. As soon as possible, these hardware or software items will be forwarded to THE RAINBOW'S reviewers for evaluation.

— Monica Dorth

Canadians Can you imagine it? It's free



Send for your free copy of our catalog/newsletter. It will contain articles, rumors and letters of interest to all Canadians. We stock all of the latest products available for the color computer, and the best news is that it will usually cost you less than importing from the United States. Kelly Software is Canada's largest distributor of CoCo Software.

Dealer inquiries invited.

Kelly Software Distributors Ltd.

P.O. Box 11932
Edmonton, Alberta
T5J-3L1

Telephone (403) 421-8003.

Receive our free Catalog/Newsletter.

FREE

To receive our free catalog/newsletter please fill in the following information.

Type of Computer.

- | | |
|---|--------------------------------------|
| <input type="checkbox"/> CoCo | <input type="checkbox"/> Memory 64K |
| <input type="checkbox"/> CoCo-2 | <input type="checkbox"/> Memory 128K |
| <input type="checkbox"/> Basic | <input type="checkbox"/> Tape |
| <input type="checkbox"/> Extended Basic | <input type="checkbox"/> Disk |
| <input type="checkbox"/> Memory 16K | <input type="checkbox"/> Modem |
| <input type="checkbox"/> Memory 32K | <input type="checkbox"/> _____ |

I am interested in the following Products and Software

- | | |
|---|--|
| <input type="checkbox"/> Business Application | <input type="checkbox"/> Education |
| <input type="checkbox"/> Graphics | <input type="checkbox"/> Communication |
| <input type="checkbox"/> Games | <input type="checkbox"/> Adventure |
| <input type="checkbox"/> Music | <input type="checkbox"/> Amdek Drives |
| <input type="checkbox"/> Utilities | <input type="checkbox"/> Hard Drive |
| <input type="checkbox"/> Voice | <input type="checkbox"/> 128K |
| <input type="checkbox"/> Home and Family | <input type="checkbox"/> Model 111/1V. |

Name: _____ Date: _____

Address: _____

City: _____ Province: _____

Postal Code: _____ Telephone: _____

Mail the coupon to:

Kelly Software Distributors Ltd.

P.O. Box 11932
Edmonton, Alberta
T5J-3L1
Telephone (403) 421-8003.

WHAT COULD BE BETTER THAN 128K COCO... ... 128K PROGRAMMING CONTEST

**THREE GRAND PRIZES: 1. MULTI PAK INTERFACE
2. TP-10 THERMAL PRINTER 3. MC-10 COMPUTER**

RULES:

To enter this contest, your program must run and/or use a minimum of 96K RAM memory. A patch to an existing popular program, to allow it to use 128K will also be acceptable. All entries must include complete and understandable instructions. Machine Language programs must include documented source code. Programs using FLEX(tm) or OS-9(tm) must include boot instructions. All qualifying programs become the property of DSL Computer Products, Inc.

NO LOSERS:

Each qualifying programmer will receive a multifunction watch, as well as a chance for one of our grand prizes. There is a limit to one watch per programmer.

DEADLINE:

All entries must be received no later than February 28, 1985. Prizes will be awarded no later than March 30, 1985.

128K


THE EASY WAY™

SOLDERLESS MOD FOR

ALL 64K COCOS*

ONLY \$99.00

INCLUDES ADDITIONAL 64K OF RAM



**LOGIC BOARD WITHOUT
64K RAM ONLY \$34.95**

128K is HERE & NOW for the Color Computer. After two years of research and testing, DSL Computer Products is proud to announce "128K THE EASY WAY"™.

The memory is held in two 64K banks and paged in 32K pages with a 32K section of memory common between all banks for your programs. Switching banks is done thru software or pokes in basic. When a bank is selected the other banks for your programs. Switching banks is done thru software or pokes in basic. When a bank is selected the other banks are suspended still retaining all their data, programs, and variables. Using this method you can have up to three different 32K programs in memory without any additional software of any kind. The upgrade kit comes with a logic board that plugs into your SAM socket and 64K of RAM. Installation is solderless and simple. Remove the eight 64K RAM chips from the computer, install the eight 64K RAM chips with sockets on their backs, then reinstall the original chips. Remove the SAM chips, plug in the logic board, then plug the SAM chip into the logic board. Finally connect the two jumper wires, that's it! A complete solderless upgrade for the older versions of the Color Computer (Boards D,E,F, & Coco2) is only \$99. (Please Specify when ordering.) If you already have two sets of 64K RAM and are not afraid to solder then the Logic Board only is available for only \$34.95. The instructions & installation manual is included with all above kits, however it is also available separately for only \$2.

DSL COMPUTER PRODUCTS INC.

313-582-8930

P.O. BOX 1176 DEARBORN, MI 48121

Michigan Residents Add 4% Sales Tax to Order. Please include \$2.00 for S. & H.



IN CANADA ORDER FROM:
R+R COMPUTER PRODUCTS
PO BOX 354, STATION A
WINDSOR, ONT. N9A 6K7

REVIEWING REVIEWS

SUPER DISK UTILITY

Editor:

In regard to the review of *Super Disk Utility* I am returning a few facts that I feel need to be stated or clarified in the review.

It appears that the review is single sided towards the cataloging function and is not proportionally written with the functions supported by *Super Disk Utility*, and certain functions were not reviewed on their ability to do the task advertised or stated in the manual.

The reviewer states that there is not a search or find function in the catalog. When the program was originally written it was the author's choice not to include this function since a print function is provided to print the catalog in a neat, readable format. However, it should be stated that an updated version is being created which includes a search function and the following functions: Delete information in catalog, Add information to catalog. The fact that the same catalog can be sorted and printed in three different ways was neglected in the review of the catalog function.

The *Diskzap* function of the program does not review its functions; instead it merely lists them and includes a commentary on the display options (which I feel could have included a printout of the displayed disk sector and a command summary of the modification mode included on pages six and seven of the *Super Disk Utility* manual). An important feature of the *Diskzap* is the allocation table check and repair. If a disk develops a file structure error or an end of file error this function can be used to fix it and save some of the files on the disk. An example of testing this feature would be to back up a disk and modify track 17, sector 2 and change some of the first 68 bytes, (change a CO-C9 to anything other than CO-C9). Whether the *DIR* command in BASIC will find an error or not, the allocation table check will. Use this function and follow

instructions on Page 8 of the manual.

It should also be noted that the sector skip factor is not a feature of just non-Radio Shack drives but is, in fact, a software controllable factor.

It should also be clarified that the *Diskzap 40* will work on standard Radio Shack disk drives, but it will not access above 37 tracks, and modifications to the program are allowed by the user for this purpose. The save directory feature is an important one to people who value their software—explanation: The Radio Shack DOS system is set up so that the drive head is on track 17 most of the time — reading and writing is done here every time a file is loaded or saved and failures in the drive can and do occur; therefore I created the save directory function to protect the disk from BASIC because BASIC does not access tracks 36 and 37.

I also feel that the section of the review on purge files, copy files, date files and directory sort could have gone more in depth on these functions. The reviewer neglected to mention the Super Directory function which uses the date function to get its dates and also computes the start, end and executing address of machine language programs. Each file is printed to the screen or to the screen and printer in a neat, easy to read format.

Bryan Woodruff

Petrocci Freelance Associates

Editor:

In response to Mr. Woodruff's comments on *Super Disk Utility*, I offer the following thoughts:

Mr. Woodruff's feelings about the "balance" of the review may well be just a difference of opinion between the supplier and consumer (albeit surrogate). I freely admit that I did not spend much time discussing some of the "bells and whistles" in the offering. Some of the items do things that are

already built into the Color Computer while some others are the same as programs which have appeared in *THE RAINBOW*.

I am pleased to see that Mr. Woodruff is planning a revision to include a "search" function. This will add greatly to the utility value of the program.

Lastly, I agree with Mr. Woodruff that the "sector skip factor" is controllable on Radio Shack equipment but I felt that this would be of more interest to non-Radio Shack drive users since they might make more use of the function.

Robert E. Foiles
Lancaster, PA

MORSE CODE TEACHER AND TUTOR

Editor:

As both a reviewer for *THE RAINBOW* magazine and a CoCo software author, I couldn't help but notice Cynwyn's rebuttal letter (Reviewing Reviews Sept. '84) concerning the review of some ham radio software that was reviewed by someone who doesn't know much about the subject.

I have always been happy with the programs you send me to review because they fall into my lines of interest and experience. It shows great care on your part in most cases to line up programs with the reviewer.

I don't like to criticize the work of another reviewer but in this case I will. At the time that Cynwyn's *Morse Code Teacher and Tutor* was reviewed (June '84, Page 250) I was in the need for a program just like that. The review did not give me any of the important details needed to make a wise purchase so I didn't order it. Just recently I saw the program demonstrated and it was quite good, much better than the review.

For a small company like Cynwyn this review may have cost them that shot in the

arm needed to succeed, even if in a small way, in the CoCo software world.

Here in the Bay Area, CoCo users put a lot of stock in THE RAINBOW reviews, and that's one of the reasons I try to do thorough reviews.

*J. Michael Nowicki
San Jose, CA*

STYLO III FOR OS-9

Editor:

In reading Dale L. Puckett's review, "Stylo III For OS-9 — What You See Is What You Get," Oct. '84, Page 192, I was amazed to read "... it shows them exactly what they are going to see on the printed page on the screen while they are typing it. *Stylo* is the only word processor that brings this feature to the Color Computer. Others feature screen editing, but they do the final text processing while they print."

This is a gross inaccuracy. *Telewriter-64* does just this — better known as dynamic formatting.

*A. David Muir
British Columbia*

PICTURE PUZZLE

Editor:

There seem to be some misconceptions concerning the program *Picture Puzzle*. First

of all, nowhere in the documentation does it state that the user can create his own pictures using this program. To create pictures, we highly recommend a picture-designing program such as *Graphicom*. I believe the option the reviewer is referring to is the "Add Option." This will only allow adding a binary picture file into the picture directory.

Next, he refers to the poor quality of speech. We feel it is the finest speech available using single bit sound without any hardware. Poor quality could be the result of a poor speaker system.

We did try to return the reviewer's call on two occasions. I am sorry, but this matter did slip our mind. We make a conscientious effort to return every phone call and provide assistance when needed.

If you have any further questions, please do not hesitate to contact us.

*Dennis S. Lewandowski
DSL Computer Products*

Editor:

I agree with DSL's remark that their documentation does not mention how to create a new puzzle, however, let me explain why I found fault with this part of the program. The menu specifies, as choice number one, "Add New Boards." When this is chosen the screen shows, "Reading Data From Disk" and lists the three programs that come with *Picture Puzzle*. A question is then asked, "How many new ones?" You are required to type a number and the program then asks for the "filename." Thus, the menu option, plus

these specific questions certainly implies that a picture can be added to the program by the user. In addition, the documentation stated that, in adding a picture, you should not use the same design in two squares of the puzzle. The documentation not only does not state that it is necessary to buy an additional graphics designing program in order to add a picture; it does not explain how to add a picture even if you do have one.

While DSL may feel that the "talking" of *Picture Puzzle* is best without using hardware, my opinion is that the result is of low quality voice reproduction. As I said in my review, it is a good attempt but far from perfect. Please realize that I feel the program itself is quite enjoyable and while the talking does not add to it, it does not detract either.

I am glad DSL tried to return my call. As a mail order customer who paid for a program and then made a long distance call to clarify the documentation, I strongly object to not getting a reply when I am told I will be getting one. Perhaps DSL, and other companies, could request a customer's telephone number and address. If the company were unsuccessful in returning a telephone call they could send a form post card stating, "Sorry! We tried to contact you but could not. Please either write us with your questions or call again."

*Michael F. Garozzo
Morrisville, PA*

Year-End Sale

Basic Technology Offers the Most Features and Best Quality.



PARALLEL PORTS REAL TIME CLOCKS EXPANSION

NEW PRICE on Parallel Printer Interface! Direct connection to your parallel printer. Full handshaking for maximum data transfer. Centronics compatible connector and cable included.

~~\$79.95~~ **\$64.95**

NEW PRICE on Real Time Clock/Calendar! Full feature clock/calendar with built in rechargeable battery and charger (requires 12 volts in computer or expansion). Day, date, 12/24 Hour, BCD/Binary, automatic leap year and daylight savings time and more. The best at a new low price.


~~\$109.00~~ **\$94.95**

NEW PRICE on Versatile Interface Port! Two 8-bit ports with four control lines — a total of 20 I/O lines for controlling a robot, reading instruments, controls of all kinds.

~~\$69.95~~ **\$59.95**

The Companion — A five slot multipack with position indicator lights and ON/OFF lamp, cold start reset, slots software or pushbutton selectable, built-in 5 volt supply and gold connectors.

~~\$225.00~~ **\$179.95**



The BT-1000 Expansion Interface Unit is a five slot expansion for dedicated systems. Plug in a disk drive and I/O peripherals. Built-in +/- 12 volt and 5 volt supplies. Gold connectors, lighted ON/OFF switch, sockets for 8K of RAM/EPROM.

~~\$250.00~~ **\$199.95**

With 8K installed RAM ~~\$275.00~~ **\$224.95**

A machine language driver for Color Basic is included with each peripheral (except BT-1030). OS9 drivers with source and installation instructions are available at \$15.00 each for parallel and serial ports and clocks.

basic TECHNOLOGY Dept. Q P.O. Box 511 Ortonville, MI 48462
(313) 627-6146



ORDER NOW



Add \$5 shipping and handling. COD charge \$2. Michigan residents add 4% sales tax.

The HJL-57 Keyboard

**Now available for all models,
including CoCo 2.**



Compare it with the rest. Then, buy the best.

If you've been thinking about spending good money on a new keyboard for your Color Computer, why not get a good keyboard for your money?

Designed from scratch, the HJL-57 Professional Keyboard is built to unlock ALL the potential performance of your Color Computer. Now, you can do real word processing and sail through lengthy listings...with maximum speed; minimum errors.

At \$79.95, the HJL-57 is reasonably priced, but you can find other CoCo keyboards for a few dollars less. So, before you buy, we suggest that you compare.

Compare Design.

The ergonomically-superior HJL-57 has sculptured, low profile keycaps; and the three-color layout is identical to the original CoCo keyboard.

Compare Construction.

The HJL-57 has a rigidized aluminum baseplate for solid, no-flex mounting. Switch contacts are rated for 100 million cycles minimum, and covered by a spill-proof membrane.

Compare Performance.

Offering more than full-travel, bounce-proof keyswitches, the HJL-57 has RFI/EMI shielding that eliminates irritating noise on displays; and four user-definable function keys (one latchable), specially-positioned to avoid inadvertent actuation.

Free Function Key Program

Your HJL-57 kit includes usage instructions and decimal codes produced by the function keys, plus a free sample program that defines the function keys as follows: F1 = Screen dump to printer. F2 = Repeat key (latching). F3 = Lower case upper case flip (if you have lower case capability). F4 = Control key; subtracts 64 from the ASCII value of any key pressed. Runs on disc or tape; extended or standard Basic.

Compare Installation.

Carefully engineered for easy installation, the HJL-57 requires no soldering, drilling or gluing. Simply plug it in and drop it right on the original CoCo mounting posts. Kit includes a

new bezel for a totally finished conversion.

Compare Warranties.

The HJL-57 is built so well, it carries a full, one-year warranty. And, it is sold with an exclusive 15-day money-back guarantee.

Compare Value.

You know that a bargain is a bargain only so long as it lasts. If you shop carefully, we think you will agree...The HJL-57 is the last keyboard your CoCo will ever need. And that's real value.

Order Today.

Only \$79.95, the HJL-57 is available for immediate shipment for either the original Color Computer (sold prior to October, 1982) or the F-version and TDP-100 (introduced in October, 1982), and the new 64K CoCo. **Now also available for CoCo 2.**

**Call Toll Free
1-800-828-6968**

In New York 1-800-462-4891



PRODUCTS

Div. of Touchstone Technology Inc.
955 Buffalo Road • P.O. Box 24954
Rochester, New York 14624

Telephone: (716) 235-8358

Ordering Information: Specify model (Original, F-version, or CoCo 2). Payment by C.O.D., check, MasterCard or Visa. Credit card customers include complete card number and expiration date. Add \$2.00 for shipping (\$3.50 for Canada). New York state residents add 7% sales tax. Dealer inquiries invited.

CoCo Checker Best In Its Class

I first got involved with computers through my interest in electronics, and I got started in *that* by fixing TV sets. One of the beginners' books I read pointed out that the TV set would almost tell you what the problem was, if only you knew how to interpret the picture you saw. Computers are like that in some respects; as an example, if you find that you aren't getting any signal on your cassettes when you save a program, you can figure that the single-bit sound circuitry isn't putting out as it should be. A computer, being the versatile device that it is, can even help track down its own troubles, assuming enough of the machine is still working.

Radio Shack has been selling its *Diagnostics* cartridge ever since the CoCo came out in 1980 (it's still available by special order), but it has some limitations and tests only the computer itself. Spectrum Projects' *CoCo Checker* not only gives the CoCo a workout, but exercises the disk controller, disk drives, printer and Multi-Pak Interface, if you have them.

CoCo Checker comes on either cassette or diskette; I tested the disk version. Considering the nature of the program, a ROM pack might be more likely to be usable in some cases, but would be more expensive (and would make it harder to test the disk system). Bob Rosen at Spectrum suggested that if you have a disk system, you could copy the program from disk to cassette when you get it, so you aren't

dependent on loading it by one means alone later on.

As one might expect, *CoCo Checker* has test routines for the cassette port, joystick ports, keyboard, serial I/O port, RAM, ROMs, sound circuitry and video generator; all of these are quite complete. The only RS-232 testing is part of the printer test, so you need a printer to check your machine's serial I/O circuits. (Radio Shack's cartridge uses a specially wired shorting plug, which they don't supply, to feed the CoCo's data output back into the two input lines.)

This test also gives a more complete test of the printer than the "self-test" mode it probably has, since it checks the entire signal path. The ROM checksum test is set up for all the ROMs Radio Shack has released so far. The keyboard test even checks the function keys found on the HJL, Key Tronic and Macrotron keyboards. There is even a test for timing accuracy, comparing the horizontal and vertical blanking interrupts to the master clock.


The unique features of *CoCo Checker* are the disk controller, disk drive and Multi-Pak tests. The controller test runs the controller IC through various steps and checks the interrupt line. The drive test checks drive speed and then writes a test pattern to the diskette in the designated drive and checks for errors. (This of course means a bad disk can cause a good drive to appear bad.) The Multi-Pak Interface test routine gives the unit's PAL (programmable array logic) chip a workout and also checks the select switch circuit.

If you do any repair work on CoCos at all, this program is an absolute must. Even an ordinary user can benefit from *CoCo Checker*, as it tells you whether or not the system is working properly and even what to tell the repair technician when it isn't. Now if only there was a video cassette that could do this sort of thing on TV sets!

(Spectrum Projects, Inc., Box 21272, Woodhaven, NY 11421, or Box 9866, San Jose, CA 95157-0866, \$19.95 plus \$3 S/H)

— Ray Edwards

Your 64k CoCo has up to 88k of memory
You have 64k of RAM and 24k of ROM
Use all of this from BASIC with
this machine language program



With this you can:-

- Use 32k more data storage
- Chain from program to program
- Use 16 bit Integers
- Dynamically redimension arrays.

Also included, using the PHANTOM, are

PUTIL - A disk utility program

P-INVENT - A RAM based inventory program using 64k of RAM.

Tape or Disk
versions
U.S. \$29.95 ea
P&H inc

TRILLIUM SYSTEMS
67 King St. East
OSHAWA, ONTARIO
CANADA L1H 1B4

Submitting Material To The Rainbow


Contributions to THE RAINBOW are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other CoCo owners.

Program submissions must be on tape or disk and it is best to make several saves, at least one of them in ASCII format. We're sorry, but we do not have time to key in programs. All programs should be supported by some editorial commentary, explaining how the program works. We're much more interested in how your submission works and runs than how you developed it. Programs should be learning experiences.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should *so state* when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a SASE to: Submissions Editor, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.



PRICKLY-PEAR SOFTWARE

QUALITY PROGRAMS FOR YOUR COCO & TDP-100

PROGRAMS REQUIRE 16K EXTENDED BASIC FOR TAPE, AND 32K DISK UNLESS OTHERWISE NOTED.

TO PRESERVE QUANDIC —

It has been a long time since we were really excited about an adventure game. Adventure In Wonderland was and is the best text adventure ever written for the Color Computer. We said so, and reviewers agreed!

We are now proud to offer **TO PRESERVE QUANDIC**. We believe that this is the best GRAPHICS adventure ever written for the Color Computer.

TO PRESERVE QUANDIC is simply in a class by itself. Although it works just fine on a one drive system, the game COMPLETELY FILLS two disks. Over 300K of programming. It is four times as big as any adventure you have seen on the Color Computer.

Quite simply, **TO PRESERVE QUANDIC** sets a new standard for adventure games on the Color Computer.

The screen layout is unique. There is a window at the bottom for text messages, your inventory is displayed at all times, there is a running real time clock on the screen, and there is a picture of your current location so detailed that there are pictures on the wall, and even flowers on a table. The whole game is done in full color highest-resolution graphics. There are no better graphics available, period.

The game itself is a work of art in every way. The puzzles are fun and challenging, you can use complete sentences, abbreviations, short phrases, and there are several milestones on the way to success. Of course you can save the game in progress.

TO PRESERVE QUANDIC, you must find and return the missing piece of the time machine, and the clock is running... If you think you are ready for the best graphics adventure ever written for the Color Computer, don't miss **TO PRESERVE QUANDIC**. Packaged on two disks in a quality vinyl library case. Requires 32K and 1 disk drive. If you don't have a disk drive, it will be worth buying one just for this game. **\$39.95**

SUPER ASTROLOGY —

This program calculates natal horoscopes to an accuracy of 1 minute of arc. It calculates all planet positions, moon, nodes, midheaven, ascendent, house cusps in five different house systems, all aspects, and even harmonics. It does tropical or sidereal charts using the geocentric or heliocentric coordinate system. The five house systems available are Regiomontanus, Equal, Koch, Campanus, and Placidus. The orb for aspects can be specified within the range of 1 to 9 degrees, and even the minor aspects are computed. Output can be to the screen or printer. The program does hours of calculations in minutes, is in use by many professional astrologers, and all you have to know to use it is the date, time, and place of birth. Sure, there are other Astrology programs, but why settle for second best? Tape - **\$24.95**; Disk - **\$29.95**

LIZPAC —

If you have a need to do statistical analysis, this is the program you have been waiting for. The only statistics package that comes close needs \$3000 worth of computer to run, costs \$1995 for the software, and **LIZPAC** is better! **LIZPAC** is 850K of programming, filling 7 disks (with an eighth disk containing sample data files and graphs), and comes with a manual that is nearly 200 8½ by 11 long in a quality binder. It will do anything you need to do in statistics, including graphic displays. In its manual, the list of features and included procedures is five pages long. Please call or write for specific information. The package is friendly to use, and no specialized computer knowledge is needed. 32K disk. **\$195.00**

1-800-223-5369 EXTENSION 256

Send for our free Catalog of 50 Great Programs for your CoCo

POLICY ON PROTECTION

We believe our customers are honest — all of our software can be backed up using standard backup procedures.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Stocked by Quality Dealers, or

Send Order To: **PRICKLY-PEAR SOFTWARE**

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days.



2640 N. Conestoga Ave.
Tucson, Arizona 85749
(602) 749-2864



Unscramble Those Boxes With High Resolution Picture Puzzle

Remember those little puzzles with eight sliding numbers and one blank? They were numbered one to eight and after you messed up the order you had to slide each number around until you could get it numerically correct. The 3 x 3 box was not too difficult to solve. So how would you like 48 boxes to unscramble, not only with numbers but with two different types of pictures?

Picture Puzzle is perfect for those of you who like to unscramble puzzles without having the extreme of a Rubik's Cube. In addition, the disk version "talks." I feel that the "talking" is similar to listening to a person using a poor quality loud speaker system. It is a good attempt at producing software speech but is far from perfect.

The puzzles are very well done. In addition to the numerical puzzle (one to 48), there are two picture puzzles. These are the "hat shape" (this design is featured in DSL's advertisement), and an optical illusion design triangle. After the disk version says, "CAN YOU SOLVE PORKKA'S (author) PUZZLE? PLEASE CHOOSE ONE OF THE BOARDS FROM MENU," the menu appears and you can choose which puzzle to unscramble. The program shows you the completed form of the puzzle and then clears the screen and

mixes up the puzzle by scrambling the 48 squares. You then have five minutes to unscramble the puzzle by moving the squares. Each square is moved into the one blank space by using the four arrow keys. By manipulating the blank space you can reassemble the puzzle. The author realized that it would be necessary to view the completed puzzle from time to time, so there is a help key, 'H', that pauses the timer and allows you to see the completed puzzle. When you are out of time, the disk turns on and announces, "TOO BAD, YOU'VE RUN OUT OF TIME. JUST A MOMENT. LET ME SEE IF YOUR SCORE IS IN THE TOP TEN." If your score is a high score the program will ask your name and save your score on the disk. You can continue with another puzzle or repeat what you have just done. If you solve the puzzle the statement, "CONGRATULATIONS! YOU HAVE SUCCESSFULLY COMPLETED THIS ROUND," appears and the computer then allows you to play again. But each time you solve the puzzle the computer scrambles the puzzle more than it did previously. This is truly a never-ending game.

There is a bonus section on the disk that states that you can create your own puzzle pictures. The instructions say not to have two areas of the puzzle exactly the same or the puzzle will look solved but may have the two blocks swapped. This will cause the computer to lock up.

This is the section I had problems with. The directions are limited and do not explain how to make up or design a puzzle for the program. On the menu selection of "add new boards," the only thing that happens is that the program writes a new title to the disk. This new title will appear on the menu but there is no way to develop a new design. In order to solve this problem I telephoned DSL Computer Products. Their office was closed on the day I called (Monday) but a tape recording said that if I left a message they would get back to me. I explained the problem and left my phone number. They did not return the call. I do not appreciate getting a tape recording telling me an office is closed and I despise being told to leave a message if no return call is planned. I should mention that I waited eight days for a response. Many computer users rely upon mail order companies and those companies should be able to work with and help purchasers of their programs.

Should you purchase *High Resolution Picture Puzzle*? Well, do not buy it for the "talking," and do not buy it for designing your own puzzles, but buy it because the author, Joe Porkka, has done an excellent job of giving you new puzzles to solve and hours of fun.

(DSL Computer Products Inc., P.O. Box 1176, Dearborn, MI 48121, 32K Ext. BASIC, tape \$9.95, disk \$12.95)

— Michael F. Garozzo



PARENTS! GET A KID HOOKED ON COMPUTERS

Send for our unique **LOGO STARTER** program. Use it with your 16K Color Computer and Color LOGO from Radio Shack (Cat. No. 26-2722).

Teachers agree: LOGO is the best way to introduce children to computers. Now, with **LOGO STARTER** you won't have to read a book or instruction manual. Just load the **LOGO STARTER** tape.

Your child will draw exciting designs right from the start. You won't waste your time on a lot of tedious typing. And your child will be on the way to computer literacy.

\$13.95

SPEED READING

Busy executives! Students! Increase your reading speed dramatically.

Best available speed reading program for the CoCo. Reading material appears on the TV screen at the speed you select, training you to read faster. You can even change the speed while reading.

Complete with 6 different text selections. Plus a drill to improve visual span and perception.

\$17.95



WILD PARTY

A naughty, sexy computer game for 2 to 6 couples. RAINBOW: "Would definitely liven up most parties." (Oct. 83)

Write us; we'll send you a copy of the review.

\$27.95

All programs on cassette tape for 16K Color Computer. Ext'd BASIC not required. Prices include postage (PA resid. add 6%). Send check to Dept. R, P.O. Box 210, Jenkintown, PA 19046.

b & b software



BRITISH COLUMBIA

For all your COCO Software
write or call:

"The USER-FRIENDLY Company"




DATAFACT SOFTWARE LTD.



PO Box 5356 Stn. B Victoria, B.C. V8R 6S4

Order Line (604) 595-2312



CINC PAC — Battle of Midway 32K

Ark Royal's masterpiece game of naval strategy of perhaps the most important battle in the history of the United States Navy. Hi Res graphics, 75% machine language allows player to control as many as 41 separate units on the screen at one time. Command Task Forces 16 & 17 as they play cat and mouse with the Japanese fleet. Maneuver the Hornet, Yorktown and Enterprise into the best position. Set courses and launch search and attack aircraft then hope for the best. Find the enemy fleet, then pick the targets: Akagi, Soryu, Kaga, Yamato and others in this historically accurate game. Relive history, Admiral, and it won't be any easier this time around. Anchors Aweigh.

Game save. Requires disk version to operate on disk. Cassette \$27.95.

Comes with House to House game map, more than 10 scenarios, on 2 cassettes, or all on 1 disk...\$29.95. (Disk included.)



BATTLE OF THE BULGE 32K

Ark Royal's 1 or 2 player game by the author of Battle For Tunis, Bulge recreates operation **Wacht Am Rhein**, Hitler's last desperate gamble of WWII. In none of our games is the fog of war so apparent than in BULGE. You know the Germans have attacked in the Ardennes, but little else. What is their strength? Their objective? Who do you send to repair the huge gap in the American lines? What bridges do you blow? Can you protect the fuel depots? Where are all those Tigers coming from? When will the weather clear?

Historically accurate, and a real challenge whether it be against the computer or a friend. (Just don't humiliate him too badly.) A game you've been waiting for. *Cassette \$25.95.*

COMPANY COMMANDER



COMPANY COMMANDER 32K

Game module 1 — **House to House**. Ark Royal's squad level WWII infantry combat game.

They said it couldn't be done — a SQUAD LEVEL wargame on a computer — but we've done it. The Line of Sight problem is licked — and the machine language routines really speed things up.

Game Module #1 comes with House to House map and 10+ scenarios involving infantry combat in Aachen, Caen, Arnheim, Stalingrad and other famous WWII city battlegrounds. Combat units include rifle squads, mortar teams, machine gun crews, engineers, and more (depending on the scenario chosen), leaders, vehicles and other weaponry of WWII. Unique design allows incorporation of future expansion modules.

Choose campaign play and put yourself on the battlefield, Corporal Smith or Jones; collect points toward promotion. Order up smoke from the mortar squad, HE for those dug in units. Take the objective and you might make Major someday. Just don't step on a land mine.

OTHER ARK ROYAL GAMES... Some at reduced prices!

Across the Rubicon 32K
(Feb '84)* \$24.95
Across the Rubicon 16K
(Dec '82)* \$14.95
Mission: Empire 32K
(Oct '82)* \$22.95
Mission: Empire 16K* \$17.95
Galactic Taipan 32K
(May '84)* \$17.95
Starblazer 32K
(Apr '84)* \$17.95
Bomber Command 16K
(Jan '84)* \$22.95

Waterloo 32K
(Mar '84)* \$22.95
Guadalcanal 32K \$24.95
Battle For Tunis \$24.95
Legatus
(Disk only) \$29.95
Kamikaze 32K
(Apr '83)* \$19.95
Kamikaze 16K \$14.95

* Denotes Rainbow review month

ARK ROYAL GAMES

P.O. Box 14806
Jacksonville, FL 32238
904-786-8603



Prices on all games include shipping. Florida Residents add 5% tax. All games available on disk, add \$3.00. All programs shipped within 24 hours regardless of check or money order. We pay shipping to U.S. and Canada. Others add 10%. Dealer inquiries invited. COD's accepted. All Programs require Color CompuTm (Tandy Corp) or TDP System 100 CompuTm (RCA).

Option 1 Is Number One

Are you tired of digging through that old small appliance box trying to find a canceled check, only to find it in the very bottom? Or devoting an entire wall of filing cabinets just to store all those checks? If you are like me, you always seem to lose the checks that you might need later. Maybe you have one of those little critters that eat some of your canceled checks (I can never figure out how these little critters seem to know which one to eat).

We finally have a Cash Disbursement Program that will stack up against the big boys called *Option 1* by YGS Software.

After loading *Option 1* you are greeted with the maple leaf from our beautiful sister country, Canada, then you are prompted to enter your own unique password (if the wrong password is entered you will be presented with an illegal usage message and forced to shut down all equipment in order to regain control of your system).

Next will be the main menu consisting of:

- 1) Issue Checks
- 2) Record deposits
- 3) Transfer tape file to disk
- 4) Sort/View by payee or account number
- 5) View records by check
- 6) Obtain balance excl. pay
- 7) Change records

★★★ NEW ★★★

Formaker 2.0

**the fastest, most complete
office package yet!**

Totally Menu Driven

**Customize with company information & printer
Complete "on screen" instructions**

FORMS

letter
invoice
quote
purchase order
mail order
confirm order
receipt

STORES

complete forms
item list
subquotes
letters
footnotes
customer info

FIGURES

quantity
list
net
discount
subtotals
tax
freight, etc.

SEPARATE CONFIGURE PROGRAM

for company info
printer options
quote & inv. #
w/auto sequencing
auto date

PRINTS

form feed
letterhead
envelope
multiple copy
emphasized

Challenger Software
3703 131st Ave N
Clearwater, FL 33520
or Call (813) 577-3998

\$49 32K disc
VISA / MC
send for more information
and catalog of other
fine software

After your selection has been made, each routine will be loaded into the system individually. When issuing checks or recording deposits a check will appear on the screen and prompt the user to input all of the correct data. The printed checks feature detailed stub printing, account number, reference number, dollar amount, check number, discounts, payee, address, city, state, ZIP code and memo.

Option 1 is designed to print on formatted checks available through New England Business Systems, however if you have your own pre-printed checks you may have to alter the printer driver to accommodate your own needs. Whichever the case, *Option 1* prints crisp, clean checks at the touch of a button.

The program checks every keystroke making sure the correct data is keyed in the proper place, resulting in the process being somewhat slow, but on the other hand it could be a timesaver by keeping the user from keying in an entire check all over again. After practice the process could become considerably faster.

Option 1 is machine language and consists of a printer driver for the Epson MX-80 printer or compatible. If you do not have a compatible printer you can write your own printer routine, or you can send your printer's manual to YGS and they will write a routine for your printer at an hourly rate. Also if you ever want your password changed you can send the original program to YGS and they will change your password for 15 percent of the current retail price of the entire package.

The disk can be backed up but is not executable; first you must back up the disk with normal backup procedures and place your new copy someplace out of the way. If your original disk ever becomes inoperable you can copy the backup back onto the original disk (if the original disk is damaged the backup procedure will not work).

A few suggestions that I feel should be in business software are:

Two disks should be included in the entire package, eliminating down time as a result of sending the original disk in for a password change.

Option 1 is written for a one-drive system. An option should be included using a two-drive system, eliminating the need to switch between the main disk and a data disk. (There is a lot of disk switching involved.)

If the user forgets to take out the main disk and place the data disk in the drive and tries to save any data onto the disk without removing any write protect device, the system will crash, resulting in a loss of data that was just input from the keyboard. The system must be reset and reloaded in order to regain control. There needs to be an error trapping routine in this section to eliminate the would-be loss of what could be valuable information.

Upon receiving my copy of *Option 1*, I was blessed with a bad disk copy. After fighting with the disk trying to get it to load, I made a phone call to YGS Software. Assuring me that they knew what the problem was and it had been corrected, they sent me a new copy promptly. My experience with YGS was both courteous and a pleasure as they handled my problem tactfully and swiftly. So throw away that old small appliance box and devote all that wasted wall space to your CoCo and, above all, run that little critter that eats all those important checks out of business . . . I did.

(YGS Software, P.O. Box 208, Brechin, Ontario, Canada
L0K 1B0, \$56 U.S., \$69.95 Canada)

— Bob Brown

Custom Software Engineering, Inc.

807 Minutemen Causeway (D-2), Cocoa Beach, Florida 32931

(305) 783-1083

For information or technical support, please call between 5:30 and 8:30 P.M. Eastern time.

GET ORGANIZED IN 1985

DATE-O-BASE CALENDAR puts YOU in charge of your schedule!

- Graphically displays any monthly calendar between 1700 and 2099. You put in up to twelve 28 character memos per day...calendar shows where the memos are...call up of day shows details.
- Use for appointments or a log of past activity.
- Search capability allows you to list or print all memos between two specified dates or only ones meeting key-word criteria.
- Date computation shows elapsed time between two dates in days, weeks, months and years.
- Requires 32K in BASIC

1985 JAN						
SU	MO	TU	WE	TH	FR	SA
	1	2	3	4	5	
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

TAPE DATE-O-BASE CALENDAR - \$16.95 (max. 400 memos/tape file)

DISK DATE-O-BASE CALENDAR - \$19.95 (over 4000 memos/disk...max. 300 memos/month)

★★★★★★★★

DISK DOUBLE ENTRY

If you have spent hours trying to balance your Debits and Credits, **DISK DOUBLE ENTRY** is for you!

- Designed for small business, club and personal use.
- Enter transactions in a journal type format. Program will maintain current account balances, produce Trial Balance, Income, and Balance Sheet reports and complete Account Ledgers.
- Will handle up to 300 accounts including report headings and totals.
- Up to 1400 average transactions on a diskette.
- Summary reports and four levels of subtotals available.
- Requires 32K and an understanding of standard double entry accounting concepts.

\$44.95 in BASIC with Machine Language subroutines.

★★★★★★★★

STATEMENT WRITER

For use with (and requires) **Disk Double Entry**

- Produces statements suitable for billing from your Receivables accounts.
- Provides mailing labels to use with your statements and account summaries.
- Designed and documented to allow you to change formats to accommodate your own special needs.

\$34.95

★★★★★★★★

That's INTEREST-ing

Let your computer do some **REAL** computation!

- Helps you solve problems dealing with time, money, and INTEREST!
- AMORTIZATION TABLES any way YOU want them...even lets you change any terms mid-schedule!
- Calculates Present Value, Future Value, Capital Recovery for any combination of payments you specify.
- Rate of Return computation predicts how hard your money will be working for you!
- Computes Bond yields...current and to redemption.
- All answers available on screen or printer.

\$29.95 in BASIC

For VISA and Master Card orders:
Include type, account number, expiration date, signature and phone number.
Sorry! No COD's.



GRAPHIC SCREEN PRINT PROGRAM

Works in all PMODES and lets you shift screen image anywhere on the printed page.

- Relocatable code lets you use all of your 16K or 32K machine.
 - Available in Color Basic 1.0 and 1.1/1.2. Use EXEC 41175 to see which you have and SPECIFY WITH ORDER.
 - SPECIFY PRINTER TYPE...in Machine Language
- \$7.95** - TRS-80® LP-VII/VIII & DMP 100/200/400/420
\$9.95 - Epson GRAFTRAX®, NEC® PC 8023 A-C, IDS 440/445, Paper Tiger® 460/560, Micro Prism® 480, Prism® 80/132 (with dot plotting), TRS-80® DMP-120, DMP-110, TDP-1, PROWRITER® Centronics 739, Microline® 82A/83A (with Okigraph 1) /84/92/93, Star Micronics, Inc. GEMINI 10/10x/15 and Gorilla Banana (Trademarks of Tandy Corp., Epson America, Inc., C-Itoh, NEC America, Okidata Corp., Integral Data Systems, Inc.)

★★★★★★★★

ALPHA-DRAW

Works great with **GRAPHIC SCREEN PRINT PROGRAM**!

- Subroutine designed to let you add any keyboard character to your graphic displays.
- You define X and Y coordinates and a string variable of one or more characters...ALPHA-DRAW does the rest!
- BONUS - includes instructions for a true line-numbered merge of tape files.

\$8.95 in BASIC

★★★★★★★★

$$\begin{array}{r} 1 \\ 43 \\ +69 \\ \hline 102 \\ 1+4+6=11 \end{array}$$

HELP YOUR CHILDREN HELP THEMSELVES

MATH TUTOR

- 5 Programs in 1...ranges from simple addition through long division with 4 levels of difficulty.
- Requires regrouping to be shown...provides for trial quotients in long division.
- Shows how to correct errors...step by step approach stresses accuracy.

\$13.95 in BASIC

★★★★★★★★

SPELLING TEACHER

- Teaches students their own word lists...tape or disk files hold up to 200 words each.
- Suitable for any level from kindergarten to college.
- Misspelled words are retaught to reinforce correct spelling.
- Words presented in 4 lively formats - study, scrambled word game, trial test, final test.

\$12.95 in BASIC

ALL PROGRAMS require Extended Color Basic and are delivered on cassette. All, except Tape Date-O-Base Calendar, are DISK System compatible.

U.S. and CANADA add \$1.00 per order for shipping. Overseas \$2.50 per order. All prices in U.S. dollars. Florida residents add 5% sales tax. Return within two weeks if not completely satisfied.



RAINBOW
CERTIFICATION
SEAL

ALL LISTED
PROGRAMS

Tic-Tac Math

Improves Arithmetic Skills

Tic-Tac Math is a tic-tac-toe game in Hi-Res graphics combined with exercises in solving math problems (addition, subtraction, or multiplication, *no* division) at a level of difficulty chosen by the student at the start of each game.

Tic-Tac Math is easy to *CLOAD* and *RUN*. All other instructions and an explanation of the game can be displayed while using the program. After the title page you are offered a choice of three types of problems: addition, subtraction and multiplication. You must then select the level of difficulty (easy, medium or hard). The level of difficulty in *Tic-Tac Math* is *not* increasingly more difficult problems such as two- or three-digit numbers, but rather a decreasing amount of time available to answer the problems! Easy gives you three seconds, Medium — two seconds, Hard — one second. All of these times can be changed by passing through the instruction screen, which comes up next after selection of difficulty. If you choose not to see the instruction screen you go directly to the gameboard screen, and the timer remains at one, two or three seconds.

The instruction screen gives you brief instructions, an explanation of the game and the opportunity to either increase or decrease the response time allowed for each problem. The documentation (one typewritten sheet) gives a conflicting explanation of this response, but the program's

screen was correct: Pressing the 'U' speeds up the response time (gives you less time to answer) and pressing 'D' slows down the time (gives you more time). For each time the 'U' or 'D' is pushed, the time is decreased or increased by a factor of 1.5, e.g., the Easy level originally gives you three seconds. Pushing 'D' once gives you 3×1.5 or 4.5 seconds. Pushing 'D' again will result in 4.5×1.5 or 6.75 seconds. Pushing ENTER on the instruction screen sends you to the gameboard screen.

The gameboard is drawn and divided into numbered squares (one through nine). You are prompted to choose a number and are in full control of which squares are to be played. You do not have to play a square just to block the computer. Immediately after choosing a number, a problem appears on the screen to the right of the gameboard and the timer begins. If the problem is answered correctly and *within* the time limit, the student wins the square with an 'X'. Each correctly answered problem gets one of three responses placed on the screen: "CORRECT," "GREAT," or "TER-RIFIC." If the time runs out or the answer is incorrect, then the computer wins the square with an 'O' and "INCORRECT" appears on the screen.

If neither you nor the computer wins the game by the time all the squares are played, the board is rebuilt and play begins again using the options selected for the previous game. If you are successful and complete a tic-tac-toe, you are rewarded with ascending notes and "YOU WON" is placed on the screen below the board. If you lose, "COMPUTER WON" appears and descending notes are heard. You then go back to the selection of the type of problem and start the cycle over again. If you do not pass through the instruction screen, the timer is set according to the difficulty selection and does not keep the setting of the previous game. This bothered my kids somewhat at first.

A couple of things bothered me about *Tic-Tac Math*. First and foremost is the level of difficulty. The differences between difficulty levels using a time factor are somewhat insignificant as the student can pick the Hard level and transform it into a Super Easy level through the instruction screen, as my son, age seven, usually did. The unmodified Hard level is very discouraging even for an adult math major with touch typing. Mentally one knows the answer the instant the problem is placed on the screen. However, finding and pressing the right keys in less than one second is very difficult.

I much prefer the option of working with more difficult numbers. This was also expressed by my oldest daughter (age 10). The actual range of numbers used are one-digit numbers from two to nine. There are no ones or zeros. The student is given no second chance at a wrong answer and more importantly, I feel, there is no correct answer shown if your answer is wrong.

Nevertheless, my son still enjoys and talks about *Tic-Tac Math* even after several days of playing. *Tic-Tac Math* can provide the slow learner in math with ample time to solve problems and be rewarded with the accomplishment of getting tic-tac-toe. And it can provide competitive excitement to those early grade school students who are more masterful of mathematics. If your children are in the early development stage of math, *Tic-Tac Math* can provide a good foundation for basic math while they enjoy playing a game of tic-tac-toe.

(Wish Software, P.O. Box 7366, Johnston, RI 02911, 16K ECB, tape \$24.95)

— Kenneth D. Peters

GRAFLOT

History of the Color Computer

With GRAFLOT you can be a graphic artist! Get your data across by turning dull rows and columns of numbers into dazzling high resolution graphs. You'll never need to use graph paper, rulers or messy ink again. Improve your image and impress your boss!

*** NO RISK! MONEY-BACK GUARANTEE!**
*** FREE R/S SCREENPRINT PROGRAM!**
*** FULLY AUTOMATIC OPERATION!**


"A great package gets even better ... totally impressed ... equally useful in the home and office ... meticulous, hand-holding documentation ... very easy to use" RAINBOW, 6/84 & 7/83
 "A high quality product ... slick presentations" Hot CoCo, 8/84

- * Universal Screenprint Loader for non-Radio Shack printers.
- * Full ASCII upper and lower case in 4 on-screen labels.
- * Automatically scales and labels axes with "neat" tic marks.
- * Full function data editing: add, change, delete and sort.
- * Graphs and data output to screen, printer, tape or disk.
- * Calculates user-defined functions, moving averages (binomial smoothing), cumulative totals and integrals (areas).
- * Saves completed graphs for instant reloading.
- * Works with all CoCo models - requires Extended BASIC.
- * Disk Only: display or print directory, kill or rename files.


16K TAPE - \$35.00, 32K TAPE - \$40.00, 32K DISK - \$45.00 (US)

ASK YOUR DEALER FOR GRAFLOT OR ORDER DIRECT FROM:

HAWKES RESEARCH SERVICES, 859 STANFORD AVE, OAKLAND, CA 94608
 YOUR PERSONAL CHECK IS WELCOME! SHIPMENT WITHIN 48 HOURS!
 \$3.00 SHIPPING ON ALL ORDERS. CA. RESIDENTS ADD SALES TAX.



1-416-529-1319



DEALERS

**YOU CAN RECEIVE A 30 MINUTE IN STORE
DEMO DISK THAT IS GUARANTEED TO**

***** *BLOW YOU AWAY* *****

**THE GRAPHIC/TEXT MASTER DEMO DISK
CONTAINS BOTH M/L PROGRAMS PLUS A
BASIC DEMONSTRATION OF THE INCREDIBLE
VERSITILITY OF THESE NEW "STATE OF
THE ART" UTILITIES.**

**SEND YOUR REQUESTS ON COMPANY LETTERHEAD ALONG WITH \$20.
WE WILL SEND YOU THE DEMO PACKAGE AND A CREDIT FOR \$20
WHICH YOU CAN APPLY TO YOUR NEXT ORDER.**



**125 SOUTH FIFTH STREET
LEWISTON, N.Y. 14092**



**420 FERGUSON AVE. N.
HAMILTON, ONT., L8L 4Y9**

Play The Lottery With *Lotto*

With taxpayers across the country jerking their collective knee at the mere mention of raising taxes, some of our state governments have initiated lotteries that give everyone an equal chance at becoming a millionaire and at the same time lotteries bring in some much needed revenue to the state coffers.

Like most other gamblers, lottery players have their own techniques of selecting the winning numbers to write on their ticket. Some use special dart boards, patent numbers on manhole covers or intricate formulas like multiplying their birth date by their social security number and then dividing that figure by the total albatross population of Tasmania. It's no wonder that in this high-tech world someone would write a program to handle the number selection process for you.

This program, called *Lotto*, requires 16K cassette and is written in BASIC. All you do to get started is to *CLOAD Lotto* and *RUN*. The instructions scroll across the screen at a very slow rate and it takes about two minutes for them to complete. No hard copy documentation is included, or for that matter, is needed.

Lotto is written using the state lottery rules as found in Maryland, but instructions are given for making the simple

changes to match the rules in any state lottery. Unfortunately the line numbers referenced for change are not accurate or complete and some knowledge of BASIC by the user will be required to spot the error and make the right changes. A spelling error was noticed on one of the screen prompts but that can be easily fixed as well.


What does this program do? It picks out 40 or more different random numbers and displays them on the screen for you. It uses BASIC's *RUN* command to get the numbers but as many of you know, there is a bug in the *RUN* command that can be somewhat cured by including a program line that includes the statement *X=RND(-TIMER)*. This fix is not included in the program so the random numbers generated are not quite as random as they could be.

During the number selection process the text screen is flashing a different color for each number generated and then all 40 numbers are displayed in no particular format or grouping.

Even if there were no bugs or errors in the program, the low purchase price does not justify plunking down any amount of cash for such a simple program that even a novice programmer could hack out in about five minutes.

(RAM Publications, 1088 Poplar Tree Drive, Annapolis, MD 21401, tape \$5.95)

— J. Michael Nowicki



WORKBASE

BUSINESS SOFTWARE

\$ PORTFOLIO \$

<h4 style="margin: 0;">BUSINESS DATABASE SYSTEMS</h4> <p style="font-size: small;">An economical and powerful business management database system. A few of the many features of WORKBASE I & II are: • a spread sheet module to define and store calculations for updating your database • a report module to define and store unlimited report formats with totals and headings • a word processor to merge a database with custom letters, reports, and mailing labels • utilities for generating, merging, summarizing, and updating • only 1 disk drive and a 32K Color Computer are required • 216 page step-by-step user's manual with tutorial and separate demonstration disk.</p> <p>WORKBASE DATABASE I—600 Records \$64.95 WORKBASE DATABASE II—1200 Records \$79.95</p>	<h4 style="margin: 0;">BUSINESS APPLICATION PACKAGES</h4> <p style="font-size: small;">Self-contained application programs which can be used independently, in combinations or with WORKBASE DATABASE I or II for additional updating and reporting. The following apply to each application package: • predefined reports • print or display selected records • simultaneous updating of related database files • 600 records per predefined database • built-in calculations • menu driven • complete audit trails • 40 to 50 page step-by-step user's manual.</p> <p>Packages currently available: • INVENTORY CONTROL • ACCOUNTS RECEIVABLE • SALES ORDER ENTRY • CHURCH MEMBERSHIP • ACCOUNTS PAYABLE • PURCHASE ORDERS • RENTAL PROPERTY MANAGEMENT • GENERAL LEDGER • PAYROLL</p> <p>COST PER PACKAGE \$24.95 (\$19.95 when purchasing 2 or more)</p>
<p>BUY WORKBASE DATABASE I or II AND GET ONE APPLICATION PACKAGE FOR \$19.95</p> <p>• SEND CHECK OR MONEY ORDER OR USE OUR TOLL FREE NUMBER FOR PLACING CREDIT CARD ORDERS: 1-800-334-0854 (Ext. 887)</p> <p>• PRICE INCLUDES SHIPPING & HANDLING WITHIN USA • ADD \$5 FOR ALL FOREIGN ORDERS • CASH ONLY COD ORDERS ADD \$2 • NC RESIDENTS ADD 4.5% SALES TAX</p>	
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="font-size: 2em; font-weight: bold; margin: 0;">WORKBASE</div> <div style="margin: 0;">DATA SYSTEMS</div> </div> <p style="text-align: center; font-size: small;">P.O. Box 3448, Durham, N.C. 27702 • (919)286-3445</p>	

MOVING UP

The Color Computer is good-but-when you need more power:

LEADING EDGE COMPUTER

- * MADE BY MITSUBISHI
- * 99% IBM COMPATIBLE
- * 128K RAM MEMORY
- * 2 DOUBLE SIDED DISK DRIVES
- * 80 x 24 DISPLAY MONITOR

\$ 1695



PRINTERS

- C-Itoh 8510AP Prowriter-- \$ 319.
120 c.p.s.
- C-Itoh 8510BPI Prowriter- \$ 389.
IBM compatible
- C-Itoh 8510SP Prowriter-- \$ 429.
new!! 180 c.p.s.
- C-Itoh 8510SCP Prowriter- \$ 499.
new!! 7 colors
- Gemini 10X----- \$ 249.
120 c.p.s.
- Gemini 15X----- \$ 399.
120 c.p.s.
plus shipping

DISK DRIVES & ACCESORIES




- TEAC FD54A----- \$ 99.
single sided, 40 track
- TEAC FD55A----- \$ 129.
single sided, 40 track
- TEAC FD55B----- \$ 155.
double sided, 40 track
- TEAC FD55F----- \$ 169.
double sided, 80 track
- J&M Disk Controller- \$ 125.
(JDOS or RSDOS)
- Dual Drive Case & Ps.- \$ 59.
- Dual Drive Cable----- \$ 23.

PARALLEL PRINTER INTERFACE

POWER SUPPLY
not needed with
Gemini and C-Itoh
printers

WORKS WITH ALL STANDARD
PARALLEL PRINTERS

SWITCH SELECTABLE
BAUD RATES FROM
300 TO 9600



COMPUTER
CONNECTOR

BUILT-IN MODEM
CONNECTOR
same pinout as
Color Computer
serial I/O port

MODEM-PRINTER
SWITCH

PRINTER CONNECTOR
highest quality
with metal shell
and gold contacts

MODEL 1

\$ 59.95

with modem connector
& switch

without power \$ 54.95

MODEL 2

\$ 49.95

without modem connector
& switch

without power \$ 44.95

ADD 3.00 FOR SHIPPING AND HANDLING

CHRISTMAS SPECIAL

COMPLETE DRIVE 0 SYSTEM

- TEAC FD54A DISK DRIVE
- J&M DISK CONTROLLER
(JDOS or RSDOS)
- DUAL DRIVE CASE &
POWER SUPPLY
- DUAL DRIVE CABLE
- COMPREHENSIVE MANUAL

\$ 275.

plus shipping

DRIVE 0 DISK SYSTEMS



- J&M DISK CONTROLLER
(JDOS or RSDOS)
- DUAL DRIVE CASE & POWER
SUPPLY, CABLE, & MANUAL
- PLUS YOUR CHOICE OF ONE
OF THE FOLLOWING DRIVES.
- TEAC FD55A----- \$ 305.
- TEAC FD55B----- \$ 330.
- TEAC FD55F----- \$ 345.
- plus shipping

TRI-TECH ELECTRONICS

P.O. BOX 8100 ROCHESTER, MICH. 48308 (313) 254-4242

The Animator Turns CoCo Into An Animation Studio

A lot of attention has been focused lately on computer-generated animation used in popular movies like *Star Wars*, commercials and even demonstration films like *Panasonic Plane* (where the company's 3-D TV system is shown off by a paper airplane flying around a house). Next to this sort of thing (which even local TV stations are using for news and weather coverage these days), what you typically see on your home computer looks rather tame. Triad Pictures' *The Animator* can give you a taste of computer-generated animation on the CoCo, and teaches you about the way studios like Warner and Disney do animated cartoons.


The program's sections are arranged (and named) like the departments of a film studio. The "background studio" is where you draw the backgrounds for the scenes. The "cel animation studio" lets you draw the various objects (as if on the cellophane sheets used for film animation), and the "camera department" combines backgrounds and cels to create the finished picture. The "sound effects studio" lets you add sound to the picture, and the "screening room" is where you watch the finished presentation. Finally, the

"lab" makes copies of the film or of the background and cels.

The background section is more or less a normal Hi-Res screen drawing program, working only in *Pmode* 3. You can move and draw in all directions using the arrow keys, change colors and paint enclosed areas. The cel animation section is similar, only here you are drawing as many as 32 small objects (or variations on an object) instead of a whole scene. The cel printer function lets you "take a picture" of a particular cel and "print" it in one or more cel locations, so you can repeat all but a small part of an object.

In the camera department you combine the background and the objects on the cels to form frames. In each frame you can place one or more of the cels over the background in desired positions (or have a frame with no objects), then shoot a frame and go on to the next. When you have shot all the frames in your sequence, you cut the end of the film and return to the main menu. There is also what the author calls a "rotoscope;" it's similar in function to the 8mm home movie editors that used to be common (or more like a good industrial video recorder), in that it lets you look at the film step-by-step or at normal speed in either direction. You can even put the "film" back in the "camera" at any desired frame (sounds more and more like video, doesn't it?) to shoot over from a desired point. You can shoot up to 625 frames.

The sound effects section has 12 commonly used sounds in its library. To use a sound effect you simply use the "rotoscope" viewer to locate the point at which you want it to come up, then select the desired effect and press 'I' for insert. Finally, the screening room "projects" the entire



FACTORY CLOSE OUT!

**TANDY SYSTEM 100
PERSONAL COMPUTER**
(By The Makers Of Radio Shack™ Computers)

16K EXTENDED COLOR BASIC . . . \$99.00
W/DUST COVER

- Factory Fresh with full factory warranty
- Limited supply — first come — first served

Send Check, money order or — use your MasterCard, Visa or American Express.
SHIPPED TO YOU ANYWHERE IN THE CONTINENTAL U.S.A. AT NO CHARGE.

RADIO SHACK is a registered trademark of TANDY CORP.

ABACUS COMPUTER
DISTRIBUTORS



Wholesale distributors of Tandy™ computer systems

16012 South Cottage Grove Ave., South Holland, IL 60473
Division of Union Electronics, Inc.
312-339-2777

The Animator's graphics can, of course, be recorded in one of several ways. If you have a video recorder, just feed the CoCo's RF output into the VCR's VHF antenna input, set the recorder tuner to the right channel and away you go. Unfortunately, it's very difficult to stop the tape at exactly the right point for the end of a scene and restart for the beginning of the next scene (if that's your intention)

The Animator certainly is a one-of-a-kind package; I've never seen something like this on any other home computer. This seems like a very good buy for the CoCo.

— Ed Ellers

Dave Helfrich
New Port Richey, FL

```
10 PRINT#-2:INPUT"DISK NAME";X$:
PRINT#-2,X$:PRINT#-2,"-----
-----":POKE111,254:DIR:PRINT
#-2:PRINT#-2,"FREE SPACE"FREE(0)
"GRANULES":PRINT#-2:PRINT#-2,"--
-----":GOTO10
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

PAYROLL

COMPLETE

PAYROL/BAS®
with 64K Extended Memory

COMPLETE PAYROLL/BAS

Ready to run on a system with 64K Extended Basic (w/printer and one disk drive), Howard Payroll/BAS® has everything you need to do payroll for a business of up to 20 employees, including:

Employee information: name, address, starting date, year-to-date

Entering employee information: name, address, SS#, wages or salary, starting date, year-to-date earnings.

Summary program: monthly listing of all checks' gross income, FICA, taxes, profit sharing, insurance.

Summary program: "We can supply checks' gross income, FICA, taxes, insurance, pin-feed or friction-feed printers. (We can supply checks.) **We don't leave you alone out there, either!** An order puts you on our list for quarterly updates of tax information, etc."

Complete price
\$79.95
(\$2 shpg.)



HOWARD MEDICAL

Other Helpful Programs

Other Helpful Programs

941 Program: gives individual summaries (and totals) of check information for preparing federal 941 and state unemployment forms.
\$29.95 (\$2 shpg.)

W-2 Program: for cutting your year-end W-2's.
\$29.95 (\$2 shpg.)

EXAMPLES OF PAYROLL

EXAMPLES OF PAYROL/BAS[®] OUTPUT

The image displays two examples of payroll accounting documents. The top document is a check stub from Howard Medical Company, dated 10/10/88, for \$250.31. It includes fields for pay, deductions, and net pay, along with a routing slip for the bank. The bottom document is a payroll register for the same date, showing a list of employees with their respective pay rates and amounts.

EXAMPLES OF PAYROLL ACCOUNTING

Example 1: Check Stub

HOWARD MEDICAL COMPANY
 PAYROLL ACCOUNT
 10/10/88

Pay \$250.31

Deductions

Net Pay \$250.31

Routing Slip

Bank **City** **State**

Check No. **Date** **Amount**

Example 2: Payroll Register

HOWARD MEDICAL COMPANY
 PAYROLL ACCOUNT
 10/10/88

EMPLOYEE	RATE	HOURS	GROSS PAY	DEDUCTIONS	NET PAY
JOHN DOE	\$10.00	40	\$400.00	\$50.00	\$350.00
JANE SMITH	\$12.50	40	\$500.00	\$75.00	\$425.00
BOB JONES	\$15.00	40	\$600.00	\$100.00	\$500.00
ALICE BROWN	\$17.50	40	\$700.00	\$125.00	\$575.00
CHARLIE WHITE	\$20.00	40	\$800.00	\$150.00	\$650.00
DANIEL GREEN	\$22.50	40	\$900.00	\$175.00	\$725.00
EVELYN BLACK	\$25.00	40	\$1,000.00	\$200.00	\$800.00
FRED BROWN	\$27.50	40	\$1,100.00	\$225.00	\$875.00
GRACE WHITE	\$30.00	40	\$1,200.00	\$250.00	\$950.00
HERB GREEN	\$32.50	40	\$1,300.00	\$275.00	\$1,025.00
IVY BLACK	\$35.00	40	\$1,400.00	\$300.00	\$1,100.00
JACK BROWN	\$37.50	40	\$1,500.00	\$325.00	\$1,175.00
KAREN WHITE	\$40.00	40	\$1,600.00	\$350.00	\$1,250.00
LEO GREEN	\$42.50	40	\$1,700.00	\$375.00	\$1,325.00
MARY BLACK	\$45.00	40	\$1,800.00	\$400.00	\$1,400.00
NED BROWN	\$47.50	40	\$1,900.00	\$425.00	\$1,475.00
OLIVIA WHITE	\$50.00	40	\$2,000.00	\$450.00	\$1,550.00
PETER GREEN	\$52.50	40	\$2,100.00	\$475.00	\$1,625.00
QUINN BLACK	\$55.00	40	\$2,200.00	\$500.00	\$1,700.00
RALPH BROWN	\$57.50	40	\$2,300.00	\$525.00	\$1,775.00
SARAH WHITE	\$60.00	40	\$2,400.00	\$550.00	\$1,850.00
TOM GREEN	\$62.50	40	\$2,500.00	\$575.00	\$1,925.00
URSULA BLACK	\$65.00	40	\$2,600.00	\$600.00	\$2,000.00
VICTOR BROWN	\$67.50	40	\$2,700.00	\$625.00	\$2,075.00
WENDY WHITE	\$70.00	40	\$2,800.00	\$650.00	\$2,150.00
Xavier GREEN	\$72.50	40	\$2,900.00	\$675.00	\$2,225.00
YVONNE BLACK	\$75.00	40	\$3,000.00	\$700.00	\$2,300.00
ZACHARY BROWN	\$77.50	40	\$3,100.00	\$725.00	\$2,375.00
ADAM WHITE	\$80.00	40	\$3,200.00	\$750.00	\$2,450.00
ALICE GREEN	\$82.50	40	\$3,300.00	\$775.00	\$2,525.00
BENJAMIN BLACK	\$85.00	40	\$3,400.00	\$800.00	\$2,600.00
CHARLOTTE BROWN	\$87.50	40	\$3,500.00	\$825.00	\$2,675.00
DANIEL WHITE	\$90.00	40	\$3,600.00	\$850.00	\$2,750.00
EVELYN GREEN	\$92.50	40	\$3,700.00	\$875.00	\$2,825.00
FREDERICK BLACK	\$95.00	40	\$3,800.00	\$900.00	\$2,900.00
GRACE BROWN	\$97.50	40	\$3,900.00	\$925.00	\$2,975.00
HERBERT WHITE	\$100.00	40	\$4,000.00	\$950.00	\$3,050.00
IVY GREEN	\$102.50	40	\$4,100.00	\$975.00	\$3,125.00
JACKSON BLACK	\$105.00	40	\$4,200.00	\$1,000.00	\$3,200.00
KAREN BROWN	\$107.50	40	\$4,300.00	\$1,025.00	\$3,275.00
LEONARD WHITE	\$110.00	40	\$4,400.00	\$1,050.00	\$3,350.00
MARY GREEN	\$112.50	40	\$4,500.00	\$1,075.00	\$3,425.00
NED BLACK	\$115.00	40	\$4,600.00	\$1,100.00	\$3,500.00
OLIVIA BROWN	\$117.50	40	\$4,700.00	\$1,125.00	\$3,575.00
PETER WHITE	\$120.00	40	\$4,800.00	\$1,150.00	\$3,650.00
QUINN GREEN	\$122.50	40	\$4,900.00	\$1,175.00	\$3,725.00
RALPH BLACK	\$125.00	40	\$5,000.00	\$1,200.00	\$3,800.00
SARAH BROWN	\$127.50	40	\$5,100.00	\$1,225.00	\$3,875.00
TOM WHITE	\$130.00	40	\$5,200.00	\$1,250.00	\$3,950

[illegible]

SEND TO: HOWARD MEDICAL COMPUTERS
Box 2, Chicago IL 60690

Name _____
Address _____
City, State, Zip _____
Please send (desc. & qty.—Ill. res. add 8% sales tax):

include card # _____
exp. date _____
DEALER INQUIRIES INVITED RB1284a

Telephone 312/944-2444
Computer Bulletin Board
312/278-9513

Organize Your Disk Library With *Where's-It*

By A. Buddy Hogan

Have you ever asked yourself, "Now where is that program that lets me copy files from one disk to another without doing all that typing?" Or some similar question that has to do with a lapse of memory concerning the location of a program on a disk? Everyone who has a disk collection of more than a few disks will ask such a question sooner or later. *Where's-It* is a utility that allows you to answer such questions. It is a straightforward program that does what it is advertised to do.

Where's-It is simply a disk index database management utility program. It allows you to create a database consisting of the directories of as many of your disks as you desire (however, no more than 972 program names can be used to build each index). You are then able to manipulate the data to suit your needs. *Where's-It* is supplied on disk and is compatible with the 32K Extended BASIC Color Computer and requires at least one disk drive. The main program is written in BASIC while the sort routine is provided as a separate machine language program on the disk.

Upon running *Where's-It*, you are presented with a well designed menu screen that displays the nine options availa-

ble to you. I'm going to list these options as they would be used rather than in the order presented in the menu (software developers would do well to present menus in this manner so that they are more useful):

1) **ADD NEW DISK** — This is the option that allows you to input the directories from your disks. The procedure is very simple. You are asked for a disk identifier (not more than five characters long) and then are directed to place the disk in the proper drive (the documentation tells you how to modify the program for two-drive operation). The directory is then read in very fast and you are asked for another disk identifier so that you can quickly add as many disk directories as you desire. I used 13 full disks containing 340 programs to test *Where's-It* and was able to build the database in less than seven minutes. The program actually stores the program name, the extension and the disk identifier for each program on the disk being added to your index.

2) **SORT** — allows you to sort the contents of your database in alphabetical order without regard to upper- or lowercase. The sort is fast since it is done in machine language. My 340 program index took less than a minute. An audible tone lets you know when the sort is complete. A nice feature would be the option to also sort by disk identifier. This way you would be able to see at a glance all of the files on a particular disk. You would obviously have to be able to store the identifier sort as a separate file.

3) **LIST INDEX** — prints the index file to the screen 10 programs at a time. ENTER advances the screen display to the next ten programs. An up-arrow returns you to the menu.

4) **PRINT INDEX** — prints your index file on an 80-column printer in three columns with a maximum of 162 program names on each page (54 in each of the three columns). This is where the 972 record limit comes from (six pages of 162 each). The printout is clearly the most impressive feature of this program. The print routine was written for an Epson FX-80 and provides a title for each page of the printout that displays DISK DIRECTORY INDEX at the top in expanded print. The next line, still in expanded print, is FILENAME: XXXXXXXX - PAGE X where the X's are substituted with the proper filename and page number. The printout continues with three columns, each headed with FILENAME EXT DISK. These headings are in the normal Epson print font and are underlined. The print routine then prints out the filename, extension and disk identifier for each program that is contained in your index. After 60 lines, it skips to the top of the next page, places the printout title lines and column headers at the top and continues the printout.

5) **SEARCH** — lets you find either a program by name or a particular disk by the identifier that you have assigned to it.

6) **DELETE/UPDATE DISK** — you may delete the directory of a disk from your index or add the directory of a disk that you have updated since it was first entered into your index by selecting either DELETE or UPDATE. You are then prompted for the disk identifier of the proper disk.

7) **SAVE FILE** — your index file is saved to disk with this option. If you started the current session by loading an index or have saved the current index once before during the current session, you may save the index by simply ENTERING up-arrow after selecting this option from the menu.

8) **LOAD FILE** — is used to load a previously saved index from disk.

Talk is Cheap!

your Color Computer can talk for only

\$29.95

SPEAK UP!™ is a machine language, voice synthesizer program for the TRS-80 Color Computer.* It is 100% software—nothing else to buy. Best of all, *YOU* can make BASIC programs talk!

- 16K, 32K, 64K all on one cassette
- Text-to-speech makes it easy to use
- **SPEAK UP!** will say anything
- Reviewed in April '83 Issue of *Rainbow*
- Reviewed in Oct. '83 *Color Computer*
- COD, VISA, MC, checks—no delay

ORDER NOW 800-334-0854 EXT. 890



Classical Computing, Inc.

P.O. Box 3318
Chapel Hill, NC 27515

*TM by Tandy Corp.

9) **MAKE NEW FILE** — erases any data in memory and allows you to start building a new index. Since this is a destructive feature, the program prompts you to be sure that you want to use this option.

At the bottom of the menu display is the filename of the index that was loaded, the number of programs contained in the index and the number of programs that can be added to it.

The program prompts you for input by flashing the cursor at the proper location. Input is taken immediately without the need to hit ENTER except for a filename or identifier. Error handling is excellent. If you have a problem while using the program, just ENTER BREAK and then *GOTO 100* to get back to the main menu. You are not allowed to select options that require an index to be in memory if you don't have one there and you are not allowed to SORT or SEARCH if you only have one record in memory.

The documentation consists of five 8½ x 11-inch sheets of yellow paper printed in the normal fashion and folded in the middle. The documentation is adequate but could be improved. It leaves one wondering just how you are to begin to use the program. If you follow the sequence of the options as presented, you begin with **MAKE NEW FILE** (which talks about erasing the contents of memory — before you have entered anything into memory) then go to **LOAD** (you have nothing to load yet) and **SAVE** (save what?) before you get to **ADD NEW DISK** (which is where you begin).

The most glaring omission from the documentation is in the part that describes the **PRINT INDEX** option. You are told that the print routine was written for an Epson FX-80

and you are told that you might need to change some of the print variables (these are identified along with the line number where they need to be changed). However, when you get to the section on the Baud rate, you are informed that the Baud rate for the FX-80 is 9600 and that, "You may have to delete this line or replace it with some other value." End of instructions. It would not have been that difficult for the distributor to have informed purchasers of the program of the values needed to be used in Line 801 for the various Baud rates that different printers require. My Epson MX-80 worked just fine after Line 801 was deleted. Running it with Line 801 produced garbage on the printer since the Baud rate was much faster than my MX-80's 600 rate. Perhaps this observation comes under the heading of nitpicking since the owners of printers that run at other than the standard CoCo 600 should already be aware of the value that they need to poke into memory location 150 to produce the required Baud rate.

Where's-It is a worthwhile program that performs as advertised and would be a welcome addition to the collection of CoCo disk users who have accumulated enough programs on disk that they have to ask themselves that troubling question from time to time, "Where's it?"

(Jarb Software, 1636 D Ave., Suite C, National City, CA 92050, \$19.95)

!!! FREE !!!



Learn
HOW to USE
YOUR Color Computer

TRY ONE ON US
FREE
SAMPLE ISSUE
1-800-338 6800
MON.-FRI. 9-5 E.S.T.

Color Micro Journal™
5900 Cassandra Smith Rd.
Hixson, TN. 37343
TEL. (615) 842-4600 • TELEX 558 414 PVT BTH

Subscription Rates
12 Issues a Year

USA - \$12.50 per year.
Canada & Mexico - \$19.50 per year
Surface Foreign - \$24.50 per year.
Airmail Foreign - \$48.50 per year

TM Color Micro Journal is a trademark of Computer Publishing Inc.

CoCo Can Engineer With *Space Frame*

Because I used overlays years ago to “shoehorn” a major rotary-winged aeroelastic analysis into an early mainframe, I *know* 16K is big enough for serious work! Because I have edited reports for publication, I *know* a word processor is not a glorified electric typewriter. A spreadsheet is as far ahead of a hand calculator as the calculator is ahead of a slide rule.

But when the disparaging question is posed, “Can you really do anything *professional* on that little machine?”, a negative answer can result from a limitation in the software market. I do not expect to find a supersonic wind tunnel calibration program in this magazine, and if I want another aeroelastic program (Color Computer compatible), I had better write it myself. In short, professional, specialized software is in short supply and the Color Computer user should be glad of any high quality additions to this market.

That is why Kage Engineering’s release of a finite element structural analysis program is good news. Structural analysis means “Is a structure strong enough?” Can your roof withstand a snow load, or is the TV antenna mast adequate?

Finite element means to do the analysis by visualizing (“modeling”) the structure as if it were composed of a large number of little springs, usually metallic. The method is in common use in the aerospace industry, and was used on NASA’s space shuttle.

Of course, when simplified to a home computer, a number of subtleties are sacrificed. *Space Frame* does not include buckling or torsion effects, works entirely below the plastic deformation range, and defaults to steel unless told otherwise. (That would be minor for most users, but for us aluminum addicts it means overriding a default on each and every element input.)

As far as I know, this program has no competition, so it is *Space Frame* or hand drudgery for many engineers in private practice.

Kage Engineering claims it will run even on 16K. My CoCo is a 64K machine. I have used it not only for the test cases supplied, but even to analyze a fairly complex sphere I designed. The program can use the high speed poke, but I have only tried that on one simple model — it worked fine. Without the high speed poke, a 24-element, 16-node model took about 13 minutes to run. I would consider that time quite acceptable.

The program does retain three dimensions, which means it can do real world problems as well as teach engineering. The documentation is relatively complete, and the two examples will refresh the memories of engineers who are rusty on this discipline. I encountered two problems in using the program. On my most complex model, the node deformation table which printed out at the end was not consistent with the element deflections printed just above. That may indicate a bug, or may be a problem in my model of the structure, it is hard to tell.

My other problem was on I/O. *Space Frame* provides the capability of saving one’s input to cassette at two distinct points in the analysis. The first worked as advertised; I never was able to recover data saved at the second point. I do not consider that problem serious because most users could discipline themselves to use the first option. Conversion to disk appears simple — I know how to, but not having disk I did not bother. The program drove a Radio Shack DMP-200 properly with no problems.

Space Frame is supplied with a utility to enable 64K users to get 8K extra by disabling Extended BASIC. The utility worked properly, and would seem a good idea for most users because it is very difficult to tell in advance how much storage a complex model will require. For most users, the program will be adequate, but I would not suggest trying to model the Eiffel Tower on a CoCo!

So long as I have access to more elegant and larger versions free through my employer, I would personally have little incentive to buy this program. (I am licensed for private consulting practice, but am not doing any.) However, were I doing consulting — or even teaching at the university level — I know of no other program available in this field and I found *Space Frame* did its job properly with no major criticisms. I look forward eagerly to more specialized engineering software from a firm that clearly put together a good product.

(Kage Engineering, P.O. Box 3010, Lakewood, CA 90711, cassette \$50)

— H. Larry Elman

NEED AN INEXPENSIVE SERIAL-PARALLEL INTERFACE?

SP-2 INTERFACE for EPSON PRINTERS:



- 300-19,200 BAUD rates
- Fits inside printer — No AC Plugs
- Optional external switch (\$5⁰⁰ extra) frees parallel port for use with other computers
- \$49⁹⁵ (plus \$2⁰⁰ shipping)

SP-3 INTERFACE for MOST OTHER PRINTERS:

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables
- \$64⁹⁵ (plus \$2⁰⁰ shipping)

Both also available for RS-232, Apple IIC and MacIntosh computers.

Co Co Serial Cables 15 ft.—\$10.

Co Co/RS-232 Cables 15 ft.—\$20. Other cables on request.

**C
N
R** ENGINEERING
DEALER INQUIRIES INVITED!

P.O. Box 492
Piscataway, NJ 08854
(201) 752-0144

Run CP/M With *Color Power II*

By Peter A. Stark

Originally written in 1973 for the 8080, CP/M is undoubtedly the grand-daddy of microcomputer operating systems. There isn't a 6809 version of CP/M, but it is still possible to run it on the Color Computer with the addition of the *Color Power II* module which, through a combination of hardware and software, puts a Z-80 microprocessor on the Color Computer bus.

CP/M has one feature which distinguishes it from the others — its tremendous popularity. This popularity has led to the availability of thousands of programs. While some of these may not run on the *Color Power II*, there is still a huge base of available CP/M programs, both large and small.

The Hardware

Color Power II (I'll refer to it as *CPII* from now on) is a metal box, about the size of Radio Shack's computer cassette recorder, which plugs into the expansion port on the right side of a 64K Color Computer. The disk controller, in turn, plugs into the right side of *CPII*.

CPII itself contains more than two dozen integrated circuits. To avoid loading down the CoCo power supply, *CPII* has its own supply in the form of an external power transformer that plugs into a wall outlet and connects to a jack on the back of the *CPII*.

Inside *CPII* is a Z-80 CPU, a 6845 video controller, 2K of video RAM memory, an EPROM character generator, and an assortment of unmarked TTL ICs. The entire assembly is very professionally constructed, with gold-plated connectors and a solid support for the entire assembly.

Since the *CPII* provides a display of 24 lines by 80 characters wide, in both upper- and lowercase, a good video monitor is needed. *CPII* does not provide an RF output like the CoCo's; a composite video output jack must be connected to the video input of the monitor.

The CP/M Disk Operating System

CPII comes with a copy of CP/M version 2.2. The *CPII* disk is supplied in a dual format — track one and part of track 17 are in Radio Shack format, while the rest of the disk has CP/M files. To start CP/M, you must type *LOADM* "CP2" and then *EXEC*. This loads a boot program, switches to 64K mode, and then loads and starts CP/M itself.

Once CP/M is started, operation will be very familiar to anyone who has used another DOS on the CoCo. CP/M has a number of built-in functions such as *DIR* (to display a disk directory), *ERA* (to erase a file), *REN* (rename a file), *TYPE* (display the contents of an ASCII file), *SAVE* (to save memory contents to the disk), or *USER* (which allows a sort of segmented directory structure). These can be run by just typing their names followed by any arguments that they need.

Typing any other command causes CP/M to look on the disk for a command file by the same name. If found, that file is executed. *CPII* comes with the following CP/M command files on the disk:

PIP is a 'Peripheral Interchange Program.' It is used primarily for copying one or more files from one disk to another, although it can also transfer files or data to and from disks, keyboard, display or printer. *PIP* cannot be used to copy files on a single drive.

STAT can be used to display the status of disks or files. For example, since *DIR* does not tell the size of a file or how much space remains on a disk, *STAT* can be used to provide this information.

SUBMIT and *XSUB* allow you to set up often-used combinations of commands as disk files and then call them with a single line command.

ED is the standard CP/M text editor. It is a line editor rather than a screen editor; this means that you do not see an entire screen full of text at one time, but only see the line you are currently typing on or perhaps the few lines directly above it, and you cannot use the cursor keys to move back and forth through your text.

ASM is the standard CP/M 8080 assembler. It uses 8080 mnemonics rather than those of the Z-80 which is used in the *CPII*.

Compugenesis
presents
"The CoCo Complete"
A Videotape for all CoCo users,
from beginner to advanced,
90 minutes in color
Special Introductory Offer
Buy Now and Save!
\$59.95 — VHS and Beta II
\$99.95 — 3/4"
plus \$2.50 shipping
and handling
NY residents
add local
sales tax

"The CoCo Complete" is for

Home and Office Use

- ☐ CoCo hardware and software demonstrations
- ☐ how to perform CoCo upgrades, maintenance
- ☐ hook up procedures
- ☐ all CoCo applications

Educators

- ☐ Classroom support package available, write for details

Foreign CoCo Users

- ☐ the tape is obtainable in any world standard, write for prices

Compugenesis
41-48 40th St. Sunnyside, NY 11104

Name _____ State _____
Address _____
City _____
Zip _____
Please allow 8-10 weeks for delivery.

☐ VHS ☐ Beta ☐ 3/4"
☐ check or ☐ money order enclosed

LOAD is used along with ASM to convert the output of the assembler into a form which can be loaded and executed.

DUMP is a program for printing out the contents of a disk file in hexadecimal. The assembly language code for this file is also supplied, both for experimenting with the assembler, and also to show how user programs may be written to access CP/M.

DDT is the 'Dynamic Debugging Tool,' a debugging monitor program. It allows you to list or modify memory and start or trace programs.

CP/M Implementation of CP/M

The CP/M implementation of CP/M consists of two parts — the adaptation of CP/M itself and a collection of command programs for use with it. (This review describes version 1.5 of CP/M's CP/M software.)

Adapting CP/M to a new computer involves writing some code known as BIOS — the Basic Input Output System — which is the link between CP/M and the hardware of the computer. In CP/M this code links the core of CP/M to the CoCo keyboard, display, printer port and disk interface.

CP/M lets the keyboard generate the full 96-character printable ASCII character set, plus control codes such as Control-C (used to restart CP/M) and ESC (used in many commercial programs). Many of these can be generated by single key closures, while some codes require that you press two keys at the same time.

As mentioned earlier, CP/M includes a high resolution 24 x 80 display interface. Since this display is handled by hard-

ware rather than software, it can provide excellent display quality if used with a good monitor. The video interface program which drives that hardware has been programmed to emulate the popular LSI ADM-3a terminal, so that programs written for the ADM-3a will drive the CP/M screen in the same way. This is especially important for those programs which move the cursor around the screen. The only disadvantage in this case is that video display is much slower than we are accustomed to with regular CoCo BASIC.

CP/M uses the standard CoCo printer port in the back of the computer. It allows operation at rates from 300 to 4800 Baud, with either seven or eight bits per character, and with either one or two stop bits. It also allows selection of whether line feeds will be fed through or not, and how the printer handshaking will be done. This covers a wide variety of printer configurations, both Radio Shack's and others'.

The disk interface portion of the BIOS is quite interesting in itself. According to the folks at Color Power Unlimited, they found that the Z-80, even running at 4 MHz, was not fast enough to handle the disk interface at double-density speeds, so they decided to let the 6809 in the CoCo handle that part of the job. The result, they say, is a complex blend of Z-80 and 6809 programming and hardware for which they have applied for a patent.

CP/M uses the same basic disk format as CoCo disks — 35 tracks of eighteen 256-byte sectors each. This is quite different from CP/M's 128-byte sector, and so they pack two of CP/M's sectors into one CoCo sector. The result is a total of 146K of storage on one disk. (It is possible to use up to 40 tracks, but 80-track or double-sided operation is not possible.) A by-product of this disk format is that CoCo Disk



Parents! Want to stimulate your child's learning?

TCE'S EARLY LEARNING SERIES

ABC'S In Color

Speed your child's learning of the Alphabet!
CoCo 16K ECB Tape \$19.95 Disk \$25.95

Alpha Memory

Your child can master the lower and upper case letters of the alphabet while having fun!
CoCo 16K Tape \$16.95 Disk \$20.95

Basic Math

Learn to add & subtract through counting!
CoCo 16K ECB Tape \$12.95 Disk \$16.95

Mix & Match

A brilliantly colored constantly moving computer version of concentration!
CoCo 16K Tape \$12.95 Disk \$16.95

Mr. Bear Flash Card

After your child has mastered Mr. Bear Math, continue his/her learning, experience with Mr. Bear's multiplication & division flash card.
CoCo 16K Tape \$15.95 Disk \$19.95

Mr. Piggy

Program will aid your child in learning the value of money!
CoCo 32K ECB Tape \$19.95 Disk \$24.95

Mr. Bear Count

A counting program that will tantalize the youngest member of your family!
CoCo 16K Tape \$15.95 Disk \$19.95

Mr. Bear Math

Add & subtract with Mr. Bear. Your child will gain Mr. Bear's wink of praise & approval!
CoCo 16K Tape \$15.95 Disk \$19.95


See & Spell

Let your computer aid your child in learning to spell!
CoCo 16K ECB Tape \$14.95 Disk \$18.95

Teaching Clock

Learn to tell time with the aid of a special teaching clock!
CoCo 16K ECB Tape \$16.95 Disk \$19.95

Over 75
Titles!



Programs Have Been Child, Parent, & Educator Tested!

Send for
FREE Catalog

TCE EDUCATION DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
(301) 963-3848



BASIC's regular *BACKUP* can be used to copy *CP/M* disks, and *DSKINI* is used to format them.

In the area of disk-resident commands (*CP/M* calls them transient commands), *CP/M* comes with four of its own command programs:

RESET quits *CP/M* and returns to Radio Shack Disk BASIC.

SYSGEN is used to generate a *CP/M* system disk for the *CP/M* system. *SYSGEN* cannot, however, initialize a fresh disk, rather, it only modifies a standard CoCo disk for use with *CP/M*. Hence, to set up a new disk you must return to Disk BASIC (with *RESET*), use *DSKINI* to initialize the disk, and then return to *CP/M* and use *SYSGEN* to prepare it for use with *CP/M*.

CONFIG is used to change some of the *CP/M* parameters to fit the individual hardware used with the CoCo. It determines printer port parameters such as Baud rate (300 to 4800 Baud), number of data bits and stop bits, type of handshaking, and whether line feed characters are allowed or kept from the printer. *CONFIG* is also used for redirecting output from the printer to the screen or vice versa, and for setting disk drive parameters such as number of tracks (35, 36 or 40) and drive step rate (six through 80 milliseconds). Although *CONFIG* allows use of up to 40 tracks on a disk, the need to use BASIC's *DSKINI* command to format disks usually means that only 35 tracks can be used.

CONVERT is the largest and most ambitious *CP/M* command. It permits *CP/M* to read 18 other popular *CP/M* disk formats, including those written on Access, Cromemco, DEC, Eagle, Holmes, Kaypro 2, LNW, Lobo, Morrow, NEC, Osborne, TRS-80 Models III and 4, Xerox, and Zenith computers. Not all formats can be read since *CP/M* cannot read single-density disks, 8-inch disks, hard-sector disks (such as North Star *CP/M* disks) or Apple II *CP/M* disks; nevertheless, the *CONVERT* program does allow access to a large variety of software from other machines. Note, however, that this is strictly a one-way street — *CONVERT* does not allow you to write disks which other machines can read. In addition, *CONVERT* does not let you read or write your regular CoCo Disk BASIC disks so there is no way to transfer data files, text files or BASIC programs to or from regular Disk BASIC.

For the user who wants some of the almost classic *CP/M* programs, Color Power sells copies of *WordStar*, *SpellStar*, *StarIndex* and *MailMerge*. Even when included with the *CP/M* adapter, the total price is often less than the price of the individual programs on the open market. Due to a lack of documentation, I was not able to test these, but they do all seem to work. Also available is a communications program called *UltraTerm+*.

Documentation

CP/M comes with a 29-page manual which covers the basic aspects of the *CP/M* system and how to use it. This is a far cry from the two thick manuals which came with my copy of *CP/M-68K* (which runs on a 68000). The *CP/M* manual leaves a lot of unanswered questions, and does not cover some programs (such as the ED editor, ASM assembler, or DDT debugger), at all. It suggests that the user purchase one of the many *CP/M* manuals, and gives a suggested bibliography.

User Comments

On the whole, the *Color Power II* system is a very solid piece of professional equipment. Aside from the lack of adequate documentation (which should probably improve with time), there is little one can seriously fault it with. Most problems noted were small ones, typically the kind that show up in any new product.

For example, *CP/M* allows a fairly good implementation of *WordStar* and *SpellStar*. But a small problem occasionally causes this combination to scroll an extra line, so that when *SpellStar* comes back to rewrite the screen it writes one line lower than it should, thereby causing some confusion. Also noted was the fact that the *BREAK* key, which usually can break any program, does not work within *WordStar*.

The lack of a BASIC interpreter is also a small problem, especially since *CP/M* cannot read or write CoCo disks. (Since every other DOS for the CoCo has such file convert utilities, I am sure it's only a matter of time until they are available for *CP/M* *CP/M* as well.) As a test of the *CONVERT* program, I got a public domain *CP/M* disk prepared for the Kaypro 2 computer. Though I was able to convert and read all of it, it was a challenge to figure out a way of using the BASIC programs on it. (I eventually transferred them to another computer via the serial printer port.)

(Color Power Unlimited, Inc., P.O. Box 606, New Providence, NJ 07974, \$329. With *WordStar* and *MailMerge*, \$498; *SpellStar* and *StarIndex* \$79; *UltraTerm+*, \$55.)

INCREDIBLE!!

Turn your CoCo into
a powerful processor
with CCSM*

the most productive operating system
and programming language available for
any micro -- regardless of price!!

- Write professional software
- Virtual Memory, a la Mainframe
- Your programs can be as large as your disk

* CCSM - Comp Consultants Standard Mumps

Call or Write:



16260 Midway Road • Dallas, Texas 75234 • (214) 733-4100

RAMDOS Is A Good Disk-Type Tape Program

RAMDOS is a tape-based utility program designed to use part of available memory as a storage area to stack several programs while the rest of memory is active. The machine language routine allows for the user to departmentalize the memory by use of a **CLEAR** statement and an **OFFSET** to protect a portion of RAM. The program provides for a disk-type operating system to facilitate the movement of programs from or to storage or active RAM. The intent is to be as close to using this storage RAM as a virtual disk. The method used by the program author is that the user moves into the program routine by entering an **EXEC** and then selecting the appropriate command for execution and then leaving the routine to return to the active RAM area again.

The disk-like operating system of the program includes commands to save a program from active RAM to storage RAM; list all the program in storage; rename a program; kill a program; clear all programs from storage; a 'help' menu which list the commands; a 'Q' command which returns the user to BASIC; and a 'restore' command which transports a program from storage to active RAM. All of these commands acted on the programs without trouble

and faster than the blinking of the cursor!

The number of BASIC programs that might be stored depends on the length of the individual programs (and the amount of space reserved for storage). In a typical configuration of several short programs, each may be loaded sequentially in the storage RAM. The user then has the option of calling up any of the stored programs to the active RAM. In the transfer from storage to active RAM, the active RAM is wiped clean, thus this system was never intended to pass data between programs, or act as command stream system, or provide for linking or chaining of programs.

As noted earlier, the system works best with a group of short BASIC programs. Machine language programs may be used in this system, but such machine language programs must be assigned specific locations through the use of "offsets" at loading time so as not to overwrite the host program. The routine has trouble handling very long BASIC programs because of the memory limitations imposed by dividing the RAM into an active and storage segment. The division of RAM space is accomplished by use of **CLEAR** statement and loading **RAMDOS** with an **OFFSET**. The selection of a coupled set of **CLEAR** and **OFFSET** statements which provides for allocation of the RAM is the problem. If the user selects a combination that allocates most of RAM to storage, then the user might encounter the OM Error when trying to **CLOAD** a long program. Likewise, allocating too little RAM to storage will result in an OM Error if this large program does not have enough room to be stored.

The program, once loaded, functions smoothly and is fast. The selection of the proper sequence for loading with **CLEAR** and **OFFSETS** is the hardest part of the whole operation. The manual offers an example in which the user is instructed to **CLOADM RAMDOS** with an **OFFSET** then enter **CLEAR,200** with a number one less than the **OFFSET**. With that example the user is left to his own experimentation. One other instruction is offered in which the manual indicates that if the user has Extended BASIC, then a **PCLEAR 1** is necessary before loading the program. (Interestingly, one of the long programs used for the test required a **PCLEAR 4** and after following the manual's suggestions, the program when returned to active RAM would not work.)

The manual's major shortfall is not being more informative on the loading patterns to be tried for different needs or RAM size. The manual's title page notes the program will run on 16, 32 or 64K computers. While true, it should be noted that it is compatible with only the lower 32K of the 64K equipped computers. The manual suggests that some bank switching programs might work with **RAMDOS** if the jump table is maintained. No test of a bank-switching routine was attempted.

RAMDOS might be of interest to non-disk users who might want to use part of the RAM as a "virtual disk" storage area. Within the limitation of the size of the individual programs and designated RAM, the program might fill the need of a disk-like addition.

(Dataman International, 420 Ferguson Ave. North, Hamilton, Ontario, Canada L8L 4Y9; cassette \$25.95 U.S., plus 3 percent S/H, \$2.50 minimum)

— Robert Foiles

Aurora Computing

49 Brookland Ave., Aurora, Ontario Canada L4G 2H6

FAMILY GAMES

The popular **STOCKBROKER** and **CRIBBAGE 32K**

..... \$14.95 each.

ADVENTURE GAMES: Sea Quest and Shenanigans from MARK DATA only \$24.95(C); \$27.95(D) each

From BRANTEX, **PIRATE TREASURE 16K** \$13.95

SCAVENGER HUNT 16K \$18.95

EDUCATIONAL GAMES

COLORMIND, CONCEN - improve your memory and logical thinking - **16K** \$10.95 each

Also from **BRANTEX**

EDU-COMBO (Math Derby, Peek 'N' Spell Metric Converter) **16K** only \$29.95

BUSINESS: HOUSEHOLD EXPENSE MANAGER 16K \$19.95

LOAN ANALYSIS 16K \$20.95

NEW from MARK DATA

The amazing **TIME FIGHTER 16K** \$24.95(C)
32K \$27.95(D)

Also the ever popular **GLAXXONS 16K** \$24.95(C)
32K \$27.95(D)

UTILITIES: **ROMDISK:** Run your rom pack games from a disk! **64K** \$15.95

MR. COPY - make up to 99 copies of one program at once! **16K** \$15.95

Super Disk Utility — A Collection Of Useful Tools

"Where is the beef.dat?" If you had used the Catalog option of *Super Disk Utility*, all that would be necessary would be to look down the printed list to learn where the "beef.dat" program was located.

Cataloging all of the files on all your disk is one of the nine operations grouped on the *Super Disk Utility* program sold by Petrocci Freelance Associates on an unprotected disk. The other operations supported are *Diskzap*; *Date Disk Files*; *Purge Files*; *Copy by Files*; *Directory Sort*; *Super Directory*; *Diskzap 40*; and *Track Formatter*.

The program author has arranged access to seven options through a main menu system. When a selection is entered it is loaded from the disk and automatically runs. The options have submenus to offer further functions. The other two programs on the disk (*Track Formatter* and *Diskzap 40*) are machine language programs that are loaded independently as needed.

From the main menu the user can select the drive number (0 to 3) for default drive. This option is very useful for the two drive user since it allows the program to move through the options without several disk swaps. The single drive user is given prompts as to when to switch disks (system disk or data disk) and switching disks is necessary each time a major option is selected.

Operating the Catalog option is simple for either single drive or two drives. The program prompts the user to enter a name for the disk which will have its directory read into memory. The disk is read and the next name is entered for the next disk, etc. When the user has run out of disks to read (or reaches the program's limit of 800 files) the hard part of the job is done. The sorting of all the disk directories into order by either "file name," "disk name" or by "extensions" is fast. The sorted file is automatically saved (with the program assigning the extension for each of the three types of sorts). For this review a total of 30 disks were read into the catalog. These disks produced 330 files which were sorted in less than one second. The sort routine is so fast that I had to run the test twice to be sure the sort actually took place. The only way to use the results of all this fast action is to have the listing of the sorted files printed out. Again, the selection of either "file name," "disk name," or "extension" is necessary for the printout of the records by that option. Once a catalog has been constructed, the program allows for modification by either deleting files or adding to the "inventory."

Diskzap, the other "major" program in the package has its own submenu. The options provide for "allocation table check," "verify disk sectors," "display file sectors," "display disk sectors," "move" or "copy disk sectors," "covert granule #" into track and sector or "zero disk sectors." During any of the display options, the program provides for modification of any location shown on screen by moving the cursor to the spot and typing over the desired notation. Once changes are made to suit the user, hitting ENTER will save that change to the disk. This section of the program works well and a change can be entered faster than some other "zap" programs.

The *Track Formatter* program is able to reformat any selected tracks (up to 40 tracks) on a disk with problems or it can format an entire disk. By using this program a not yet formatted disk can be given the same status as a disk given the *DSKINI* pass; but the program then will go back and verify all the tracks; and in a fraction of the time required to use the *DSKINI* function alone. Another feature of this program that may be of more interest to users of non-Radio Shack drives is that the "Sector Skip Factor" is controllable.

Diskzap 40, according to the program author, allows accesses to 40 tracks for those users not using Radio Shack equipment. This program was not tested since the system used for this review was standard Radio Shack equipment (which only has 37 tracks). The program also allows for a shifting of a copy of a disk's directory to track 37 as a "cash protection" option. Naturally, the directory restoration option is also included.

The 13-page manual covers the programs and indicates those areas where problems might occur. It is clear and easy to follow. Page 14, however, is printed in such a small print that it is almost unreadable; but it appears that page is the "End User Agreement."

The *Super Disk Utility* is a collection of some interesting and useful tools and some functions that may not be of interest to some users. The ability to purge files, copy or date a disk file, as well as the Directory Sort option which will read the directory, sort in alphabetical order or group by extensions and rewrite to disk, all from within the program, are there if you want them.

However, the Catalog option has a fast sort function; but there is no search or find function included. Thus, the speed of the sorting is outweighed by forcing the user to go to the slowest operation of the system — the printer — to make use of the information. There are other Catalog programs on the market which include a search function and sell for a fraction of the cost of this program.

This set of disk programs may appeal to some users as it is offered.

(Petrocci Freelance Associates, 651 N. Houghton Road, Tucson, AZ 85748, disk \$29.95)

— Robert Foiles

One-Liner Contest Winner . . .

Guaranteed to drive you up the wall after a minute or so, this program draws a circle that gets larger and smaller over and over!

Michael Rosenberg
Prestonburg, KY

The listing:

```
Ø PCLEAR8:FORX=1TO8:PMODEØ,X:PCL
S:CIRCLE(128,96),X*1Ø:NEXT:FORX=
1TO999999:FORY=1TO8:SOUNDY*2Ø,1:
PMODEØ,Y:SCREEN1,1:NEXTY:FORY=8T
O1STEP-1:SOUNDY*2Ø,1:PMODEØ,Y:SC
REEN1,1:NEXTY,X
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

Star Trap Game Promotes Cooperation Among Children

Star Trap is a new and different game for one or two players aged seven or older. It is produced for Radio Shack by the Children's Computer Workshop — an activity of the Children's Television Workshop (the producers of *Sesame Street*, *the Electric Company*, and *3-2-1-Contact*). Supplied on cassette, this game requires Extended BASIC, and joysticks.

Before describing the game, I'd like to tell you how it differs from most games. First, this game teaches cooperation, rather than competition, when played by two children. The two players work together to accomplish the game's objective — to trap the computer-controlled star.

A second difference is the cassette format. Side one contains the "standard" game, ready to be loaded and played. Side two contains a modified version which allows the player(s) to "customize" the game via an easy-to-understand menu. Selections include the game (maze) size, background color, player and star speeds, active gates (explained below), and several miscellaneous options: the number of X's (used to trap the star), whether blockers are desired, the number of players, and the presence or absence of the maze walls.

The object of the game is to trap a single star — to block its movement either with X's (placed at the player's position

when the joystick button is pressed) or by cornering it against a wall or between two players. The score depends on the time required to trap the star and the number of X's used — the shorter the time and the fewer the X's used, the higher the score. There are six gates which affect the players and star differently when passed through:

- 1) The X gate replenishes a player's limited supply of X's.
- 2) The speed gate increases the speed of the object passing through it — whether a player or the star.
- 3) The slow gate decreases the speed of the object passing through it.
- 4) The jump gate causes the object entering it to exit at a different location.
- 5) The invisible gate renders the star invisible for a short time after it passes through.
- 6) The magic gate allows the star to pass through walls for a short time.

When playing the customized version (on side two of the cassette), each of the gates can be included or excluded via the menu.

To further complicate play, blockers appear periodically at random locations for a brief period to block both star and player movement. (These blockers also can be included/excluded via the menu when playing the customized version.)

A detailed instruction book includes step-by-step procedures to assemble the necessary hardware, to load the program from cassette, and to play the game (using either the standard or customized versions). Possible difficulties and typical solutions are included throughout the book. All game symbols are explained and player strategies are outlined. The final pages suggest several related games that don't require a computer.

As you have probably inferred, I'm impressed with *Star Trap* — its unusual format, its cooperative nature, and its complete instructions. It encourages children to modify the game, possibly piquing an early interest in programming. Radio Shack has a winner in this game.

(Radio Shack stores nationwide, on cassette for \$19.95)

— Jerry Oefelein

DATA'PHILE
 207 Melrose Drive
 North Syracuse, New York 13212
 (315) 458-3410
 THE EXCLUSIVE COLOR COMPUTER STORE
 Proudly Presents

PAUSE CONTROL

=====

This development adds new dimensions to your Color Computer. The control allows you to stop the CPU dead in it's tracks. All operations are continued from their stopping point when released. All computer operations are supported (except cassette) including Disk in/out.

Now when the phone rings, you can put your game or other program operations on "hold" until you return to them— picking up where you left off. It can also be used for security, preventing unauthorized use of your computer; as well as many other uses.

The kit includes a fully assembled PAUSE CONTROL with complete documentation for installation (solderless connections). Kit installation takes about 15 minutes and anyone can do it. The case must be opened for installation and it works with all versions of the color computer.

The kit is fully tested and has been submitted to RAINBOW for certification.

\$19.95 Check or Money order

THE DATA'PHILE deals exclusively in the Color Computer. We serve the entire New York State area, but can meet your needs wherever you live. We sell the following fine products:

FRANK HOGG FLEX COMPUTERWARE VIP SOFTLAW PRICKLY PEAR MARK DATA TOM MIX FUTUREHOUSE TELEWRITER 64 DISKS	J&M CONTROLLERS OKIDATA PRINTERS TEAC & SHUGART DRIVES COLOR & MONO MONITORS CUSTOM PROGRAMMING BASIC CLASSES ASSEMBLY CLASSES MAGAZINES DISK CLEANERS
---	--

Our objectives are service, honesty and personal attention. Our success depends on customer satisfaction. We are in constant development of new products for the color computer. Pricelist included with order.

One-Liner Contest Winner . . .

This is a very "graphic" demonstration of how things drawn in one PMODE look when switched to another.

Bill Valentine
Fort Worth, TX

The listing:

```
Ø PMODE RND(5)-1,1:SCREEN1,1:X=R
ND(128):Y=RND(8):HW=RND(185)/99:
CIRCLE(126,96),X,Y,HW:PAINT(128,
96),Y,Y:GOTO Ø
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

Learning To Count With Counting Things

Two programs helping children learn to count and recognize numerals are presented on the tape, *Counting Things*. Instructions and guidelines for the parent or teacher are included as a separate, introductory program, which advises the adult to explain the programs first, demonstrate their operation, and pose questions which can be answered by using the programs.

The first program, *Counting Things*, asks how far the child wishes to count and then goes to a Hi-Res screen showing three vertical lines labeled 100, 10 and 1 and, in the lower half, zero is spelled out and a 0 is shown on the screen. Under this, the computer asks, "What is the next number?" When the numeral one is pressed, the bottom portion of the screen shows the number one and spells out one, and, in the upper portion a plus appears and one small horizontal line is drawn on the vertical line in the units column. The program continues in this manner, adding lines to the units place, until the number 10 is reached, when a small line is placed in the tens column and the lines removed from the units

column. This visualization of the number line, the place holding property of zero, and demonstration of how the number system works in moving from the units to tens to hundreds places is valuable, particularly if an adult has posed one of the suggested questions so that the child's attention is drawn to this feature of the program.


The second program is similar, although this time the child first enters how many numbers he knows and the computer then places numbers of pluses on the screen and draws corresponding numbers of small lines on the vertical lines, requiring the child to enter the numeral which the pluses represent. Both programs respond only to the correct number.

Thompson House wisely points out that these programs are not intended for repeated use to gain mastery, but rather to reinforce learning at various stages. At first the child learns to press the next number in the sequence, and becomes familiar with the written word for each number, then he counts objects and gains an understanding of the number line and perhaps some better understanding of the base 10 number system.

(Thompson House, P.O. Box 58, Kamloops, British Columbia V2C 5K3, 16K ECB tape \$14.95)

— Carol Kueppers

Setting The Standards



Graphics and sound effects like never before on the CoCo. An exciting original arcade action game. Control your hero through a maze of moving conveyor belts. Outsmart bad guys and save O.P. Doll. Over 1,000 frames of increasing difficulty.

100% ML, original title screen music, 1 or 2 players, colorful Hi Res graphics, exciting sound effects, joystick or keyboard input, pause feature, 8 digit scores and high score name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95




Strap yourself into the ultra responsive Formula 1 car and rev the throttle to fire 500 screaming horses to life. Your heart pounds in anticipation of the race. The green flag drops and you are slammed back into your seat as the field thunders off in a deafening roar.

An exciting racing game in colorful Hi Res graphics with realistic sound effects. Joystick or keyboard input. Joystick input is compatible with all joysticks. Many different tracks to choose from. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95



Another exciting original arcade action game. Help Willy stock the warehouse while keeping up with incoming orders. Watch out for the antagonists who intend to make your day long.

Excellent graphics and sound effects. 100% ML, 1 or 2 players, demonstration mode, selectable difficulty, joystick or keyboard input, pause feature and high score list with name entry. For 32K CoCo and TDP-100.

Cassette-34.95

Disk-34.95

COLORPEDE



ROBOTTACK

This truly outstanding engineer designed, 100% ML game with multi-colored Hi Res characters and fast action will challenge the most avid arcade buff. 1 or 2 players with joysticks or keyboard. COLORPEDE slithers through the load stools. Demonstration mode with top 5 scores. Pause feature. For 16K CoCo and TDP-100.

Cassette-29.95

Disk-34.95

"...forefront of the pack..." RAINBOW, Dec. '82

You are the super human who must fight off the attacking robots and save the remaining humans from destruction. You have super human powers, can shoot in any direction and move anywhere on the screen to accomplish your vital mission.

Engineer designed, 1 or 2 players and top 5 scores displayed. Pause feature. For 16K CoCo and TDP-100 with joysticks.

Cassette-24.95

Disk-27.95

AT YOUR DEALERS NOW.
From INTRACOLOR: VISA, MASTERCARD, Money Order. Please allow 2 weeks for checks. Add 1.50 for shipping, 3.00 outside U.S. 4% tax in MI.

intracolor
P.O. Box 1035, East Lansing, MI 48823 (517) 351-8537

DEALER INQUIRIES INVITED

QUALITY PROGRAMS SOLICITED

AFTER CHRISTMAS SALES

SALE PRICES GOOD UNTIL JANUARY 26

HARDWARE

LEGEND PRINTER 800	279.00
LEGEND PRINTER 1000	369.00
LEGEND PRINTER 1200	399.00
BOTEK PARALLEL INTERFACE — SAVE 15.00 IF ORDERED	
WITH ABOVE PRINTERS	69.95
GORILLA GREEN MONOCHROME MONITOR	94.95
GORILLA AMBER MONOCHROME MONITOR	101.95
VIDEO PLUS	22.45
VIDEO PLUS IIM	24.25
HJL 57 PROFESSIONAL	79.95
J&M DISK CONTROLLER	139.00
64K UPGRADE KIT	45.95
SPECTRUM LIGHT PEN	17.95
PHELAN SWITCH BOX	39.95
(FOR CONNECTING PRINTER AND MODEM AT THE SAME TIME/DATA TRANSFER LIGHT)	
PHELAN 10 FT. EXT. CORD FOR PRINTER:	
MALE TO MALE	15.00
FEMALE TO MALE	15.00
PHELAN 10FT COCO JOYSTICK CABLE	15.00
PEEK&S AND POKES CAT. FOR COCO	15.00
VIDEO CLEAR	15.95
SHUGART DUAL DISK DRIVES	350.00
WITH J&M CONTROLLER	450.00
SHUGART SINGLE DISK DRIVES	240.00
WITH J&M CONTROLLER	325.00
VIDEO IIC	35.00

SOFTWARE

CHOPPER STRIKE (MICHTRON)	25.00 (C/D)
CANDY CO. (INTRACOLOR)	30.50 (C/D)
WILLY'S WAREHOUSE (INTRACOLOR)	30.50 (C/D)
GALAGON (SPECTRAL ASSOCIATES)	21.50 (C)/25.40 (D)
TIMS MAIL (SUGAR)	17.95 (C)
TIMS (SUGAR)	20.95 (C)
QUEST 32K (AARDVARK)	21.50 (C)/26.30 (D)
NINJA WARRIOR (PROGRAMMER'S GUILD)	25.50 (C)
(GET SNOWPLOW FREE)	
DIETICIAN (NORTH GLENN)	19.95 (C)
MOON SHUTTLE (DATASOFT)	29.95 (C/D)
POOKY (DATASOFT)	25.95 (C/D)
FROGGIE (SPECTRAL ASSOCIATES)	21.50 (C)/25.50 (D)
GRAPHICOM	26.95 (D)
GRAPHICOM PICTURE DISK I-V	17.25 ea. (D)
ELITE CALC	51.95 (C/D)
ELITE FILE	69.00 (D)
NEW WORLDS OF FLIGHT (TOM MIX)	27.95 (C)/30.95 (D)
WAREHOUSE MUTANTS (TOM MIX)	21.95 (C)/24.95 (D)
SALVAGE (PROPER PROGRAMS)	9.95
COCO CALIGRAPHER (SUGAR)	20.95 (C)/25.95 (D)
TUT'S TOMB (MARK DATA)	21.95 (C)/25.95 (D)
THE NORTH CAROLINA CARTOGRAPHER	24.95 (D) 32K EXT.
ANY MARK DATA GRAPHIC ADVENTURE	21.95 (C)/25.95 (D)
MAJOR STAR (COMPUTERWARE)	19.95 (C)/22.95 (D)
STAR TRADER (COMPUTERWARE)	19.95 (C)/22.95 (D)
SAM SLEUTH (COMPUTERWARE)	19.95 (C)/22.95 (D)
MIDDLE KINGDOM (COMPUTERWARE)	19.95 (C)/22.95 (D)
TELEWRITER-64 (COGNITEC)	45.95 (C)/54.95 (D)
MR. DIG (COMPUTERWARE)	23.20 (C)/25.50 (D)
JUNIOR'S REVENGE (COMPUTERWARE)	23.50 (C)/25.50 (D)
PENGON (SPECTRAL ASSOCIATES)	19.95 (C)/23.50 (D)
VIP DISK-ZAP (SOFTLAW)	42.50 (D)
CASHMAN (MICHTRON)	22.50 (C)/24.95 (D)
TIME BANDIT (MICHTRON)	22.50 (C)/24.95 (D)
DEMON SEED (MICHTRON)	22.50 (C)/24.95 (D)
OUTHOUSE (MICHTRON)	22.50 (C)/24.95 (D)
COLOR FURY (MICHTRON)	22.50 (C)/24.95 (D)
RAINBOW SCREEN MACHINE (RAINBOW)	25.45 (C)/28.00 (D)
SUPER SCREEN MACHINE (RAINBOW)	38.20 (C)/40.40 (D)
64K DISK UTILITY (SPECTRUM PROJECTS)	18.95 (D)
HOMEBASE (WORKBASE DATA SYSTEMS)	49.95 (D)
WORKBASE I (WORKBASE DATA SYSTEMS)	61.95 (D)
WORKBASE II (WORKBASE DATA SYSTEMS)	75.00 (D)
DEJAVU (BEAR GRIP SOFTWARE)	13.95 (C)/15.95 (D)
YATCHSEE (BEAR GRIP SOFTWARE)	16.95 (C)/17.95 (D)
MATHS - TREK	15.95 (C)
MACRO ASSEMBLER & XREF (COMPUTERWARE)	31.00 (D)
COLORBOWL FOOTBALL (COMPUTERWARE)	19.95 (C)/23.95 (D)
ICE HOCKEY (COMPUTERWARE)	19.95 (C)/23.95 (D)
GRAN PRIV (INTRACOLOR)	27.95 (C/D)
ROBOTACK (INTRACOLOR)	19.95 (C)/22.95 (D)
BJORK BLOCKS (MORETON BAY)	29.95 (C/D)
AND MORE!!	

SEND FOR OUR FREE CHRISTMAS SALES SHEET. SALES IN ALL CATEGORIES:
ARCADE, ADULT, BUSINESS APPLICATION, UTILITY, FLEX, OS-9, ADVENTURE,
DATABASE, LANGUAGES, SPREADSHEETS, EDUCATION, HARDWARE, BIBLE
STUDY, INVESTMENT, SCIENCE/ENGINEERING, HAM RADIO, MUSIC, WORD
PROCESSING, HOME, COMMUNICATION, AND BOOKS.

WE ARE ACTIVELY LOOKING FOR GOOD PROGRAMS TO DISTRIBUTE.
WRITE FOR AUTHORSHIP/DISTRIBUTORSHIP PACKAGE.

SEND FOR YOUR FREE DESCRIPTIVE CATALOG (INCLUDE \$2.00 FOR
SHIPPING AND HANDLING). PLEASE SPECIFY COMPUTER.

- MONTHLY SALES SHEET • ACCEPTANCE OF CHECKS WITH NO DELAY
- RALEIGH, NC STORE LOCATION COMPLETE WITH LIBRARY
AND COMPUTER DISPLAYS.

MAIL ORDERS: \$2.00 - 1ST CLASS / \$2.00 - UPS GROUND / \$4.00 AIR
\$2.00 - C.O.D. / NC SALES TAX 4 1/2%

MC & VISA WELCOMES

SOFTMART

5024E Departure Drive - Raleigh, NC 27604

ORDER ONLY INFORMATION
1-800-334-0854, EXT. 879 (919) 876-6124

Software Review

Pak-Panic — The Old Game With A New Twist

With centipedes, monsters, invisible mazes and ghosts that can go through walls, *Pak-Panic* from Tom Mix Software is unique compared to all of the competition. *Pak-Panic* is a 32K 100 percent machine language, arcade-style game that uses the left joystick and firebutton.

The scenario is as follows: You are Pakman. Your job is to go around the screen eating dots, power pills, and bonus prizes while avoiding monsters.

A power pill is one of the larger dots on the screen. Seven are on levels one through four. Six are on levels five through nine. When a power pill is eaten, Pakman has the power to eat all of the monsters he pleases. Whenever Pakman eats a monster, his ghost appears at the top of the screen. When seven ghosts have appeared at the top of the screen one of two things will happen. Either one of the ghosts will come out and float around the screen (even through the walls) hunting for Pakman, or the seven ghosts will link together to form a centipede that will do the same thing. Even with power pills, Pakman cannot overpower ghosts or centipedes.

Bonus prizes appear in the middle of the screen about twice a board. When bonus prizes are eaten they are stored in a box below the screen. When 14 prizes have been eaten you get a bonus of 14,000 points. This can only happen twice.

Four more tricks the programmer threw in to make the program better are invisible mazes every four rounds, the ability to store power pills, a selection of difficulty at the beginning of the game, and a high scores board.

You can store power pills by eating a pill while a previous pill is in effect. Stored power pills can be used by pushing your button while no power pill is in effect. A maximum of six power pills can be stored at any time.

I liked *Pak-Panic* and I think many other people will like it.

(Tom Mix Software, 4285 Bradford NE, Grand Rapids, MI 49506, tape \$24.95, disk \$27.95)

— Pat Downard

FREELANCERS

software & news writers columnists
TOP RATES FOR YOUR WORK

Send for your WRITER'S package

No SASE please

Dragonfly
Writings

Box 1340, Fort Qu'Appelle, Sask. — CANADA S0G 1S0

Test Manager — A Useful Addition To Your School/Home Library

Test Manager is a program that allows you to create files of multiple-choice questions, then select specific questions to be printed on a test. An answer key is also printed with each test you prepare. *Test Manager* requires a 32K disk system with a printer. The program will work with one-disk drive with a minimum of fuss, but a two-disk system will make life easier if your files contain more than 75 questions. Question files can contain a maximum of 150 questions.

This program works exactly as described in the documentation. The documentation consists of six pages of information, clearly worded and neatly printed. The program worked without flaws for two weeks of rather intensive use. I made up a variety of tests, using all the options on the menu. One of the especially nice features of a program of this type is that it allows the teacher to create one set of questions (say 75) and then create five or six different versions of the test, each with its own key. This, of course, cuts way down on the chances for cheating, as well as allowing for individual differences in students or classes.

You begin by setting up your file of questions. Each question can be up to 245 characters long (I found this to be more than adequate.) A bracket is used on-screen to mark the end of the space allowed for a question, a very handy feature. If you do exceed the limit, the program tells you so, erases your question, and invites you to try again. Previously entered questions are not lost. After each question is entered, you enter the answers, correct answer first (the answers will be presented in true random order when each test is printed).

You can create true-false tests by just entering two answers and entering a blank for answers three and four. Answers can be up to 180 characters long. This allows for complete thoughts to be used rather than just one- or two-word answers. You may go back and add, delete or change questions later if you wish. The only restriction to this is that you cannot delete a question from a file containing more than 75 questions unless you are using a two-disk system. Both single and two-disk systems will hold a maximum of 150 questions in a file. You may also merge two different files together to make a new file.

Next, you select the questions you wish to use on a test. These can be from more than one file. The process of selection creates a new file of your selected questions, so you need to be careful not to try putting this new file on a nearly full disk — another place where two-disk systems make life easier! You then print out the test. You are asked for a name for the test, the form code (so you can match the correct key to the test), and the name of the file that will be used in printing. The program will also print a space for the student's name and class. You have the option of printing the questions in the order you selected them, or having the computer print them in random

order. The answers are always printed in random order, even though you entered the correct answer first. The page break will always be between questions.


The printed copy of the test is neatly arranged, ready for photocopying. Or, since nearly all printers using friction-feed can print directly on a ditto master if the ribbon is removed before printing begins, you will have a letter-perfect test and no purple ink on your fingers! (See Valerie Rhead's article on Page 140 of the September issue of *THE RAINBOW* for a full discussion of this.) You have the option of single sheet printing (useful with the dittos) or continuous printing.

The only fault I found with *Test Manager* is that it isn't very economical with paper. Even with one line questions and one word answers, the most questions you can get on the first page is seven (eight on subsequent pages.) For long tests, you will have a number of pages to ditto or photocopy. If your printer supports a condensed-print mode, this may help. You could also ditto pages back to back, and some photocopy machines have this feature as well.

Overall, *Test Manager* is a well-developed program that does just what it claims to do. It would be a useful addition to your personal or school's software library.

(80 Custom Software, 5720 Brooke Lane, Sylvania, OH 44860, disk \$29.95)

— Mark Williams



THE SPANISH ARMADA

In the summer of 1588 King Philip of Spain's "Enterprise of England" sailed up the English Channel while Europe watched in apprehensive silence. The *SPANISH ARMADA* recreates the problems faced by the English Commanders as they struggled to defeat the Armada. Only this time it's up to you! Using weapons of the day, can you defeat the Armada? Cope with fickle winds? A relentless current? Difficulty of supply? It won't be easy, but it's fun to try.

The game requires at least a 32K computer and is compatible with either cassette or disc systems. Both versions are shipped on tape.

THE SPANISH ARMADA \$24.95

Send check or money order to Picosoft Games, P.O. Box 35, Eighty Four, PA 15330; (412) 267-3721. Games are shipped postage paid. PA residents add 6% Tax. No delays for personal checks.

Key-Wiz — Easy, Fast, Useful Database Manager

Key-Wiz for OS-9 is a simple, useful utility, especially for those who don't have the money for a \$200 database software package. This program "is a multikey search utility designed to quickly search a file of index cards and find all entries which match a profile of keywords" and "logical operators such as AND, OR, and NOT to provide a very selective search criteria." This simply means it will find "entries" in a simple text file by searching for "phrases" or words you specify. An entry is nothing more than one to 60 lines of text 80 characters or less. Each entry is separated by a blank line and nothing more, so any OS-9 utility that can create such a file, such as a word processor, can create your database.

Supplied with *Key-Wiz* is a sample database containing two lines per entry. The first line contains a book title and author, the second line contains a publisher's name. When invoked, *Key-Wiz* will present you with a menu of options. You can specify input and output files when you execute *Key-Wiz* or you can select the 'I' and 'O' menu options to specify those files after executing *Key-Wiz*. These

assignments can be changed at any time while in the utility. Your output file is, by default, your screen and can be changed to a disk file, or perhaps to your printer. You can also select options to limit the search to any number of lines. For example, if you know the word(s) you are searching for are contained only in the first four lines, and each entry is 15 lines, you can tell *Key-Wiz* to search only the first four lines of each entry, thereby speeding up the search considerably. And *Key-Wiz* is quite fast, considering the work it must do. You can also limit the number of lines output for each match, thereby formatting your output to show only the data you wish to see. You may also tell *Key-Wiz* to display the output continuously or to pause after each entry displayed, waiting for you to press the ENTER key for the next entry. *Key-Wiz* also comes with *Sort-Wiz*, a quick sort utility designed to sort the entries on any line you choose. This is desirable for sorted output, and the standard OS-9 sort utility, if used, would sort the blank lines to the beginning of the file. This would destroy the entry markers in your file (the blank lines), hence *Sort-Wiz*.

I found one annoyance and one bug in this otherwise excellent utility. The annoyance is that there is a useless "Help" option, which does nothing more than redisplay the menu. Simply pressing ENTER does that already. It may make the program too large, but it would have been nice to have a brief "help" for each menu choice. The bug I found occurs like this: I've opened my input file and entered my search criteria. Entries which match are being displayed just fine. After seeing about 10 entries, I don't wish to see the remaining possible hundreds of matches. How do I stop the search? If I use BREAK, I interrupt the program completely and am dropped back to OS-9. My CHD and CHX directories revert to bootup default! If I use CLEAR BREAK, the display continues, and when done, I see the menu constantly being redisplayed and it doesn't stop! The only thing I can do here is press BREAK and completely terminate the program! There is definitely a bug. There is an 'E'xit command in the menu which works perfectly, and even closes the files, but that is for "normal" completion.

Overall, for the price it is an excellent little database utility, again, for those who do not need or cannot afford the more expensive, though more powerful, database management software.

(Interactive Micro Systems, P.O. Box 21007, Columbus, OH 43221, disk \$24.95)

— William Van Nest

WANTED!

Young men and women seeking adventure, excitement and thrill-a-minute action. No experience necessary—just you and your Color Computer. See below:

FOR THE 32K THRILLSEEKER

	TITLE	DISK	CASS.
NEW!	MR. DIG	\$27.95	\$25.95
NEW!	CANDY CO.	29.95	29.95
NEW!	WILLIE'S WAREHOUSE	29.95	29.95
NEW!	ICE HOCKEY	—	21.95
	ZAXXON	29.95	—
	PROTECTOR II	—	29.95
	DESERT PATROL	—	21.95
	ICEMASTER	—	21.95
	FOODWAR	—	22.95
	WACKY FOOD	—	19.95
	CASHMAN	—	24.95
	CHOPPER STRIKE	—	24.95
	TIME BANDIT	—	24.95

LOTS OF PLAY FOR 16K

	MOONSHUTTLE	—	\$26.95
	FROG TREK	16.95	14.95
	3-D TIC-TAC-TOE	18.95	16.95

Interested applicants send check or m/o to:
OELRICH PUBLICATIONS, INC.

**4040 N. NASHVILLE
CHICAGO, IL 60634**

Credit card orders call: 800-621-0105


(In Illinois call: 312-545-9286)

NO SHIPPING CHARGES!!!



FLORIDA SEARCH NO LONGER!

The Software Connection of
Fort Lauderdale is your one stop source
for your Color Computer Software,
Peripherals, Books, Magazines & Repairs



**THE SOFTWARE
CONNECTION, INC.**

4301 N. State Rd. 7
Lauderdale Lakes, FL 33319
(305) 484-7547

Howard Medical Disk System Offers More Storage

Many CoCo users are no doubt aware that several of the more popular personal computers (such as the IBM PC and PCjr, and Radio Shack's Model 1000, 1200 HD and 2000) use double-sided disk drives to cram twice as much data on each diskette by using the "other" side of the disk. All diskettes that I know of have a magnetic coating on both sides (unlike recording tape, which is almost always single-sided), but so-called "single-sided" disks are only guaranteed to work on one side. In practice, single-sided blank diskettes generally work fine with double-sided drives. Howard Medical's *Drive 0 Package* lets you get up to 360K on a single diskette on the CoCo, and is also able to handle standard CoCo disks.

The *Drive 0 Package* consists of a DD-2 double-sided disk drive (with case and power supply) and a J&M Systems disk controller. A special cable is also included. The disk drive is a TEAC half-height unit, the same one used in the Sanyo MBC-550-2/555-2. Its case is sturdy, though plain, and the power supply is well able to drive it.

The JDOS operating system supplied with the controller

is the key to using double-sided drives on the system. It is capable of using either 35 or 40 tracks and either one or both sides. The J&M controller is also configured for double-sided drives. All you have to do is format your disks on both sides in the J&M format, like this:

DSKINI 0, 2, 40

Disks formatted in this way will have 360K of space available. JDOS automatically adjusts for the format of whatever disk you use, including standard Radio Shack disks.

One problem with using JDOS is that a few programs (such as *Telewriter-64*) are very dependent on Radio Shack Disk BASIC features and won't run with the entirely different JDOS ROM. If you have a Radio Shack disk controller, you can use it with the new drive with no problem (but only on Radio Shack-format disks). If you have 64K, another way would be to use the SYS SAVE and SYSTEM programs in Part I of "Cooking With CoCo" (August 1984, Page 18) to save Radio Shack Disk BASIC on a special disk and use it in place of JDOS if needed.

If you think that 360K per disk will help you use the CoCo more effectively, the *Drive 0 Package* is a good buy.

(Howard Medical Computers, Box 2, Chicago, IL 60690,
\$395 plus \$7 S/H)

— Ray Edwards

MUL-T-SCREEN



COLOR CHARACTER GENERATOR A NEW DIMENSION IN COLOR COMPUTING



- Now includes a character generator and sample graphic space game at no extra cost.
- Full 224 text and graphic characters. Underline in all PMODES. Prints vertically.
- All machine language, user transparent. Supports all BASIC, EXTENDED BASIC and DISK commands.
- Automatic loader recognizes 16k, 32K & 64K computers.
- Mix up to 5 character sizes in 4 colors all on one screen. A total of 10 sizes available from 8*4 to 42*24 or 32*32 in vertical mode.
- Use up to 4 defineable window screens of any size. Also includes horizontally scrolling (crawling) one line screens.
- Includes positive & negative screen dumps in 2 sizes for R/S, Epson & Gemini printers. (Please specify)
- Special Trace Delay can be used to debug programs one line at a time (even graphics).
- A special printer control can output characters to the screen & printer simultaneously.
- A must for all color computer owners. Once you try it you won't write another program without it.

INCENTIVE SOFTWARE (519) 681-0133

P.O. BOX 323
STATION B
LONDON ONTARIO
CANADA N6A 4W1

P.O. BOX 7281
PORT HURON
MICHIGAN 48301
U.S.A.

MINIMUM REQUIREMENT	16K BASIC
TAPE - 24.95 US or	29.95 CDN
DISK - 27.95 US or	32.95 CDN



Tape to Disk upgrade available for \$8US or \$10CDN. We pay postage within US & CANADA on orders over \$20, otherwise please add \$1. Other countries please add \$2. Charge orders please add \$1.

Calorie Counter — Weight Analyzer Is Just What The Doctor Ordered

Draco Software's *Calorie Counter — Weight Analyzer* program is just what the doctor ordered. This tape-based program offers a well-rounded choice of over 400 food items to use in daily menu planning, with guidelines given on how best to plan your diet program.

A seven-page guide and instruction booklet outlines the basics to allow the user to lay out a regular, well-balanced diet for children, teens, adult males, adult females and lactating females. All that is missing is a guide for pregnant females, and perhaps it is intended that, in such cases, direct medical supervision of diet is called for.

Once the program is *CLOADed*, *RUNning* should get you going. (I have an older CoCo with the *PCLEAR* problem, and so had to type *RUN* twice.) A brief quiz allows the computer to determine your correct weight, and displays it on the screen. You should make note of this, as you will need it later when compiling your daily food selection. Something that might be done in a future edition of the program is to check if a machine is 64K and if so, *POKE* the maintenance calorie level into high RAM. Then when the next section is loaded, it could check and

PEEK the information into the program, to be displayed for reference. A minor point is that age is not considered in determining the calorie level needed to maintain body weight. While the difference may not be great, a 20-year-old of a given size and weight will burn more calories than an equivalent 50-year-old.

A very few items needed further clarification of serving size (chef salad, raw carrot) but in almost all other cases the serving is given in standard cup or ounce increments.

The ability to store a daily menu on tape for future use allows the user to build a "file" of menus which, with a little planning, would allow a dieter to plan a varied meal plan and cut down on those moments of indecision which might otherwise lead to the kind of snacking that can lay the rest of a day's good intentions to waste.

A nice option, should you succumb to temptation, or if you have a food not on the listing provided by *Calorie Counter*, is one which allows you to enter an extra calorie amount. This allows you to account for (my favorite) ice tea with extra sugar, or other personal foibles.

A printer option gives the user a hard copy to keep by your refrigerator or to take to the store. This can help reduce nibbling, as well as cut down on impulse buying.

Both fun and (sometimes) depressing to use, Draco's *Calorie Counter* should prove a good buy for any dieter.

(Draco Software, 22 Cassell Street, Portland, ME
04102, \$29.95)

— Nevin J. Templin

ARE YOUR WALKING FINGERS GETTING FOOTSORE?

Tired of typing in those long, but wonderful, programs from issues of **THE RAINBOW**? Now, you can get **RAINBOW ON TAPE** and give those tired fingers a rest. With **RAINBOW ON TAPE**, you'll be able to spend your time enjoying programs instead of just typing . . . typing . . . typing them! All you need to do ever again is pop a **RAINBOW ON TAPE** cassette into your recorder, *CLOAD* and *RUN* any one you want.

Think of it! Not 10 or a dozen — but between 20 and 30 — programs every month from **RAINBOW ON TAPE**. All the really good programs from **THE RAINBOW**! All the long ones . . . so you don't have to type them in. Just *CLOAD* and *RUN*!



Now...The Best Color Computer Magazine Offers The Best Tape Service

RAINBOW ON TAPE single issue rate is: within the US, \$8 (\$10 after Jan. 1, 1985), Canadian and Mexican rate, \$10 (\$12 after Jan. 1, 1985), all other countries, \$10.00 (\$12 after Jan. 1, 1985).

RAINBOW ON TAPE subscription rate is: within the US, \$70 (\$80 after Jan. 1, 1985), Canadian and Mexican rate, \$80 (\$90 after Jan. 1, 1985), all other countries, \$95 (\$105 after Jan. 1, 1985).

US FUNDS ONLY PLEASE

VISA, MasterCard and American Express accepted. All subscriptions begin with the current issue and back issues are available beginning with April, 1982. Tapes are sent first class mail to arrive approximately the same time as your current issue of **THE RAINBOW**.



ORDER RAINBOW ON TAPE TODAY!
HANDY ORDER CARD BETWEEN PAGES 34 & 35

Talking Adventure Starter

— A Vocal Experience

For Adventurers

By Kenneth D. Peters

Welcome to Adventuring with voice responses! *Talking Adventure Starter Package* by Owls Nest Software consists of two Adventures, *MYHOUSE* and *PIRATES*, and a two-page documentation designed to help teach Adventuring to the beginning Adventurer while providing the unique experience of vocal responses throughout the Adventures. As an added attraction, these Adventures are relatively simple, nonviolent, and fun; suitable for very young children of reading age.

Owls Nest has two versions of the *Adventure Starter Package*. The standard version was reviewed in the February '84 RAINBOW and has only a text response. The *Talking Adventure Starter* is meant to be used with Colorware's *Real Talker* voice pak, introducing you to Adventures with the added realism of voice responses.

The reviewer of the standard *Adventure Starter* mentioned having to remove the disk controller and enter *PCLEAR 0*. If that was a problem then, apparently both conditions have been improved. I found both Adventures in the talking starter package loaded with a simple *CLOADM* operating under Disk BASIC. The actual Adventures are written in BASIC, but use *CLOADM* to load and auto execute and also to provide an initial screen to read while the Adventure loads.

I was disappointed by the lack of an introductory voice when the Adventures first begin. In *MYHOUSE*, you are given an Adventure welcome (in text form), with the object of the Adventure being to find the hidden golden coin and return to the front porch. (First you must find a way to enter the house.) I anxiously waited for a voice to come forth and welcome me while I was trying to decide what to do. None came. "Where's the voice? I thought this was a talking Adventure." My initial disappointment passed as I progressed through the Adventure. With increasing interest and enthusiasm I discovered that the voice pak was used primarily for responses to the Adventurer's commands: East, West, North, South, Help, Get Paper, etc. Actually, my kids and I found that the voice talked to us quite often as we explored the house using one- or two-word commands, such as "Open Door" and "Read Paper". Moving through the house by entering compass directions (N,S,E,W) and Up and Down sometimes provoked a vocal response. Sometimes the Adventure voice provided us with a humorous response to our commands and movements. Sometimes it gave us some useful clues. Overall, use of the voice pak gave us a remarkable experience not to be soon forgotten.

One thing about the Adventure that bothered me was the slow character print on the text screen. *MYHOUSE* has a poke in it that reduces the character printing rate across the screen. I found it annoying to have to wait so long to see what the response and changes were on the updated screen. However, I am not a beginner in Adventures and after thinking about it, I realized that



FOR THE COLOR COMPUTER FROM

triad pictures corp.

p o. box 1299 sequim, wa 98382

THE ANIMATOR SERIES

Create your own FULLY ANIMATED CARTOONS!

THE ANIMATOR - Command a Hollywood style animation studio. 32 cels & 620 frames for over 1.5 min. of animation! Film style "cel" animation for smooth results. Extensive manual & 3 cassettes. 32K/EXT. \$35

ANIMATOR JR. - a simplified version in semigraphics. 16 cels, 500 frames (1.5 min. +). Animation can be called from your own BASIC program! 16K/EXT. \$16

ANIMATOR COMMERCIAL (for professional use) - 12 FULL-SCREEN cels stored in upper 32K. Can be called from BASIC or fed to a VCR! Variable-speed SCROLL (any direction)! SPRITES! TEXT! Hi-res & "block" versions supplied. Up to 3 min. & 24 frames/sec. 64K/EXT. \$50

ROBOT BASIC

Kids 7 & up can write graphics programs!

A computer language for beginners. Much EASIER to learn than LOGO. Very similar to EXTENDED BASIC, so when you're ready to advance you don't have to learn all over again. Create dazzling graphics; "CLONE" multiple robots; even TEACH the robot your own commands! Develops problem-solving skills; makes math and geometric concepts come alive! "Doodle Mode" for easy experimentation. 16 & 32K/EXT. \$18

TRI-GRAF

Hi-res graphics for your OWN programs!

Get rapid graphics development & still maintain FULL CONTROL over every pixel, not just blocks. Create dazzling title screens. ML routine included lets you load & call your own graphics from BASIC, even chain-feed from tape AT WILL (great for adventure writers)! Variable-size TEXT. WINDOW mode for move or copy. Automatic CIRCLES. Compatible with THE ANIMATOR. BONUS "SLIDE-SHOW" PROGRAM INCLUDED! 16K/EXT. \$16

ALL PROGRAMS COME ON CASSETTE, WITH BACK-UP. Orders shipped within 24 hours! Call or write for catalog of many other great programs. C.O.D. phone orders OK.

Please send me:

order form

_____	\$ _____
_____	\$ _____
_____	\$ _____
_____	\$ _____
Add \$2 SHIPPING AND HANDLING	\$ _____
(3 or more - we pay s/h)	TOTAL \$ _____

name _____
address _____
city _____ state _____ zip _____

send this to:
TRIAD PICTURES
P.O. Box 1299
Sequim, WA 98382
(206) 683-6459

feature could be a big plus in helping draw the attention of beginners to screen updates and the fact that changes may have taken place as a result of something they just did, but may not be obvious unless they actively look and review their surroundings. In *PIRATES*, the poke has been modified so the screen is updated much faster. (Being written in BASIC, both Adventures can be altered to delete the poke if desired.)

Lack of a vocal welcome and the slow screen update are minor. I think the *Talking Adventure Starter Package* does a super job of developing an interest in Adventure game playing and in providing the beginning Adventurer with many detailed hints, clues, and ideas about playing Adventure games. I watched my two older children, ages seven and 10, play *MYHOUSE* with the same engrossing and endless enthusiasm as they play the arcade quality games on the CoCo.

In addition to the excellent documentation containing all the helpful hints and ideas, both Adventures use the HELP command. HELP is used extensively in the first Adventure, *MYHOUSE*. Typing HELP invokes a vocal response ranging from giving you moral support to suggesting new ideas to try or things to look for, to telling you simply that nothing will help you here. *MYHOUSE* is relatively simple, meaning there are few rooms, movements, and obstacles to overcome and contains no death traps. Additionally, *MYHOUSE* is similar to your house and mine — a setting we all have some familiarity with. In the eyes of a child or beginning Adventurer no Adventure may seem simple at first. I found *MYHOUSE* quite enjoyable and it introduces the basics of Adventuring very nicely.

PIRATES is also relatively simple, when compared to other complex Adventures that take days and weeks to complete. There are relatively few moves (rooms/scenes) in *PIRATES* and they are easily mapped out. But *PIRATES* is much more involved and complex than *MYHOUSE*, and contains several death traps. Your goal in *PIRATES* is to recover the pirate's treasure. *PIRATES* introduces a greater depth and exposure to the subtle ideas, increased number and variety of verbs, the importance of doing the right thing at the right time, and the persistence needed at times to obtain a desired result and finish an Adventure.

Both Adventures have a game save feature. I used the option in both Adventures to make sure it worked; however, some Adventurers may find they do not need it. I finished *MYHOUSE* Adventure within an hour. My children both finished it within a half-dozen sittings (one-half hour to one hour per sitting). *PIRATES* took considerably longer but is possible to complete in one evening unless you really get stuck.

I thoroughly enjoyed both Adventures. I keep reading or hearing about many people who get discouraged and frustrated by Adventures and give up or lose interest. I believe both programs and the accompanying documentation provide enough help and foster sufficient interest to ward off such feelings. At the very least, *Talking Adventure Starter* would probably give the unsure beginning Adventure player a truer feeling for what Adventuring is about and an opportunity to enjoy and learn more about Adventuring.

If you've been contemplating Adventures or if you've tried Adventures and have become frustrated with them, I would recommend giving *Talking Adventure Starter* a chance. I also would highly recommend the *Adventure Starter* as an ideal nonviolent Adventure for young children, age six and up (reading age). The children love it and you might even consider a joint parent-child partnership in solving the Adventures. Even if you are beyond the beginner's level, I think you'll find these two Adventures enjoyable. Both are possible to finish in an evening and both will give you a unique vocal experience. By the way, if you don't have Colorware's *Real Talker*, the standard text *Adventure Starter* is also available.

(Owls Nest Software, P.O. Box 579, Ooltewah, TN 37363, \$17.95 tape)


TRS-80+ MOD I, III, COCO, T199/4a
TIMEX 1000, OSBORNE, others



GOLD PLUG - 80

Eliminate disk reboots and data loss due to oxidized contacts at the card edge connectors.

GOLD PLUG 80 solders to the board edge connector. Use your existing cables. (if gold plated)



COCO Disk Module (2)	new	\$16.95
Ground tab extensions	SPECIAL PRICE	INCL
Disk Drives (all R.S.)		\$7.95
Gold Disk Cable 2 Drive		29.95
Four Drive Cable		39.95

USA shipping \$1.45 Can/Mex \$4.
Foreign \$7 Don't wait any longer TEXAS 5% TAX

Available at your favorite dealer or order direct from



E.A.P. CO.
P.O. BOX 14



KELLER, TEXAS 76248

(817) 498-4242

MC/VISA

+ trademark Tandy Corp

CARMATE — — MEMODATA

CARMATE isn't a program. It's a system designed to help you track preventative maintenance, repair costs, and other data about your car. Contains extensive features.

Disk version only \$35.00

Stop sulking over important events which you forgot. MEM-ODATA remembers them for you. Versatile, easy to use.

Disk and cassette versions \$15.00

★★ Bonus Programs — Program Support
— Programming Service★★

For More Info or to Order, Please Write:

COMPUGRAM
P.O. BOX 26663
RICHMOND, VA 23261
(804) 644-8249

Play With Language Is Exhilarating, Entertaining And Educational

By Michael F. Garozzo

It is hard to believe how far computers have developed in the world of education. After all, it's not *that* long ago I attended school. Actually, of course, education is an ongoing experience, and we all are continually learning how much we do not know. But I certainly do not remember school being as much fun without computer programs like CCW's *Play With Language*.

Children's Computer Workshop, in case you do not know, is part of Children's Television Workshop, the group who produced *Sesame Street* and developed Sesame Place, the educational amusement park in Pennsylvania. As a matter of fact, the computer programs that CTW developed were originated at Sesame Place. Living about 10 minutes from Sesame Place, I can verify the statement in the introduction of the booklet that says, "Fifty-seven computer games are available . . .," my children and I have played most of them.

I think the three programs included in *Play With Language*, developed from the low-resolution, fairly simple games at the Park, are amazing. The 35 people listed under the titles of CCW's print development team and software development team deserve the credit for a job well done and I feel that it was honorable of CCW to list their names.

Play With Language is designed for elementary school use. This is not to say a family would not profit from the learning experiences; however, the format of the instruction booklet is definitely classroom oriented. The information begins by telling you that the program includes three language-arts learning modules. Each learning module contains the diskette, 10 reproducible worksheets, five activity cards, one gameboard and one poster describing how to play the activity. An extensive teaching guide states ". . . and ancillary materials to provide for individualization of instruction, child/computer/teacher interaction and an educational philosophy which encourages active participation in reading and writing." And this was in the first paragraph. Does this scare you? Would Cookie Monster refuse a chocolate chip cookie? The general information section begins with the word "Relax." The booklet is designed for the beginning computer user as well as the more experienced. The instructions are precise (and so easy to follow that Oscar the Grouch could not get mad). And in case you just unpacked your Color Computer for the first time, "Setting Up Your System" describes everything you need to know right down to which wire to plug into what connection.

The three, separate programs with the *Play With Language* series are: *Picture Place!*, *Roll-A-Word*, and my personal favorite, *Bagasaurus*. According to the instruction booklet all programs have the same affective and cognitive goals.

The affective goals are:

A) Students talk and exchange ideas with their peers and teacher as they interact with the computer.

B) Students are involved in self-directed learning as they explore environments and think about information in new and different ways.

C) Students have fun and enjoy their experiences with the computer, as they play the activity.
The cognitive goals are:

A) Students practice sight words and beginning vocabulary as they exchange words and their picture referents.

B) Students practice making words in rhyme patterns and complete sentences in clever ways.

C) Students practice several reading comprehension skills and create stories.

In addition, each program has an individualizing menu for the teacher called "Learning Manager"; a "Teaching Extensions" section in the booklet for additional classroom activities; a stand-alone "Gameboard" to use in the classroom with a group; and a "Dictionary" that lists all words in the program.

Picture Place! has 193 word-pictures and six background scenes. Each time the game is played, ". . . the computer randomly selects 24 words from a pool of 40 words associated with the chosen background scene." The student picks a word from a list of four words shown, hits the ENTER key, and using the joystick, moves the word-picture onto the scene. When the student feels that the proper location has been reached, the ENTER key is hit again and the word-picture is placed upon that spot. The bottom of the screen has a list of four words, the word "more" and the word "end." The joystick glides a rectangle across

ORDER TOLL FREE
1-800-437-4757 EXT. 241

HERE IT IS. . .

The Standard
BASIC
Dictionary
for Programming 

JOHN P. STEINER

Here are all the definitions, sample commands and information on functions, statements and operations you need to quickly adapt and run a BASIC language program.

- *Covers virtually ALL versions of BASIC.
- *Quick reference syntax guide.

- *Includes graphics & file commands.
- *Each word is cross referenced to other words with identical or similar functions.

PLUS:
A complete appendix includes programming techniques, graphics, file handling, many useful charts, references and more. 230 pages in book.

ONLY
\$19.95
Plus \$2.00
Shipping & Handling



**Computer
Associates**

Dept. R
Box 683
West Fargo, ND 58078

Send SASE for CoCo
Support catalog.




the screen for placement of the words on the scene or encircles individual words on the list to be chosen. When you encircle "more" you get the next list of words, if you encircle "end" you stop the program. It should be noted that the description I am giving you does not give justice to the excellent high-resolution stage scenes or to the superb machine language music used in the program. *Picture Place!* is designed so the teacher can develop special skills with short vowels, long vowels, blends, the silent 'e' rule and syllables. As with all the programs, the teachers can create their own lessons by choosing certain picture-words and saving them to a disk. Of course, the teacher can save each student's creation on a separate disk. As before, the instruction booklet is very precise in explaining each and every step. The "Teaching Extensions" section includes 10 activities that correlate with the program. In addition, there are five activity cards for the students. Each activity card is a 5" x 7" hard, glossy card that is designed to withstand classroom use. The "Gameboard" is a Monopoly-style game that is printed on glossy paper. It would probably be worthwhile to glue it down to a piece of cardboard for permanent use. Complete instructions are included in the booklet. The 10 reproducible handouts include a cartoon (for coloring), questions and an activity.

Roll-A-Word is a fascinating way to have students match beginning and ending sounds. The more complex version has the students using blends. A sentence is shown with blank spaces. By using the right and left arrows, pictures are moved across the top of the screen. When the student reaches a picture that matches the sentence, he uses the up and down arrows to roll the letters in the rectangle.

Upon matching the letters to the proper picture the student hits the ENTER key. If correct, the picture either rides, flies or floats to the correct position on the sentence. If incorrect, he has to continue. It is as much fun rolling the letters and pictures as it is getting the right answer. As before, the program has a learning manager so the teacher can create other versions of the program. Student sentences can be saved to disk if desired.

There are also 10 "Teaching Extensions," five activity cards, and a gameboard. The *Roll-A-Word* dictionary is divided into word groups such as: "UG"; "bug, jug, rug, mug, plug".

I have never met such a lovable creature as *Bagasaurus* (or my subtitle, "Heigh-Ho Din-O-saur"). In case you have never heard of a Bagasaurus, a short story describes that 100,000,000 years ago, when the ice age came, all the dinosaurs died off, except that one dinosaur egg (put in a blue paper bag by its parents) was saved! I am not one who ruins the great story by giving away the ending so you will just have to read the rest yourself. I will tell you that *Bagasaurus* travels around the world (in fantastic high resolution pictures) from Easter Island to Egypt and along the way he has to bag (as in *Bagasaurus*) words and images by correctly answering questions. The student uses the joystick to move and the ENTER key to collect the words. If incorrect, the Bagasaurus stomps his (I use the word "his" carefully as it may be "her" and I do not want a dinosaur to get mad at me) feet and shakes its head no. If correct he/she nods yes and takes the word or image. Sound effects are great! Each footstep, closer or further away, can be distinguished. Each nod, positive or negative, is different. Each screen provided a little different type of sound. "Heigh-Ho Din-O-saur!" There are 13 different scenes, 100 questions, 70 images, and 300 words. After correctly choosing a word or image to a question (*Bagasaurus* does not move on until you answer correctly) all chosen words are fitted into one of 50 different stories or poems. Throughout the story are underlined words and by hitting the ENTER key the student changes the story word with the word they chose with *Bagasaurus*. Vocabulary skills are developed with synonyms, antonyms, and multiple word meanings. Reading comprehension skills include classification, following directions and sequencing. Of course, there are 10 "Teaching Extensions," five activity cards, a "Bagasaurus Gameboard" and a dictionary. High-resolution graphics abound.

Something I did not mention about all these games; they are all non-resident. The disk must be connected all the time and the effect is excellent. All high-resolution pictures flow from one into the other. The music blends with the scene. Everything works perfectly.

With all I have written I bet you're wondering if I tried it out on some children. Of course, I let my children work with it. And yes, I sat back and observed their motivation and educational achievement and *yes, it does what it says!* My children, Jennifer, David and Michael loved it! They cooperated together in developing the programs, they learned the blends in *Roll-A-Word*, they made stories with *Picture Place!*, and they had *Bagasaurus* travel around the world to collect words and most important of all . . . they let me play with them.

SPECTRUM PROJECTS

Announces The Appointment Of
DERBY CITY SOFTWARE

As Spectrum's new

Southern Division Distributor

(AL, FL, GA, KY, LA, MS, NC, SC TN, TX)

FIRST TIME ORDER SPECIAL

SOFTWARE — 10% OFF

HARDWARE — 5% OFF

EXCLUSIVE DERBY CITY ITEMS

DISK SORT & ORDER

A disk utility that will eliminate all sector data and alphabetize the directory. Also will allow the conversion of a RS-35 Diskette to a JDOS 40 track. One or more drives.

\$11.95

CGP-115 PRINTER/PLOTTER UTILITIES

PP Color Dump — All machine language - fastest and highest quality screen dump for CGP-115 ANYWHERE. Works in all PMODES and compatible with Graphicom. Many powerful and user friendly features.

\$19.95

PP Color BioRhythm — Prints out a four color one year BioRhythm. One month Pages with both graph and daily codes fully color coded. Accurate to the year 2000.

\$10.95

EPSON RX-80 Screen Dump Utility

All machine language - full page pictures in less than 3 minutes. Works in PMODES 3 & 4 - Compatible with Graphicom.

\$9.95

RS-232-C SERIAL PORT 2 POSITION SWITCH

Black Case with gray face and toggle switch. No soldering - just plug in.

\$19.95

DERBY CITY SOFTWARE

4180 Bardstown Road
Louisville, KY 40218

(502) 499-9393; In Canada call: 1-800-361-5155

All orders add \$3.00 shipping & handling; KY residents add 5% sales tax.
C.O.D., VISA, MasterCard and Cash

(Radio Shack Stores nationwide, Cat. No. 26-2538, \$99)

THE COLORSOFT™ BUSINESS SYSTEM

INTEGRATED BUSINESS SOFTWARE DESIGNED FOR THE COLOR COMPUTER
WRITTEN FOR USE BY THE NON-ACCOUNTING ORIENTED BUSINESSMAN
CONCISE USERS MANUAL WITH SAMPLE TRANSACTIONS TUTORIAL
PROFESSIONALLY WRITTEN AND FULLY TESTED
HIGHLY USER FRIENDLY AND MENU DRIVEN
AFTER THE SALE SUPPORT

SMALL BUSINESS ACCOUNTING (Version 2.0) This sales-based accounting package is designed for the non-accounting oriented businessman. It also contains the flexibility for the accounting oriented user to set up a double entry journal with an almost unlimited chart of accounts. This package includes Sales Entry, transaction driven Accounts Receivable and Accounts Payable, Journal Entry, Payroll Disbursement, and Record Maintenance programs. Screen and hardcopy system outputs include Balance Sheet, Income Statement, Customer and Vendor Status Reports, Accounts Receivable and Payable Aging Reports, Check Register, Sales Reports, Account Status Lists, and a Journal Posting List. The number of accounts is limited only by the number of disk drives. \$89.95

ACCOUNTS RECEIVABLE (Version 2.0) This package is designed to meet the requirements of most small business users. The system includes detailed audit trails and history reports for each customer, prepares invoices and monthly statements, mailing labels, aging lists, and an alphabetized customer listing. The user can define net terms for commercial accounts or finance charges for revolving accounts. This package functions as a standalone A/R system or integrates with the Small Business Accounting package to build a complete accounting/receivables system. \$59.95

PAYROLL (Version 2.0) This integratable package is designed for maintaining personnel and payroll data for up to 200 hourly and salaried employees with 8 deductions each. This system calculates payroll and tax amounts, prints checks and maintains year-to-date totals. These amounts can be automatically transferred to the SBA package for financial reporting. It computes each pay period's totals for straight time, overtime, and bonus pay and determines taxes to be withheld. Additional outputs include mailing list, listing of employees, year-to-date federal and/or state tax listing, and a listing of current misc. deductions. This system is suited for use in all states except Oklahoma and Delaware. \$69.95

All programs require a minimum of 32K and 1 disk drive but will take advantage of 64K and multiple drives. Each package features a hi-res 51 x 24 black on green screen. 16K versions available without hi-res screen. Specify 16K or 32K versions when ordering. Future integrated packages will include: Inventory Control, Sales Analysis, Accounts Payable.

INCLUDE \$5.00 Shipping/Handling Per Order

Write for Free Catalog

BRANTEX, INC.

COLOR SOFTWARE SERVICES DIV.

BUSINESS SOFTWARE GROUP
P.O. BOX 1708
GREENVILLE, TEXAS 75401



TELEPHONE ORDERS
(214) 454-3674
COD/VISA/MASTERCARD

ATTENTION DEALERS: WE OFFER THE BEST DEALER PLANS AVAILABLE

Jungle Queen Seeks A Safari Hero

If real men don't eat quiche, it's just as unfortunate that real cannibals do eat people, and right now a group of them is adding a few vegetables, some garlic, and a little Accent to a stewpot of water rapidly heating up over a well-stoked fire. In the pot of water is our Jungle Queen, and if she is not rescued soon she will become a tasty dinner for the hungry cannibals.

But wait! In the distance a hunter on safari hears the Queen's cries for help. The area of jungle he is in is nearly impassable, so he leaps for a vine and swings from tree to tree, Tarzan-style. Suddenly the trees end and our hero encounters an alligator-infested river. He must swim across the river, avoiding and killing the alligators as he swims. He must also avoid large clusters of bubbles which can entrap him and limit his maneuverability, making him more susceptible to the hungry 'gators.

Once across the river, our hero is getting very close to the cannibal village. Some of the cannibals have discovered his presence and are rolling rocks and boulders at him as he attempts to climb the hill where they are cooking the Queen. After ducking and jumping the rolling and bouncing rocks, our intrepid rescuer arrives at the scene of the cookout where, in two mighty leaps, he jumps over the heads of the cannibal cooks and rescues his beloved

Queen (clap and cheer loudly!).

Jungle Queen, by Dave Shipka of ZOSO Software, is a good rendering of the arcade game *Jungle Hunt*. It has four screens; the swinging vines, the river crossing, the rolling stones and boulders, and the rescue of the Queen in the cannibals' cook pot. In higher levels, the swinging vines have monkeys on them trying to knock the hero off the vines. While the graphics do not set a new standard for excellence as did games like *Zaxxon* and *Pyramid Adventure*, they are good. My staff of assistant reviewers (three teen-aged sons and their friends) rated this as a good game and fun to play.

When I first received this game for review, I found that the tape did not stop running when the game was loaded. I also found an oversight in the documentation — it did not specify how to move the man through the screens, whether to use the joystick or the keyboard. I wrote to Dave Shipka about the problems, and in a few days a new tape and revised documentation arrived in the mail with both problems corrected. It looks like the buyer can expect good, prompt support in case of any problem.

The program is extremely long — it requires full 32K, so if you have a disk drive, by all means order the disk version.

(ZOSO Software, 6606 Skywae Drive, Columbus, OH 43229, tape \$26.95, disk \$29.95 plus \$2 S/H)

— James G. Kriz

DYNAGRAPH

Copyright 1984 by Derringer Software, Inc.

A utility program for owners of DYNACALC®

DYNAGRAPH will transfer graphic files from DYNACALC to standard graphic files for further enhancing and labeling by graphic editing programs such as MASTER DESIGN.

DYNACALC stores its graphic displays in a way that is not accessible by the standard LOADM command. DYNAGRAPH will convert these to files that can be LOADMed by most any graphics editing program such as MASTER DESIGN. DYNAGRAPH will also convert a standard hi-res display into the format that is needed by DYNACALC. DYNAGRAPH can reduce a graph vertically and horizontally so that multiple displays can be combined into one.

DYNAGRAPH	\$19.95
MASTER DESIGN	\$29.95
DYNAGRAPH + MASTER DESIGN	\$44.95
DYNACALC	\$99.95 (DYNAGRAPH INCLUDED!)
ALL 3 Programs	\$119.95

Include 3.00 for UPS Shipping — 5.00 U.S. Mail — 9.00 Air Mail

Send orders to: Derringer Software, Inc., P. O. Box 5300
Florence, S.C. 29502-2300
Visa/Master Card: (803) 665-5676 10:00 am to 5:00 pm EDT

DYNACALC is a registered trademark of
Computer Systems Center
MASTER DESIGN (C) 1984 by Derringer Software, Inc.

Turn Of The Screw Correction

In Tony DiStefano's column in the December 1984 RAINBOW, the last sentence on Page 28 is incorrect. It should read: "Next, take a little piece of wire and jumper Pin 20 to pins 2, 5, 6, 9, 12, 15, 16, and 19 — one at a time." Our thanks to Rodney Masten, of Macon, Mo., for catching this.

Additionally, the BASIC listing Tony mentions as an example program was inadvertently left out. The following routine will run four lights in a chase sequence. Use the up and down arrows to increase and decrease the speed of the chase:

```
160 POKE&HFF40,1:GOSUB 250:POKE&
HFF40,2:GOSUB 250:POKE&HFF40,4:G
OSUB 250:POKE&HFF40,8:GOSUB 250:
GOTO 160
250 A$=INKEY$:IF PEEK(341)=247 T
HEN X=X+1ELSEIF PEEK(342)=247 TH
EN X=ABS(X-1)
280 FOR I=0 TO X : NEXT I:RETURN
```

The line below will turn four lights on and off randomly. Change (16) to (255) for an eight-light system.

```
380 POKE&HFF40,RND(16) : SOUND R
ND(100)+100,RND(5) : GOTO 380
```

Key Tronic Keyboard Among The Best

Even though Radio Shack has introduced a "real" keyboard on the CoCos made over the past few months, there still seems to be quite a bit of action on the replacement keyboard front. For one thing, there are still hundreds of thousands of older models in use, and they won't go away very quickly.

Key Tronic's KB-500 is a fairly recent entry into the field. It has some good features, but also some drawbacks compared with some other keyboards. Like most of the other replacement keyboards, this one is made by one of the major keyswitch manufacturers; Key Tronic makes keyboards for many of the IBM-compatible computers and a number of other systems as well, and they are probably best known for the replacement keyboards they sell for the IBM PC and PCjr systems.

The Key Tronic keyboard installs easily; it's not as easy to do as the Macrotron or Radio Shack units, since you have to cut off the center post, but like them (and unlike the HJL-57 and Mark Data Super Pro) it drops right onto the existing mounting posts just like the old keyboard did. The KB-500 comes with the "F board adapter" to plug into newer CoCos' keyboard sockets, and it works on all models including the CoCo 2. The instructions are reasonably clear and should cause no problem.

The KB-500 is quite similar to many of the "IBM clone" keyboards in that its keys are the same size and shape as the PC's keys and feel much the same, but without the characteristic "Selectric click" of the IBM PC keyboard. The layout is identical to that of the normal CoCo keyboard except that one function key has been added, in contrast to the four you get on an HJL or Macrotron unit. This key acts as PF1 if you are using software designed for either of those keyboards.

One interesting aspect of the Key Tronic keyboard's design is that it seems to be geared toward the person who mostly uses programs in BASIC. The specialized shifted-key functions (caps lock, pause, delete line and brackets) are now marked on the keys themselves. (Radio Shack has been using SHIFT-0 as the caps lock key on the Model I and III as well as the CoCo for the past five years, but none of the machines has the key marked to indicate it.) Also, the BREAK and CLEAR keys — the two that will wipe out the program line you were typing — have heavier springs under them to keep them from being pressed accidentally. While this is great for BASIC, application programs will often use those keys for special purposes (*Telewriter* uses BREAK to delete characters and CLEAR for special editing functions), so you may have minor problems. It might be a good idea if Key Tronic would put two extra normal springs in the package so those who want to can restore either or both of those keys to normal and even protect other keys, if desired.

The only actual minus points I found (aside from the dull color scheme of gray alphanumeric keys and dark gray control keys) were the way the keytops stuck up from the surface, leaving a gap of about $\frac{3}{16}$ -inch, and that Key Tronic copied the rather silly IBM practice of putting a small key-top in a large space with a "skirt" covering up the gaps (on the KB-500 the ENTER key is the only one so treated). I'd just as soon have a key that takes up the full space.

The Key Tronic KB-500 is a decent replacement for the CoCo's original keyboard, even if you have the new Radio Shack keyboard in your machine already. As I've said before, since the computer keyboard is such a personal thing, you might want to look at as many of the various replacements as you can before making your choice.

(Spectrum Projects Inc., Box 21272, Woodhaven, NY 11421, or Box 9866, San Jose, CA 95157-0866, \$89.95 plus \$3 S/H)

— Ed Ellers

UNITED STATES OF AMERICA



NOTE — Dealers: Demo disk available — send request on company letterhead.

*Radio Shack® Speech-Sound Pak Catalog #26-3144 required for speech.

* Radio Shack is a registered trademark of Tandy Corp.

Geography — U.S.A. For the 32K Color Computer

Look at the features:

- ★ Speech output*
- ★ High Resolution Graphics with 12 colors
- ★ Print out **any** maps with **your** dot matrix printer.
- ★ Comprehensive quiz sections reinforce map skills
- ★ Scorekeeping of correct and incorrect responses.

- ★ **Big 5 Disk Package with Documentation**
- ★ Comprehensive software support (registered owners)
- ★ Fully field tested in public school.
- ★ **ONLY \$44.95 plus \$3.00 shipping and handling.**

Indiana Software Group Inc.
P.O. Box 627
Columbus, IN 47202-0627
(812) 372-4042

☐ Visa ☐ M/C

Name _____

Card # _____

Address _____

Exp. date _____

City, State, Zip _____

Signature _____

Semigraphics Support Combines Text And Graphics

By T. Gray

One drawback to the Color Computer is the difficulty of combining text and graphics. One way around this difficulty is *Semigraphics Support* (SGS) by Micro Computer Systems. This machine language programming utility meshes with Extended Color BASIC to provide medium-resolution graphics in nine colors plus black.

The result? You have 17 new commands and four new functions. You have easy access to single-bit and six-bit sound generation. You can use five new, full-color graphics modes, with Extended BASIC commands to draw circles, squares, and lines, fill them in, move them around, create animation, and label graphics with text.

There are a lot of good things on this disk (or tape). There are demonstration programs for 16K and 32K. These are interesting enough that I watched them through a couple of times before I even tackled the main program. The demos give you a good idea of what the program can do.

The "new" semigraphics modes are already in your CoCo, and are discussed in Section IV of *Getting Started With Color BASIC*. They provide resolutions from 32 x 16 (SG4 or alphanumeric internal, which CoCo normally uses to put

letters onscreen) to 64 x 192 (SG24). In order to access these modes, it is usually necessary to do a lot of *PEEKing* and *POKEing* around. Fortunately for me, *SGS* does not require an understanding of the hardware and its quirks.

The graphics commands are sensible, easy to remember, and similar in syntax to those of Extended BASIC. All are distinguished by a preceding 'S.' For example, *SPIXL(x,y,c)* sets a pixel located at (x,y) to color (c). The function *A = SPIXT(x,y)* is a pixel test; it returns the value (zero to eight) of the color of pixel (x,y). So much of this is familiar that—after you have spent a few hours puzzling it out—it is easy to use. There is *SCIRCL* for circles and ellipses. There is *SLIN* for lines and boxes (solid, dotted, and dashed) and for solid boxes. There is *SFILL* to paint, and *SHIFT* for easy simple animation. You can *SKOPY* one graphics page to another, or *SMOVE* graphics around the page.

The sound routines are just as handy. *STONEA(f,e)* gives you control over the single-bit sound routine. You can set the frequency delay (f) and the envelope delay (e). *STONEB(f,e,v)* gets you into the six-bit sound, where you can control the volume (v) as well. These two tones aren't as easy as *PLAY* but are fun to play with.

In fact, the author of the documentation seems determined to force you to play around in order to learn how to use the system. I'm not saying that the documentation is inadequate. The manual was nicely done and spiral bound. (It did what spiral bindings always do: it uncurled and dumped pages all over the floor. If looseleaf binders are too expensive to include in the package, just punch holes in the pages and I'll buy my own binder, thank you.)

No, the information is there, but the entire manual seems a bit backward. The full description of how to load



Picture of Tina Turner - Taken from MTV
VIDX - VIDEO DIGITIZER

Vidx connects between the video source and the RS-232 port of the color computer. No need for Y-cables or Multipacks! When VIDX is connected to your computer, you can digitize any source of video such as off air TV, video tape recorder, or live TV camera simply by issuing the proper command from the keyboard. The software used with VIDX is supplied on a non-protected RS format disk. The software has the following functions:

SINGLE OR MULTIPLE EXPOSURE
ABORT or RESUME SCAN
FRAME PICTURE
LOGICAL 'AND' SCREEN 2 & 1
READ/WRITE GRAPHICOM DISK
READ/WRITE RS-DOS DISK
READ/WRITE TO CASSETTE

VIDX-1-\$99.95 DIGITIZER & SOFTWARE

VIDX-2-\$124.95 DIGITIZER & SOFTWARE

with two port RS-232 switcher, allows You to switch between VIDX and two other devices such as printer & modem.

PLUS \$3.00 POSTAGE

SHRINX by John Yurek

Allows you to shrink or enlarge your graphics pictures

- 1 to 4 drives
- Enlarge or Shrink (quad frame)
- Variable Shrink (1-100%)
- Get or transfer to GC disk
- Read/Write Binary Pix file
- Directory of any drive
- User friendly menu

Regular **\$29.95**

Special **\$24.95**

plus \$2.00 postage

SAVE MORE!!!

GRAPHICOM \$24.95

& SHRINX \$24.95

SAVE \$\$ only \$39.95

plus \$2.00 postage

GRAFX MONTHLY GRAPHICS DISK

Look no further for the finest monthly graphics disk for the COCO. Insert GRAFX into your drive and view fine works of art with MUSX. Each month you receive a mixture of humorous, seasonal and technical designs...

One year subscription...**\$99.95**

Three month Trial only...**\$30.00**

(We'll credit your \$30.00 to a full year's subscription)

Sample Disk **\$13.95**

MUSX

The new sound in music for your COCO...

MUSX Disks 1, 2, 3, 4, 5, 6

Each **\$13.95**

2 for **\$25.00**

3 for **\$30.00** plus \$2.00

4 for **\$35.00** postage

5 for **\$40.00**

6 for **\$45.00**

HAM SOFTWARE by John Yurek
used worldwide by Hams

CW - Turns your COCO into a CW keyboard and receive terminal. COCO version has a real time printer.

\$44.95(tape) plus \$2 postage

RY - Turns your COCO into a 5 level (Baudot Code) Teletype machine.

\$49.95(tape) plus \$2 postage

To Place Your Order Send
Check or Money Order To:



P.O. Box 254

West Mifflin, Pa. 15122

Voice (412) 466-6974 (6-9 PM)

24 Hour BBS-COCONET

(412) 744-2335

300 - 1200 Baud Modem Online

FREE DIGITIZED PICTURES!

the thing into various CoCos is found at the back. At the front is an incomprehensible command summary. As I worked through the commands, I kept running into other commands and terms that had not been previously covered. This made the concepts a little hard to pick up. By the time I had worked through the manual, the command summary wasn't quite so incomprehensible, but it shouldn't be one of the first things a user trips over. It was this aspect of the manual that made the program a bit hard to get involved with.

A nice feature of the manual is that there are dozens of sample programs showing you how to use the various commands and features of the program. Even those impressive demonstration programs are listed! Not only do these help you learn the system, they are a treasure trove of information that is missing from the main sections of the text. You pass over these sample programs at your peril.

For example, you can save your semigraphics pages to cassette or disk as ML programs. This is an important feature of the system that really should be given a main section in the manual. Instead, it sneaks into a sample program somewhere toward the back few pages.

One of the main selling features of the system is the ability to easily combine text with colorful medium-resolution graphics. It delivers, too, in three styles of text (orange, green, and inverse, the same as ECB). The graphics mode for which this is available is of about the same quality as set/reset graphics, but is far easier to use. This important feature is not even mentioned in the manual. It is hidden in one of the sample programs, waiting for you to discover it. The actual method of locating letters on the screen, while not difficult, is far from clear in the sample program.

It will take you a bit of experimenting to sort everything out. This is all well and good, if you have the time. I'm sure it wasn't the author's intention to play guessing games with the user, but that's the way it comes out.

In addition to the major omissions of saving graphics and combining text with graphics, there were some minor missing pieces. I'd have appreciated having a few tables that weren't in the text:

- 1) summary of the commands and their syntax (the commands are summarized, but the syntax is buried in individual sections of text);
- 2) table of the maximum x and y values in each mode;
- 3) color code would be handy (it's the same as Color BASIC — 1=green, 2=yellow, etc. but I haven't memorized them);
- 4) since some commands are not available in some modes, a chart of this would be useful.

So there it is, a semigraphics support system that extends your Extended BASIC. Should you buy it? Well, it is easy to use once you get the hang of it. It does increase your capabilities when programming in BASIC. If you incorporate it into a program for sale, there is no license fee. It works with 16K, 32K, cassette, and disk. It comes with a pile of sample programs to help you get to know it better. It encourages, or insists on, exploration and experimentation.

(Micro Computer Systems, 1404 Sunset Drive, Friendswood, TX 77546, 16-32K ECB, cassette \$29.95, disk \$34.95)

***** ★ EXCITING! AMAZING! HUMOROUS! ★

★ Meet "Professor AL" ★

★ (Copyright 1984) ★

★ Friend, Confidant, ★
★ Advisor, Playmate!! ★



★ Two years in the making. Now available for ★
★ the first time!! Both BIG & LITTLE "Kids" ★
★ love "Professor AL." YOU will, too !!!!! ★

★ *Exciting, unique, unpredictable ★

★ *Simulates human thinking through ★
★ combined logic & data. ★

★ *The "Prof" can teach you, AND you can ★
★ teach him! (Even change his person- ★
★ ality if you want to!) ★

★ *He has good solid morals & can handle ★
★ insults. ★

★ *Program easy enough for a child; ★
★ sophisticated enough for adults!! ★

★ (Must be run on at least a 32K TRS-80 Color ★
★ Computer with Disk Drive) ★

★ ORDER TODAY! Disk & Explanation Literature ★

★ **\$30.00 + \$3.00 shpg. & hdlg.** ★

★ (Texas residents add 5½% Tax) ★



★ SANCHER ENTERPRIZE ★

★ 3720 Brookside Dr. ★

★ P.O. Box 260213 ★

★ Corpus Christi, TX 78426 ★

★ ★ ★ ★ [CCN] ★ ★ ★ ★

Now is your opportunity to join a nationwide 24 hr. BBS. Designed especially for the CoCo. CCN provides you with more service than most BBS Systems. You will be able to send and receive mail, get technical information, download free software, read announcements, give us your comments, list your own software and hardware for sale, buy from our business advertisers and much more. CCN is not like some systems that charge you by the hour. We have a small annual fee. You'll be able to use the system as long and as often as you like. We hope that you will. To become a CCN member send \$25.00 to:

Color Computer Network
P.O. Box 573
Franklin, KY 42134

Explore The Universe And Rescue The Earth In *Trekboer*

There's a deadly virus threatening the future of humankind in *Trekboer* — a new graphics Adventure by Mark Data Products — and your mission is to search the universe for a cure.

You are aboard the spaceship *Trekboer* as the Adventure begins, with a variety of buttons to push, doors to open, rooms to search, objects to collect, a tracking screen to watch and a robot that you will need to help you.

As in other Mark Data graphics Adventures, such as *Calixto Island*, *Sea Search* and *Shenanigans*, the visual effects in *Trekboer* are top-notch and of such quality that you will find yourself (again) in front of the computer during the early morning hours.

You have four planets to explore in your journey, each with its own unique environment and the inherent dangers you've come to expect from Adventure games. Be forewarned that you should be braced for some shocking discoveries because the virus has been claiming many lives.

You will need to watch your diet, too, until you discover how the disease is being transmitted. You will probably get thirsty along the way, but it's a good idea to have any liquids tested before indulging yourself.

If you find yourself in danger of being wiped out, or if it's just time to call it an evening, a SAVE feature allows you to retain the game at any point for later resumption.

There's also a HELP feature, which I found to be of questionable value because it usually repeats advice given earlier. Directional commands are simplified by allowing you to enter the first letter of the direction in which you want to proceed.

Mark Data has graciously provided maps and telecommunications aids, but first you will have to find them and, secondly, figure how they can best serve you. There is, of course, some guesswork involved, a lot of false starts, and logical steps that must be taken before you can utilize them.

You must be diligent in your search because there's no turning back to the home base unless you're willing to sacrifice your pride and/or the game. After all, the entire universe is counting upon you!


One of my first reactions was to the name of the Adventure game. Why in the world would the United States want to name a spaceship *Trekboer*? After thinking about it for a while, it occurs to one that the name could be a clue to the solution of the Adventure. Even then, you've got a way to go before reaching a satisfactory conclusion.

Like most Mark Data products I have experienced, *Trekboer* demonstrates the full potential of the Color Computer. The game is challenging, the options are many, the plot is sophisticated, the graphics exceptional, and the appeal is universal. If you're into Adventures, especially of the graphics variety, *Trekboer* is for you.

(Mark Data Products, 24001 Alicia Parkway, No. 207, Mission Viejo, CA 92691, tape \$24.95, disk \$27.95.)

— Charles Springer

THE SOFTWARE HOUSE



DATA GRADE TAPE (with labels)

C-10 \$6.95/Doz. 25/\$13.95
C-20 \$8.50/Doz. 25/\$15.95
C-30 \$9.95/Doz. 25/\$17.95

"SPESHUL"

(15 Tapes, Hard Boxes, Labels
and Storage Box)

C-10 \$12.95 C-20 \$13.95
C-30 \$14.95

Hard Boxes 25/\$4.50 100/\$15.00
Cass. Labels \$2.75/100 \$20.00/1000



SENTINEL BRAND

100% Certified Disks

SS/DD Box of 10 \$18.95

DS/DD Box of 10 \$26.95

SS/96TPI Box of 10 \$28.95

DS/96TPI Box of 10 \$37.95

Bulk Disks with Sleeves

SS/DD 10/\$15.95 50/\$75.00

DS/DD 10/\$22.95 50/\$110.00

GENERIC DISKS

SS/DD 10/\$14.00 50/\$65.00

Tyvek Sleeves 15/\$2.00 100/\$10.00

MEDIA MATE DISK BANK - Holds 50 Disks - \$14.95

Disk Library Case (holds 10 disks) \$2.00 ea. 10/\$18.00

BIB DISK DRIVE HEAD CLEANER \$8.95

RIBBONS: EPSON MX/FX/RX 70/80 \$7.50 ea. 6/\$39.95
GEMINI 10, 10X 2/\$5.50 Doz./\$29.95
OKIDATA 80, 82, 92, 93 2/\$5.50 Doz./\$29.95
OKIDATA 84, 94 \$6.00 ea. 6/\$30.00

HIGH SPEED DATA DUPLICATION

Speech, Monaural Programs. Call or Write for Quote.

ALL ITEMS 100% GUARANTEED!

Add \$2.50 for s/h.....in Mich. add 4% sales tax.

Make check or money order payable to:

"DALLAS COX"

9020 Hemingway, Redford, MI 48239

(313) 937-3442

Clubs & Dealers - call for quantity prices.

UPGRADE NOW!

Unleash the power of your Color Computer!
Sale Packages for every need

#1 DISK DRIVE SYSTEM—J&M Controller, JDOS, 1/2 Ht. 40-track TEAC Drive, cable and manual (2nd Drive add \$159) **SALE \$379**

#2 FULL FEATURE PRINTER—Panasonic Model 1091, Near Letter Quality, Dot Matrix Graphics, with Metric Parallel Interface (PBH Interface add \$20) **\$389**

#3 COMMUNICATIONS PACK—Volksmodem from Anchor, 300 baud, direct connect, cable and Colorcom-E terminal program (ROM or Disk) **\$115**

#4 MONITOR & DRIVER—New Taxan Hi-resolution Monitor, Green 12" display with Video Plus driver (easy to install) (Swivel base for monitor add \$22) **\$159**

PLUS: Full Travel Keyboards from **\$64.95**
64K Expansion Kits (Prime IC's) **\$64.95**
Basic 1.2 or Disk 1.1 ROM's, each **\$39.95**

SOFTWARE, BOOKS—We carry over 200 titles from many fine companies. Give us a try!



POLYGON COMPUTERS

1316 Wilshire Blvd., Suite 206

Los Angeles, CA 90017

(213) 483-8388



Ca. Res. 6 1/2% tax
Visit our Retail Store

Shipping: \$2 Software
Charges: \$5 Hardware

Speed Racer Offers Good Challenge For The Racing Enthusiast

Just when you thought the Color Computer had reached its full graphics' potential, along comes a program like MichTron's *Speed Racer* that makes you wonder just how much more we can extract from this incredible machine.

As you climb into the driver's seat, you are greeted by an opening screen that includes a CoCo and monitor (with motion picture-type credits) on a red and black checkerboard field. You know then and there you are in for something special.

You have a choice of four racecourses, ranging from the predictable rectangular shape to an S-shaped track, and others with a never-ending variety of hairpin turns and tempting straightaways.

You're off with a wave of a checkered flag! Just push your gearshift (right joystick) forward and you're rapidly pushing 200 miles per hour in the age-old quest for glory. Your speed is indicated in a nicely composed speedometer at the lower left of the screen. The object of *Speed Racer* is to pass the required number of cars for each lap, which is indicated by an arrow under a 'Cars Passed' marker at the lower right. You must reach this goal to progress to the next lap. Otherwise, the game is over. Complete all five laps (10 miles) and you win the race.

The real hazards of racing, of course, are the other cars in the race. You must manage to pass them without colliding or losing control, or you will be the latest fatality. Collisions are dramatically represented on the screen by a cloud of smoke and flying tires.

The competition is represented in true arcade fashion that rivals one of those packaged in a sit-down booth at the local video gathering place. It is the game that many

One-Liner Contest Winner . . .

This one-liner is best described as "Old Glory the easy way." It's a surprisingly good (for one line) reproduction of the Stars and Stripes.

Ronald W. Wilson
Franklin, OH

The listing:

```
1 PMODE1:PCLS:SCREEN1,0: DRAW"BM0
,0R255D99L255U99BR50D50L50BU40BR
50R205D10L205D10R205D10L205D10R2
55D10L255D10R255D10L255D10R255":
FORX=7T042STEP11:FORY=9T044STEP1
2:CIRCLE(X,Y),4,4:NEXTY:NEXTX:PA
INT(3,3),3,4:FORA=9T089STEP20:PA
INT(52,A),4,4:NEXTA:GOTO1
```

(For this winning one-liner contest entry, the author has been sent copies of both *The Rainbow Book Of Adventure* and its companion *Rainbow Adventure Tape*.)

CoCo lovers have envied for many months, secretly hoping that it would become available to us.

The action in *Speed Racer* is not quite as furious as the one in the arcade — you won't be running through any billboards, for example — but the level of challenge would rate an eight on a scale of one to 10. There are road signs, however, which warn you of impending curves ahead. If you hug the curve for too long, you'll probably blow a tire. That's the cue for the pit crew to show its speed in replacing them, an interesting spectacle.

There are separate high-score capabilities for each track for up to 10 games. The track is selected by moving the joystick from left to right.

The scenery in *Speed Racer* is as distracting as it is beautiful, ranging from big city skylines and mountain ranges to ocean scenes, complete with sailboats. One of my favorites is the one that includes a giant suspension bridge. Some people I know play the game as much for the scenery as for the thrills of racing.

The graphics in this game are as good as I've seen on any computer, without question. Let's hope this is one of many more to come from MichTron. This effort is indicative, I hope, of an even stronger emphasis on quality in what could be a whole new era of arcade games for the Color Computer.

(MichTron, 576 S. Telegraph Road, Pontiac, MI. 48053,
cassette \$34.95, disk \$34.95)

— Charles Springer

THE SOFT SHOP

"For all your personal computer needs"

64K Ram Chip Set	\$ 55.95
HJL-57 Keyboard Kit	75.95
Prowriter Printer (8510A) w/Interface	419.95

-- ARCADE ACTION --

	TAPE	DISK
King Tut (Tom Mix)	(16K) 25.95	28.95
The King (Tom Mix)	(32K) 23.95	--
Pooyan (Datasoft)	(32K) 26.95	29.95
CU*BER (Tom Mix)	(32K) 25.95	28.95
Draconian	(32K) 25.95	28.95
The Touchstone	(32K) 25.95	28.95
Crash	(32K) 23.95	26.96

** BUY 2 GET 1 AT 1/2 PRICE **

** For the Serious User **

	TAPE	DISK
Basic09 (Requires OS-9)	(64K) --	89.95
VIP Writer w/Speller (Softlaw)	(32K) **	65.95
VIP Terminal (Softlaw)	(16K) **	45.95
VIP CALC (Softlaw)	(32K) **	65.95

** - Tape Version Included

Call or write for a catalog

Call our BBS on-line from 10 p.m. to 7 a.m. EDT!

Phone (803) 288-0613

Terms: Money Orders and Personal Checks welcome (Please allow an additional 3 weeks for personal checks.) S.C. Residents add 5% sales tax. (All Funds U.S. DOLLARS Please.)

Shipping: \$3.00 for Software, 3% for Hardware.

C.O.D.: Please add \$3.00 (No COD's outside the continental US and Canada!)

Blue Label: Add \$4.00

Handling: Handling Charges will be added to orders outside the continental U.S. (Minimum \$5.00)

VISA and MASTERCARD ACCEPTED.

THE SOFT SHOP

P.O. Box 878 Mauldin, S.C. 29662
10 a.m. (803) 297-1067 8 p.m.

CORRECTIONS

"The ABC Game" (September 1984, Page 157): James F. Taylor advises us that this program will not run as is in 16K. He suggests deleting the following remark lines:

1-10, 145-185, 275-305, 411-415, 461-464, 481-483, 561-565, 591-596, 681-685, 841-845, 911-915, 1001-1009

"The Trip" (August 1984, Page 90): Jacques Bourgeois tells us that a reader questioned his use of a minus sign in place of an equal sign in the statement *IF RND (2)-1 THEN . . .* in Line 222. He assures us that this unusual syntax does work properly in this instance.

"Pretty As A Picture" (May 1984, Page 137): Tom Szlucha states that there are a number of problems with the program, and sends along a corrected listing of the first 47 lines of the program. Here it is:

```
0 CLEAR 500:AR=0:GOTO220:'DUMPF I
X 9/18/84
10 AR=1:CX=0:PI=INT(PX/S+.5):FOR
X=0 TO255 STEPPX:P=S*-X:F=0:B=0:
FOR Y=191 TO0 STEP-1
20 IF PPOINT(X,Y)=CL THEN 40 ELSE
80
30 GOTO 80
40 IF F>0 THEN 60
50 IF B>0 THEN GOSUB 160
60 F=F+S:GOTO 100
70 IF B>0 THEN 90
80 IF F>0 THEN GOSUB 170
90 B=B+S
100 NEXT Y
110 IF B>0 THEN GOSUB 160
120 IF F>0 THEN GOSUB 170
130 PRINT#-2,"M"BD","P
140 NEXT X
150 GOTO 180
160 PRINT#-2,"R"+STR$(B)+","+"STR
$(CX):B=0:RETURN
170 PRINT#-2,"J"+STR$(F)+","+"STR
$(CX):F=0:RETURN
180 CLS:INPUT"ANOTHER COLOR Y/N"
;R$:IF R$="Y" THEN AR=1:GOTO290
190 PRINT#-2,"M0,-100":PRINT#-2,
"A"
200 POKE 150,87:POKE65494,0
210 CLS:PRINT"FINISHED":END
220 CLS:PRINT"CGP-115 SCREEN DUM
P":PRINT:INPUT"DRAW TEST PATTERN
Y/N";R$
230 IF R$="Y" THEN GOSUB 470
240 PS=PEEK(&HB6)
250 PMODE PS
260 CLS:INPUT"PLOTTING SCALE 1X
OR 2X";S:IF S<1 OR S>2 THEN 260
270 S=INT(S)
280 IF PS=3 THEN PX=2 ELSE PX=1
290 CLS
300 IF PS=3 THEN PRINT"PMODE 3 C
```

OLORS

5=BUFF
6=CYAN
7=MAGENTA
8=ORANGE"

0=BLACK
1=GREEN
2=YELLOW
3=BLUE
4=RED

```
310 IF PS=4 THEN PRINT"PMODE 4 C
OLORS 0=BLACK 1=GREEN"
5=BUFF 1=GREEN"
320 PRINT:PRINT"BE SURE YOU INPU
T COLOR WHICH IS COMPATIBLE WITH
SCREEN MODE""
330 PRINT:INPUT"COLOR TO SENSE";
CL:IF CL<0 OR CL>8 THEN 330
340 CLS:PRINT"0=BLACK
1=BLUE 2=GREEN
3=RED"
350 PRINT:INPUT"DRAW WITH WHICH
COLOR PEN";CP:IF CP<0 OR CP>3 TH
EN 350
360 IF AR=1 THEN PRINT#-2,"H":GO
TO430
370 BD=(480-192*S)/2:CX=0
380 POKE 65495,1
390 POKE 150,180
400 PRINT#-2,CHR$(18)
410 PRINT#-2,"M0,-300*S"
420 PRINT#-2,"I"
430 PRINT#-2,"C"CP
440 PRINT#-2,"M"BD","STR$(CX)
450 SCREEN1,0:PMODE PS,1
460 GOTO10
```

This should be typed in after deleting everything before Line 470.

"Cooking With CoCo" (November 1984, Page 146): Colin Stearman passes along a note from a reader who says that Radio Shack's disk versions of *EDTASM*, *Scriptit* and *Spectaculator* (all of which use the Color TRSDOS operating system) use bytes 17 and 18 of the directory entry, which conflicts with the file creation date area used by his program. Dates are not put into the file when these programs create files and they should pose no real problem. Colin also cautions that files created by these programs should not be redated with the BASIC program on Page 148. This problem may also occur with future Radio Shack programs that use Color TRSDOS (which is supplied on each program disk in each package).

"Adding Auto Answer To Modem I" (November 1984, Page 19): Tony Sharp advises us that there may be a problem with installing his modification in the newer Modem IB, due to some changes in the circuit board. One difference that has been noted is that the voltage regulator is now called VR1 instead of U1.

"CC-Talk" (November 1984, Page 50): There was an error in production that misplaced part of two lines. Here they are in the correct form:

```
140 CLS:PRINTTAB(8)"BUFFER CONTE
NTS":PRINTTAB(6)"spaceMORE/enter
EXIT":PRINT
170 BB=TB:BE=&H7CFF' buffer star
t and end addresses
```



Finalizing The Rainbow Checkbook

By Richard White
Rainbow Contributing Editor

This is the "Beginners Issue" where we welcome all of you that have recently become proud owners of a CoCo and have joined the RAINBOW family of readers. We will mark the occasion with a bit of a celebration, for *Rainbow Checkbook, Version 1.0* is complete, and the listing follows this column.

Over the past few months, I have been writing about the program as it developed. Both program logic and syntax have been discussed in their natural setting, a working program. One consequence has been the need to revise the code previously discussed and explain the reasons for the changes. Changes come about for two reasons. First, for a better idea. As the programmer works with a program, inadequacies become evident and revisions to fix these are installed. Second are the pure bugs.

Even with extensive testing, obscure bugs continue to be found in most programs. That's why I say *Version 1.0*

(Richard White has a long background with microcomputers and specializes in BASIC programming. With Don Dollberg, he is the author of the TMS data base management program.)

is the first to be published and not the first one written. It is reasonably clean and should do most of the job that needs to be done. It is hardly a final version if such a version exists. Since a program continues to evolve with time, it should be organized to facilitate change. To me, that means defining specific program functions and assigning blocks of line numbers to these functions. I made a table of these functions at the start and have stayed with it throughout.

"Version 1.0... is hardly a final version... Since a program continues to evolve with time, it should be organized to facilitate change."

LINES	FUNCTION
1-9	Most Frequently used subroutines
10-99	Other subroutines
100-199	Enter items
200-299	Edit records and update balances
400-499	Strip cleared items to make updated current file
600-699	Print report
900-999	Tape and disk I/O
2000-2099	Initialization

2100-2199	Make new file
10000	Save program routine
10100	PCLEAR 1 routine

Version 1.0 contains all the functions shown in the table in the line number blocks shown. Note that the most frequently used lines go to the beginning of the program and the least used lines to the end. Each time there is a *GOSUB* or *GOTO*, BASIC starts at the beginning of the program to search for the required line. It makes no sense for it to have to continually search over lines that are used only once during the normal operation of the program. So, all initialization goes to the end rather than the beginning of the program where you will see it many times. On the other hand, frequently called subroutines should be at the beginning where BASIC can quickly find them. And, the smaller the line number, the fewer bytes it takes to store the subroutine call. In any case, I like small line numbers. They are easier to remember. I also see no need to keep increments of 10 between line numbers as you can see from the listing.

Another word of advice to the beginner. If you organize your program from the beginning, you will not need to renumber it. *RENUM* will destroy all the structure you carefully developed

COMPUTER

ISLAND

MATH



THE MONEY SERIES BY STEVE BLYN

DOLLARS & SENSE 16K ECB \$14.95
Player buys familiar items using dollars and coins to practice using money correctly.

McGOCO'S MENU 16K ECB \$14.95
Learn to buy and add up your purchases from a typical fast-food restaurant menu.

MONEY-PAK 32K ECB \$22.95
A combined and menu driven version of the above programs. Includes play money. Reviewed - Rainbow 7/83

EQUATIONS TUTORS 19.95 EA.
by Ed Guy 32K EB.

Elementary-intermediate algebra. Step by step tutorials. SPECIFY Linear or Quadratic.

GRAPH-IT \$14.95 16K EB.
Graph algebraic equations on a hi-res screen. Linear, quadratic, etc. By D. Steele

MATH INVADERS by David Steele 16K EB. \$17.95
A multi-level 'Space Invaders' type game to reinforce the 4 basic math operations (addition, subtraction, multiplication and division). Problems become more difficult as you progress. Hi-res. graphics, joystick required.
32K EB. Disk \$20.95

SCIENCE

SCIENCE GAME \$29.95
by J. Keeling 32K EB. Disk Only
Over 600 questions in 9 categories. Makes learning science facts fun. Game format, 1 or 2 players, teams. Grade 8 and up.



BEYOND WORDS 32K ECB \$19.95 Each
These Language Arts programs cover common misspellings, and synonyms/antonyms on each level. Additionally, Level 1 tests contractions and abbreviations, Level 2 tests homonyms, and Level 3 tests analogies. Each program has 3 parts and contains over 400 questions and uses over 800 words. All tests are grade appropriate. User modifiable (directions included). Printer option.

Level 1 Grades 3-5
Level 2 Grades 6-8
Level 3 Grades 9-12
DISK VERSION Each \$23.95

THE MATH TUTOR SERIES 16K Ext.
These tutorials take the child through each step of the example. All programs include HELP tables, cursor and graphic aids. All allow user to create the example, or let the computer choose. Multi-level. Great teaching programs. By Ed Guy.

LONG DIVISION TUTOR \$14.95
MULTIPLICATION TUTOR \$14.95
FACTORS TUTOR \$19.95
FRACTIONS TUTOR (Addition) \$19.95
FRACTIONS TUTOR (Subtraction) \$19.95
FRACTIONS TUTOR (Multiplication) \$19.95
Any 2 FRACTIONS programs \$29.95

TRIGONOMETRY TUTOR 32K
By Ed Guy \$24.95

A step by step tutorial for learning to compute the sides and angles of right triangles. All examples have graphic representation.



GRAPH TUTOR 32K ECB \$19.95
Line, bar, pie and pictographs are demonstrated. Learn to read and use these graphs. Test mode. Hi-res graphics throughout. By Chris Phillips.

CROCODILE MATH 16K Ext.
By Art Provost \$17.95

An animated math game using hi-res graphics. A fish containing a problem moves toward a crocodile containing a possible answer. If the answer is true, open the crocodile's mouth with the joystick to eat the fish. If false, keep his mouth closed. Addition, subtraction, and multiplication examples on 3 levels, 3 speeds. Tape only.

Language Arts

(ALL PROGRAMS IN 16-K EXTENDED EXCEPT WHERE NOTED)

CONTEXT CLUES - by Steve Blyn - Multiple choice reading programs. Specify grade 4,5,6 or 7. each \$17.95

VOCABULARY BUILDERS - 32K - Great for test preparations. 200 questions, multiple choice, modifiable, printer option. I (grades 3-5), II (6-8) or III (9-12) each \$19.95

READING AIDS 4-PAK - Child creates own reading material. \$19.95

FOREIGN LANGUAGE


FRENCH OR SPANISH BASEBALL - By S. Blyn each \$11.95
Vocabulary practice. 200 words. Modifiable. Specify language.
Also in 32K (500 words) \$19.95

HEBREW BULLETIN BOARD - by J. Kolar - utility to print words. \$15.95

HEBREW ALPHABET - Learn the letters of this alphabet. \$11.95


Preschool

PRESCHOOL SERIES \$11.95 EA.
Pre. 1 - 2 programs for number recognition and counting.
Pre. 2 - 2 programs for simple addition, number game.
Pre. 3 - Alphabet recognition.
All 16K E.B. By J. Kolar



FIRST GAMES by Penny Bryan

32K EB. tape \$24.95 disk \$27.95
First Games contains 6 menu-driven programs to delight and teach your early learners (ages 3-6). These games enrich the learning of colors, numbers, lower-case letters, shapes, memory, visual discrimination and counting.



STATES & CAPITALS \$19.95
Multiple choice quiz on a hi-res screen. 32K E.B.

EXPLORERS & SETTLERS \$19.95
Hi-res screen. Multiple choice quiz on explorers and settlers of the new world. 32K

ARROW GAMES by Penny Bryan 32K EB. tape \$21.95 disk \$24.95

Six menu driven games for young children (ages 3-6) to teach directions. All games involve using the arrow keys. Games include LADYBUG, BUTTERFLY, ARROW MATCH, KALEIDOSCOPE, RABBIT, and DOODLE. Colorful graphics.

Social Studies



KNOW YOUR STATES \$19.95 32K
Shows each state to identify on hi-res screen. Help command and scoring. By J. Keeling

THE HISTORY GAME 32K ECB \$14.95
"Jeopardy" type game by James Keeling. 5 categories and 5 questions in each category. One or two player game checks your knowledge of American History. Different questions each round. Hi-res graphics.

FAMOUS AMERICAN WOMEN \$19.95

A who-am-I game of over 50 multiple choice questions on a hi-res screen. 32K E.B.

KING AUTHOR'S TALES \$29.95

Student may create and save original stories on files. Question/Answer, title page picture features, too. Rewrite, review, and printer features. Includes selection of stories and pictures.
32K EB Disk or 16K EB Tape

Educational Software

TEACHER/STUDENT AIDS

THE QUIZ MAKER by David Stanley
32K E.B. tape \$24.95 disk \$27.95
A program that enables a teacher to create tests or a student to study for tests in any subject area. Your questions and answers may be saved for future use. Short answer, true-false, fill-in and other quiz formats are supported. Printer option for hard copy test generation. Program randomizes questions, keeps track of score and provides a variety of testing formats.

ARITHMETIC TUTOR DIAGNOSTIC FRACTIONS TUTOR DIAGNOSTIC 32K DISK \$49.95 each

More of the MATH TUTOR SERIES. A diagnostic feature permits teachers to keep records of students' progress on the disk using a password. Printer option generates hard copy of progress reports. ARITHMETIC TUTOR covers multiplication, division, factoring, and order of operations. FRACTIONS TUTOR covers addition subtraction, multiplication, and division of fractions. Easy to operate. Disk only. By Ed Guy.

COLORGRADE 32K E.B. \$29.95

A great aid to teachers. Records and calculates grades for up to 6 classes of up to 40 students each. Uses number or letter grades, named or numerical periods and gives a weighted average. Easy to use. Full directions. DISK ONLY. By David Lengyel.

COMPUTER LITERACY by Steve Blyn

32K E.B. \$19.95
A computer literacy quiz exclusively for the Color Computer. Tests and scores from over 60 questions on a HI-RES upper and lower case screen. Reviews computer literacy and beginning programming knowledge. Ages 10 and up.



TREASURE HUNT by Art Provost 16K E.B. Tape Only \$19.95

Find you way to the treasure through a maze filled with objects to collect, warriors, thieves, secret passages, dark caves, hidden clues. Its all there for you to enjoy. Includes graphic illustration, animation, various levels of play for ages 6-12. Joystick required.



I LOVE MY COCO TEE SHIRT

\$6.95 each + \$1.00 S/H per shirt
Available in Adult Sizes

S, M, L, XL, and Youth L (14-16)
White with Red Trim
and Blue Logo

TREAT YOURSELF OR A FRIEND
TO A GREAT GIFT.

CALL US FOR DETAILS
ON SCHOOL/CLUB ORDERS.

VERBAL MATH PROBLEMS

PIZZA GAME 32K E.B. \$19.95

Learn to locate coordinates on a grid. HI-RES text and graphics.

AREA & PERIMETER

32K E.B. \$19.95


Triangles, rectangles, and circles are covered in this HI-RES text and graphics program.

SALES & BARGAINS

32K E.B. \$19.95

Learn to find the discounted price. HI-RES text and beautiful graphics.

GAMES & ACTIVITIES



The Factory: FROM SUNBURST Strategies in Problem Solving

Grades 4-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning, Courseware Report Card and Electronic Learning Unique three-level program challenges students to create geometric "products" on a simulated machine assembly line which the student designs.

Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

The Pond: FROM SUNBURST Strategies in Problem Solving

Grades 2-adult. Winner 1983 Learning Software Award. Recommended in Classroom Computer Learning. A small green frog, lost in a pond of lily pads, helps students recognize and articulate patterns, generalize from raw data and think logically.

Diskette for 32K TRS-80 Color Computer with Extended Color BASIC. \$39.95

MR. COCOHEAD 16K E.B. \$16.95

Create over 10,000 funny faces. Facial features controlled through keyboard. Surprise command. Ages 4 and up.

LIGHT PEN 16K E.B. \$19.95

Enjoy this interesting piece of hardware. Control screen action with the lightpen. Includes 6 programs.

DISTANCE PROBLEMS \$19.95

Moving graphics and text combines on a hi-res screen. Rate x Time = Distance in all its forms. 32K E.B.



Dealers inquiries invited.



(718) 948-2748

Dept. R 227 Hampton Green, Staten Island, N.Y. 10312

Send for catalog with complete descriptions.

Please add \$1.00 per order for postage. N.Y. residents, please add proper tax. FREE set of BINARY DICE, including full directions, with orders of 2 or more items

Authors: We are seeking quality children's software for leisure or learning. Write for details. Top Royalties.

TRS-80 Color Computer. TDPSys 100.



All payment in U.S. funds.

and make trouble-shooting much more difficult. There is a place for *RENUM* — it is useful to make a user version of a program, numbered at increments of one. This both shortens the program and speeds it a tad. But, keep your structured source version for editing and upgrading. Renumbering the listing to increments of one saves 84 bytes in spite of the fact that I had already reduced memory usage by putting the subroutines at the beginning.

A good program today should be as self-documenting as possible. Still, some words of wisdom are generally needed to get the user off on the right foot. Perhaps the best place to start is to explain why the program was written in the first place. You see, there was this pile of bank statements on my desk — about six months' worth. Reconciling the checkbook to the bank statements is a pain and the program I wrote way back when did not do that. I looked at the old program, but it was written before I discovered structuring a BASIC program. Starting from scratch looked easier. The real celebration came yesterday when I worked down through the (now nine months') pile, finding less than \$100 worth of mistakes. It's a relief to know that there will be no OM (out of money) messages from the bank.

The easiest way for you to get up and running with *Rainbow Checkbook* is to buy a Jan. 1985 RAINBOW ON TAPE. As published, the program runs in a 16K tape-based Extended BASIC machine. Those with disk drives should have 32/64K machines or be willing to cut some of the code out. For example, you might make two versions, one without the printer block starting at 600 and one without the editor and New-month routines starting at 200 and 400. This way you can enter and edit data with one version, save the file, and load the other version to print the file.

If you have been typing the program in with me over the last few months, check your code against the listing. There have been a number of changes, both added features and debugs.

When you load and run the program, you are shown the first menu that offers LOAD FILE or NEW FILE options. Choose new file by keying 'N'. You are now prompted for account information including name, bank, account number and date. You are then asked for your last bank statement balance. This is what the bank thinks your balance is and not what is shown in your checkbook. Since there are always some

outstanding items in your checkbook that the bank does not know about, the bank's balance must be different from any shown in your checkbook. Now you enter all the outstanding items in your checkbook. Your options are shown in the lines at the bottom of the entry screen. You can scroll back and forth through your file using the up and down arrows and edit entries. However, you cannot add items or make changes from the review mode.

"A correction entry allows you to adjust your balance without changing the calculated bank balance. It's a way to fudge your balance to match what the bank says you have."

When all items are entered, exit by keying 'S' to get to I/O routines. Here you can save to tape, disk or printer. If you do print your file, you will be returned to the normal input screen where you can key 'S' again to save your file to tape or disk. I use the name CURRENT and let BASIC append the default disk extension DAT. The next time you enter the program choose 'L' to load your file.

The input screen is nearly the same as New-file except a CLEAR function has been added. When you get a bank statement, first make sure that all items in your checkbook are in your current file. Next, go through your checkbook, check off all items that have cleared the bank and correct any entry errors. Now, load your current file and step back through it using the up-arrow key. Compare each entry in the file with that in your checkbook. If an item has been cleared, key 'C' and the calculated bank balance will be adjusted, then the status letter will change from 'O' to 'C'. If you clear an item by mistake, key 'C' again to toggle back to 'O' status. If you find mistakes in the file, key 'E' to get to edit mode to make the correction.

Warning! Never edit a cleared item. The program does not adjust the bank balance for changes made in the edit mode. If you need to edit a cleared item, first toggle it back to 'O', edit it and then toggle the status back to 'C' from input.

In edit mode you can change the check number, key 'N' then the new number, change an entry to adjustment or deposit, key 'A' or 'D', or change an adjustment to a correction. For a correction key 'C'. Correction does not show on the command line since it was a very late (read yesterday) addition. A correction entry allows you to adjust your balance without changing the calculated bank balance. It's a way to fudge your balance to match what the bank says you have. Note that you cannot enter a correction directly from the input mode. Rather, enter an adjustment and edit the entry to the correction type.

When you enter a check, enter it as a positive number and the program automatically deducts the amount from your checkbook balance. A deposit is automatically added to the balance. An adjustment may be either positive or negative. An interest credit should be entered as a positive number since it increases your balance. Service charges should be entered as negative numbers.

In input mode, you can duplicate the previous entry, like the date, simply by hitting ENTER for that field. The same happens in edit, so you only key in entries for fields you need to change. When you leave edit, you are returned to input, but at the end of the file. Already I see a number of changes for Version 2.0.

When you have corrected your file and cleared all items that have cleared the bank for the month, your bank balance from the program should match that shown on the statement. When it doesn't (to err is human, it's not the computer's fault), look for errors both in your current file in the program and for errors in your checkbook. A printout is very handy here. Key 'S' to get to the Save Menu, then 'P' for the Printer. Change the Baud rate, if necessary, by hitting ENTER and then keying in the rate you want. Next, use the down-arrow to move the cursor next to PRINT and press ENTER. The program will print the account information, allow you to update the date if necessary and then list the current file. When all is right, print a copy of the current file to store with the checks and bank statement for the month.

Finally, you will want to use the New-month routine to strip all cleared items out of the current file to a tape or disk archive file. This routine saves a file of cleared items that you might title JAN85 or JAN85/CLR for disk. It also

DISK
\$44.95

NEW

Introducing The "Super Smart"

DATA PACK II

NEW

TAPE
\$34.95

TERMINAL COMMUNICATIONS SOFTWARE

Also Supports The PBJ 80 Column "Word Pak", Deluxe RS-232 Pak,
Parallel Printer Card and PBJ 2SP Pak

"FEATURES"

- No Lost Information When Using Hi-Resolution Display On Line
- ASCII Compatible File Format
- Full Text Buffering
- Terminal Baud Rates 300 to 9600
- Automatic Word Wrap Eliminates Split Words
- Full /Half Duplex
- Automatic File Capture
- Programmable Word Length, Parity and Stop Bits
- Save and Load Text Buffer and Program Key Buffers to Tape or Disk
- 9 Hi-Resolution Display Formats, 28 to 255 x 24
- True Upper /lower Case Display
- Kill Graphics Option for an Extra 6K
- Supports Line Break

- Freeze Display and Review Information On Line
- Send Files Directly from Buffer or Disk
- Full Disk Support for Disk Version
- Send Control Codes from Keyboard
- Separate Printer Baud Rates 110-9600
- Display on Screen or Output Contents of Buffer to Printer
- Automatic Memory Sense 16-64K
- 9 Programmable Function Key Variable Length Macro Buffer
- Programmable Prompt Character or Delay to Send Next Line
- Programmable Control Character Trapping
- Programmable Open /Close Buffer Characters
- Automatic Key Repeat For Editing
- Program and Memory Status Displays

9 Unlimited
Variable Length
Macro Key Buffers

BUFFER
EDITOR
Insert, Delete
Change or Add
To Buffer

NEW!!!

"The Wait is Finally Over" ANNOUNCING The CBASIC COMPILER

Now anyone can create fast efficient Machine Language Programs
without the Drudgery of using an Assembler.

NEW!!!

CBASIC is a fast Machine Language integer Basic Compiler that can convert Color Basic programs into fast machine language programs. CBASIC features over 100 Basic Commands and functions that fully support Disk, Tape, Screen and Printer I/O, Hi & Low Resolution Graphics, Sound, Play and String Operations just like Color Basic. CBASIC also includes a powerful full featured Basic program Editor using a 51,64 or 85 by 24 line display. The Hi-Resolution display can be automatically included in your compiled program for enhanced display capability and allow mixed text and graphic displays.

Graphics Commands: CIRCLE, COLOR, CLS, DRAW, GET, LINE, PAINT, PCLS, PCOPY, PMODE, PRESET, PSET, PUT, RESET, SCREEN, SET, POINT, PPOINT

Sound Commands: PLAY, SOUND

String Functions: CHR\$, LEFT\$, MID\$, RIGHT\$, LEN, INSTR, LSET, RSET, TRM\$, STR\$, STRING\$, INKEY\$, MKNS

Numeric Functions: ABS, POS, TIMER, RND, ASC, TAB, CAL, JOYSTK, PEEK, POKE, LOC, LOF, EOF, FREE, CVN, ERR, VARPTR, SWAP

I/O Commands: OPEN, CLOSE, INPUT, LINEINPUT, PRINT WRITE, PRINT @, GET, PUT, KILL, CHAINM, FIELD, DATA, READ, RESTORE

Program Control: FOR/NEXT/STEP, GOTO/GOSUB, IF/THEN/ELSE, RETURN, STOP, RETI, ON n GOTO/GOSUB, ON ERROR, ON RESET, ON IRQ/FIRQ/NMI, ON OVR/NOVR, EXEC, LET

Directives: ORG, REM OR', END, DIM, END, BASE, RAM, ON/OFF, RAM64K, HIRES, GENERATE, DPSET, STACK

Editor Commands: LINE EDIT, AUTO EDIT, COPY, MOVE, RENUMBER, AUTO LINE#, PRINTER, LIST, DELETE, SEARCH, REPLACE, BAUD RATE, PRINTER, CBASIC, TAPPEND, SKIP, SIZE, LOAD, SAVE, APPEND, KILL, DIR, and much, much more.

REQUIRES 32K and Disk, 64K recommended

Introductory Price \$119.00
Regularly \$149.00

HI - RES II SCREEN UTILITY

NEW IMPROVED VERSION

- UP TO 85 CHARACTERS PER LINE READABILITY
- ADJUSTABLE AUTOMATIC KEY REPEAT
- PROTECT 1-23 SCREEN LINES
- CONTROL CODE KEYBOARD

- FULLY BASIC COMPATIBLE
- DISPLAY FORMATS OF 28 TO 255 CHARACTERS PER LINE
- FULL 96 UPPER/LOWER CASE CHARACTERS
- MIXED GRAPHICS & TEXT OR SEPARATE GRAPHIC & TEXT SCREENS
- INDIVIDUAL CHARACTER HIGHLIGHTING
- REVERSE CHARACTER HIGHLIGHT MODE
- WRITTEN IN FAST MACHINE LANGUAGE
- AUTOMATIC RELOCATES TO TOP OF 16/32K
- AUTOMATICALLY SUPPORTS 64K of RAM WITH RESET CONTROL
- REVERSE SCREEN
- ON SCREEN UNDERLINE
- DOUBLE SIZE CHARACTERS
- ERASE TO END OF LINE
- ERASE TO END OF SCREEN
- HOME CURSOR
- BELL TONE CHARACTER
- HOME CURSOR & CLEAR SCREEN
- REQUIRES ONLY 2K OF RAM
- COMPATIBLE WITH ALL TAPE & DISK SYSTEMS



\$24.95 TAPE **\$29.95** DISK

ALL ORDERS SHIPPED FROM STOCK
ADD \$2.50 POSTAGE

**CER
COMP**

5566 Ricochet Avenue Las Vegas, Nevada 89110

(702) 452-0632

Screen Enhancement Program Comparison Chart	HI-RES II NEW	HI-RES I OLD	BRAND X
Upper/Lower case characters	Yes	Yes	Yes
Mixed Text and Graphics	Yes	Yes	Yes
Separate Text & Graphics	Yes	Yes	No
Print @ fully implemented	Yes	Yes	Yes
Print @ on all line lengths	Yes	Yes	51 only
Different line lengths	28 to 255 (9)	28 to 255 (9)	51 only (1)
Automatic Key Repeat	Yes	Yes	Yes
Adjustable Key Repeat	Yes	No	No
Auto Repeat Disable	Yes	No	No
Erase to end of line/screen	Yes	Yes	Yes
Home Cursor	Yes	No	Yes
Solid or Blinking Cursor	Yes	No	Yes
CLS command supported	Butt/Black	Butt/Black	Butt/Black
X,Y Coordinate Cursor	Yes	Yes	No
Positioning	Yes	Yes	No
Double Size Characters	Yes	Yes	No
Individual/Continuous	Yes	Yes	No
Highlighting	Yes	Yes	No
On Screen Underlining	Yes	Yes	No
Clear Key functional	Clear/L keys	Clear key	No
16.32 & 64K Supported	Yes	Yes	Yes
Green or Black Background	Yes	No	No
Color	Yes	No	No
Dual Character sets for Enhanced 64 and 85	Yes	No	No
Characters per line display	1 to 23	No	No
Protected Screen Lines (programmable)	Yes	No	No
Full Control Code Keyboard for Screen control directly from the keyboard	Yes	No	No
Programmable Tab Character	Yes	No	No
Spacing	Yes	No	No
Full Screen Reverse Function	Yes	Yes	No
Switch to & from the Standard	Yes	Yes	No
16 by 32 Screen for full compatibility	Yes	No	No
On Error Goto Function	No	No	Yes
Extended Basic Required	No	Yes	Yes
All Machine Language Program	Yes	Yes	Yes
RAM Required in addition to			
Screen RAM	2K	2K	2K
Program Price (Tape)	\$24.95	\$19.95	\$29.95



VISA, MASTERCARD AND C.O.D. ACCEPTED

saves the full current file with the extension BAK if you are on disk. If you loaded the file from tape, New-month saves to tape. The same applies with disk. Finally, New-month strips all cleared items from your current file and returns you to input. At this point you

should save this new current file.

Newcomers to RAINBOW should know that this month's "Bits and Bytes of BASIC" is different from normal in that I did not discuss any BASIC code. Next month we will resume our line by line discussion of the program. I will

take up the printer code first and show some do's and don'ts in making BASIC print a formatted, multi-page report. In the meantime, do some testing of *Rainbow Checkbook*. Suggestions for improvements to go into Version 2.0 may be sent to me care of THE RAINBOW.



15..... 92	600..... 65
32..... 131	640..... 100
68..... 134	950..... 2
200..... 180	2110..... 79
232..... 231	END..... 46
410..... 208	

The listing:

```
0 GOTO10100
1 PRINTCHR$(191);:I$=INKEY$:IFI$
=" "THENFORX=0TO5:NEXT:PRINTCHR$(
8);:GOTO1ELSEPRINTCHR$(8);:RETUR
N
2 F=INSTR(F1,A$(V),"$"):RETURN
```


```
4 PRINT:PRINT"current date: ";DA
$
5 LINEINPUTI$:IFI$<>" "THENDAS=I$
:RETURNELSERETURN
10 LC$=CC$:LD$=CD$:LA=CA:LB=CB:L
S$=CS$:LN$=CN$
11 PRINT@96,USINGS4$;LC$;:PRINT"
"LD$:PRINT@108,USINGSS$;LA:PRI
NT@119,USINGSS$;LB;:PRINTSTRING$
(63,32);:PRINT@128,USINGSN$;LS$;
:PRINTLN$:RETURN
12 F1=1:V=CR-1:GOSUB2:LC$=MID$(A
$(V),F1,F-F1):F1=F+1:GOSUB2:LD$=
MID$(A$(V),F1,F-F1):LS$=MID$(A$(
V),F+1,1):LN$=MID$(A$(V),F+3,LEN
(A$(V))-F+3):LA=A(V,0):LB=A(V,1)
:RETURN
14 CC$=LC$:CD$=LD$:CA=LA:CB=LB:C
S$=LS$:CN$=LN$:IFF1=2THENRETURN
15 PRINT@PS,USINGS4$;CC$;:PRINT"
"CD$:PRINT@PS+12,USINGSS$;CA:P
RINT@PS+23,USINGSS$;CB;:PRINTSTR
ING$(63,32);:PRINT@PS+32,USINGSN
$;CS$;:PRINTCN$:RETURN
16 F1=1:V=CR:GOSUB2:CC$=MID$(A$(
V),F1,F-F1):F1=F+1:GOSUB2:CD$=MI
D$(A$(V),F1,F-F1):CS$=MID$(A$(V)
,F+1,1):CN$=MID$(A$(V),F+3,LEN(A
$(V))-F+3):CA=A(V,0):CB=A(V,1):R
ETURN
17 IFCR>1THENCRCR=CR-1:GOSUB14:GOS
UB12:GOSUB11:RETURNELSERETURN
18 IFCR<LR-1THENCRCR=CR+1:GOSUB10:
GOSUB16:GOSUB15:RETURNELSEGOSUB1
0:PRINT@224,STRING$(95,32):FG=0:
IFCR<LR THENCRCR=CR+1:RETURNELSERE
TURN
22 IFI$=CHR$(13)THENCC=CC+1:CC$=
STR$(CC): CC$=RIGHT$(CC$,LEN(C
C$)-1):PRINT@224,USINGS4$;CC$:RE
TURN
24 IFVI>0THENPRINTUSING"#$";VI;:L
INEINPUTI$:CC$=STR$(VI)+I$:CC$=R
IGHT$(CC$,LEN(CC$)-1):CC=VAL(CC$
):RETURN
26 CC$="DEP":PRINT@224,CC$;:RETU
RN
28 CC$="ADJ":PRINT@224,CC$;:RETU
RN
29 CC$="CORR":PRINT@224,CC$;:RET
URN
```

FREE 10 DISKETTES OR 20 C-20 CASSETTES

A subscription to the 'Coco-Cassette' gets you a tape or disk full of 10 **quality programs** delivered to you by first class mail every month. The documentation included will help you run great **utilities** like 'Word Processor,' and 'Budget Analyzer,' or enjoy great **games** like 'Frogjump' and 'Caterpillar Cave' **FOR AS LITTLE AS 46 CENTS EACH!**

★ **Limited offer** ★ Subscribe for a year on cassette and receive **20 Free C-20 cassettes** or subscribe for a year on disk and receive **10 Free 5¼ single sided double density diskettes!**

Now available on disk!



PRICES

	TAPE	DISK
1 YR (12 ISSUES)	55 ⁰⁰	70 ⁰⁰
6 MO (6 ISSUES)	30 ⁰⁰	40 ⁰⁰
Single Copies	6 ⁰⁰	8 ⁰⁰

- ★ 16K extended required
- ★ Some programs require 32K, and/or disk
- ★ Over 3000 satisfied customers
- ★ Back issues available from July '82 PERSONAL CHECKS WELCOME! (over 280 programs to choose from!)
- ★ Also available for Commodore 64.

Mich. Res. add 4%
Overseas ADD \$10 to subscription
and \$1.00 to single issues.

T & D Subscription Software
P.O. BOX 256-C
HOLLAND, MI 49423
(616) 396-7577



```

30 PRINT@229,"";:LINEINPUTI$:IFI
$<>" THENCD$=I$
31 PRINT@229,USING"% %";CD$
32 PRINT@236,"";:IFFG<>1THENLINE
INPUTI$:I=VAL(I$):IFI<>0THENCA=I
ELSEELSECA=0
34 PRINT@236,USINGSS$;CA$:RETURN
36 IFVAL(CC$)=0THENCB=CB+CA ELSE
CB=CB-CA
37 PRINT@247,USINGSS$;CB$:PRINTU
SINGSN$;CS$;:LINEINPUTI$:IFI$<>"
"THENCN$=I$ELSECN$=" "
38 A$(CR)=CC$+"$"+CD$+"$"+LEFT$(
CS$,1)+"$"+CN$:A(CR,0)=CA:A(CR,1
)=CB:RETURN
40 CR=CR+1:LR=CR:GOSUB10:PRINT@2
24,STRING$(95,32):FG=0:RETURN
50 PRINT@8,RC$,"ITEM DATE A
MOUNT BALANCE":RETURN
52 PRINT@352,"LAST BANK BALANCE
";:PRINTUSINGSS$;BB:RETURN
54 PRINT@384,"<ENTER> =NEXT CHEC
K #","1ST DIGIT STARTS NEW # SER
IES":RETURN
56 PRINT@448,"DEPOSIT ADJUSTMENT
VOID CLEARED EDIT SAVE LOAD NEW
MONTH "CHR$(94)"'S":RETURN
58 PRINT@448,"DEPOSIT ADJUSTMENT
VOID","EDIT SAVE"CHR$(94)"'S":
RETURN
60 GOSUB22:GOSUB30:GOSUB36:GOSUB
40:RETURN
62 GOSUB26:GOSUB30:GOSUB36:GOSUB
40:RETURN
64 GOSUB28:GOSUB30:GOSUB36:GOSUB
40:RETURN
66 I$=CHR$(13):GOSUB22:FG=1:GOSU
B30:GOSUB36:FG=0:GOSUB40:RETURN
68 PRINT@320,"REVIEW ENTRIES
";:PO=335:FG=1:GOSUB17:RETU
RN
100 CLS:PS=224:GOSUB50:GOSUB52:G

```

```

OSUB54:GOSUB56:PRINT@128,STRING$
(192,32):CR=LR:GOSUB12:GOSUB11:F
1=2:GOSUB14:F1=0:CC=VAL(CC$)
110 PRINT@320,"ENTER OUTSTANDING
ITEMS
";:PO=224
120 PRINT@PO,"";:GOSUB1:VI=VAL(I
$):IFFG=0AND(VI>0OR I$=CHR$(13))
GOSUB60:GOTO120
130 J=INSTR(1,"DAVCESLN"+CHR$(94
)+CHR$(10),I$):IFFG=0THENONJ GOS
UB62,64,66,160,200,900,950,400,6
8,18ELSEONJ GOSUB2160,2160,2160,
160,200,900,950,400,17,18
140 IFJ>4 ANDJ<9THEN100
150 IFCR=LR THEN110ELSE120
160 IFCS$="0"THENCN$="C":GOSUB15
:GOSUB38:IFLEFT$(CC$,4)<>"CORR"
HENIFVAL(CC$)=0THENBB=BB+CA ELSE
BB=BB-CA ELSEELSE170
165 PRINT@371,"";:PRINTUSINGSS$;
BB$:PRINT@343,"";:RETURN
170 CS$="0":GOSUB15:GOSUB38:IFLE
FT$(CC$,4)<>"CORR"THENIFVAL(CC$)
=0THENBB=BB-CA ELSEBB=BB+CA
175 PRINT@371,"";:PRINTUSINGSS$;
BB$:PRINT@343,"";:RETURN
200 CLS:GOSUB50:PRINT@72,"UNEDIT
ED ENTRY":PRINT@201,"EDITED ENTR
Y":PRINT@321,"TYPE FIELD ENTRY C
ORRECTION","<enter> FOR NEXT FI
ELD":IFFG=1THENTF=1:FG=0
210 I$=INKEY$:PS=96:GOSUB16:GOSU
B15:PRINT@224,STRING$(95,32):PR
INT@416,"NEW #, DEP, ADJ, -=DELE
TE, +=ADDUP/DOWN ARROWS, RETURN
";:PS=224:CT$=CC$:TA=CA
215 GOSUB1:IFI$=CHR$(13)THENPRIN
T@224,CC$:GOTO240ELSEJ=INSTR(1,
"NDA-+R"+CHR$(94)+CHR$(10),I$):0
NJ GOSUB220,26,28,225,230,217,23
5,237
216 IFFG=1THENFG=0:GOTO210ELSEIF
I$<>"R"THEN:GOTO240ELSEFG=TF

```

WE'RE HERE
TO HELP YOU!

VALLEY MICRO SYSTEMS

SHIPPING / HANDLING \$3.00.
ALLOW 14 DAYS FOR PERS. CHKS.
SAME DAY SHIPPING FOR CASHIERS
CHECK OR MONEY ORDER. CALIF.
RESIDENTS INCL. 6% SALES TAX.

GRAPHISET 16
FONTS, 3 PALETTES
FOR GRAPHICOM \$20.00
PICTURE DISKS
QUALITY SELECTIONS
FOR GRAPHICOM \$20.00
GRAPHICOM
FOR GRAPHIC PRODUC-
TION. "OUTSTANDING"
APR. 84 RAINBOW \$27.95
GRAPHICOM JOYSTICK
QUALITY MOVEMENT,
2 - SWITCHES \$25.00

VMS-BBS new
FEATURE-FILLED,
HARDWARE OPTIONAL
64 K COCO I/II \$150.00
COLOR-80 BBS
LATEST EDITION, COCO I
NEW LOW PRICE \$125.00

RTD REMOTE
TERMINAL DRIVER-
MACH. LANG. \$30.00

NEWBASIC new
ADDS NEW POWER &
VERSATILITY TO DISK
BASIC. "OUTSTANDING"
OCT. '84 RAINBOW \$34.95
CUSTOM DOS
SUPER POWERFUL
64K DISK \$45.00
SERIAL TO PARALLEL
CONVERTER - QUALITY
CRYSTAL SWITCH
\$59.95

WRITE OR CALL FOR FREE CATALOG • DEALER INQUIRIES INVITED

801 W. ROSEBURG AVE. - SUITE 200, MODESTO, CA 95350
BBS & ELECTRONIC SHOPPING • (209) 526-2030 • VOICE PHONE: (209) 529-4343


```

217 RETURN
220 PRINT@224, " "; GOSUB1: VI=VAL(I$): IF I$="A" THEN GOSUB28 ELSE IF I$="C" THEN GOSUB29 ELSE GOSUB22
221 RETURN
225 FORX=CR TOLR-2: A$(X)=A$(X+1): A(X,0)=A(X+1,0): IF VAL(CC$)>0 THEN A(X,1)=A(X+1,1)+CA: CB=CB+CA ELSE A(X,1)=A(X+1,1)-CA: CB=CB-CA
227 NEXT: PRINT@96, STRING$(95,32); : CC$="": CD$="": CA=0: CS$="": CN$="ITEM DELETED": CR=CR-1: LR=LR-1: FG=1: RETURN
230 CC$="": CD$="": CS$="": CA=0: TA=0: CN$="MAKE NEW ENTRY": FG=1: FORX=LR TO CR+1 STEP-1: A$(X)=A$(X-1): A(X,0)=A(X-1,0): A(X,1)=A(X-1,1): NEXT: CB=A(X-1,1): LR=LR+1: GOSUB38
232 PS=96: GOSUB16: GOSUB15: PRINT@416, "NEW #, DEP, ADJ, --DELETE": PRINTSTRING$(28,32); : PS=224: GOSUB1: FG=0: J=INSTR(1,"NDA-",I$): ON J GOSUB220,26,28,225
234 IF J>0 THEN 240 ELSE 232
235 FG=1: IF CR>1 THEN CR=CR-1: GOSUB16: PS=96: GOSUB15: PS=224: RETURN ELSE RETURN
237 FG=1: IF CR<LR-1 THEN CR=CR+1: GOSUB16: PS=96: GOSUB15: PS=224: RETURN ELSE RETURN
240 PRINT@416, STRING$(45,32): GOSUB30: IF VAL(CT$)=0 THEN IF VAL(CC$)=0 THEN TA=CA-TA: GOTO242 ELSE TA=-TA-CA: GOTO242
241 IF VAL(CC$)=0 THEN TA=TA+CA ELSE TA=TA-CA
242 PRINT"TA"TA,"CA"CA; : FORX=1 TO 2000: NEXT: FORX=CR TOLR-1: A(X,1)=A(X,1)+TA: NEXT: CB=A(CR,1): PRINT@247, USINGSS$; CB; : LINE INPUT I$: IF I$<>" " THEN CS$=I$
244 PRINT@256, USINGSN$; CS$; : LINE INPUT I$: IF I$<>" " THEN CN$=I$
246 PRINT@259, CN$: GOSUB38: GOTO210
400 CLS: PRINT@8, RC$, "STRIP & SAVE CLEARED ITEMS",,,, TAB(8)"TAPE",,,, TAB(8)"DISK",,: GOSUB1: IF I$="D" THEN D=1 ELSE IF I$="T" THEN D=-1 ELSE 400
410 PRINT: PRINT: IF D=-1 THEN PRINT"TAPE FILE" ELSE PRINT"DISK FILE"
415 PRINT: PRINT"FILENAME"; : IF D=1 THEN PRINT"AND EXTENSION"
420 LINE INPUT CF$: GOSUB4: CT=0: FOR CR=1 TOLR-1: GOSUB16: IF CS$="C" THEN CT=CT+1: NEXT ELSE NEXT

```

```

425 OPEN"O",D,CF$: PRINT#D,CT+1: PRINT#D,BB: PRINT#D,CB: PRINT#D,AN$: PRINT#D,BA$: PRINT#D,AC$: PRINT#D,DA$: FOR CR=1 TOLR-1
430 GOSUB16: IF CS$="C" THEN PRINT#D,A$(CR): PRINT#D,A(CR,0): PRINT#D,A(CR,1): NEXT ELSE NEXT
435 CLOSE: CT=0: OPEN"O",D,NM$+"/BAK": PRINT#D,LR: PRINT#D,BB: PRINT#D,CB: PRINT#D,AN$: PRINT#D,BA$: PRINT#D,AC$: PRINT#D,DA$: FORX=1 TOLR-1: PRINT#D,A$(X): PRINT#D,A(X,0): PRINT#D,A(X,1): NEXT: CLOSE
440 CLOSE: CT=0: FOR CR=1 TOLR-1: GOSUB16: IF CS$="O" THEN CT=CT+1: A$(CT)=A$(CR): A(CT,0)=A(CR,0): A(CT,1)=A(CR,1): NEXT ELSE NEXT
445 FORX=CT+1 TOLR-1: A$(X)="" : NEXT: LR=CT+1: CR=CT: RETURN
600 'TARGET LINE
605 BP=PEEK(150): BU=INSTR(1,"16*18**41*****87*****180",RIGHT$(STR$(BP),LEN(STR$(BP))-1)): BU=9600/BP
605 POKE65494,0: BP=PEEK(150): BU=INSTR(1,"16*18**41*****87*****180",RIGHT$(STR$(BP),LEN(STR$(BP))-1)): BU=9600/BP
610 CLS: PRINT@137,"PRINT ROUTINE S",,,, "CURRENT BAUD RATE ="BU,TAB(6)"RESET BAUD RATE",,,, "PRINT",,,, "RETURN": CT=1
615 CT$=RIGHT$(STR$(CT),1): LP=INSTR(1,"1 2 3",CT$): LP=LP*3+2: PRINT@LP,">"; : GOSUB1: PRINT@LP," "; : IF I$=CHR$(10) AND CT<3 THEN CT=CT+1: GOTO615 ELSE IF I$=CHR$(94) AND CT>1 THEN CT=CT-1: GOTO615 ELSE IF I$<>CHR$(13) THEN 615 ELSE ON CT GOTO620,630,100
620 PRINT" "; : INPUT"ENTER NEW BAUD RATE"; BU$: BU$=LEFT$(BU$,1): BL=INSTR(1,"361249",BU$): IF BL=0 THEN PRINT"baud rate error": SOUND100,50: GOTO605
625 BU(1)=180: BU(2)=87: BU(3)=41: BU(4)=18: BU(5)=6: BU(6)=1: BU=BU(BL): POKE150,BU: GOTO605
630 CLS: PRINT@96,"SET PRINTER AND PAPER AND PRESS any key.": GOSUB1: FORX=1 TO 3: PRINT#-2," ": NEXT: PRINT#-2,TAB(8)"ACCOUNT NAME: "AN$: PRINT#-2,TAB(8)"BANK NAME: "BA$: PRINT#-2,TAB(8)"ACCOUNT NUMBER: "AC$
640 GOSUB4: PRINT#-2,TAB(8)"DATE PRINTED: "DA$: PRINT#-2," ": PRINT#-2,TAB(8)"CALCULATED BALANCE AT BANK ="BB: PRINT#-2," ": PRIN

```

```

T#-2,TAB(8)"CHECK# DATE      AMOU
NT  BALANCE STATUS NOTE":PRINT
#-2," ":PG=13
650 FORCR=1TQLR-1:GOSUB16:PRINT#
-2,TAB(9)"";:PRINT#-2,USING"% %
";CC$;:PRINT#-2,USING"% %";C
D$;:PRINT#-2,TAB(22)"";:PRINT#-2
,USINGSS$;CA$;:PRINT#-2,TAB(32)""
;:PRINT#-2,USINGSS$;CB$;:PRINT#-2
," "CS$" "CN$
655 PG=PG+1:IFPG>61THENFORX=1TO7
:PRINT#-2," ":NEXT:PRINT#-2,TAB(
8)"CHECK# DATE AMOUNT BALANCE
STATUS NOTE":PRINT#-2," ":PG=5
660 NEXT:FORX=PG TO67:PRINT#-2,"
":NEXT:RETURN
900 CLS:PRINT@8,RC$," SAVE
OR PRINT DATA",,,,TAB(8)"tAPE",
,,,TAB(8)"dISK",,,,TAB(8)"pRINTE
R":GOSUB1:IFI$="D"THEND=1ELSEIFI
$="T"THEND=-1ELSEIFI$="P"THEN600
ELSE900
905 GOSUB4
910 GOSUB985:OPEN"O",D,NM$:PRINT
#D,LR:PRINT#D,BB:PRINT#D,CB:PRIN
T#D,AN$:PRINT#D,BA$:PRINT#D,AC$:
PRINT#D,DA$:FORX=1TOLR-1:PRINT#D
,A$(X):PRINT#D,A(X,0):PRINT#D,A(
X,1):NEXT:CLOSE:RETURN
950 CLS:PRINT@8,RC$,TAB(11)"LOAD
DATA",,,,TAB(8)"tAPE",,,,TAB(8
)"dISK":GOSUB1:IFI$="D"THEND=1EL
SEIFI$="T"THEND=-1ELSE950
960 GOSUB985:OPEN"I",D,NM$:INPUT
#D,LR,BB,CB:LINEINPUT#D,AN$:LINE
INPUT#D,BA$:LINEINPUT#D,AC$:LINE
INPUT#D,DA$:GOSUB970:FORX=1TOLR-
1:INPUT#D,A$(X):INPUT#D,A(X,0):I
NPUT#D,A(X,1):NEXT:CLOSE
962 CR=1:GOSUB16:IFVAL(CC$)=0THE
NA(0,1)=A(1,1)-A(1,0)ELSEA(0,1)=
A(1,1)+A(1,0)
965 PRINT:PRINT"PRESS ANY KEY TO
CONTINUE ":GOSUB1:RETURN
970 CLS:PRINT@98,"FILENAME= "NM$
:PRINT:PRINT" ACCOUNT INFORMATI
ON":PRINT:PRINT"NAME: "AN$:PRINT
"BANK: "BA$:PRINT"ACCT #: "AC$:P
RINT"FILE UPDATED: "DA$:RETURN
985 PRINT:IFD=-1THENPRINT"TAPE F
ILE"ELSEPRINT"DISK FILE"
990 PRINT:PRINT"FILENAME";:IFD=1
THENPRINT" AND EXTENSION: ",NM$E
LSEPRINT": "NM$
995 LINEINPUTI$:IFI$<>" "THENNM$=
I$:RETURNELSERETURN
2000 CLEAR3500:DIMA$(100),A(100,
1)
2050 RC$="RAINBOW CHECKBOOK":SS$

```

```

="##,###.##":SN$="% %":CR=1:LR=1
:S4$="% %":CS$="0":A$(0)=" $ $
$FIRST ENTRY BELOW"
2100 CLS:PRINT@2,"rainbow checkb
ook version 1.0":PRINT@47,"BY":P
RINT@73,"RICHARD WHITE":PRINTTAB
(7)"COPYRIGHT (C) 1984":PRINT:PR
INT:PRINTTAB(8)"LOAD FILE":PRINT
:PRINTTAB(8)"NEW FILE"
2110 GOSUB1:IFI$="L"GOSUB950:GOT
O100ELSEIFI$<>"N"THEN2110
2115 CLS:PRINT@96," enter accoun
t name":LINEINPUTAN$:PRINT:PRINT
" enter bank name":LINEINPUTBA$:
PRINT:PRINT" enter account #":LI
NEINPUTAC$
2120 CLS:GOSUB50:PRINT:PRINT:PRI
NT"ENTER LAST BANK STATEMENT
BALANCE ";:LINEINPUTI$:BB=VA
L(I$):PRINT@128,STRING$(64,32):P
RINT@128,"note: REPORTED CHECKB
OOK BALANCE WILL NOT MATCH
YOUR BALANCE UNTIL OUTSTAND
ING"
2125 PRINT"CHECKS, CHARGES, DEPO
SITS AND CREDITS AT STATEMENT
TIME ARE ENTERED.":GOSUB1:CB
=BB:GOSUB52:GOSUB54:GOSUB56:PRIN
T@128,STRING$(192,32)
2130 PRINT@320,"ENTER OUTSTANDIN
G ITEMS ";:PO=224:PS=PO
2140 PRINT@PO,"":GOSUB1:VI=VAL(
I$):IFFG=0AND(VI>0OR I$=CHR$(13)
)GOSUB60:GOTO2140
2150 J=INSTR(1,"DAVES"+CHR$(94)+
CHR$(10),I$):IFFG=0THENONJ GOSUB
62,64,66,200,900,68,18ELSEONJ GO
SUB2160,2160,2160,200,900,17,18
2155 IFJ=5 THENGOTO100
2157 IFCR=LR THEN2130ELSE2140
2160 RETURN
10000 SAVE"RNBWCKBK
10100 PCLEAR1:GOTO2000
20000 FORX=0TO64:PRINT@X,CHR$(32
+X):PRINT@X+96,CHR$(PEEK(1024+X)
);:NEXT

```

OS-9 USERS

ELIMINATE DISK HANDLING

Patch for OS-9 single disk operation for
CoCo's with ROM 1.0

Easy, Quick Patch

Send \$9.95 to:

Multi
Venture

Multi-Venture
P.O. Box 6157
Alderwood Manor, Wa.
98036

Postage & Handling included.

No Refunds

The 6809 Instruction Set — Zeroing In On 'The Real Thing'

By R. Bartly Betts
Rainbow Contributing Editor
With Programs By Chris Bone

I am sure you are finger-weary if you typed in all of last month's listing by hand. You deserve a treat and I hope we will have one for you this month.

I think we are almost through the painful part and about ready to have fun. There is still a lot of work to be done, but the work is a lot sweeter when something worthwhile is being accomplished. With the information you now have learned about registers, we can begin on the real thing, the 6809 instruction set.

You have already been using several of the instructions recognized by your assembler. This month you will begin taking a closer look at these instructions, what they do and how to use them.

A great start toward understanding your assembler's instructions is knowing how to interpret the instruction set reference in your assembler manual and the references in other 6809 assembly language programming books. The

EDTASM+ manual seems like a good place to begin. I have the one that came with my cartridge pack, Radio Shack Cat. No. 26-3250. The instruction set references start on Page 39. Page 37 has a section on definition of terms and Page 38 explains the abbreviations used in the set. It will be helpful to refer to these pages when you run up against definition problems. You are probably most familiar with the LD (load) instruction (pages 44 and 45 in my manual). Regardless of what assembler you use, the reference should look something like the following:

```
LD
Load Register from Memory
(8-Bit)
Source Forms: LDA P; LDB P
Operation: R'←-M
Condition Codes:
H -Not affected
N -Set if the loaded data is
    negative; cleared otherwise
Z -Set if the loaded data is zero;
    cleared otherwise
V -Always cleared
C -Not affected
```

Description: Loads the contents of memory location M into the designated register.

Addressing Modes: Immediate; Extended; Direct; Indexed.

If you take a close look at this instruction, it will provide a basis from which to understand the rest of the instruction set.

First, notice that the reference I typed in is one of two for the LD instruction. This one is labeled as "8-BIT." This instruction is only 8-bit because it only uses registers A and B, both 8-bit registers. You will recall from your study of binary numbers that the maximum value an 8-bit number can contain is 255. If you want to handle numbers larger than 255, you will have to use the 16-bit form of the LD instruction. Actually, the only difference between the two forms of the load instruction is that the 8-bit instruction uses registers A and B while the 16-bit form uses registers X, Y, S and U.

The information about what registers are used in what way is found in the line "Source Forms." The italic 'P' in the line represents a memory location, such as:


```
LDA 32
```

where A is the register to be loaded and 'P' is memory location 32.

The line beginning with "Operation:" tells you that a register after the LD operation (R'), has been loaded with a value from memory (M). The arrow in the line indicates the direction of the data flow.

The lines following "Condition Codes:" indicate the effect that the operation has on the five condition code flags. At this point you need not worry about them, their function will become clear in later columns.


(Bartly Betts is a former reporter, magazine editor and store owner now residing in Fort Worth, Texas. He has owned and operated a Color Computer for over three years and is presently taking an electronics and computer course by correspondence. Chris Bone is a college computer science major and has been programming for more than three years. He averages between six and nine hours a day on the CoCo.)



THE GRAPHICS PROGRAMS YOU'VE BEEN WAITING FOR!

BY
PAUL S. HOFFMAN

VIEW 3-DIMENSIONAL OBJECTS FROM ANY
ANGLE WITH



- * Convenient, on-screen menu
- * Supports input from X-PAD, TOUCH-PAD, MOUSE or JOYSTICK
- * Built-in screen dump to Tandy printers
- * Calculates dimensions for you from just a rough sketch
- * Plots or calculates lines and arcs
- * On-screen sketching mode

64K DISK \$29.95

**BUY 2 PROGRAMS, GET
10 PERCENT DISCOUNT!**


**BUY ALL THREE, GET
15 PERCENT OFF!!**

DRIVE 0 or
2 DRIVES


\$269.

**WITH RS DOS
& 40 TRACK
DRIVES**

ADD \$10. FOR JDOS
& MANUAL or
\$10. FOR RS MANUAL
40 TRACK DRIVES NOW ARE
NEW 1/2 HEIGHT DIRECT DRIVES



All drives NEW.
40 track single
sided drives may
be manufacturers
overstock.
6 month warranty
on all drives.



M.C. & VISA Accepted
OWL-WARE
P.O. Box 116-F
Mertztown, PA.
19539

**TOLL FREE:
(800) 245-6228**
PA Res Include 6% Tax
(215) 682-6855

CREATE BEAUTIFUL PICTURES WITH

MASTER ARTIST

vers.
2.0

- * Convenient, on-screen menu
- * Accepts input from X-PAD, TOUCH-PAD, MOUSE or JOYSTICK
- * Magnification mode
- * Draw with custom paintbrushes
- * Easy free-hand sketching
- * "Paint" command
- * 10 colors at a time
- * Pictures are ready for use in BASIC programs
- * Lettering in any size
- * Screen dump to Color Ink-Jet or other Tandy printers

64K DISK \$29.95

VERSION 1.0: a 32K version of MASTER ARTIST which accepts only X-Pad input (no on-screen menu or magnification mode; disk version requires Y-connector or Multipak interface)

32K DISK OR TAPE \$24.95

COMBINE PICTURES, MANIPULATE THEM,
AND BUILD ANIMATIONS WITH

ANIMATOR'S TOOLBOX

- * Shrink pictures in 50% steps and position them anywhere - all in REAL TIME!
- * Make pictures tumble "head-over-heels"
- * Shift a picture around on the screen
- * Replace 1 color in a picture with a "background" picture
- * Build complicated animations not limited to a few frames

32K DISK \$24.95

AND DON'T FORGET THE ULTIMATE TREK
ADVENTURE --

STELLAR SEARCH

AVAILABLE IN TALKING (FOR "REAL
TALKER" FROM COLORWARE) OR NON-
TALKING VERSIONS

32K DISK \$26.95
TAPE \$24.95

**CALL TOLL-FREE FOR
ORDERS:**

1-800-245-6228

**IN PA. OR FOR TECH-
NICAL QUESTIONS:**

1-215-682-6855

DISK DRIVES:

INCLUDING CASE & POWER SUPPLY
\$159.40 Track \$159. Double Sided \$209.

PANASONIC 1/2 HEIGHTS (ADD \$10. FOR TEAC DS)
\$229. with Owl Doubler 2 DRIVE \$389.- \$405 with Owl Doubler

NOW DOUBLE YOUR OWLS!!! \$39.95

OWL DOUBLER is a device that allows use of both sides of double sided drive! Software independent sits inside case and makes one disk drive 0&1 and the other 2&3!

The "Description:" line restates the function of the operation. In this case it tells you that a register (either A or B) is loaded with the contents of a memory location (indicated by P).

The last line, "Addressing Modes:" deserves a large portion of this month's column. Keeping the addressing modes straight is not difficult once you have had a chance to investigate how they work, so let's investigate the possible modes.

Immediate Addressing

In immediate addressing, the data for an instruction is the actual value of the instruction's operand. An example is:

```
LDA #32
```

The # symbol tells the assembler that the value of 32 decimal is to be loaded into register A. A hexadecimal value could be indicated by:

```
LDA #$20
```

The \$ symbol tells the assembler that the value to be loaded is hexadecimal. As before, the # symbol causes a load of the actual value of Hex 20 or decimal 32.

Extended Addressing

It is just as easy to load the contents of a memory location into a register as it is to load an established value. Extended addressing can be used to cause the value of a memory location to be transferred to a register. This is done by leaving off the # symbol from the instruction, such as:

```
LDB 32
```

In this case, register B is loaded with the value that is contained in memory location 32. Again, you can follow the

same procedure for Hex:

```
LDB $20
```

If you glance through some of the other instructions in your assembler manual you will see that a great many instructions can operate in both the immediate and extended addressing modes.

Indexed Addressing

Registers X and Y are known as index registers, as noted last month. Although they are not used exclusively for indexed addressing, it is their main function. As 16-bit registers, they can manipulate values up to \$FFFF or 65536, which includes all of your computer's memory. In indexed addressing, you load registers X or Y with values that serve as pointers to a memory location. For example:

```
00100 START LDX #$500 *Load X with a
                                memory value
00110         LDA #$20 *Load Hex 20
                                into A
00120         STA ,X *Store the value
                                of A into the
                                memory loca-
                                tion pointed to
                                by register X
```

In this example, register X is used as a pointer to memory location \$500. You use a comma before the X to show that it is being used as an index to point to a location in memory. The power of indexed addressing lies in the ease with which the "pointer" in the X and Y registers can be adjusted, for example:

```
00100 START LDX #$500 *Load X with A
                                memory value
00110         LDA #$20 *Load A with
                                Hex 20
```

```
00120 LDB #$21 *Load B with
                                Hex 21
00130 STA ,X+ *Store A in me-
                                mory location
                                $500
00140 STB ,X *Store B in me-
                                mory location
                                $501
```

A plus symbol after the register X indicates that it is to be incremented after A is loaded into the memory address to which it is pointing. Thus the STB (store B) command stores the contents of register B into the next memory location, 500+1. An operation such as this could be put into a loop and any number of values could be loaded into sequential memory locations.

If you have not yet done so, it might be better to look at the ST instruction in your assembler manual. You will notice that its purpose is to transfer the value in a register to a memory location, as we have indicated above. The ST instruction can be either an 8- or 16-bit operation and it can operate in extended, direct or indexed addressing.

Inherent Addressing

With this addressing mode we will take a break from mental activity. It is the easiest of all addressing modes to understand because it does not require anything more than knowing what the instructions are and when to use it. Inherent addressing is exactly what its name implies, it provides all of its own information, nothing more needs to be added. For example:

```
RTS
```

is an instruction that causes program control to be returned to the parent routine from a subroutine. No address or values are needed nor, indeed, can

QUESTION: Why buy a video game from a dinky little ad like this?

ANSWER: JUNGLE QUEEN has all 4 high-res screens (+ 4th screen intermission), & super sound. This 32k 100% ML game is just like the arcade!

TAPE-26.95 DISK-29.95/add 2\$ post&hand
ZOSO SOFTWARE-6606 Skywae Dr.,
Columbus, OH 43229 *PS: Our 1st customers now will get big brakes later!

SWITCHABLE DOS IS HERE!

No Traces To Cut — No Soldering
Uses J&M OR RS Disk Controller,
JDOS AND RS DOS at your fingertips.
*DOS's not included.

DOS Switches \$39.95 plus \$2.50 S/H
(WA Res. Add 7.8% sales tax)

Multi
Venture

Multi-Venture
P.O. Box 6157
Alderwood Manor, Wa.

98036

DYNACALC®

CoCo's Best & Fastest Spreadsheet System

ACCLAIMED BY THE EXPERTS

"DYNACALC is my choice for a CoCo spreadsheet."

Dan Downard, RAINBOW, September, 1984.


"Eat your heart out, Lotus 1-2-3!"

Scott Norman, HOT CoCo, October, 1984.

Built-in Features:

- 51 x 24 Display with Lower Case
- Super-fast Smart Screen Refresh
- Auto-Repeat Keyboard Driver
- Keysaver (TM) repeats last command x times
- Disk Operating System (works just like ROM DOS)
- Easy communication with BASIC/DOS programs
- Fast 16-Digit Arithmetic with Scientific Functions
- Summation, Mean, and Standard Deviation Functions
- Logical Functions with String & Numeric Comparison
- String locate command to navigate large worksheets
- Sort full or partial worksheet by columns or rows
- Line, Bar, Hi/Lo/Close, Circle Graphs
- Full Graphics captioning and overlay facility
- Graphics Drivers for all popular Printers
- Joystick/Mouse Driver for Cursor Movement
- Works with any ROM versions, even JDOS
- 33k Available Worksheet Space
- Up to 256 Columns or 256 Rows
- Can use VisiCalc worksheets & training materials
- On-screen Help Messages

**NOW
ONLY
\$99⁹⁵**



FOR 64K DISK SYSTEMS

available from

COMPUTER SYSTEMS CENTER

13461 Olive Blvd.
Chesterfield, MO 63017 USA
(314) 576-5020



10 to 6 Mon.-Fri.

or your local DYNACALC dealer

Price US\$99.95

Outside North America add \$10 postage

DYNACALC Reg. U. S. Pat. Off.

Lotus and 1-2-3 are trademarks of Lotus Development Corp.
VisiCalc is a trademark of VisiCorp

CANADA- CDN\$129.95

RGS MICRO INC.

759, VICTORIA SQUARE 405

MONTREAL H2Y 2J3

TEL.: (514) 287-1563

ORDER LINE ONLY ★ ★ ★

QUEBEC-ONTARIO-MARITIMES

800-361-5338

WESTERN CANADA 800-361-5155



be included. The return address for the instruction is automatically pulled from the S or hardware stack. There are a number of instructions that use inherent addressing. You might wish to glance through the instruction references and pick out some of the others, like CLR and SWI.

Direct Page Addressing

Direct page or direct addressing involves using the contents of the direct page register as the most significant byte of an address. In effect, your assembler does this anyway, but, on start up, the direct page register contains 0 and thus has no effect on other addresses. Once you put a value into the DP register, however, it is used as an offset for all 8-bit addressing.

In order to load the DP register, you must use the TFR (transfer) instruction, it cannot be loaded directly. For example:

LDB #\$44 *Load the B register with the value of \$44

TFR B,DP *Transfer the contents of B (44) to DP

will load a value of 44 into the direct page register. Now, if you issue an instruction:

LDB \$20

the assembler will use the value of \$44 as the most significant byte of the address whose contents were loaded into B. The effective address will be \$4420. As already mentioned, 8-bits can only hold a maximum value of 255. Thus a direct page address can be any of 256 bytes (0 through 255), beginning at the direct page register address.

Now, after saying all that, I will tell you that we probably won't be doing anything with direct page addressing in the near future, so if it seems confusing, don't worry. You could live quite a happy life without ever using this type of addressing.

Now For The Good Stuff

That's all there is to the various types of addressing. With that under your belt it is time to quit the chatter for this column and get on with the real thing.

Listing 1 at the end of the column was written by Chris to make use of some of the information we have passed on this month. Try and figure out what it does before reading the comments. If you can guess what is going on, you have been making great progress. Even if you only recognize some of what the program is for, you should be pleased with yourself. Take the time to study the program thoroughly, it isn't too long, but it contains several good routines that will be.

If all is not clear after studying the program, perhaps the following will help: the crux of the program is that a green snake is created on a black screen with a green border. You can control the snake with a joystick plugged into the right joystick port. If the snake hits the screen border it is stopped and must change directions to continue. Chris has put lots of comments into the program to help you follow it through. Again, look it over carefully. Try and pick out routines you can load and assemble and try out on your own to see how they work and to see if you can change them to do something a little

TCE News Release

MONDAY OCTOBER 1, 1984

GAITHERSBURG, MARYLAND

In 1985 TCE Will Introduce CHILD'S PLAY


Mouse Technological Software For The Color Computer!

Ted Malaska, President & Co-founder of TCE Programs Inc., announced today a new division for the development of business software.

The new division will distribute a series of machine language business

programs, under the name *Child's Play* beginning in the first half of 1985. The *Child's Play* series will use mouse technology and what Mr. Malaska termed "*Floating Overlays*", to control the operations within the program.

When asked why the name *Child's Play* was selected for a business series, Mr. Malaska responded: "Floating Overlays will make the program operation seem like *Child's Play*, compared to other business software of today."



Send for
FREE Catalog

TCE

BUSINESS DIVISION
P.O. BOX 2477
GAITHERSBURG, MD 20879
1-(301) 963-3848



different; it is the way you will learn the quickest.

The Test

Now for the hard part. To see if you are really getting the hang of assembly language code, see if you can create a second snake to slither around with the first one, controlled with the left joystick. Use Chris' code to guide you in your efforts. Chris and I would be pleased to see the result of your efforts.

The Second Installment

If that isn't enough to keep you occupied during the next month, here is the second part of the 51-column text generator. This month we are including the portion of the code that will translate keystrokes into machine language generated characters. You will be able to use the new text screen after typing and assembling the following source code. Before typing in this month's code, however, you will need to load last month's listing and renumber it according to Chris' instructions given with the listing. You will also need to type in and *RUN* the accompanying BASIC driver. The steps you should

follow are:

- 1) Type in this month's source code.
- 2) When finished, append last month's source code to the new code.
- 3) Delete the *ORG* line from the beginning of last month's code.
- 4) Renumber the combined codes. Check your assembler manual for how to do this.
- 5) Save the combined source codes.
- 6) Assemble the combined codes.
- 7) If there are any mistakes, correct them and assemble the code again.
- 8) Save the resulting machine language code.
- 9) Type in and save the BASIC listing (Listing 3).
- 10) When you are sure there are no mistakes in either the machine language code or the BASIC listing, load the machine language listing into memory. Then load the BASIC listing into memory.
- 11) Run the BASIC listing. You should be presented with a new, 51-column screen and the prompt, "Type what you want:"
- 12) Begin typing, as fast as you like.

- 13) Enjoy the new screen. It will soon be yours to use any time you like. It will also soon have several other programming features.

You may find it useful to compare this month's source code with last month's BASIC listing. As the two serve the same purpose, comparing them will help you understand what the source code listing is accomplishing and how it does the job.

The characters you see on your screen are now the text to be used in the finished program and will be 51 columns across the screen. Still to be installed are the hooks to disable the usual text mode and put you entirely into the new mode. As well, some of the other programming features that will accompany the new screen mode are not yet included.

Listing 2 is the source code for the new portion of the 51-column screen program. Listing 3 is the BASIC driver you will need to use the new 51-character screen. Next month we will do away with all BASIC help and you will be in full 51 columns.

stair


PRINTERS

- 100 - 120 - 160 CPS
- Bidirectional Logic Seeking
- Friction and Tractor
- 9X9 Dot Matrix
- True Decenders
- High Res-Bit Image Block Graphics

PRINTER CABLES AND
INTERFACES AVAILABLE
Call for current pricing

- Super Script-Subscript
- Underlining
- Backspacing Doublestrike
- 5, 6, 8 1/2, 10, 12 and 17 Pitch
- Programmable Line Spacing
- SIX (6) MONTH WARRANTY

GEMINI 10X (9 Inch Carriage, 120cps) Friction and Tractor \$CALL
GEMINI 15 (15 Inch Carriage, 100cps) Friction and Tractor \$CALL
GEMINI 15X (15 Inch Carriage, 120cps) Friction and Tractor \$CALL
DELTA 10 (10 Inch Carriage, 160cps) Friction and Tractor \$CALL



\$269


Gemini 10X

SP-3 INTERFACE for Color Computer

- 300-19,200 BAUD rates
- External to printer — No AC Plugs
- Built in modem/printer switch—no need for Y-cables or plugging/unplugging cables

Only:

\$59.95



COMPLETE SYSTEM

ONLY ~~319.95~~ NEW LOW PRICE

Nothing more to buy!

Dealer inquiries invited



TRUE DATA PRODUCTS

195 Linwood Street, P.O. Box 546
Linwood, Massachusetts 01525



**CALL US TODAY!!
ORDER TOLL FREE**

**(617)234-7047
1-800-635-0300**

Listing 1:

```

00010 *****
00020 *NO ORG LINE IS GIVEN *
00030 *ASSEMBLE THIS PROGRAM *
00040 *INTO MEMORY WHEREVER *
00050 *EDTASH+ PUTS IT AND RUN+
00060 *IT FROM EDTASH+ WITH *
00070 *GSTART IN Z-BUG *
00080 *DELETE REMARKS TO SAVE *
00090 *RAM ON 16K SYSTEMS. IF+
00100 *YOU ARE USING THE DISK *
00110 *EDTASH+ THEN USE THE *
00120 *MEMORY EFFICIENT WAY AS+
00130 *OUTLINED IN THE MANUAL *
00140 *THESE GUIDELINES APPLY *
00150 *FOR ALL PROGRAMS IN THE+
00160 *BYTMASTER BOTH PAST *
00170 *AND FUTURE AND I AM *
00180 *SORRY FOR ANY PROBLEMS *
00190 *THAT HAVE OCCURRED. *
00200 * CHRIS *
00210 *****
00220 START LDB #900 *CHR$(128)=BLACK BLOCK
00230 JSR #A92A *CALL BASIC'S CLS ROUTINE
00240 *****
00250 *DRAW BORDER *
00260 *****
00270 CLRA *SRART X COORD @ 0
00280 LOOP CLRB *SET Y COORD @ 0
00290 LBSR SET *SET (A,B)
00300 LDB #1F *SET Y COORD @ 31
00310 BSR SET *SET (A,B)
00320 INCA *X COORD = X COORD + 1
00330 CMPA #40 *ALL THE WAY TO THE RIGHT?
00340 BNE LOOP *IF NOT SET THE NEXT PAIR OF POINTS
00350 LOOP1 CLRA *SET X COORD @ 0
00360 BSR SET *SET (A,B)
00370 LDA #3F *SET X COORD @ 63
00380 BSR SET *SET (A,B)
00390 DECB *Y COORD = Y COORD - 1
00400 BPL LOOP1 *IF Y COORD >0 THEN SET MORE POINTS
00410 LDX #SNAKE *POINT TO BEGINNING OF TABLE OF VALUES
00420 LDY #0 *10 POINTS IN THE SNAKE
00430 LDD #2010 *A=32 B=16 (CENTER OF SCREEN)
00440 SCLR STD ,X++ *SAVE INTO TABLE
00450 LEAY -1,Y *Y=Y-1
00460 BNE SCLR *IF WE HAVEN'T INITIALIZED THE WHOLE TABLE LOOP
00470 WAIT LDD SNAKE *GET FIRST POINT IS SNAKE (BACK END)
00480 BSR RESET *SET IT TO BLACK
00490 LDX #SNAKE+2 *GET START OF POINT LIST TO SET
00500 WLP LDD ,X *GET FIRST POINT
00510 STD -2,X *SAVE IT AS NEXT TO LAST ELEMENT
00520 PSHS X *SAVE CURRENT POSITION IN SNAKE
00530 BSR SET *SET THE POINT
00540 PULS X *GET BACK CURRENT SNAKE POS
00550 LEAX 2,X *POINT TO NEXT ELEMENT
00560 CMPJ #SNAKE+20 *ALL DONE?
00570 BNE WLP *IF NOT LOOP
00580 LDD -4,X *GET LAST ELEMENT SET
00590 STD -2,X *SAVE AS NEW LAST ELEMENT
00600 PSHS X *SAVE PLACE IN TABLE
00610 JSR #A00A *CALL ROM JOYSTICK ROUTINE
00620 LDD ,X *GET JOYSTK(0) INTO A,JOYSTK(1) INTO B
00630 PULS X *RETRIEVE TABLE POINTER
00640 CMPA #32 *STICK LEFT OR RIGHT?
00650 BHI NOLEF *IF RIGHT THEN GOTO NOLEF
00660 DEC -2,X *X COORD = X COORD - 1
00670 BNE UPDN *IF IT ISN'T ZERO THEN WE ARE STILL ON SCREEN
00680 INC -2,X *OTHERWISE MOVE IT BACK
00690 BPA UPDN *GO CHECK UP/DOWN
00700 INC -2,X *X COORD=X COORD + 1
00710 LDA *GET X COORD
00720 CMPA #63 *ALL THE WAY RIGHT?
00730 BLS UPDN *IF NOT GO CHECK UP/DOWN
00740 DEC -2,X *OTHERWISE MOVE IT BACK
00750 UPDN CMPB #32 *STICK UP OR DOWN?
00760 BHI NOUP *B>32 MEANS DOWN
00770 DEC -1,X *Y COORD=Y COORD - 1
00780 BNE PAUSE *IF STILL ON SCREEN THEN GO PAUSE
00790 INC -1,X *MOVE BACK ON SCREEN
00800 BRA PAUSE *GO PAUSE
00810 NOUP INC -1,X *Y COORD= Y COORD + 1
00820 LDB -1,X *GET Y COORD
00830 CMPB #63 *STILL ON SCREEN?

```

```

007C 23 02 00840 BLS PAUSE *IF SO GO PAUSE
007E 6A 1F 00850 DEC -1,X *OTHERWISE MOVE IT BACK
0080 8E 5000 00860 PAUSE LDX #5000 *SET DELAY LEN (1=SHORT FFFF=LONG)
0083 8D A7D3 00870 JSR #A7D3 *CALL ROM DELAY ROUTINE
0086 8D A1C1 00880 JSR #A1C1 *CHECK KEYBOARD
0089 27 A2 00890 BEQ WAIT *IF NO KEY KEEP GOING
008B 39 00900 RTS *BACK TO BASIC
00910 *****
00920 *SET POINT @ A,B *
00930 *USE ROM ROUTINE TO *
00940 *CALCULATE MUST OF THE *
00950 *STUFF *
00960 *****
00970 SET PSHS A,B *SAVE A,B FOR RETURN TO CALLER
00980 LDX #SETRET *GET READY TO TRICK ROM
00990 PSHS X *SAVE SETRET AS RETURN ADDRESS
01000 PSHS A *STACK X COORD
01010 JMP #A8D7 *GTO ROM ROUTINE
01020 SETRET LDA ,X *WE ARE BACK!!!! X=SCREEN LOC TO WORK ON
01030 ORA #6 *SET BIT INDICATED BY ROM ROUTINE
01040 STA ,X *SAVE BACK ON SCREEN
01050 PULS A,B,PC *GET X AND Y COORDS BACK AND QUIT SET ROUTINE
01060 *****
01070 *RESET ROUTINE, WORKS *
01080 *ALMOST THE SAME AS SET *
01090 *****
01100 RESET PSHS A,B *SAVE A AND B
01110 LDX #RSRET *RETURN ADDRESS
01120 PSHS X *SAVE RETURN ADDRESS
01130 PSHS A *SAVE X COORD
01140 JMP #A8D7 *CALL ROM ROUTINE
01150 RSRET JSR #A8B5 *CALL SECOND ROM ROUTINE TO RESET
01160 PULS A,B,PC *WASN'T THAT EASY!
01170 SNAKE RMB 20
01180 END

```

Listing 2:

```

00010 *****
00020 *51 BY 24 COLUMN DRIVER *
00030 *TO BE CALLED FROM BASIC*
00040 *WITH A USR FUNCTION *
00050 *****
00060 ORG #7000
00070 START TSTA *NUMBER OR STRING IN USR?
00080 BEQ QUIT *IF NUMBER QUIT
00090 LDB ,X *B=LENGTH OF PASSED STRING
00100 LDY 2,X *Y=START ADDRESS OF PASSED STRING
00110 INCB *LEN=LEN+1 (CUE QUIT ON NO LENGTH)
00120 OLP DECB *LEN=LEN-1
00130 BEQ QUIT *IF DONE QUIT
00140 LDA ,Y+ *GET FIRST CHR INTO A:Y POINTS TO NEXT CHR
00150 PSHS B,Y *SAVE LENGTH AND LOC
00160 BSR GO *GO PRINT CHR(A)
00170 PULS B,Y *GET BACK LENGTH AND LOC
00180 BRA OLP *OUTPUT NEXT CHR
00190 QUIT RTS *RETURN TO BASIC
00200 *****
00210 *PRINT CHR(A) *
00220 *****
00230 GO CMPA #0 *BACK SPACE?
00240 BNE NOTBS *IF NOT BRANCH
00250 LBSR BACK *MOVE CURSOR BACK 1
00260 LDA #32 *GET ASC FOR SPACE (BLANK OUT)
00270 BSR LETTER *PRINT SPACE
00280 LBSR BACK *BACK IT UP AGAIN
00290 RTS *ALL DONE BACKSPACE
00300 NOTBS CMPA #12 *CLEAR SCREEN?
00310 BNE NOTCL *BRANCH IF NOT
00320 LDX #BA *START OF CURRENT HIRES PAGE
00330 STX POS *SAVE AS CURRENT CURSOR LOCATION
00340 CLR BIT *CLEAR BIT WITHIN BYTE FLAG
00350 CLS LDD #FFFF *D=SOLID WHITE
00360 CLLOO STD ,X++ *SAVE TO SCREEN
00370 CMPJ #7 *AT END OF CURRENT HIRES SCREEN?
00380 BNE CLLOO *IF NOT GO AGAIN
00390 RTS *ALL DONE CLEAR SCREEN
00400 NOTCL BSR LETTER *SEND CHR(A) TO SCREEN
00410 LDX POS *GET CURRENT CURSOR POS
00420 CMPJ #7 *AT END OF HIRES SCREEN
00430 BLO RET *NO SCROLL NEEDED THEN
00440 LEAX -256,X *BACK UP POINTER ONE LINE
00450 STX POS *SAVE AS NEW CURSOR LOC
00460 LDX #BA *GET START OF CURRENT HIRES SCREEN

```


NEW DISK DRIVES

STARTING AT

\$129.00

WITH CASE &
POWER SUPPLY


\$169.95



TANDON MPI TEAC

Speed 6 ms tk to tk and up
Capacity 250k unformatted
Tracks 40
Warranty **now 1 YEAR**

New Low Price!



40Tks 6Ms
Double Sided
Double Density

40 or 80 Tracks

1/2 Hght. Teac/Panasonic



We carry only the finest quality disk drives *no seconds *no surplus

SATISFACTION GUARANTEED!!

ALL DRIVES FULLY TESTED & WARRANTED

Complete Disk Drive with Power Supply & Case Teac **\$169.95**

Two Drives in Dual Case & Power Supply Teac **\$279.95**

1/2 ht double sided double density Disk Drives (Panasonic/Teac) **\$159.00**

1/2 ht double sided double density Disk Drive with ps & case **\$199.95**



How to use your new drive system on audio cassette

Single ps & case \$44.95 Dual 1/2 ht ps & case **\$54.95** Dual ps & case ... **Call**

Color Computer Controller (J&M)



\$129.95

DRIVE 0 FOR RADIO SHACK COLOR COMPUTER

TANDON, MPI OR TEAC DRIVE (SINGLE SIDED 40 TRACKS SPEED 5 MS TRK TO TRK & UP)

POWER SUPPLY and CASE, TWO DRIVE CABLE WITH ALL GOLD CONNECTORS

J&M CONTROLLER, MANUAL and DOCUMENTATION **\$329.95** **\$ SALE!**

BUY THE BEST
FOR LESS!
CALL!

DRIVE 0 FOR RADIO SHACK COLOR COMPUTER

PANASONIC 1/2 HEIGHT DOUBLE SIDED DOUBLE DENSITY DRIVE 500K unformatted

POWER SUPPLY and CASE, 2 DRIVE CABLE WITH ALL GOLD CONNECTORS


J&M CONTROLLER, MANUAL and DOCUMENTATION **\$399.95** **Super!! SALE!**

TAKE ADDED SAVINGS ON TWO DRIVE SYSTEMS

DISKETTES with free library case **\$17.95**

Unadvertised Specials **\$Call**

Drives cleaned, aligned & tested **\$29.95**



10 Diskettes
CONTROL DATA


TECHNICAL STAFF ON DUTY, PLEASE CALL FOR ASSISTANCE.



CALL US TODAY!!
ORDER TOLL FREE

(617) 234-7047
1-800-635-0300

* DEALER INQUIRIES INVITED.
(617) 234-7047



TRUE DATA PRODUCTS



195 Linwood Street, P.O. Box 546

Linwood, Massachusetts 01525

(617) 234-7047

HOURS MON - SAT 9-6 (EST)

We welcome

- Visa / Master Charge  
- Checks (allow 2 weeks for clearing)
- C.O.D. Add \$2.00

704E EC	89 0100	00470	SCLOOP	LDD	256,X	*GET BYTE FROM LINE BELOW WHEREVER WE ARE	709F 34	02	00850	PSHS	A	*SAVE SLICE	
7052 ED	81	00400		STD	,X++	*SAVE IN NEW LINE	70A1 CC	F000	00860	LDD	00F000	*READY TO BUILD 5 BIT MASK	
7054 BC	712A	00490		CMPX	POS	*MOVED ALL LINES?	70A4 FD	7126	00870	STD	MASK	*SAVE AS CURRENT MASK	
7057 26	F5	00500		BNE	SCLOOP	*IF NOT GO AGAIN	70A7 35	02	00880	PULS	A	*GET BACK SLICE	
7059 20	D7	00510		BRA	CLS	*CLEAR LAST LINE OF SCREEN (PARTIAL CLS)	70A9 C6	FF	00890	LDB	00FF	*SOLID WHITE	
705B 39		00520	RET	RTS		*RETURN TO BASIC	70AB 7A	7129	00900	BITTST	DEC	BIT+1	*BIT COUNT = BIT COUNT - 1
705C B1	0D	00530	LETTER	CMPA	000D	*IS THE CHR A CARRIAGE RETURN	70AE 27	0E	00910	BEQ	SAVE		*IF ALL DONE THEN THE MASK IS READY
705E 26	0A	00540		BNE	LETT2	*IF IT ISN'T JUST OUTPUT IT	70B0 1A	01	00920	ORCC	01		*SET CARRY FLAG
7060 7F	712B	00550		CLR	POS+1	*SET BYTE WITHIN LINE TO ZERO(LHS)	70B2 46		00930	RORA			*MOVE SLICE
7063 7C	712A	00560		INC	POS	*POINT CURSOR TO NEXT LINE	70B3 56		00940	RORB		*	INTO 2 BYTES
7066 7F	712B	00570		CLR	BIT	*SET BIT WITHIN BYTE TO LHS	70B4 1C	FE	00950	ANDCC	00FE		*CLEAR CARRY FLAG
7069 39		00580		RTS		*RETURN	70B6 76	7126	00960	ROR	MASK		*MOVE MASK TO MATCH
706A C6	04	00590	LETT2	LDB	04	*4 BYTES / LETTER IN TABLE	70B9 76	7127	00970	ROR	MASK+1	*	IT IS 2 BYTES LONG
706C F7	712C	00600		STB	BYTE	*SAVE THE NUMBER 4 (NUMBER OF BYTES LEFT)	70BC 20	ED	00980	BRA	BITTST		*GO SEE IF MORE MOVEMENT IS NEEDED
706F 00	20	00610		SUBA	0020	*A=A-32 (ANY CONTROL CODES HAVE BEEN DONE)	70BE 34	06	00990	SAVE	PSHS	D	*SAVE SLICE(NOW USES TWO BYTES)
7071 3D		00620		MUL		*FIND ENTRY ON TABLE	70C0 FC	7126	01000	LDD	MASK		*GET WORKING MASK
7072 C3	712D	00630		ADDD	TABLE	*ADD TABLE OFFSET	70C3 AA	84	01010	ORA	,X		*WHITE OUT SCREEN SECTION
7075 1F	02	00640		TFR	D,Y	*PUT PUT TABLE POINTER INTO Y	70C5 EA	01	01020	ORB	1,X	*	(IT CAN SPAN TWO BYTES)
7077 BE	712A	00650		LDX	POS	*GET CURRENT CURSOR LOC	70C7 A7	84	01030	STA	,X		*SAVE MASK BACK TO SCREEN
707A A6	A0	00660	LOOP	LDA	,Y*	*GET BYTE FROM TABLE	70C9 E7	01	01040	STB	1,X	*	(ONCE AGAIN IT IS TWO BYTES)
707C 34	02	00670		PSHS	A	*SAVE THE BYTE	70CB 35	06	01050	PULS	D		*GET BACK WORKING MASK
707E 0A	0F	00680		ORA	000F	*MAKE LSN ALL ONES	70CD A4	84	01060	ANDA	,X		*SET REQUIRED BITS
7080 BD	16	00690		BSR	SLICE	*PRINT THIS SLICE TO SCREEN	70CF E4	01	01070	ANDB	1,X		*IN BOTH BYTES
7082 35	02	00700		PULS	A	*GET BYTE BACK	70D1 ED	84	01080	STD	,X		*SAVE TO SCREEN
7084 48		00710		ASLA		*MOVE	70D3 30	88 20	01090	LEAX	32,X		*MOVE TO NEXT LINE
7085 48		00720		ASLA		* LSN	70D6 39		01100	RTS			*ALL DONE THIS SLICE
7086 48		00730		ASLA		* INTO			01110	*****			
7087 48		00740		ASLA		* MSN			01120	*MOVE CURSOR FORWARD 5 *			
7088 BA	0F	00750		ORA	000F	*MAKE LSN ALL ONES			01130	*BITS (ONE CHARACTER) *			
708A BD	0C	00760		BSR	SLICE	*PRINT THIS SLICE			01140	*****			
708C 7A	712C	00770		DEC	BYTE	*NEXT BYTE TO BE DONE	70D7 F6	7128	01150	FORM	LDB	BIT	*GET CURRENT BIT WITHIN BYTE
708F 26	E9	00780		BNE	LOOP	*IF MORE BYTES THEN LOOP	70DA CB	05	01160	ADDB	05		*PLUS 5 BITS
7091 30	89 FF00	00790		LEAX	-256,X	*POINT BACK TO TOP OF LETTER	70DC C1	07	01170	CMPB	07		*IF MORE THAN SEVEN THEN CHANGE BYTE
7095 BD	40	00800		BSR	FORM	*MOVE CURSOR FORWARD ONE POSITION	70DE 23	04	01180	BLS	BITSV		*ELSE WE ARE DONE
7097 39		00810		RTS		*RETURN	70E0 30	01	01190	LEAX	1,X		*ADD ONE TO SCREEN LOC
7098 F6	712B	00820	SLICE	LDB	BIT	*GET CURRENT BIT WITHIN BYTE	70E2 C0	08	01200	SUBB	08		*RESET BIT COUNT
709B 5C		00830		INCB		*ADD ONE TO IT	70E4 C1	07	01210	BITSV	CMPB	07	*VERY RIGHT EDGE?
709C F7	7129	00840		STB	BIT+1	*SAVE AS TEMPORARY BIT COUNTER	70E6 26	0F	01220	BNE	BITDN1		*IF NOT THEN NO NEW LINE

Metric Industries

For the color computer and TDP100

Model 101 Interface \$54.95

- Serial to Parallel Interface
- Works with any Centronics Compatible Printer including Radio Shack, TDP, Gemini, Epson, Gorillia and many others
- Six switch selectable baud rates (300 to 9600)
- 90 day warranty
- Power Supply included



Model 102 RS-232-C Switcher

- Switches all three data lines
- Indicator lights let you know computer is on
- 3 position switch has silver plated contacts for high reliability
- Color coded lights indicate switch position
- Color coded labels for your printer, modem etc., supplied



\$35.95



Cassette Label Program \$6.95

- Prints five lines of information on pin-feed cassette labels
- Menu driven — easy to use



- Uses special features of your printer for standard, expanded and condensed characters
- 24 free labels included with program
- Auto centering features for each line of text
- 16K ECB required

General Items

- Gemini 10X Printer **\$319.00**
- Special Save — Printer & Interface **\$360.00**
- C-10 Cassettes **\$7.50/dozen**
- Hard plastic boxes **\$2.50/dozen**
- Pin-feed Cassette labels **\$3.00 per 100**
- Free shipping on all orders over \$50.00
- Add \$3.00 for shipping on orders under \$50.00
- Ohio residents add 5.5% sales tax
- Phone order line for VISA and MASTERCARD, orders accepted 24 hrs. a day, call **513-677-0796** or send check or money order to:

**Metric Industries
Department R**

**P.O. Box 42396
Cincinnati, OH 45242**

Dealer Inquiries Invited

70E8 1E 10	01230	EXG	X,D	*PUT X WHERE WE CAN WORK ON IT	712D	FFFF	01600	TABLE	FDB	*FFFF	*DATA TABLE FROM LAST MONTH
70EA C1 1F	01240	CMPB	*1F	*VERY RIGHT OF SCREEN			01610	*****			
70EC 26 07	01250	BNE	BITDN	*IF NOT THEN SAVE CURRENT POS			01620	*DELETE THE ORG LINE	*		
70EE 4C	01260	INCA		*ELSE NEXT LINE			01630	*FROM LAST MONTH'S PART	*		
70EF 5F	01270	CLRB		*AND RESET BYTE WITHIN LINE			01640	*OF THIS PROGRAM AND RE-	*		
70F0 1E 01	01280	EXG	D,X	*SWAP D AND X BACK			01650	*NUMBER IT TO START AT	*		
70F2 5F	01290	CLRB		*BIT WITHIN BYTE=0			01660	*1600, THEN TYPE IN THE	*		
70F3 20 02	01300	BRA	BITDN1	*GO SAVE NEW POS			01670	*LINES LISTED HERE UP TO	*		
70F5 1E 01	01310	BITDN	EXG	D,X			01680	*LINE 1590	*		
70F7 F7 712B	01320	BITDN1	STB	BIT			01690	*ASSEMBLE TO PROGRAM TO	*		
70FA BF 712A	01330	STX	POS	*SAVE CURRENT CURSOR LOC			01700	*DISK OR TAPE	*		
70FD 39	01340	RTS		*ALL DONE MOVING FORWARD			01710	*USE *7000 IN LINE 60	*		
	01350	*****					01720	*FOR 32K MACHINES OR	*		
	01360	*MOVE CURSOR BACK 5 BITS*					01730	*3800 FOR 16K MACHINES	*		
	01370	*****					01740	*USE THE NUMBER FROM	*		
70FE 34 04	01380	BACK	PSHS	B			01750	*LINE 60 IN LINE 20 OF	*		
7100 F6 712B	01390	LDB	BIT	*GET CURRENT BIT WITHIN BYTE			01760	*THE BASIC PROGRAM AND	*		
7103 BE 712A	01400	LDX	POS	*GET CURRENT CURSOR POS			01770	*THE NUMBER-1 IN LINE 10*	*		
7106 C0 05	01410	SUBB	05	*BIT=BIT - 5			01780	*OF THE BASIC PROGRAM	*		
7108 2A 14	01420	BPL	BACKSP	*IF STILL OK THEN SAVE IT			01790	*****			
710A C0 08	01430	ADDB	08	*ELSE FIX BIT COUNT							
710C 30 1F	01440	LEAX	-1,X	*AND BACK UP CURSOR POS							
710E 1E 10	01450	EXG	X,D	*SWAP 'EM AGAIN							
7110 C1 FF	01460	CMPB	*0FF	*NEED TO MOVE TO NEW LINE?							
7112 26 08	01470	BNE	BACKS1	*IF NOT SAVE NEW POS							
7114 C6 1F	01480	LDB	*1F	*END OF LINE							
7116 1E 10	01490	EXG	X,D	*SWAP 'EM BACK							
7118 C6 02	01500	LDB	02	*BIT WITHIN BYTE=2							
711A 20 02	01510	BRA	BACKSP	*SAVE							
711C 1E 10	01520	BACKS1	EXG	X,D							
711E BF 712A	01530	BACKSP	STX	POS							
7121 F7 712B	01540	STB	BIT	*SAVE BIT WITHIN BYTE							
7124 35 04	01550	PULS	B,PC	*RETURN							
7126	01560	MASK	RMB	2							
7128	01570	BIT	RMB	2							
712A 0E00	01580	POS	FDB	*E00							
712C	01590	BYTE	RMB	1							

Listing 3:

```

10 CLEAR1,&H6FFF: CLEAR300
20 DEFUSR0=&H7000
30 PMODE4,1: SCREEN1,1
40 A$=CHR$(12)+"Type what you wa
nt !"+CHR$(13)
50 GOSUB 90
60 A$=INKEY$: IF A$="" THEN 60
70 GOSUB90: GOTO60
80 GOTO80
90 A$=USR0(A$): RETURN

```

Cosmos[®]
COMPUTER SERVICES, INC.
Authorized Star Micronics Service Center
Call for return authorization number.

712 Chicago St.
Green Bay, WI 54301
(414) 432-4635

STOCK ITEMS SHIPPED SAME DAY!

THE COSMOS
CONNECTION IS
A COMPLETE SERIAL
TO PARALLEL INTERFACE
FOR THE COLOR COMPUTER TO
THE GEMINI — 10X and 15X
PRINTERS.

- NO AC REQUIRED
- SWITCHABLE
BAUD RATE
AT: 600
1200
2400



\$60.00

- HIGH QUALITY
CONSTRUCTION
- COMPACT
- 90 DAY
WARRANTY



*Plus - U.S. ORDERS Add \$10.00 Shipping & Handling (if ordering printer only)
*Plus - CANADIAN ORDERS Add \$25.00 for Shipping & Handling (if ordering printer only)

**FREE - Shipping & Handling in U.S. with Package Order

**Plus - CANADIAN ORDERS Add \$15.00 for Shipping & Handling with Package Order

TRS-80 IS A TRADEMARK OF TANDY CORP. PRICES AND SPECIFICATIONS SUBJECT TO CHANGE

THE COMPLETE TRS-80® LINE

- ELITE CALC \$54.95
- ELITE WORD \$54.95
- ELITE FILE \$67.00
- TOM MIX CALL
SOFTWARE FOR
PRICE

THE
GEMINI-10X
PACKAGE
READY TO PLUG IN
TO YOUR COLOR COMPUTER
ONLY

\$299.00

GEMINI - 10X
PACKAGE **

star
micronics inc

THE POWER BEHIND THE PRINTED WORD.

10X - \$269.00
Delta 10 - \$484.00
Delta 15 - \$597.00

CoCo Community

We have compiled a list of Color Computer Clubs because of the many requests we have received. CoCo Clubs may wish to exchange newsletters, share ideas for topics of discussion at monthly meetings, etc.

Please let us know if we have omitted any clubs and send us complete up-to-date addresses. Only those clubs which have signed our "agreement form" will appear in this listing of CoCo Clubs. Also, please notify us if you wish to add or delete any names on this list. Send your information to:

CoCo Clubs
THE RAINBOW
9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059

ALABAMA

Birmingham Alabama Color Computer Club, Robert Matthews, 1725 14th Ave. S., Birmingham, 35205, (205) 933-0887

Huntsville Color-80 Users Group, Randy Niemann, 1011 Versailles Dr., S.E., Huntsville, 35803, (205) 882-2485

ALASKA

Alaska Color Computer Users' Group, Rick McDannel, 430C Beluga Ave., Ft. Richardson, 99505, (907) 428-0392

ARIZONA

Huachuca Hot Pokers, James Standley, 235-A Jeffords Street (NBU-96H), Ft. Huachuca, 85613, (602) 458-8338

Tucson Color Computer Club, William H. Nunn, 6857 A Lighting Circle #22, Tucson, 85708

ARKANSAS

Central Arkansas CoCo Club, Melinda Braslovsky, 1203 Erving Rdg., LP Cabot, 72023, (501) 982-8854

CALIFORNIA

Color America Users Group, Mark Randall, 2227 Canyon Rd., Arcadia, 91006, (213) 355-6111

The Davis CoCoNuts, Adam Sherman, 1818 Haussler Dr., Davis, 95616, (916) 758-3195

Sacramento Color Computer Club, Wayne Chrisope, P.O. Box 9, Elverta, 95626

Joe Bennett, 1169 Florida Street, Imperial Beach, 92023, (474-6213)

Los Angeles-Wilshire Color Computer Users' Group, c/o Norm Wolfe, 269 S. Lafayette Park Pl., Los Angeles, 90057

Ventura County Color Computer Club (VC4), c/o Pete Lydall, Oxnard Public Library, 214 "C" Street, Oxnard, 93030, (805) 984-1842 or DATA (805) 984-1842

South Bay Color Computer Club, Robert L. Cakebread, P.O. Box 3540, Redondo Beach, 90277, (213) 376-1169

Sacramento CoCo Club, Charles Doughty, Box 60511, Sacramento, 95860

Salinas Color Computer Club, Larry Livingston, 501 Monterey Highway, Salinas, 93908, (408) 484-9697

Citrus Color Computer Club, Joseph Kohn, P.O. Box 6991, San Bernadino, 92412, (714) 792-8721

Local Color—A CoCo Club of San Francisco, Andrew G. Kieval, P.O. Box 421242, San Francisco, 94142

San Joaquin CoCo Club, Steven Paul Moreno, P.O. Box 99024, Stockton, 95209, (209) 951-3938

Silicon Valley Color Computer Club, Shawn Jipp, P.O. Box 61593, Sunnyvale, 94088, (408) 749-1947

CoCo Nutz Computer Club, Walter V. Seay, 68-461 Highway 86, Thermal, 92274, (619) 397-4252

COLORADO

Lowry Microcomputer Club/CoCo Users' Group, Jerry D. Surritte, 2249 Moline St., Aurora, 80010, (303) 343-3273

Colorado Color Computer Club, Joe Applegate, P.O. Box 33492, Northglenn, 80233, (303) 650-9768

FLORIDA

Northwest Florida CoCo Nuts, William N. Lamb, P.O. Box 1032, Fort Walton Beach, 32549, (904) 244-5281

Jacksonville Color Computer Club, William H. Brown III, 2411 Hirsch Ave., Jacksonville, 32216, (904) 721-0282

CoCo Chips Color Computer Club, 6 Belle Mead Circle, Largo, 33540, (813) 581-7779

Broward County Color Computer Club, Timothy D. Neary, 510 S.W. 64th Ave., Margate, 33068, (305) 972-4074

C.C. Club of Sarasota, Ernie Bontrager, 4047 Bee Ridge Rd., Sarasota, 33582, (813) 921-7510

Broward CoCo Club, Sue Spahn, 11950 N.W. 29th Manor, Sunrise, 33582, (305) 741-4737

ILLINOIS

Glenside Color Computer Club, Chuck Roberg, 521 Canyon, Carol Stream, 60188, (312) 690-9374

Town & Country CoCo, 5461 S. Kenwood, Chicago, (312) 493-3748

Cook County Color Computer Club, Tim Powers, 1633 Fifth Ave., Chicago Heights, 60411, (312) 747-7062

Illinois Color Computer Club of Elgin, Steven Stroud, 1098 Florimond Dr., Elgin, 60120, (312) 695-3186

Northern Illinois Color Computer Club, 580 Milton Lane, Hoffman Estates, 60194, (312) 885-2573

Motorola Microcomputer Club, Steve Adler, 1301 Algonquin Rd., Schaumburg, 60196, (312) 576-3044

INDIANA

Three Rivers Users Group, Michael Milligan, 4923 Blum Drive, Fort Wayne, 46815, (219) 485-0278

Indy Color Computer Club, Mike Davis, P.O. Box 68702, Indianapolis, 46268, (317) 257-3300

Southern Indiana Computer Club, Route 1, Box 459, Mitchell, 47446

CoCo Program, Erik Merz, 310 Appletree Dr., Noblesville, 46060, (317) 842-1340

IOWA

Metro Area Color Computer Club, K.L. Knudtson, 3324 11th Ave., Council Bluffs, 51501

Iowa City TRS-80 Users Group, Susan Chapler, R.R. 6, The Woods, Iowa City, 52240, (319) 351-5959

KANSAS

Kansas City CoCo Club, Mike Allinder, P.O. Box 11192, Kansas City, 66111, (913) 287-1904

Topeka Color Computer Club, Kevin Cronister, 2224 Hope, Topeka, 66614, (913) 272-1353

Color Computer Club of Wichita, Rex Rivers, 1205 N. Mosley, Wichita, 67214, (316) 264-9193

Walnut Valley C.C. Users Club, David Anderson, 1212 E. 4th St., Winfield, 67156, (316) 221-0040

KENTUCKY

LOCO-COCO, Mike Standefer, 3141 Doreen Way, Louisville, 40220, (502) 458-6690

LOUISIANA

Red Stick Color Computer Club, Gary Cash, 8929 Metairie Drive, Baton Rouge, 70810, (504) 293-7799

Cajun CoCo Club, Bob Hoevel, 104 Karen St., New Iberia, 70560, (318) 365-7706

MASSACHUSETTS

Greater Boston Super Color Users Group, Robert Biamonte, 6 Boulder Drive, Burlington, 01803

New England C.C. Users Group, Christopher E. Sweet, R.D. 2, Box 261, Harvard, 01451, (617) 456-8291

Massachusetts CoCo Club, Jason Rahaim, Spring St., Lunenburg, 01462, (617) 582-6514

6809'ers, Paris Nepus, 93 Grochmal Ave., #90, Springfield, 01151, (413) 732-6633

MICHIGAN

Petoskey Area CoCo Club (PAC³), Dennis Hoshield, 670 Liegl Drive, Alanson, 49706, (616) 347-0607

Greg Miller, P.O. Box 365, Haslett

Midland C.C. Club, Neil Drake, 709 Coolidge, Midland, 48640, (517) 631-2939

Michiana CoCo Club, Clay Howe, 310 S. Jefferson St., Sturgis, 49091, (616) 651-4248

MISSISSIPPI

Singing River C.C. Club, Henry Nielsen, 9001 Gray Ave., Ocean Spring, 39564

MISSOURI

North County 80 Group, Tom Vogel, 12 Ville Donna Ct., Hazelwood, 63042, (314) 739-4078

Mid-America Color Computer User's Group, Jerry Morgan, 807 Ponca Drive, Independence, 64056, (816) 796-5813

Coconuts, 1610 N. Marlan, Springfield, 65803

MONTANA

Billings C.C. Club, Jayne Kenyon, 4306 Phillip, Billings, 59101

NEW JERSEY

Intrasoft, Ravi Sakaria, 139 Candace Lane, Chatham Twp., 07928, (201) 635-8025

Bug 80 Users' Group, George R. Miller, Jr., Box 62, Glen Gardner, 08826

Loco CoCo Club, Bud Lavin, 73B Wavercrest Ave., Winfield Park, 07036

NEW MEXICO

Chaves County Color Computer Club, Lee Mitchell, 1102 Melrose Drive, Roswell, 88201, (505) 623-0789

NEW YORK

Queensboro Color Computer Club, Bob Rosen, Springfield Blvd. & 56th Ave., Bayside, 11364, (212) 631-6233

Local CoCo, Charles Martin, P.O. Box 901, Bellmore, 11710

Broome CoCo Club, Bucky Helmer, 57 Front St., Binghamton, 13905

Adirondack CoCo Club (Home Office), Bill Edwards, Box 365, Bolton Landing, 12814, (518) 644-9927

Adirondack CoCo Club (Albany Chapter), Ron Fish, Box 4214, Albany, 12204

Adirondack CoCo Club (Glens Falls Chapter), Dave and Richard Mitchell, 39 Center Street, Fort Edwards, 12828

Kings Byte CoCo Club, Morty Libowitz, 1063 East 84th St., Brooklyn, 11236, (212) 763-4233

C.C. Club of Central N.Y., Joseph Short, 248 S. Fourth Ave., Ilion, 11357, (315) 895-7730

NORTH CAROLINA

TRS-80 Users' Group of Charlotte, Jason Foodman, 240 Medearis Dr., Charlotte, 28211

Raleigh Color Computer Club, David Roper, P.O. Box 681, Garner, 27529

OHIO

CoCo Club of Youngstown, Timothy McFadden, P.O. Box 478, Canfield, 44406, (216) 788-4218

Columbus & Central Ohio Color Computer Club, D.E. Sparrow, 19 E.N. Broadway, Columbus, 43214, (614) 268-5366

Dayton CoCo Users' Group, Joseph P. Evans, 609 Applehill Dr., W. Carrollton, 45449

Cincinnati TRS-80 Users Group, R.A. White, 44 Dow Court, Fairfield, 45014

The Cleveland CoConuts, Paul Selig, 20734, Stanford Ave., Fairview Park, 44126, 333-2920

Dayton Are Color Computer Users Group, David R. Barr, 2278 Yorkshire Pl., Kettering, 45419, (513) 293-2228

M.U.G. of CoCo—Middletown Users Group, James Carr, Middletown, 45042, (513) 424-6905

Northeastern Ohio (N.E.O.) CoCo Club, Tony Rugue, 527 Malvern Drive., Painsville, 44077, (216) 354-2736

Miami Valley CoCo Club, R. Douglas Wales, 2065 LeFeure Rd., Troy, 45373

OREGON

Willamette Valley CoCo Users, Brian James, P.O. Box 11468, Eugene, 97440, (503) 687-9286

PENNSYLVANIA

HUG-A-CoCo, George Lurie, 2012 Mill Plain Court, Harrisburg, 17110, (717) 657-2789

Penn-Jersey Color Computer Club, P.O. Box 2742, Lehigh Valley, 18001

Capital Area TRS-80 Users Group, David Morrow, 340 Lewisberry Rd., New Cumberland, 17070, BBS (717) 774-6543

Pittsburgh Color Group, William Tucker, P.O. Box 351, West Mifflin, 15122, (412) 466-3078

RHODE ISLAND

New England CoCo Nuts, P.O. Box 6604, Providence, 02940

SOUTH CAROLINA

Invitation Software Group, Tom Reed, 3562 Linbrook Dr., Columbia, 29204, (803) 786-0541

Midlands 80 Computer Club, Tommy Sanders, P.O. Box 7594, Columbia, 29202, BBS (803) 755-3414

Metropolitan Greenville CoCo Club, Ed Lowe, P.O. Box 6, Gray Court, 29645, (803) 876-3928

Hilton Head Island CoCo Club, Kevin Clark, P.O. Box 6187, Hilton Head Island, 29928, (803) 785-9630

Spartanburg County CoCo Club, Dennis Shattuck, 473 Royal Oak Drive, Spartanburg, 29302, (803) 583-3017

TENNESSEE

Chattanooga CoCo Club, Jim Perkins/Jim Cox, P.O. Box 9825, Chattanooga, 37412, (615) 870-2439

Memphis Color Computer Users Group, Billy Seaton, P.O. Box 11736, Memphis, 38111

TEXAS

CoCo User Group, David Karam, 1809 Dexter, Austin, 78704, (512) 442-6317

B/CS Color Computer Users Group, Dale Cuthbertson, 1812 Michael Lane, Bryan, 77801, (409) 822-0731

Deer Park Color Computer Club, Donald Burr, 4314 W. Grant, Deer Park, 77536, (713) 479-5313

International Color Computer Club, Inc., Robert L. Garrett, 2101 East Main Street, Henderson, 75652, (214) 657-7834

UTAH

Ogden CoCo, Kathy Rush, 4535 S. 2600 W. Roy, Ogden, 84067

VIRGINIA

D.C./N. VA. C.C. Club, Jack Darling, 43 Donovan Dr., Alexandria, 22306, (703) 780-6159

Northern Virginia C.C. Club, Logan McMinn, 6048 Bellevue Dr., Apt. 1, Falls Church, 22041

Central Virginia Color Computer Club, Lane Lester, 413 Woodland Circle, Lynchburg, 24502, (804) 237-4188

WASHINGTON

Northwest Computer Club, Judy Gehman, E. 14012 Cataldo, Spokane, 99216, (509) 928-2169

WEST VIRGINIA

Kanawha Valley Personal Computer Club, P.O. Box 5354, Charleston, 25311, BBS (304) 925-3338 or 345-6502

Mtn. State CoCo Users Group, Donald G. Barber, Jr., P.O. Box 1084, Morgantown, 26507, (304) 599-4493

Mil-O-Bar C. C. Club, Jim Lemaster, Ona, 25545, (304) 743-4752

Blennerhassett CoCo Club, David Greathouse, Rt. 9, Box 119, Parkersburg, 26101

West Virginia Color Computer Club, William Mucklow, 949 Baier Street, St. Albans, 25177, (304) 727-6764

WISCONSIN

CoCo-MUG, Tom Fandre, P.O. Box 10152, Milwaukee, 53210, (414) 542-0600

Southern Wisconsin CoCo Club, David C. Buehn, P.O. Box 411, Twin Lakes, 53181

CANADA

ALBERTA

Calgary Color Computer Club, David Logan, 151 Whitelock Place N.E., Calgary, T1Y 4S7

Medley Computer and Electronics Club, P.O. Box 1267, Medley, T4A 2M0

NEW BRUNSWICK

Moncton Colour Computer Users Group, Richard Bissett, 43 Pine Glen Rd., Riverview, E1B 1V3

BRITISH COLUMBIA

North Island CoCo Club, Brian Marshall, P.O. Box 1740, Port Hardy, B.C., V0N 2P0

NEWFOUNDLAND

Avalon CoCo Club, A.R. Thompson, 10 Foran St., St. John's, A1E 4G1

NOVA SCOTIA

Halifax Dartmouth CoCo Users Group, P.O. Box 572, Dartmouth, B2Y 3Y9, (902) 469-3656

ONTARIO

International Adventurer's Club, Maurice Dow, 84 Camberley Cres., Brampton, L6V 3L4

K-W C.C. Club, Peter Karwowski, 23 Hudson Crescent, Kitchener, N2B 2V7

London CoCo Nuts Computer Club, Harry K. Boyce, 180 Concord Road, London, N6G 3H8, (519) 472-7706

Meadowvale Color Computer Club, Howard Porter, P.O. Box 186, Streetsville, Mississauga, L5M 2B8

Niagara Regional CoCo Club, Harry VanDyke, 7707 Jubilee Drive, Niagara Falls, L2G 7J3

QUEBEC

Montreal TRS-80 Users Group, Jacobs P.C. Bagchus, 1176 Phillips Place, Suite 201, Montreal, H3B 3C8, (514) 861-3488

South Shore CoCo Club, Jacques Bedard, 33 Lisilre, St-Constant, P.Q., J0L 1X0

SASKATCHEWAN

Regina Color Computer Club, Georges Glass, 26 Tweedsmuir Bay, Regina, S4X 2B1, (306) 949-3942

Saskatoon Color Computer Club, Guy Tomashevski, 415-423 Pandygrasse Rd., Saskatoon, S7M 4Z2

AUSTRALIA

Blacktown City Colour Computer Users Group, Keith Gallagher, 27 Alford St., Blacktown, New South Wales, 2148

CoCo Colyteens of Colyton, Dwayne Manson, P.O. Box 506, St. Marys, New South Wales, 2760

MEXICO

Mexico City Color Computer Club, Marcelo Luft, Laja #232, 01900 Mexico D.F., Mexico City, 5-68-78-75

WEST GERMANY

First CoCo Club Hamburg, Theis Klauberg, 2000 Hamburg 62, Bultenmoor 43

new clubs

Editor:

I am extremely pleased to announce the promotion of a new CoCo club. We are a non-profit organization with more features than I think you will find in any other CoCo club. Our club library can boast the ownership of over 300 CoCo programs and we are growing daily due to new member submissions as well as our weekly BBS hunt for new downloadable programs.

Anyone wishing to find out what owning a CoCo is all about can send a self-addressed stamped envelope to: Scarborough CoCo Club, 936 S. Wallace, 71822

Ashdown, AR

Editor:

It is with great pleasure that I announce the birth of southeastern Arizona's TRS-80 Color Computer Users Group. At present, we claim 12 members. All members have upgraded memory to 64K and our systems range from cassette based to disk drive, and include both the original Color Computer and the newer CoCo II. We boast several talented programmers from our ranks and have plans to submit their work to future issues of THE RAINBOW.

We welcome correspondence from other already existing CoCo groups as well as interested inquiries from local CoCo owners. Write to: Huachuca Hot Pokers, 228B Jeffords St., 85613. Call (602) 458-0292 or 458-8338.

*Tim Tulp
Ft. Huachuca, AZ*

Editor:

We are organizing a TRS-80 Users Group (including CoCos) in San Luis Obispo. We will meet the third Tuesday of each month in the Radio Shack Store at 209 Madonna Road. Call Wes Porter at (805) 481-2387, or write to: 2840 Halcyon Road, 93420 for further details.

*Edward Bitter
Arroyo Grande, CA*

Editor:

Is there any interest in forming a Bakersfield area CoCo Users Group? Meet others with common interests and exchange ideas on software, debugging, machine language, assembly language, hardware mods, programming, hints, group purchasing, amateur radio, problem solving, etc.

For information, call or write: 2521 Bishop, Apt. A, 93306, (805) 872-8618.

*Larry Sheridan
Bakersfield, CA*

Editor:

I would like to start a local Los Angeles Color Computer Club for us local central Los Angeles Color Computer buffs. All the present clubs are not in the city of Los Angeles. Call (213) 464-6809.

*Franz Grey
Hollywood, CA*

Editor:

There is a users group in the New Haven area that has started up recently. Anyone interested in coming to the meeting, please call or write to: 544 Orange Center Road, 06477, (203) 799-2631.

*Patrick Palmer
Orange, CT*

Editor:

The CoCo Chips has been in existence for over a year. We have a large club library and meet once a month. The meetings are held at the Montessori School in Belleair on the first Friday of each month at 8 p.m. For further information, please contact Linda Signor at (813) 581-7779 or write to The CoCo Chips Color Computer Club, 6 Belle Meade Circle, Largo, FL 33540.

*Robert Fallona
Pinellas Park, FL*

Editor:

We would like to inform you that there is a CoCo Users Group in Elgin.

We of the Illinois Color Computer Club have enjoyed your magazine articles and programs enormously. A number of us attended the RAINBOWfest and thought it was even better than the first.

At the present time we have about 22 members and meet the third Wednesday of the month at Aunt Mary's Restaurant just north of the I-90 expressway on Route 25 at 7:30 p.m.

We hope to grow in the knowledge and enjoyment of being a CoCo user as you have grown bigger and better yourself. Keep up the fantastic work. Write to: 1117 Hunter Drive, 60120.

*Ray Krack
Elgin, IL*

Editor:

Evansville area CoCo and MC-10 users are invited to help form the Evansville CoCo Users Group. If you are interested, call me at 424-0099, or Brad Callahan at 476-9453. Brad has a BBS on this number on weekends and you can leave us a message there.

*Dave Jenkins
Evansville, IN*

Editor:

The Toccoa Micro-computer Society is meeting on a new schedule. The meetings are every second Tuesday evening of each month at 7 p.m. at the Toccoa-Stephens County Public Library.

Thank you for this service. I realize that it costs THE RAINBOW a considerable amount to publish a Clubs section. It is very nice of you to do this for your readers. I guess that is just one of the many reasons that THE RAINBOW is miles ahead of the other CoCo magazines.

*Steve Shields
Eastonollee, GA*

Editor:

The Oahu Color Computer Club meets at the Liliha Public Library in Honolulu the third Thursday of every month. All interested persons are invited to call or write: 47-164 C. Hui Akepa Place, 96744, or (808) 239-6534.

*Steve Galeski
Kaneohe, HI*

Editor:

I would like to inform your readers of the formation of the Lexington Color Computer Users Group. We meet the second Monday of each month. Anyone wishing more information should contact me at 224 Fairdale Drive, 40505 or call (606) 255-6007 after 6 p.m.

*Ed Jelf
Lexington, KY*

Editor:

I would like to know if anyone in the Ferriday-Jonesville area would be interested in starting a Color Computer Club. If so, please write me at Frogmore Pltn., 71335.

*George Tanner
Frogmore, LA*

Editor:

I'd like to announce the founding of the Framingham Color Computer Club. We meet at Nat Walsh Music Studio on the second and fourth Thursdays of every month. There is also a BBS run on a CoCo by the club that may be reached at (617) 872-5170.

*Mitch Cohen
Framingham, MA*

Editor:

I would like to inform your readers that the New England Color Computer Users Group has a new address. Our new address is: N.E.C.C.U.G., R.D. 2, Box 261, 01451. We hold meetings about once every three to four weeks and we have a newsletter that comes out every month. If you would like information on the group, please contact us.

*Chris Sweet
Harvard, MA*

Editor:

I would like to form a Color Computer Club in my area. I own a CoCo and I think it would be great to start a club. If you are interested, please contact me at 6321 Bosker Lane, 48444.

*John Sormly
Inlay City, MI*

Editor:

We are currently forming a users group in the Jefferson City area and our numbers have risen to 12 interested individuals. For more information, write to: 900 Rock Hill Road, 65101.

*Wayne Johnson
Jefferson City, MO*

Editor:

I have had my CoCo for about three years and I am trying to start a CoCo club in the St. Louis area.

Anyone interested call or write (314) 327-6402, 856 Hancock Road, 63385.

Any age welcome!

*Kel Kerr
Wentzville, MO*

Editor:

The CoCo Users Group - Monmouth/Ocean County, meets on the second Friday of every month, 7:30 p.m. at 1401 Highway 71, 07719. For more information call (201) 280-2727 or 774-7426.

*John Stewart
Belmar, NY*

Editor:

We are proud to announce the birth of Intrasoft, an organization for Color Computerists. Members receive: a monthly newsletter, access to the Intrasoft library (software rentals through the mail), a list of members in their area, and vast amounts of information relating to the Color Computer.

For more information, call (201) 635-8025 after 3:30 p.m. on weekdays and ask for an Intrasoft representative. The first publication of our newsletter in Dec. 1, 1984. Library opens Dec. 1, 1984.

*Ravi Sakaria
Chatham, NJ*

Editor:

I live in Buffalo and am finding it quite difficult to find a Color Computer Club or a modem-equipped computer buddy nearby without paying a fortune in bills.

Does anyone in the Buffalo area know of any formed users group by mail or modem? There must be someone! I'd appreciate someone calling me at (716) 822-0175, or write to 33 Fields Ave., 14210.

*Dan D'Alessandro
Buffalo, NY*

Editor:

A few friends and I have been considering forming a Color Computer Club in Morehead City which would serve all of eastern North Carolina. The cost would be about \$4 a year and would cover such expenses as newsletters, a software library containing programs written by our members and possibly a bulletin board system containing such software. If there is anyone who might be interested in such a club, please write to me at P.O. Box 943, 28532 or call me at (919) 247-3037.

*Mike Fahy
Havelock, NC*

Editor:

As owners of Radio Shack's TRS-80 Color Computers, we are interested in contacting other Color Computer owners. We are lo-

cated in the Asheboro-Ramseur area. Contact either John Lutsie, Rt. 9, Box 312, 27203, phone 625-5477 anytime; or phone me at 824-2612 after 3 p.m.

*Helen Reynolds
Ramseur, NC*

Editor:

I'd like to start a CoCo users group in the Grove City-Columbus area. Anyone interested can call me at (614) 875-9786 or write me at 2480 Northbranch Road, 43123.

*Mike Gould, Jr.
Grove City, OH*

Editor:

We are happy to announce the existence of the CoCo Nuts Computer Club of Portland. We invite anyone in the Portland metropolitan area to attend our meetings. We meet the first Saturday of every month at the Far West Federal Building at 45th and Woodstock. We have a very large program library on both tape and disk available to all members. We would like to exchange newsletters with any interested CoCo Clubs as we are very proud of our newsletter and very interested in finding out what other clubs are doing. Please address all inquiries and newsletters to P.O. Box 6507, 97228. Phone (503) 252-5681.

*Rick Roth
Portland, OR*

Editor:

We are pleased to announce the formation of the Salt City CoCo Club of Utah in Salt Lake City for users of the Color Computer.

Our group is promoting interest in the Color Computer in the Salt Lake area. Some of the areas of interest in our club are hardware experimenting, machine language programming, educating others and showing off our Color Computers to the community.

We currently publish a monthly newsletter. Articles and programs from members are included in each issue.

We meet on the even Thursdays of each month at 7 p.m. at Utah Transit Authority, 3600 S. 700 W. Anyone interested can call me at (801) 487-6032 or write to 720 E. Browning Avenue, 84105.

*Dennis Mott
Salt Lake City, UT*

Editor:

The Color Computer: Montgomery County Users Group (CoCo:MUG) has been formed and meets monthly at the Christiansburg Library. Our members represent a wide range of CoCo users, from educational to business applications. One member even ran a BBS, (which we are trying to convince him to restart).

Any interested parties may contact me at P.O. Box 774, 24073.

*Ron Rogers
Christiansburg, VA*

Editor:

Please let it be known to your readers that I am trying to start a computer club for TRS-80s. Anyone interested can contact me by writing RT. 2, Box 76-C, 25801.

*Greg Reed
Beckley, WV*

Editor:

I would like to announce the forming of a TRS-80 club in the New London-Hortonville area. This is a group especially for those interested in getting games and other things children would like. We will not discuss word processing and business uses, but will see how many have printers and decide to discuss that or not. We would like children from the ages 11-14, but please call for exceptions. For information write RR 4, Box 156, 54961 or call (414) 982-2565.

I would also like to have contact from other CoCo Clubs around the country, or just CoCo fans not in a club.

*Paul Steinberg
New London, WI*

Editor:

Over the past two years a club in Milwaukee, called CoCo-MUG, has been in full swing. For information write: CoCo-MUG, P.O. Box 10152, 53210; or call Dan at (414) 258-9448 or Tom Fandre (414) 542-0600.

*Dan Neuman
Wauwatosa, WI*

Editor:

A new users group is being formed, the ESSA Color Computer Club in Simcoe County, Ontario. I urge all owners or potential owners of the CoCo in the Barrie, Angus-Borden and surrounding area to come out to the club meetings.

Activities include instruction in BASIC and Assembler programming, preparing of a newsletter, general and specific discussions and any other related activities. For further information call me at (705) 424-1354 or write to P.O. Box 1001, L0M 1B0.

*Eldon Doucet
Angus, Ontario*

Editor:

There are a lot of Canadians up here with CoCos, and we all think that your magazine is the best!

We'd like to hear from anyone in the Bruce County area who would like to form a CoCo club or just like to share information about our favorite computer. Anyone interested can write to P.O. Box 341, N0G 2V0.

*John and Mimi Wong
Walkerton, Ontario*

Editor:

I am interested in joining or forming a Color Computer Club in Puerto Rico. If you have information about a club or would like to form one, please contact me at Paradis B-24, Caguas, P.R. 00625 or call (809) 743-2684.

*Radames Aguayo
Caguas, P.R.*

Editor:

We are proud to announce the existence of the Dutch Color Computer Club. We have given it the name COCONUT. There

are almost 200 members, some of them having a Dragon computer, which we also fully support. Our library now contains approximately 2,000 programs, most of them coming from the USA.

Send correspondence to: COCONUT, c/o Peter Senff, Waterrad 104, 1613 CR Grootebroek, The Netherlands.

*Peter Senff
The Netherlands*

Editor:

I would like to announce that I am activating a Philatelic Users Group for stamp collectors. I have worked it out so that the membership will more than pay for itself over the course of the year. For those that are interested, write to 21531 Meyers Road, 95320.

*John Root
Escalon, CA*

Editor:

I would like to inform the readers about the South Bay Color Computer Club. We meet the third Friday of every month at Mercury Savings in Torrance. For more information, call (213) 376-9755 or 538-8394.

*Robert Cakebread
Redondo Beach, CA*

Editor:

Please inform your readers of the Dade Color Users Group of Miami. We are the largest and oldest Color Computer group in Dade County. Meetings are held at 7:30 p.m. on the third Tuesday of each month at the Miami Shores Community Center, 96th Street and Northeast 7th Avenue.

Further information may be obtained by leaving EMail on CompuServe to PPN # 70365, 463 or by calling the club BBS, 24 hours a day, (305) 751-6809.

Yearly dues are \$12/individual, and \$18/family.

*John Lovell
Miami, FL*

Editor:

The Atlanta Area Color Users Group has been in existence for three years and we now meet 10 months a year at Nash Middle School in Smyrna. Meetings begin at 7 p.m. and there are no dues at present. For more information, call Gary at 949-0369, Lee at 373-3216, or CBBS 378-4410.

*Gary McConville
Douglasville, GA*

Editor:

Our computer club name is Le Club d'Ordinateur Couleur de Quebec, Inc. (C.O.C.Q.).


The meetings will be every Wednesday at 7 p.m. at C.O.C.Q., Inc., Loisirs St-Mathieu, 7110, 8e Avenue, H2A 3C4.

*Jean-Marie Beaujean
Montreal, Quebec*

DATAWARE

INTERNATIONAL

AT LAST all the disk utilities you have been looking for have been collected into one easy to use, menu driven package. If you need to create auto start programs, back up your directories, verify disk sectors, recover lost files, view and modify disk contents or many other tasks, you will find our new DISKMASTER indispensable. The extensive instructions include a tutorial on disk structure. Includes 3 ring binder.



Not available



\$33.95 US

\$39.95 Cdn



+\$2.50 S/H


DISK
MASTER



PRINT
MASTER



COMING SOON - Our screen print program will work with any printer. All standard graphic and text screens are supported with a wide assortment of scaling factors, density options and special effects. Available Jan 1st. 1985



\$33.95 US

\$39.95 Cdn





\$37.95 US

\$43.95 Cdn



+\$2.50 S/H



Have you been trying to learn assembly language? Has EDTASM got you confused? Are you familiar with the 6809 instruction set, but you're still not able to put it all together into a coherent working program. If you answered YES then you need *IN ASSEMBLY LANGUAGE*. From simple routines to read the keyboard, generate random numbers etc. all the way to multitasking and threaded code are covered. All source code for the examples is included on tape or disk.



\$25.95 US

\$29.95 Cdn



\$29.95 US

\$33.95 Cdn



+\$2.50 S/H

IN
ASSEMBLY
LANGUAGE



DATAWARE

INTERNATIONAL

125 SOUTH FIFTH STREET
LEWISTON, N.Y. 14092

DATAWARE


INTERNATIONAL

420 FERGUSON AVE. N.
HAMILTON, ONT., L8L 4Y9


Announcing . . .

The Rainbow Bookshelf

From Falsoft, Inc., a new compilation of books, media and learning aids for the world's most popular computers.




The Rainbow Book of Simulations



Now . . . 20 super Simulations from the RAINBOW's first simulation contest! Be an air traffic controller . . . worry about flood control . . . be the presidential candidate . . . and a whole lot more!

Book \$9.95
Tape \$9.95

The Rainbow Book of Adventures



All 13 winners from the RAINBOW's fabulous 1st Adventure contest! Fight in the depths of the earth . . . work your way through a lighthouse . . . explore a haunted mansion . . . and many more!

Book \$7.95
Tape \$7.95

And coming for Christmas . . .

The Complete Rainbow Guide To OS-9!

By Dale Puckett and Peter Dibble

ONLY \$19.95

Falsoft, Inc.
9529 U.S. Highway 42
The Falsoft Bldg.
P.O. Box 385
Prospect, KY 40059

Please send me:

☐ The Rainbow Book of Simulations \$ 9.95 _____
☐ Rainbow Simulations Tape \$ 9.95 _____

☐ The Rainbow Book of Adventures \$ 7.95 _____
☐ Rainbow Adventure Tape \$ 7.95 _____

☐ The Complete Rainbow Guide to OS-9 \$19.95 _____

Add \$1 per book Shipping and Handling in U.S. _____
Canada and Mexico Add \$2.00 _____
All Other Foreign Add \$4.00 _____

Total _____

**I want to start my own
Rainbow Bookshelf!**

Name _____
Address _____
City _____ State _____ ZIP _____

☐ Payment Enclosed Charge: ☐ VISA ☐ MasterCard ☐ American Express
Account Number _____ Interbank # (MC Only) _____
Signature _____ Card Expiration Date _____

Why Not Try a 128K Upgrade Kit or VDOS?

By Dan Downard
Rainbow Technical Editor

• *Is it possible, and if so, how big a project would it be to build a plug-compatible RAM disk for the Color Computer, i.e., a RAM disk that would plug into the second connector of the standard two drive cable (for all of us who just have one drive)? Could the standard Radio Shack controller handle a RAM disk of 256K or even 512K?*

I have several software packages that will allow me to 'invert' the foreground/background on the amber monitor that I use with my Color Computer. The screen looks good with the black background and bright amber characters, but would look even better if the border was also black. Is there a way to make the entire screen (border and inner square) black and the characters amber? I have been told that since the software in question uses the Hi-Res screen (51 by 24) I'm stuck with things the way they are.

Dean C. Aukes
Carrollton, TX

Dean, have you noticed the 128K upgrade kits recently advertised in the THE RAINBOW? One of these will solve your problem without resorting to an actual RAM disk. Some software authors are approaching these upgrade kits as quasi-RAM disks. Another solution is to buy VDOS by Dr. Preble's Programs. This program performs exactly

(Dan Downard is an electrical engineer and has been involved in electronics for 24 years through ham radio [K4KWT]. His interest in computers began about five years ago and he has built several 68XX systems.)

the function you are looking for.

As far as answering your question, we know of no practical way to use the disk controller for a RAM disk. The cable and connector are designed for a serial stream of data from a floppy disk. The data from a floppy is frequency modulated and it would seem far-out to try to emulate this signal. The several RAM disk packages for other computers we have seen replace the controller as well as the drive.

Now, for your problem with the background color of your display. It is possible to have a black screen with amber characters. The software you have just doesn't offer that option. One quick solution is to purchase the Word-Pak accessory from PBJ. Not only will you get a black screen with amber characters, but 80 columns to boot.

• *I have noticed that there are several expansion devices (such as voice synthesizers and Radio Shack's X-pad) that either cost extra or are not available for the CoCo 2. Is this because the CoCo 2 does not supply 12 volts to the expansion port? If this is so, why not just connect a 12-volt power supply, such as Radio Shack #273-1652 to the correct pins on the connector inside the CoCo? I am not sure of which pins to connect this to, or even if this would work at all. There are probably many CoCo 2 owners that do not like spending the extra \$20 for a CoCo 2 compatible voice synthesizer or the \$180 for a Multi-Pak interface. With the 12 volts, one could just get a Y-cable to connect two items to the expansion port instead of laying down big bucks for*

the Multi-Pak.

Also, could two or more Y-cables be used to get several items connected to the CoCo, such as a disk drive, the X-pad and a voice synthesizer, to be used all at the same time?

Mitch Cohen
Framingham, MA

It is very easy, and practical, to attach a 12-volt power supply to your CoCo 2, Mitch. An article on how to do this appeared in Tony DiStefano's column in the April, 1984 RAINBOW. If you already have a 12-volt power supply, connect the +12 lead to Pin 2 of the expansion connector. The ground connection should be made to Pin 33 or Pin 34.

If a regulated supply is not necessary for the device you have in mind, 12 volts is available on the positive side of C3, CR3 and CR4 in the CoCo 2. Some people have been known to run their older disk controllers requiring 12 volts by connecting this line to Pin 2 of the expansion connector.

I cannot directly answer the second part of your letter dealing with multi Y-cables without knowing what the specific devices and loading characteristics you are contemplating. Keep in mind that the expansion bus on the CoCo has unbuffered lines, e.g., direct lines to the microprocessor. Putting too much load on these lines could damage the 6809E. That's why we have the Multi-Pak interface.

• *I have just discovered your very interesting magazine in my country, and am happy to read it every month.*

I have a 32K Extended Color BASIC computer. Could you tell me how random numbers can be generated in machine language? Is there a subroutine in ROM that can be called?

J. Kostense
Rotterdam, Netherlands

Nice hearing from the Netherlands, Mr. Kostense. There is a random number generating routine in the BASIC ROM. It is located at address \$BF1F. Floating point math is used and we hope to have a complete explanation of how the CoCo uses this system in an upcoming issue. The explanation is too involved for this column.

• I have two questions involving graphics. The first is about sprite graphics. Your reply to Theodore Arrington's letter implied that to have sprite graphics you need special hardware. I have used sprites on my friend's Commodore 64 and, from what I have seen, it seems like you could do the same thing with a software feature built into BASIC. How does a sprite video display generator chip work and how do you access it?

My second question concerns graphics Adventures. I understand how you would make one with a disk system. You would design your screens and save them as binary files. On a cassette system the screens would have to be resident in memory. You would need 6K for graphics memory, which leaves you almost enough memory for nine rooms; that leaves no room for the actual Adventure. You could use BASIC statements to draw the screens as you go along, but not only would this slow down the program, it would use up just as much memory if the screens were detailed. How can cassette-based graphics Adventures store so much data into so little memory?

The Snyders
Mansfield, CT

Sprite graphics are indeed hardware generated and not possible with the 6847 VDG inside our CoCos. You are correct in assuming that sprites can be simulated with software. In fact, this is what the Extended BASIC commands *GET* and *PUT* try to accomplish.

The advantage of having hardware sprites is that less programming is required to move objects around the screen. Since the software overhead is minimal, quicker response is possible. You have to weigh this fact with the relative speed of the micro-processor though, and with our 6809E we've managed to ignore sprites so far and still have some outstanding games.

As far as saving graphics screens for games on tape, I would recommend a copy of *Bjork Blocks* distributed by Moreton Bay Software. As this program will more than adequately demonstrate, the data on graphics screens is usually highly repetitive, and can be condensed into smaller blocks.

• In reference to the November issue of your column, a letter from John Ruzicka of Florham Park, N.J., indicated he was experiencing many crashes, I/O Errors and directory crashes.

The problems he was experiencing were probably related to the "Tandy Gold" used on his edge connectors on the disk controller. The tin/lead contacts oxidize, causing intermittent contact problems. The alternate directory and backups are attacking the symptom, not the problem. Our Gold Plug 80, which has been on the market for several years solving the problem on the Model I computer, and for about a year and a half on the CoCo market, will eliminate the crashes and I/O Errors. The cost is minimal, and installation is fairly simple compared to trying to reconstruct one crashed directory. The Gold Plug 80 will solve the problem, not cure the symptom.

Ed Pruitt
Keller, TX

Thanks for the information, Ed. I agree with your evaluation and would recommend gold controller connectors. At the same time, it is only fair to mention that these plugs require soldering to your disk controller edge connector.

• I am interested in how the CoCo works. I like disassembling ROMs and using some techniques in my own assembly language programs. I am a beginner at assembly language, although I'm learning fast.

Because BASIC has to be "translated" into machine code, is there a way to intercept the machine code produced, and use it as an assembly language program? If so, would this method speed up the program?

Tim Richter
Ulster Park, NY

Tim, I believe you may be confused by the difference between a compiler and an interpreter.

The CoCo ROMs contain an interpreter. Each line of BASIC is analyzed as it is encountered, and the commands are executed by calling the proper machine language subroutine in ROM. The only reason you can't read your program in memory exactly as you typed it is due to the memory (and time) conserving method of "tokenizing" each line. "Tokenizing" refers to the substitution of all commands with a single byte (sometimes two) equivalent.

Another method of generating BASIC programs is by using a compiler. A compiler actually translates the BASIC lines into machine language before the program is executed. This results in considerably faster execution, but normally requires more memory. There are several BASIC compilers on the market for the CoCo for you to experiment with, Tim.

• I am writing with two questions and a tip for those who wish to take advantage of it. The tip involves some cutting and soldering so some people will not want to make the modification. Those who do will also need to modify their joysticks or construct new ones.

It seems that when Radio Shack designed the Color Computer they decided to use a six-pin socket for the joystick ports, while the joysticks themselves use only a five-pin plug. This seems rather useless on first consideration; however, for those who have such programs as Graphicom that use the right joystick and fire button, and the left fire button, an idea springs to mind.

If you look at the way the sockets are mounted on the board, you can see that the center pin socket is connected to ground. This center mounting pin on each socket can be cut, which will allow the fire button on each port to be cross-wired to the opposite socket. Once this has been accomplished, six-pin plugs, six-conductor wire, and a soft-touch momentary switch can be picked up at other than Radio Shack (except for the switch) electronic stores, and the joysticks rewired with both fire buttons on each joystick.

Now for the questions. I have noticed several programs lately that allow for the adjustment of the step speed of disk drives. I would like to know how this is done and if it can be accomplished through BASIC commands. Possibly the *Poke*? Also, how is the SAM chip programmed to flip between one 32K memory bank and the other? I can flip to the all RAM mode, but am not sure about exchanging upper and lower 32K banks without physically changing the jumper inside the machine.

Thank you kindly for paying attention, and for being part of a fine publication.

Bob Goudie
Kent, WA


Thanks for the hint, Bob. Where there's a will, there's a way.

To check the speed of your disk drives without buying OS-9, look in your August 1984 *RAINBOW* for an excellent program called *Disk Drive Speed Check*, by Roger Schrag. This program times the cycle produced by the index hole in the disk and converts the period encountered to RPM. Your disk drives should run at 300 RPM.

The SAM chip is programmed to page between two 32K banks of RAM by the use of the MA7 address line going to the RAM chips along with the chip select circuitry. This memory management function is all but invisible to us, as all we have to do is program the proper register to page the memory.

Your technical questions are welcomed. Please address them to: Downloads, THE RAINBOW, P.O. Box 385, Prospect, KY 40059. We reserve the right to publish only questions of general interest and to edit for space and clarity.

Get the most out of BASIC09



The **OFFICIAL BASIC09 TOUR GUIDE** is skillfully written in a friendly and easy-to-read style. Just perfect for those new to computers and to BASIC09. It's also a *valuable reference book* for programmers, engineers, students and hobbyists, providing an in-depth look at BASIC09 plus an overview of the OS-9 operating system. Comprehensive reference sections on BASIC09 and OS-9 commands are also included.

The book "maps" out your route through the Mercedes of Basics... BASIC09 and puts you in the driver's seat in no time. Fasten your seatbelt, sit back and enjoy the ride to perfecting your programming skills.

MICROWARE . . .

The **OFFICIAL BASIC09 TOUR GUIDE** comes from the people who wrote BASIC09. As the leader in 6809 system software, we at MICROWARE care about our users and want to help you get the most from our products.

It's Easy to Order.

Phone orders are accepted from MasterCard or VISA cardholders or for COD shipment. You can also order by mail using the coupon below. Quantity discounts are available to educational organizations and dealers. For further information contact Microware.

Microware Systems Corporation
1866 N.W. 114th Street
Des Moines, Iowa 50322
Telephone 515/224-1929
Telex 910-520-2535

Please send _____ copies of the **Basic09 Tour Guide** book at \$18.95 each. Add \$2.00 for UPS shipping in the U.S. or \$5.00 for overseas air mail per book. Iowa residents add 4% sales tax.

Name _____

Address _____

City _____

State _____ Zip _____

☐ I have enclosed a check

☐ Charge to my bank card:

MasterCard ☐ VISA ☐

Card Number _____

Expiration _____

microware®

Specialists in system software for 68-family microprocessors since 1977.

OS-9 and BASIC09 are trademarks of Microware and Motorola.

Block Structure And Recursion

By Daniel Adams Eastham
Rainbow Contributing Editor

For the last couple of months we have been writing programs that contain procedures and functions. Using procedures and functions allows us to break up the overall program into smaller pieces and concentrate on solving a piece of the problem at a time. However, when we use procedures and functions there is much more than this simple dividing process that is going on.

Block Structure

The body of a program, procedure or function, is referred to as a *block*. This includes both the declaration and the execution statements. While in the past we have only shown procedures and functions contained within a program, these procedures and functions can themselves have internal procedures and functions. For example:

```
PROGRAM Main;

PROCEDURE First;

    FUNCTION LocalRoutine : Real;
    BEGIN
    END;

BEGIN (* PROCEDURE First *)
END;

PROCEDURE Second;

    PROCEDURE LocalRoutine;
    BEGIN
    END;

    FUNCTION SecondFunc : Real;
    BEGIN
    END;

BEGIN (* PROCEDURE Second *)
END;

BEGIN (* PROGRAM Main *)
END;
```

This program contains two procedures: *First* and *Second*. The procedure *First* contains a single function *Local Routine*. The procedure *Second* contains a procedure also named *Local*

Routine as well as a function named *SecondFunc*. You can see where the corresponding *BEGIN*s are for each function by the indentation level and comments beside the *BEGIN*s.

Scoping

In this example, only the procedures *First* and *Second* are known within the main program. All procedures and functions contained within these two procedures are local to those individual procedures and are hidden from the main program.

This means that the function *Local Routine* in the procedure *First* is known only within the procedure *First*. The procedure *LocalRoutine* and the function *SecondFunc* in the procedure *Second* are both known only within the procedure *Second*.

The area (block) within which a particular symbol (label, constant, type, variable, procedure or function) is known is called its *scope*. There are basically three *scoping rules* that determine exactly where a symbol is known:

- 1) A symbol is known starting at the point at which it is declared.
- 2) It is known only in the block within

(Daniel Eastham holds a B.S. in computer science and has 13 years experience in systems and communications programming including work on the original Telenet packet switching network. He is the author of the DEFT Pascal Workbench and is currently president of Deft Systems, Inc.)

which it is declared.

- 3) It is known within *nested* blocks as long as there are no symbols declared within those *nested* blocks which have the same name.

Using the first rule we can see that the procedure *First* is known to the procedure *Second*. However, the procedure *Second* is *not* known to the procedure *First*. This is due to the fact that *First* is declared before *Second*.

The second rule is what allows us to use the symbol *LocalRoutine* twice: once in *First* and once in *Second*. The *LocalRoutine* in *First* becomes unknown once the end of the *First* procedure is reached. It is this second rule that we have been using all along to define local variables.

We will have to use a new example to explain the third rule:

```
PROGRAM Test;

  VAR I, J : Integer;

PROCEDURE DoSomething;

  VAR I : Real;

  FUNCTION Compute(J : Real) : Real;

  BEGIN
    I := J;
  END;

BEGIN (* DoSomething *)
  I := J;
END;

BEGIN (* Test *)
  I := J;
END.
```

In this example, the symbols 'I' and 'J' are each declared more than once in the program. In the main program *Test*, 'I' and 'J' are each integers declared in the main program. In the procedure *DoSomething*, 'J' is still the same integer declared in the main program, but 'I' is now a local real number variable. In the function *Compute*, 'I' is still the real number variable declared in *DoSomething*, but 'J' is now the real parameter to the function.

You can see from this that each of the $I := J$ assignment statements does something different. In the first one

(*Compute*), the local real parameter is assigned to the real variable declared in the enclosing procedure. In the second one (*DoSomething*), an integer declared within the program is converted to real and assigned to the local real variable. In the last one (*Test*), one integer is assigned to another integer.

These scoping rules are generally the same ones used in all *block structured* languages. Once you have learned them for PASCAL, you will also know them for PL/I, ALGOL, ADA and C.

Variable Allocation

In addition to only being known within the block in which it is declared, variables only *exist* when the block within which they are declared is active. Anytime a procedure or function is invoked that has some local variables or value parameters declared, memory is allocated for them at that time. When the procedure or function returns to the caller, the memory for the local variables is released. This form of memory allocation is known as *automatic* allocation since the memory for the variables is automatically allocated and released.

Automatic allocation results in two interesting properties of variables. First, the value that a variable has when its block is activated will not necessarily be the same value it had when that block was last activated. In fact, standard PASCAL requires that each variable be marked as undefined on entry to a block. This means that you cannot leave a value stored in a variable before exiting from a procedure and expect to use it the next time the procedure is entered.

Recursion

The second property results from the ability of a procedure or function to invoke itself. A procedure or function can do this by either invoking itself directly, or indirectly by invoking a second procedure, which eventually causes the first one to be invoked again. A procedure or function which does this is said to be *recursive*.

When a procedure or function is recursively activated, each activation of that procedure or function has its own set of local variables and value parameters. For example:

```
FUNCTION Factorial (Number :
  Integer) : Integer;
BEGIN
  IF Number < 0 THEN Factorial := 0
  ELSE IF Number = 0 THEN Factorial
```

:= 1

ELSE Factorial := Number *

Factorial (Number - 1);

END;

Factorial is an integer function which returns the factorial of its parameter. In this case, *Number* is a value parameter which is allocated each time the function is activated.

For example, if the initial call is with the number 5, *Number* will be allocated and the value 5 will be stored in it. As you can see from the IF statement, this will cause *Factorial* to invoke itself with the value of 5-1 or 4. This causes *Number* to be allocated again with the value 4 being stored into it.

This process continues until there are six separate memory locations allocated for *Number* with the values 5, 4, 3, 2, 1 and 0. At this point the function does not invoke itself again, but rather returns the value 1. This, in turn, causes the multiplication of each of the other activations to complete until the final value ($1*1*2*3*4*5 = 120$) is computed.

Note that *reference* parameters do not get allocated when a procedure or function is invoked. This is because they refer directly to a variable named by the caller. Only *value* parameters and local variables are automatically allocated.

Example Program

Although the above example demonstrates how recursion works, a recursive technique is not the best method for computing factorials. Instead, an *iterative* technique (using a *FOR* loop) would normally be used. However, when dealing with computer languages or artificial intelligence, recursive techniques can be very helpful.

This month we have a direct entry calculator program. This program lets the user directly enter a general arithmetic expression which is then evaluated using precedence rules (multiplication and division before addition and subtraction), and the use of parentheses. For example, it can correctly handle the following expressions:

$5 + 3 * 4$	(= 17)
$(5 + 3) * 4$	(= 32)
$(5 + 3) / (4 - 1)$	(= 2.6666. .)

It is also able to determine if an erroneous expression was entered, and indicate exactly where in the expression the error occurred. The technique used in the program is called *recursive descent*. To use this technique we first develop a grammar for the expressions

OS-9 SOFTWARE WITH X-TRA POWER

XTERM

XTERM is a full featured OS-9 communications program that takes full advantage of the power of OS-9. It works with the normal text screen, XSCREEN, or the Wordpak 80 column board.

XTERM is menu oriented for ease of use, it is simple to use even for the novice OS-9 user. And yet, XTERM is powerful enough for the expert OS-9 user.

Some of the features of XTERM include: full upload and download support with remote buffer operation; supports XON/XOFF protocol; 110/300/600/1200 baud, 5/6/7/8 bits, even/odd/no parity, full or half duplex; able to execute an OS-9 shell command from within XTERM.

XTERM works with a Color Computer using the standard serial interface, but also will work with a hardware serial port. Also, if you are using a hardware parallel printer port, you can print data to the printer as it is received.

XTERM \$59.95

XSCREEN

XSCREEN creates a high resolution screen for the Color Computer using OS-9. This high resolution screen gives you 24 lines of text with 51, 64, or 85 characters per line. Characters can be either white on a black background or vice versa.

XSCREEN is very easy to use because it is menu operated. No codes to memorize or manuals to consult when you want to change character size, just go to the menu.

XSCREEN \$19.95

XWORD

XWORD is a powerful word processing system for the Color Computer using OS-9. XWORD is feature packed with only a few features mentioned here.

Some of the editing features of XWORD include: true character oriented full screen editor; works with the normal text screen, XSCREEN, O-PAK, or WORDPAK 80 column card; full block commands with blocks displayed in inverse characters (except with normal text screen) for easy block manipulation; file size not limited to a buffer size; full find and replace commands with wildcard character; able to execute an OS-9 shell command in the middle of editing. Many, many more features, too many to mention here.

Some of the formatting features of XWORD include: proportional spacing supported; perfectly aligned hanging indents and columns, even when using proportional characters; full printer control with control of character size, emphasized, italics, overstrike, underlining (with or without spaces), super and sub-scripts; up to 10 header/footers; page numbering in decimal or Roman numerals; margins and headers can be set differently for even and odd pages; automatically reads printer initialization file to define XWORD for your printer (many included, and easy to write or modify your own). Many more features.

XWORD \$79.95

XED

XED is the editor portion of XWORD. XED includes all of the editing features listed under XWORD above. XED is for people who need a full featured screen editor but do not need all of the formatting power of a word processor.

XED \$49.95

 **MICROTECH
CONSULTANTS
INC.** 1906 Jerrold Avenue
St. Paul, MN 55112
Dealer Inquiries Invited



Ordering Information

Add \$2.50 shipping & handling. MN residents add 6% sales tax. Visa, Mastercard, COD (add \$2.50), personal checks: all shipped from stock within 24 hours.

(612) 633-6161

that we are going to parse:

```

<expression> ::= <term>
[ <addop> <term> ]
<term> ::= <factor>
[ <mulop> <factor> ]
<factor> ::= <number> |
( <expression> )
<addop> ::= + | -
<mulop> ::= * | /
<number> ::= legal PASCAL
real number

```

In this case an expression is one or more terms separated with addition operators (either + or -). A term is one or more factors separated with multiplying operators (either * or /). A factor is either a real number or an expression enclosed in parentheses. This last definition makes the grammar recursive.

That is, the grammar is defined in terms of itself.

The program is written with a function for each level of expression. An *Expression* function adds and subtracts terms, a *Term* function multiplies and divides factors, and a *Factor* function evaluates real numbers and handles expressions within parentheses.

The name *recursive descent* comes from the fact that we descend down the grammar until we reach a place that references one of the higher elements in the grammar. At this point we recursively invoke the higher level routine that handles this element. In this case, it is the *Factor* function that invokes the *Expression* function, causing *Expression* to be recursively activated.

In addition to using recursion, this

program also takes advantage of PASCAL's block structure by placing the *Factor* function inside the *Term* function, which itself is in the *Expression* function. This means that only *Expression* is known in the main program. This prevents a programmer from accidentally invoking the *Term* or *Factor* functions.

If you have any questions about block structure or recursion in PASCAL, you may call (301) 253-1300 during normal business hours for help. Next month we will go into detail about pointers and the heap in PASCAL.

If you have a disk system, these commands are needed prior to loading the program:

```

PCLEAR 1
FILES 0,0
CLEAR 16, 4999

```

The listing:

```

00 0000 (*****
00 0000 *
00 0000 * This program uses a recursive descent technique to
00 0000 * evaluate arithmetic expressions. After executing the
00 0000 * program, just enter an arithmetic expression and ENTER.
00 0000 * It will display the answer or the word ERROR and indicate
00 0000 * where the error is. To exit, just hit ENTER at the prompt.
00 0000 *
00 0000 *****
00 0000
00 0000 PROGRAM Calculator (Input, Output);
00 0000
00 0000 VAR CharCount : Integer;
00 0000     Value      : Real;
00 0000     ThisChar   : Char;
00 0000
00 0000 (*****
00 0000 *
00 0000 * Routine to Parse an Expression
00 0000 *
00 0000 *****
00 0000
00 0000 FUNCTION Expression (VAR Result : Real) : Boolean;
10 0003
10 0003 VAR TermAmount : Real;
10 0003     Operator   : (OpAdd, OpSubtract);
10 0003

```

```

10 0003 (*****
10 0003 *
10 0003 * Local Routine within Expression to Parse a Term
10 0003 *
10 0003 *****
10 0003
10 0003 FUNCTION Term (VAR Result : Real) : Boolean;
20 0006
20 0006 VAR FactorAmount : Real;
20 0006     Operator      : (OpMultiply, OpDivide);
20 0006
20 0006 (*****
20 0006 *
20 0006 * Local Routine within Term to Parse a Factor
20 0006 *
20 0006 *****
20 0006
20 0006 FUNCTION Factor (VAR Result : Real) : Boolean;
30 0009
30 0009 VAR MinusFlag : Boolean;
30 0009     Number     : String;
30 0009
30 0009 BEGIN
31 0010     Factor := False;
31 0014     MinusFlag := False;
31 0018
31 0018 REPEAT
31 0018     READ (ThisChar);
31 0032     CharCount := CharCount + 1;

```

<p>LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES</p> <p>* SOFTWARE *</p> <p>Green Mountain Micro!! Computerware (All) Custom Software (No Disc.) Frank Hogg Labs (OS-9 & Flex) Key Color Software (Key 264K) Tom Mix (All) Moreton Bay (More) Prickly Pear (Colorkit!) Platinum Software (!) Softlaw (VIP & Colorquest) Speech Systems (All) Sugar Software & (Super) CoCoPro (V2) Computer Systems Center Valley Micro Systems (BBS)</p>														
<p>Happy  Holidays!</p> <p>* E.D.C. INDUSTRIES *</p> <p>Software • Hardware • Support Educational • Small Business • Games</p> <p>VOICE (213) 254-6809 10 A.M.-10 P.M. BBS (213) 258-0640 24 HRS. 300 and 1200 Baud Extended Hours+Call before coming.</p> <p>6130 YORK BOULEVARD (Near North Figueroa St.) POST OFFICE BOX 42718 LOS ANGELES, CA. 90050</p>														
<p>* JANUARY SPECIALS *</p> <p>VIP Writer or Calc\$39.95 Master Directory\$25.00 Platinum Worksaver.....\$35.00 Hayes 300 Smart.....\$210.00 Gorilla Green.....\$90.00 Gorilla Amber.....\$95.00</p> <p>See us for:</p> <table> <tr> <td>PBH</td><td>HJL</td><td>Elephant</td></tr> <tr> <td>Hayes</td><td>Teac</td><td>Gemini</td></tr> <tr> <td>Interfaces</td><td></td><td>Controllers</td></tr> <tr> <td>Speech</td><td></td><td>Music</td></tr> </table> <p>ALWAYS MORE AND BETTER CALL US LAST!</p>			PBH	HJL	Elephant	Hayes	Teac	Gemini	Interfaces		Controllers	Speech		Music
PBH	HJL	Elephant												
Hayes	Teac	Gemini												
Interfaces		Controllers												
Speech		Music												
<p>LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES * LOCAL * IN * LOS * ANGELES</p>														

HARDWARE & PROGRAMS

MONITORS

BMC MEDIUM-RES COLOR

13" BMC w/ sound \$303.95
14" USI w/ sound 324.95
12" Taxon Composite & RGB... 335.95

COMREX HI-RES MONOCHROME

12" Amber or Green..... 140.95
9" Amber or Green..... 125.95

Sorry, no C.O.D. on monitors.

COMPOSITE MONITOR INTERFACES

Double Driver..... 24.95
Video Plus..... 24.95

Both work great with color
or monochrome on CoCo I.

Coco Double Driver..... 28.95
Video Plus II M 26.95
Video Plus II C..... 39.95

For CoCo II Only

JARB DISK DOUBLER

Why spend twice as much as you need to
for double sided diskettes? With our
doubler, you can make your own and pay
for it with the first box you double. A
must for disk drive users.

5 1/4" size only 12.95

BASF DATA CASSETTES

C-05 C-10

1-1060 ea.65 ea.
11-2055 ea.60 ea.

Soft Poly Cases Ea. \$.20

Hard Shelled Cases Ea. \$.22

Cassette Labels (12) Sh. \$.36

Cassette Labels Tractor (1000) \$21.95

MEMORY UPGRADE KITS

16K RAM CHIPS 1.50 ea. .
5V, CoCo II 16K 1.95 ea.

*64K RAM CHIPS

Eight 200 NS Factory Prime 64K RAM
Chips. Allows you to upgrade 'all' board
easily. No soldering needed. \$52.50

*16K/32K

Eight 200 NS Factory Prime Chips with
Piggy Backed Sockets, Sam Socket, Bus
Wire. Comprehensive Instructions.
Recommended for "D" or earlier, but may
be used on "E". Only 9 simple solder con-
nections to kit. None to computer. \$25.95
NOT FOR CoCo 2

NEW



©JARB SOFTWARE 1984

THE GUNFIGHTER

BY Terry A. Steen

An excellent hi-res, arcade quality game
program for two players. Joysticks and
32K are required in this all machine
language program.

Cassette . \$19.95 Disk/Amdisk . \$24.95

JUNGLE TREK

Lost in a jungle with wild animals lurking;
your only survival is to find a safe com-
pound before you are lunch for lions;
high resolution; multi-color.

16K EXT \$14.95

BIORHYTHM/PSYCHIC APT.

1) Prints biorhythm charts of nearly
unlimited length; attractively formatted
for use on most printers. 16K

2) Your psychic ability is determined
through questions evaluating your psychic
experiences

16K Ext Both for \$15.95

PROGRAMS FOR THE SPECTRUM PROJECTS VOICE-PAK OR SPEECH SYSTEMS VOICE

TALKING FINAL COUNTDOWN

(by Bill Cook)

For 32K EXT \$19.95

Standard cassette

FINAL COUNTDOWN..... \$14.95

TALKING SPELL-A-TRON

The program allows the user to build a
dictionary of words. During testing, the
words are spoken. If an incorrect
response is given, the word is spoken
again and spelled. Tape (32K EXT) \$22.95

TALKING SCORE E-Z

A yahtzee type program. Up to six players
can compete. All scoring and record keep-
ing is done by the computer. Tape (32K
EXT) \$19.95

Standard SCORE E-Z..... \$15.95

TALKING COLOR MATH

The perfect educational game to aid the
student in learning addition, subtraction,
multiplication and division. Allows one to
specify difficulty level.

Tape (32K EXT) \$22.95

TALKING SHIP HUNT

by Cobra Software

Play Battleship against your computer.
32K w/ joystick needed. Graphics and
sound. Can be played without voice.

Cassette \$10.95

SCHEMATIC DRAFTING PROCESSOR
(disk) can draw large scale schematics in
hi-res (has six overlapping screens) and
then print them out to any of several
popular printers, fast!! A must for serious
hardware computerist.

Now only..... \$49.95

CoCo Chips

Sam, Pia, CPU, Ext, Basic

*We carry products
from many manufacturers.
If you don't see it, ask.*

JARB

1636 D Avenue, Suite C
National City, CA 92050

SOFTWARE
HARDWARE

COD orders accepted, no charge cards please.

Shipping and handling \$3.00

California residents please add 6% sales tax

Order Line
(619) 474-8982

After Hours BBS
(619) 474-8981

THE TOP 4 COCO GAMES...



CUBIX

By Spectral Associates. Very much like the arcade smash! Jump little Cubix around the 3D maze trying to change the color of all the squares. With Death Globes, Discs, Snakes, etc. 32K Tape: \$24.95

ZAKSUND

From Elite Software comes this fantastic arcade style space action game with 3 different stages of moving 3-D graphics. You've never seen anything like this on your CoCo! Great sound too! 32K Tape: \$24.95




THE KING

Previously called 'Donkey King', you simply cannot buy a more impressive game for your CoCo. With 4 different screens and loads of fun! From Tom Mix Software. 32K Tape: \$25.95

GHOST GOBBLER

From Spectral Assoc. This "PAC" theme game has been improved several times. It is definitely the best of its type. Brilliant color, action and sound, just like an arcade. 16K Tape: \$24.95



COLORCADE SUPER JOYSTICK MODULE

WITH
RAPID
FIRE!

ONLY \$19.95

JOYSTICK INTERFACE/RAPID FIRE/6 FT. EXTENDER ALL IN ONE! The Colorcade allows connection of any Atari type joystick to your CoCo (including the Wico Red Ball). These switch type sticks are extremely rugged and have a faster and more positive response. They will improve the play of almost any action game.

An adjustable speed rapid fire circuit is built in. Press your fire button and get a great burst of fire instead of just a single shot! You get a real advantage in shooting games that do not have repeat fire.

ATARI JOYSTICK

ONLY
\$8.50

THE BEST YOU
CAN BUY
WICO #15-9730

~~\$34.95~~
\$29.95

WICO FAMOUS
"RED BALL"

ROM/ PROJECT/ PRODUCT CASE



Give a professional look to your project or product! High quality 3 piece injection molded plastic with spring loaded door. Designed especially for the CoCo ROM slot.

2 - 4 pcs. \$5.50 Ea.
5 - 9 pcs. \$3.50 Ea.
10 - 99 pcs. \$2.75 Ea.
100 & UP. Call Us.
P.C. board for 27XX EPROMS. . . \$4.00 Ea.

COLORWARE LIGHT PEN



ONLY \$24.95

WITH SIX FREE
PROGRAMS ON
CASSETTE!

The Colorware Light Pen plugs directly into your joystick port and comes with six fun & useful programs on cassette. Easy instructions show how to use it with Basic and it's compatible with light pen software such as Computer Island's "Fun Pack." Order yours today. Only \$19.95 complete.

TELEWRITER-64



DISK \$59.95
CASSETTE... \$49.95

Colorware researched the word processors available for the Color Computer. This is the best. Telewriter-64 is a truly sophisticated system that is marvelously easy to use. It works with any 16K, 32K or 64K system and any CoCo compatible printer.

TOP-RATED COCO WORD PROCESSOR



TOLL FREE ORDERING
800-221-0916

ORDERS ONLY, N.Y. & INFO CALL (212) 647-2864

Why do more CoCo owners choose 'REAL TALKER'?

Sure it's priced right, but there's more...

Thousands of 'Real Talker' owners know 'Real Talker' beats ALL other CoCo voice synthesizers in ease of use and flexibility. And, NO other CoCo talker has a clearer, more intelligible voice. That's quite a lot of advantage when you consider Real Talker's unbeatable price. Yet, Real Talker has some important features that you simply will not find in other CoCo talkers:

'SAY' command - You'll have your computer talking brilliantly in just minutes thanks to this powerful new command. Type SAY "ANYTHING YOU WANT" and your words are instantly spoken. It's that simple. Think how easy this makes creating speaking Basic programs. Adding speech to your existing programs is a snap too.

'CONVERT' - This is a truly powerful command for the basic programmer. CONVERT automatically transforms a machine language dependent speaking program into a stand-alone Basic program. In other words, you can effortlessly write speaking Basic programs that do not require a machine language translator in memory. This is a unique feature of 'Real Talker'. No other voice synthesizer gives you anything even remotely approaching this type of capability - even synthesizers costing considerably more.

Other features include software controlled pitch, unlimited vocabulary text-to-speech, and even a program that will recite any ASCII file (such as from Telewriter-64 & other word processors). You also get Colorware's unique full-screen phoneme editor program that let's you experiment with and modify speech at it's most fundamental level.

'Real Talker' is compatible with any 16K, 32K, 64K Extended or non-extended Color Computer. It works with any cassette or disk system and comes complete and ready to talk through your T.V. or monitor speaker. Price includes the 'Real Talker' electronic voice synthesizer in a ROM pack, software on cassette (may be transferred to disk), and user manual.



'Real Talker' is a full-featured electronic voice synthesizer unit built into a compact cartridge case. You simply plug it into the side of your computer.

NOW INCLUDED WITH 'REAL TALKER'.....

1. **'DR. TALK'**-This interactive "Eliza" type psychoanalyst program will discuss your innermost problems at length.
2. **'TALKING BATTLESHIP'**-It's you vs. the computer in this speaking version of the classic game.
3. **'TALKING BLACKJACK'**- Play for big stakes against a rather talkative casino dealer.

ONLY \$59.95

'REAL TALKER-1' (for the original Color Computer).....\$59.95

'REAL TALKER-2' (for the Color Computer-2).....\$64.95

'Y - BRANCHING CABLE' For disk systems. If you have a disk system but do not have a Radio Shack Multi-Slot unit, this economical cable will allow to connect and use your Real Talker and Disk system together.....27.95

TALKHEAD

If you have a 'Real Talker', do not deprive yourself of this absolutely incredible machine-language Talking Head simulation program. While other talking head simulations use a minimal cartoon-like face, TALKHEAD uses high resolution, full-screen, digitized images of an actual person's face to create a life-like animated effect.



SOFTWARE FOR THE 'REAL TALKER'

TALKHEAD can be easily commanded in Basic to appear on screen and say anything you want. Available on cassette or disk for only \$19.95, TALKHEAD requires 64K and a Colorware 'Real Talker'.

ONLY \$19.95

ACTUAL UNRETOUCHED PHOTO

COLORWARE

COLORWARE INC.
78-03F Jamaica Ave.
Woodhaven, NY 11421
(718) 647-2864



★★★ ORDERING INFORMATION ★★★

ADD \$2.00 PER ORDER FOR SHIPPING & HANDLING.
C.O.D.'S: ADD \$3.00 EXTRA.
SHIPPING & HANDLING FOR CANADA IS \$4.00
WE ACCEPT VISA, MASTER CARD, M.O.'S, CHECKS.
N.Y. RESIDENTS MUST ADD SALES TAX.


```

31 0043 UNTIL ThisChar <> ' ';
31 0050
31 0050 IF (ThisChar = '-' ) OR (ThisChar = '+') THEN BEGIN
32 007E MinusFlag := ThisChar = '-';
32 0091 REPEAT
32 0091 READ (ThisChar);
32 00AB CharCount := CharCount + 1;
32 00BC UNTIL ThisChar <> ' ';
32 00C9 END;
31 00C9
31 00C9 CASE ThisChar OF
31 00D1 '0', '1', '2', '3', '4', '5', '6', '7', '8', '9',
31 0122 '.', ' ': BEGIN
32 012A Number := '';
32 0137 REPEAT
32 0137 Number := Number + ThisChar;
32 0154 READ (ThisChar);
32 016E CharCount := CharCount + 1;
32 017F UNTIL NOT (ThisChar IN ['0'..'9', '.', 'E']);
32 0182 Result := ENCODEREAL (Number);
32 01D0 END;
31 01D3 '(': BEGIN
32 01D8 IF NOT Expression (Result) THEN EXIT;
32 0202 IF ThisChar <> ')' THEN EXIT;
32 0218 READ (ThisChar);
32 0235 CharCount := CharCount + 1;
32 0246 END
31 0246 ELSE EXIT
31 024D END;
31 024D
31 024D IF MinusFlag THEN Result := -Result;
31 0267
31 0267 WHILE ThisChar = ' ' DO BEGIN
32 027C READ (ThisChar);
32 0290 CharCount := CharCount + 1;
32 02A1 END;
31 02A3
31 02A3 Factor := True;
31 02AB END;

```

```

20 02AC (*****
20 02AC *
20 02AC * Main Entry for Term Routine
20 02AC *
20 02AC *****
20 02AC BEGIN
21 02B2 Term := False;
21 02B6 IF NOT Factor (Result) THEN EXIT;
21 02D7
21 02D7 WHILE ThisChar <> CHR (13) DO BEGIN
22 02EB CASE ThisChar OF
22 02ED '*' : Operator := OpMultiply;
22 02FD '/' : Operator := OpDivide
22 0305 ELSE BEGIN
23 030D Term := True;
23 0312 EXIT;
23 0316 END
22 0316 END;
22 0316 IF NOT Factor (FactorAmount) THEN EXIT;
22 0336
22 0336 CASE Operator OF
22 0338 OpMultiply : Result := Result * FactorAmount;
22 035E OpDivide : Result := Result / FactorAmount
22 0373 END;
22 0380 END;
21 0383
21 0383 Term := True;
21 0388 END;

10 038C (*****
10 038C *
10 038C * Main Entry for Expression Routine
10 038C *
10 038C *****
10 038C BEGIN
11 0392 Expression := False;
11 0396 IF NOT Term (Result) THEN EXIT;
11 0397 WHILE ThisChar <> CHR (13) DO BEGIN
12 03C9 CASE ThisChar OF
12 03CB '+' : Operator := OpAdd;
12 03DB '-' : Operator := OpSubtract
12 03E3 ELSE BEGIN
13 03EB Expression := True;
13 03F0 EXIT;
13 03F4 END
12 03F4 END;
12 03F4 IF NOT Term (TermAmount) THEN EXIT;
12 0414 CASE Operator OF
12 0416 OpAdd : Result := Result + TermAmount;
12 043C OpSubtract : Result := Result - TermAmount
12 0451 END;
12 045E END;
11 0461
11 0461 Expression := True;
11 0466 END;

00 046A (*****
00 046A *
00 046A * Main Entry for Calculator Program
00 046A *
00 046A *****
00 046A BEGIN
01 0470 Page;
01 047C WRITELN;
01 0484 WRITELN ('CALCULATOR PROGRAM');
01 04AB
01 04AB REPEAT
01 04AB WRITE ('> ');
01 04BB CharCount := 0;
01 04BF IF Expression (Value) AND (ThisChar = CHR (13)) THEN
01 04C7 WRITELN ('= ', Value:14:4)
01 0512 ELSE IF (CharCount > 1) OR (ThisChar <> CHR (13)) THEN BEGIN
02 0546 WRITELN (' ':CharCount, ' ^ ERROR');
02 056C IF ThisChar <> CHR (13) THEN READLN;
02 0584 END;
01 0584 UNTIL (CharCount = 1) AND (ThisChar = CHR (13));
01 0582 END.

```

BASIC COMPILER

MLBASIC 1.0 - BASIC COMPILER

WASATCHWARE is pleased to introduce what we feel is the most comprehensive BASIC Compiler available for the Color Computer. This BASIC compiler, called MLBASIC, is for programmers who want to create machine language from BASIC programs. Written in machine language, MLBASIC will prove to be the most powerful utility on your shelf.

COMMANDS SUPPORTED

- I/O -Commands**

CLOSE	CLOADM	CSAVEN	DIR	DRIVE	DSKIS
DSKOS	FIELD	FILES	GET	INPUT	KILL
LSET	OPEN	PRINT	PUT	RSET	
- Program Control Commands**

CALL	END	EXEC	FOR	STEP	NEXT
GOSUB	GOTO	IF	THEN	ELSE	ERROR
ON..GO	RETURN	STOP	SUBROUTINE		
- Math Functions**

ABS	ASC	ATN	COS	CNV	EOF
EXP	FIX	INSTR	INT	LEN	LOG
LOC	LOF	PEEK	POINT	PPOINT	RND
SGN	SIN	SQR	TAN	TIMER	VAL
- String Functions**

CHRS	INKEYS	LEFTS	MIDS	MKNS	RIGHTS
STR\$	STRINGS				
- Graphic/Sound Commands**

COLOR	CLS	CIRCLE	DRAW	LINE	PAINT
PCLEAR	PCLS	PLAY	PNODE	PRESET	PSET
RESET	SCREEN	SET	SOUND		
- Other/Special Commands**

DATA	DIM	LLIST	MOTOR	POKE	READ
REN	RESTORE	RUN	TAB	VERIFY	DLD
DST	IBSHFT	LREG	PCOPY	PMODD	PTY
REAL	SREG	SWP	VECTD	VECTI	

WASATCHWARE believes that the 6809 based microcomputer is powerful enough to warrant such a compiler. MLBASIC is a BASIC compiler that allows structured programs (using SUBROUTINES), full floating point arithmetic and other features not available with Interpreter Basic programs.

Tape- \$69.95
Disk- \$69.95
Both- \$74.95



WasatchWare

7350 Nutree Drive
Salt Lake City, Utah
84121

Call (801) 943-6263

Add \$4.00 Postage and Handling
Send check or Money order.
No C.O.D.. Utah res. add 5% tax.

hogg_wash

More 128K

By Frank Hogg
Rainbow Contributing Editor

Last month, I promised I would have a program to use the 128K with FLEX. I am happy to report I have done just that. There is always a chance something will interfere with my plans, and I am glad it didn't, so on to the program.

When I first thought of doing this, I planned to use a command that worked like so: BANK alone would give you the current bank we are in. BANK 1 would switch to bank 1, BANK 1, 100 would switch to bank 1 and jump to address Hex 100. This turned out to be clumsy. First off, you never know what bank you are in unless you type BANK, and this is a pain. Second, the length of the command line is too long for heavy use. Here's an alternative. There are three commands, 'a', 'b' and 'c', all in the one program below. All of them do the same thing — they switch to either bank 0, 1 or 2. I used letters instead of numbers because they look better as the first character of the prompt. When you switch to bank 'b', for instance, the first letter of the '+++' prompt becomes a 'b', like so: 'b++'. This way, you always know what bank you

are currently in. If you put a Hex number after the command, you will jump to that address. This works just like the FLEX JUMP command.

The entire program fits inside an area of memory that is empty in CC FLEX 5.0:4. The area at \$FE00 to \$FEFF is not used and is therefore usable for this purpose.

When first issued, BANK adds itself to FLEX's user command table and a small program initializes everything. You will see the prompt change from '+++' to 'a++' to show that we are in bank 'a'. Try typing 'b' or 'c'. Instantly the prompt changes and so does the bank.

I am presuming you have an installed and tested 128K board in your system. This program does not check for that; it just assumes it and will look the same on a system with only 64K. Let's try it out.

```
a++B
b++GET 0.ED.CMD
b++C
c++GET 0.ASM.CMD
c++A
a++
```

We now have ED in bank 'b' (1) and ASM in bank 'c' (2). This allows us to edit a program using bank 'b', assemble it using bank 'c', and then test it using bank 'a'! All without accessing the disk,

except to read the file we are working with. Here's how it looks in practice.

```
a++B 0 test
b++C 3 test
c++A
a++test
```

'B 0 test' switched to bank 'b', jumped to Hex 0 where the cold start address of ED is and edited the file test. 'C 3 test' switched to bank 'c', jumped to Hex 3 where the cold start address of ASM is and assembled the program test. Then we switched to bank 'a' and ran the program to try it out. This speeds up program development like you wouldn't believe!

The pitfalls: It is important to have a program in memory before jumping to it. I speak from experience. The results can be amusing if you try it without a program in memory. One time I did this; the printer started to issue formfeeds one after another while the screen went bananas. The lesson is to make sure to have a program in the bank before you jump into it. In other words, don't jump off the cliff without someone to catch you.

Advanced Uses

How would you like to have several programs running in separate banks and switching from one to the other? Well, I took the challenge by trying to

(Frank Hogg is the president of Frank Hogg Laboratory; one of the world's largest suppliers of software for 6809 based computers. He and his wife, Linda, live in Syracuse, New York.)

have two X BASIC programs that called each other. I had to add some things to the program to save the current stack. I think you could expand on what I have done, but this does work.

First, the problems; FLEX has 48K of user memory and these banks are only 32K. That means the upper 16K of the user memory cannot be switched, only the lower 32K. Many programs use whatever user memory is available, so this could be a problem. The answer is that these same programs use FLEX's memory end pointer (MEMEND) to restrict themselves to the area available. All we have to do is set MEMEND to \$7FFF, which indicates to these programs that only the lower 32K is available to them. Use the MEMEND command to set MEMEND to \$7FFF, and we are all set.

```
a++MEMEND 7FFF
7FFF
a++B
b++XBASIC
```

```
READY
10 PRINT "I AM IN BANK B"
20 EXEC, "C:XBASIC"
30 PRINT "I AM BACK IN BANK B"
RUN
I AM IN BANK B
READY
10 PRINT "I AM IN BANK C"
20 EXEC, "B"
30 PRINT "I AM BACK IN BANK C"
40 GOTO 20
RUN
I AM BACK IN BANK B
READY
20 EXEC, "C"
40 GOTO 20
LIST
10 PRINT "I AM IN BANK B"
20 EXEC, "C"
30 PRINT "I AM BACK IN BANK B"
40 GOTO 20
RUN
I AM IN BANK B
```

```
I AM BACK IN BANK C
I AM BACK IN BANK B
I AM BACK IN BANK C
I AM BACK IN BANK B
I AM BACK IN BANK C
I AM BACK IN BANK B
I AM BACK IN BANK C
I AM BACK IN BANK B
I AM BACK IN BANK C
I AM BACK IN BANK B
```

Stop the thing by holding down the BREAK key and hitting ENTER. You could probably think of something more useful than this, but you get the idea. It would be possible to use all three banks this way, and you could even switch MEMEND up and down in one of the banks. The possibilities are interesting. At worst, you have several new ways to crash your system and, at best, you can make a powerful computer even more useful than before.

Listing 1:

```
0      nam BANK.CMD
1      * Bank switch and jump command for DSL 128K on CoCo
2
3      CD42  GETHEX  equ  %cd42
4      CD03  WARMS   equ  %cd03
5      CC12  UTABLE  equ  %cc12
6      CC16  ESCREG  equ  %cc16
7      CC4E  plus    equ  %cc4e      First '+' in '+++'
8      FE00  open    equ  %fe00
9      FFAC  latchc  equ  %ffac
10     FFAD  latchd  equ  %ffad
11     FFAE  latche  equ  %ffae
12     FFAF  latchf  equ  %ffaf
13
14     FE00                      org  %fe00
15     FE00 00      bank  fcb  0      Current bank we are in
16     FE01 0000    escstab fdb  0      Bank 0 ESC return address
17     FE03 0000    fdb  0      Bank 1 etc
18     FE05 0000    fdb  0      Bank 2 etc
19
20     FE07 0000    ststab  fdb  0      0
21     FE09 0000    fdb  0      1
22     FE0B 0000    fdb  0      2
23
24     FE0D 41      * User command table extension
25     FE0E 00      table  fcc  'A'      0
26     FE0F FE1E    fdb  a
27     FE11 42      fcc  'B'      1
28     FE12 00      fdb  0
29     FE13 FE3E    fdb  b
30     FE15 43      fcc  'C'      2
31     FE16 00      fcb  0
```

```
32     FE17 FE63    fdb  c
33     FE19 50      fcc  'P'      Existing P command
34     FE1A 00      fcb  0
35     FE1B E3B8    fdb  %e3b8
36     FE1D 00      fcb  0      Ends table
37
38     * Bank 0 (a command)
39
40     FE1E 34 10    a      pshs  x      dummy
41     FE20 34 7F    pshs  u,y,x,dp,b,a,cc save it all
42     FE22 0D 75 FE99 bsr  abc
43     FE24 10AE 84    ldy  0,x      get bank 0's return address
44     FE27 10BF CC16 sty  ESCREG  restore it
45     FE2B 0E FE07    ldx  %ststab point to stack table
46     FE2E 10EE 84    lds  0,x      reset stack pointer
47     FE31 7F FE00    clr  bank      set bank to a
48
49     * Switch to 0
50     FE34 7F FFAE    clr  latche
51     FE37 06 61      lda  #'a      set prompt
52     FE39 07 CC4E    sta  plus
53     FE3C 20 40 FE86 bra  jump      go
54
55     * Bank 1 (b command)
56     FE3E 34 10    b      pshs  x      dummy
57     FE40 34 7F    pshs  u,y,x,dp,b,a,cc
58     FE42 0D 55 FE99 bsr  abc
59     FE44 10AE 02    ldy  2,x
60     FE47 10BF CC16 sty  escrr
61     FE4B 0E FE07    ldx  %ststab point to stack table
62     FE4E 10EE 02    lds  2,x      reset stack pointer
63     FE51 06 01      lda  #1
64     FE53 07 FE00    sta  bank      set to bank b
65
66     * switch to 1
67     FE56 7F FFAC    clr  latchc
68     FE59 7F FFAF    clr  latchf
69     FE5C 06 62      lda  #'b
70     FE5E 07 CC4E    sta  plus
71     FE61 20 23 FE86 bra  jump
72
73     * bank 2 (c command)
74     FE63 34 10    c      pshs  x      dummy
75     FE65 34 7F    pshs  u,y,x,dp,b,a,cc
76     FE67 0D 30 FE99 bsr  abc
```

```

77 FE69 10AE 04      ldy 4,x
78 FE6C 10BF CC16    sty escrr
79 FE70 0E FE07      ldx #ststab point to stack table
80 FE73 10EE 04      lds 4,x reset stack pointer
81 FE76 86 02        lda #2
82 FE78 B7 FE00      sta bank set to bank c
83
84 FE7B 7F FFAD      * switch to 2
85 FE7E 7F FFAF      clr latchd
86 FE81 86 63        clr latchf
87 FE83 B7 CC4E      lda #'c
88                  sta plus
89 FE86 BD CD42      * Jump to address on command line if there
90 FE89 25 07 FE92   jump jsr GETHEX Get address if there
91 FE8B 5D           blo exit no address
92 FE8C 27 04 FE92   tstb
93 FE8E AF 6A        beq exit
94 FE90 35 FF        stx $A,s Where dummy was put
95 FE92 8E CD03      puls cc,a,b,dp,x,y,u,pc pull and goto address
96 FE93 AF 6A        ldx #cd03
97 FE97 35 FF        stx $A,s Also where dummy was put
98                  puls cc,a,b,dp,x,y,u,pc (jmp WARMS)
99
100 FE99 8E FE07      abc ldx #ststab Point to table
101 FE9C B6 FE00      lda bank get old bank
102 FE9F 48           asla mul x 2
103 FEA0 10EF 86      sts a,x store stack pointer for this bank
104 FEA3 8E FE01      ldx #escstab Point to ESC table
105 FEA6 10BE CC16    ldy ESCREG get return address
106 FEA9 10AF B6      sty a,x save it for return to this bank
107 FEAD 39           rts
108
109 #0AE size equ *-#fe00 Show size of main program
110 * Overlay user command table in FLEX
111 CC12 org UTABLE
112 CC12 FE0D fdb table
113
114 * Initialize routine (called only once)
115 C100 org $C100
116 C100 7F FFAE      init clr latche set to bank a
117 C103 86 61        lda #'a
118 C105 B7 CC4E      sta plus
119 C108 8E FE07      ldx #ststab init stack table
120 C10B 10EF 84      sts 0,x

```

Name MEMEND.CMD

Syntax MEMEND (addr) where (addr) is a value from 0 to BFFF and is optional. In both cases the current value of MEMEND is reported.

Listing 2:

```

0 nam MEMEND.CMD
1 * Memory end report and set
2
3 CC2B MEMEND equ $CC2B FLEX memory end pointer
4 CD03 WARMS equ $CD03 FLEX return address
5 CD24 PCRLF equ $CD24 cr and lf
6 CD42 GETHEX equ $CD42 FLEX get hex number routine
7 CD45 OUTADR equ $CD45 output 2 hex numbers
8
9 C100 org $C100
10 C100 BD CD42 start jsr GETHEX get number to set memend to
11 C103 25 0B C110 blo report no change
12 C105 5D      tstb
13 C106 27 0B C110 beq report
14 C108 8C BFFF cmpx #BFFF Check for high bounds
15 C10B 22 03 C110 bhi report
16 C10D BF CC2B stx MEMEND set new memend
17
18 C110 8E CC2B report ldx #MEMEND
19 C113 BD CD24 jsr PCRLF
20 C116 BD CD45 jsr OUTADR
21 C119 BD CD24 jsr PCRLF
22 C11C 7E CD03 jmp WARMS
23
24 end start

```

Notes

The BANK program breaks some rules and does some things in a crude way. I will use the excuse that I wanted to keep it simple for the magazine's sake, and yours, in typing it in. The truth of the matter is that when the program started working, I stopped. The user command table in FLEX can only be extended once. It already has the 'P' command added to it. That is why I included the 'P' command in the table in this program.

The correct way would have been for the program to do this rather than the brute force method I used. If you run programs that add to the UCT, then you should run them after you run this program. Programs that add to the UCT are MCOMMAND, AUTOTASK and JCP, among others. I run the BANK command from the STARTUP file so this is never a problem. When you switch to a bank, the stack pointer

is saved and the environment is pushed on the stack. Then the stack pointer for the bank we are going to use is restored, and the environment is pulled from that stack.

If the stack for both banks is the same, then the environment will be corrupted. This may be a problem with some programs. The proper way would be to save the environment in some protected area of memory. There is enough room here to do that, I just didn't get to it.

The location \$FE00 contains the number of the bank we are in, either 0, 1 or 2. This can be tested from your program. It would be possible to switch banks by poking the appropriate locations in memory. If you do this, you should set \$FE00 to indicate what you did for other programs to use.

You should also consider what the escape return register and the stack pointer will hold. It might be wise to

use the locations in this program for that. The other use for the extra 64K, as a RAM disk may be ready by the time you read this. Contact DSL for information on that.

As a RAM disk, you could get 256 sectors of programs and data in very fast access. This is another use for the extra memory that is different than what I've done here — RGS update. The system I did this on is an older one, and the 128K upgrade is no problem. The newer CoCo 2 has some space problems, and the 128K board from RGS that I got was an early one and had some minor bugs. I have sent it back to them, so I haven't had a chance to get this program to work with it.

I don't see any problem, though. Just change the code that switches banks to the RGS board, and it should work. I will give you an update, probably next month, about this.

OS-9 UTILITY

Random Numbers For The OS-9 C Compiler

By Lew Middaugh

For want of something or the other, an empire was lost. But without a random number generator, I could not build a fantasy empire to conquer. So I wrote a random number generator.

I wrote an assembly language random number generator for the Color Computer OS-9 C Compiler. It is written to allow its addition to a user C library. This article presents this random number generator and an example of its use in a game program. Along the way I'll briefly describe what a C compiler is, and how you go about preparing an executable program with the C compiler.

How A C Compiler Works, The Background

A C compiler is nothing more than a program that translates a C language program into a 6809 assembly language program. How is the C Compiler used to prepare a C program? Figure 1 presents an overview of the steps in the process of generating an executable C program.

The first step in preparing a C pro-

gram is to enter a C program using an editor. Unlike CoCo BASIC where you can just type in your program, a text editor is required to input your C program for the C compiler. The editor that is provided in the OS-9 operating system package can be used to input a C program. After your C program has been entered, it is then saved as an ASCII text file on the disk.

Once your program is safely stored on the disk, the C compiler is loaded and executed. The C compiler performs the remaining two steps in creating an executable C program.

First, the C compiler reads your program from the disk. Each line of the C program is compiled (translated) into a series of assembly language instructions. These resulting assembly language instructions are stored on the disk during compilation. Example 1 is an annotated listing of how two lines of a C program would be translated into assembly language.

The OS-9 C Compiler performs this translation process from C language to assembly language in four phases: macro pre-processing, compiler pass 1, compiler pass 2, and assembly language code optimization.

Next the OS-9 C Compiler starts the assembler program. An assembler trans-

lates the assembly language program into machine language. The assembler is loaded and executed and reads the assembly language program from the disk. During assembly the resulting executable machine code is stored on the disk.

The OS-9 C Compiler performs this process from assembly language to machine code in two phases — assembly and linking. It is the linking process that examines the C program for references to the user and system C library functions. If a reference is found, that library function is linked or added into the machine code version of the C program.

It is not necessary to completely understand assembly language programming in order to program in the C language. The programming is done in C; assembling the output of the C compiler is just a step in the translation process. However, to be effective in programming in C, it helps to understand assembly language.

Finally the C language program, now in machine code, can be loaded and executed. This whole process generates fairly fast executing machine code, in the ballpark of 10 to 100 times faster than CoCo BASIC. This is fast, but assembly language programming is still a little faster.

(Lew Middaugh, a systems engineer at GTE, likes computers and FRP games. He is working on a fantasy game and finding this a never-ending quest.)

In summary, there are three steps in generating an executable C program. The first step is to enter the C program using a text editor. The second step is to use the C compiler to translate the lines of C program into a series of assembly language instructions. And the last step is to assemble these assembly language instructions into the binary machine code that the CoCo understands. This binary machine code is the executable version of the C program that can be loaded and executed.

Yes, it is longer and more involved than typing in a BASIC program. But the results are sometimes well worth the effort.

What Is A Library File?

In order to perform certain functions, the C compiler references a collection of commonly used position independent subroutines. These subroutines are called library routines and are contained in a library file. Routines from this file are added to your program during the assembly process.

This library file contains the mathematical and logical functions needed to execute your program. These routines include addition, division, logical *AND*, arithmetic shift, and others. It also contains the keyboard, display, and disk I/O routines, character compare routines, and initialization and exit routines. Thus, these assembly language routines provide most of the common functions needed when executing a program. It is around these functions that the compiler builds your programs. Table 1 provides a partial listing of the library routines contained in the OS-9 C library.

If a function is needed that is not in the library, the programmer has at least three options. One way is to write a subroutine in C that performs this function in terms of the available functions. Another way is to simply do without. Or, the programmer could write a new library function. This last approach is how I chose to create a random number generator function.

The Random Number Library Routine

There were two things on my mind when I started. How does one generate a random number? And how does a C program call a machine language function? With a little research and the inspection of the assembly output of the C compiler, these questions were adequately answered.

From the research I found a method of generating random numbers that is




Figure 1
Generating a C Program, an Overview

Example 1 A Sample of the C Compiler Output (annotated)

```

* *   printf("nPLAY AGAIN? (Y,N) n");
      leax _6,pcr    get the memory address of the print string
      pshs x         save it on the system stack as required by printf()
      lbsr printf    go print the string using the library function printf()
      leas 2,s       adjust the system stack pointer to remove the string
                      address

* *   again = inkey ();
      lbsr inkey     go get the next character from the keyboard using the
                      user library function inkey ()
      stb 0,s        store the new value of 'again'
  
```


simple and easy. In the *TTL Cookbook* by Don Lancaster, there is a section on pseudo-random sequencers. These are based on shift registers that provide a pseudo-random sequence of ones and zeros. It is pseudo-random in that a 31 bit sequence of ones and zeros repeats itself every two billion bits or so. By grouping these ones and zeros into groups of eight, a number between zero and 255 is generated that is sufficiently random for most game uses.

The second question was answered by examining the assembly language output of the C compiler. C programs pass arguments (variables) to a function on the system stack. The system stack is also used to hold return addresses for subroutine and interrupt calls.

If a value is returned by the function, it is placed in the 16-bit D register by the function and retrieved by the calling program after the function is finished.

These cryptic remarks will be best cleared up by looking at Listing 1. This contains the `rnd()` routine that generates a random number. It returns an integer value between zero and 255. It is a software implementation of a hardware pseudo-random sequence generator.

However, this routine is not as nice as CoCo's *RND* function in BASIC. Listing 2 is a routine called `die()`. It returns a number between one and a specified number, up to a maximum of 255. This is similar to the CoCo BASIC *RND* function as it is commonly used. The following paragraphs provide explanation of these two routines.

The `rnd()` Routine

Line 20 is the label for the random number routine. Its value is the starting address of the `rnd()` routine. The value of this label is assigned when the library routines are linked to your C program during the translation process to create a machine executable program.

The first thing that needs to be done is initialization. Line 21 causes register X to point to the seed that is used to generate the next random number. This is done using the indexed addressing mode. As register Y points to the beginning of the data area and the offset will be set during the translation process to the location of the seed in the data area, this allows this instruction to be position independent. Thus, the `rnd()` function can be relocated to a different address and still perform properly without reassembly.

In Line 22, register B is loaded with 8. Register B is used as a counter. When it reaches zero we will have a new 8-bit

Table 1
Some C Library Routines

`printf (format,varlist)` — output variables as specified by the format to the text screen.

`fopen(filename,action)` — open the specified file for a specified action, e.g., reading or writing.

`fclose(fileptr)` — close the specified file.

`getc(fileptr)` — get a character from the specified file.

`putc(char,fileptr)` — write a character to the specified file.

`isalpha(char)` — tests if the character is alphabetic.

`char=toupper(char)` — converts a character to uppercase.

`strcmp(string1,string2)` — checks if string1 is identical to string2.

random number. (Remember, it takes eight ones and zeros to express any number between zero and 255 in binary notation.)

As every call to this function causes the seed to change, every call will return a different number. Also note that every time the program is loaded into memory the same sequence of random numbers will be generated. Thus, this random number generator suffers a same drawback that the BASIC *RND* function suffers. And, likewise, some of the techniques used to randomize the BASIC *RND* function could be used to randomize the C random number generator.

Starting at the label on Line 23 through Line 30, the task is to set the carry flag based on the EXCLUSIVE-OR of bit 28 and bit 31 of the previously mentioned seed. (We are referring to the seed as if it was a big four-byte 32-bit register where bit 1 is the leftmost bit.) This is the heart of the random number generator.

Lines 31 through 34 rotate the bits of the seed to the right. This causes the contents of the carry flag to be placed into the leftmost bit of the seed as the new most significant bit.

By doing this eight times, as provided by Lines 35 and 36, the eight most significant bits of a new seed have been generated.

These bits are returned as the new random number in register D. Line 37 sets register D for return by loading D with a preset zero and the most significant byte of the random number seed. Line 38 then returns control to the calling routine.

The `die()` Routine

The `die()` routine, shown in Listing 2, scales the result of the `rnd()` routine to the desired range. In this, it works the same way the CoCo BASIC *RND* function works. For example, in CoCo BASIC, *RND(8)* returns a random number between one and eight. For the C language program, `die(8)` would also return a random number between one and eight.

How is this done? Line 24 defines the starting location of this routine. Line 25 gets a random number into the lower half of register D. (The D register is the A and B registers referenced as one register.) Line 26 loads register A with the number of sides on the die from the system stack. This number was saved on the user stack by the calling routine. The random number and the number of sides on the die are multiplied in Line 27.

To complete the scaling of the number, we need to divide the result by one more than the maximum value of the random number. This number is 256, which is also conveniently the same thing as dividing the result by two, eight times. Or by simply using the highest byte of the multiplication result in register A and ignoring the lowest byte in register B, we have effectively divided by 256. This is done in Lines 28 and 29.

The number in register B ranges from zero to one less than the number of sides of the die. Line 30 corrects this by adding one to this number in register B. Now the die roll is in register D, where the C program expects to find it on return. Then in Line 31, with its work done, the `die()` function returns control to the C program.

Example C Program

Three-Roll is a dice game that uses the `die()` routine. See Listing 3. This game is fairly simple at first glance. It is you vs. the house, which is your CoCo. And it's a tough game, with the probability entirely in favor of the house.

You get to roll a die four times adding the rolls to form a total. The house is also rolling a die, forming the house total. After each roll, you may raise your bet, which is matched by the house. After the fourth roll, if your total

is higher than the house, you win the game and the pot.

However, there is one little complication. If you get six or more ahead of the house after any roll, you lose the game (and the pot!).

One small detail includes the following. In order to play, you must ante up a small amount in order to play each game of *Three-Roll*.

Three-Roll

Like PASCAL, C is also a structured programming language. In this it lends itself easily to a modular approach of program design. Structure charts can be used to help document this modularity and the interrelationships between the modules. Figure 2 presents a structure chart for the *Three-Roll* program.

As you can see, the *Three-Roll* program is broken up into five modules. The die() function used by the module roll is not shown. This function is a library function. The library functions used by *Three-Roll* are not shown.

The main module oversees the entire series of *Three-Roll* games that the user wishes to play. It initializes the number of tokens the player has to bet and determines if the player wishes to

play again. Also, if the player is low on tokens, the house (CoCo) is happy to extend credit!

The randomize module asks for an input from the keyboard. Using this input, this module calls the rnd() library function the specified number of times in order to randomize the sequence of die rolls. This is not necessarily the best technique to randomize the rnd() function, but it is usable.

The playgame module plays a single game of *Three-Roll*. It causes the new die totals to be rolled, gets the player's bets, and determines if the player (you) either won or lost. It then returns to the number of tokens the player now has to the main module.

The roll module rolls the die for the house and the player. It sums up the new totals and informs the player of the rolls and the new totals. When this is done, it returns to the playgame module with the new house and player totals.

The getbet module asks the player for his bet. If the bet is not valid, for example, if the bet is for more tokens than the player has, the player is told the number of tokens left and is asked again for a bet. After a valid bet has been entered, the module returns to playgame with

the bet.

The program, *Three-Roll*, is shown in Listing 3. Using the module descriptions, most of the program lines can be followed. For further details on the C language, refer to one of the two C program language texts listed in the references.

A Loose End, The Inkey() Function

In the program listing of *Three-Roll* a function called inkey(), is used. This function is not a C function, but a library function that is included in my user library along with the die() and rnd() functions. It is not shown in the structure chart of Figure 2 as it is a library function. This function is shown in Listing 4.

Normally the C library function, getch(), or its derivative, getchar(), is used to get character input from the keyboard. This function is a line buffered read from the keyboard that returns a single character.

Thus, on the first call to getchar(), a line is read in from the keyboard. This line consists of all the characters that you typed in before pressing the ENTER key. The getchar() returns only the first character entered.




Figure 2
Structure Chart of Three-Roll

On the next call to `getchar()`, the second character that you entered is returned. This continues until all the characters you entered (including the ENTER key) have been returned. On the next call, another line is read in from the keyboard and the first character of the line is returned. And now the process continues as before.

What I wanted was an unbuffered, single-character read from the keyboard. In short, I wanted an `INKEY$` function somewhat like CoCo BASIC has. The `inkey()` function returns the character value of the next key pressed on the keyboard.

What have we accomplished? We now have a random number generator for the OS-9 C Compiler; fantasy monsters beware! You have also read an introduction on how to use a C compiler and to the concept of a library function. (In many ways, these library functions are similar to BASIC's built-in functions.) As an example of the use of this random number generator, a dice game was presented. (A perfect pastime for fantasy Adventurers relaxing in the tavern.)

References

The following references were used in

understanding the C language and the application presented in this article.

Hancock, Les, *The C Primer, (A Byte Book)*, McGraw-Hill Book Company, 1982. This book is intended for programmers who know nothing about the C language. This is not a complete description of the C language, but

"Like PASCAL, C is also a structured programming language. In this it lends itself easily to a modular approach of program design. Structure charts can be used to help document this modularity and the interrelationships between the modules."

provides the "stripped-to-essentials outline of C a beginner needs."

Kernighan, Brian W., and Ritchie, Dennis M., *The C Programming*

Language, Prentice-Hall, Inc., 1978. The standard reference on the C programming language.

Lancaster, Don, *TTL Cookbook*, Howard W. Sams and Co., Inc., 1974, pages 277-281. This book describes the hardware pseudo-random sequencer on which the random number generator routine is based.

Leventhal, Lance A., *6809 Assembly Language Programming*, Osborne/McGraw-Hill, Inc., 1981. One of the earliest reference books on 6809 assembly language programming. And still one of the best.

Ley, B. James, *Computer Aided Analysis and Design for Electrical Engineers*, Holt, Rinehart, and Winston, Inc., 1970. Chapter 10 on random number generators contains a discussion of random number generators and tests that can be used to verify that a random number generator is such. Using these tests, I satisfied myself that this random number generator was adequate for game use. Further testing would be required if it is to be used for any serious application.

The **KEY-264K** is here!!

DO YOU HAVE A 64K SYSTEM (OR 32K WITH 64K MEMORY CHIPS) ?? ARE YOU BEING TOLD YOU CAN ONLY USE 32K FROM BASIC ??

DON'T BELIEVE IT !! - KEY COLOR SOFTWARE brings you the KEY-264K. An exciting NEW SOFTWARE utility that allows any STANDARD 64K OR 32K COLOR COMPUTER TO ACCESS 64K RAM FROM BASIC, and with NO HARDWARE MODIFICATIONS REQUIRED!!

*** Works with CASSETTE based systems! ***

*** Works with DISK based systems! ***

The KEY-264K divides the 64K ram memory into two 32K banks or sides, each of which can be utilized independently by the BASIC interpreter, with the ability to switch instantly from one side to the other. IT'S LIKE HAVING TWO COMPUTERS IN ONE!! Have your BASIC program on one side and keep your variables on the other side, or have your main program on one side and your subroutines on the other side, or have your program on one side and use the other side for 4 additional HI-RES pages, or any combination you like. The possibilities are endless because the KEY-264K allows full communication between sides plus the ability to switch back and forth at will, all from within BASIC. You could also have different programs in each side and switch back and forth between them using simple keystrokes, even while the programs are running!! Or run them both at the same time in the FOREGROUND/BACKGROUND MULTI-TASKING mode. Don't buy that printer buffer yet! With the KEY-264K you can be printing in the background side while utilizing your computer normally in the foreground side AT THE SAME TIME!!! Debugging a program? Use either a BASIC command or simple keystrokes to instantly duplicate your program, in it's present status, on the opposite side. Switch to the opposite side later and pick up exactly where you were before!

For DISK users, the KEY-264K allows you to alternate between DISK and EXTENDED BASIC on the same side with simple keystrokes. No need to pull your controller or power down. You can be in EXTENDED BASIC on one side and in DISK BASIC on the other side and still switch back and forth and have full communications between the two sides.

The KEY-264K does this and MORE thru extensions to BASIC. No need to learn a new language! The KEY-264K adds 15 NEW COMMANDS and 1 function to BASIC, including powerful new BLOCK MEMORY MOVE and GRAPHICS VIEWING commands.

The KEY-264K works on the 64K COCO or 64K COCO-2 and on older 32K systems with "E", "F", or even modified "D" boards and requires EXTENDED or DISK BASIC with GOOD 64K MEMORY CHIPS!

ORDER YOUR KEY-264K TODAY by sending check or money order for \$39.95 (cassette) or \$44.95 (disk) plus \$2.00 postage U.S.A. (\$5.00 outside U.S.A.) Mass. residents add 5% sales tax.

MASTERCARD, VISA, OR COD
CALL (617) 779-5034

KEY COLOR SOFTWARE
P.O. BOX 360
HARVARD, MA. 01451



Listing 1:

```

00001 * rnd.a - random number generator Ver 1.0
00002 * Copyright (c) 1984 by L.A.Middaugh
00003 * written to be included in a user library
00004 * for RS/Microware's CoCo OS-9 C Compiler, Ver 01.00.00
00005 * Revised version of RND, 11-82 LAM
00006 * written for Duggar's Small C Compiler, Ver 1.0
00007 *
00008 * Purpose: rnd.c generates a random number between 0 and 255.
00009 * Call Sequence: rn = rnd()
00010 * rn = value returned by rnd() function
00011 * Initial conditions: initial seed at label 'seed'
00012 * Registers affected: A,B,X
00013 * Results: value returned in register D.
00014 *
00015
00016                psect rnd_a,0,0,0,0,0
00017 0000          nam  rnd_a
00018 0000          ttl  rnd
00019
00020 0000          rnd:
00021 0000 30a90000    leax  seed,y    point to seed
00022 0004 c608       ldb  #8        8 bits per random number
00023 0006          loop
00024 0006 a604       lda  4,x        exclusive or
00025 0008 46       rora           bit 28 with bit 31
00026 0009 46       rora
00027 000a 46       rora
00028 000b a804       eora 4,x
00029 000d 46       rora           place result
00030 000e 46       rora           in carry flag
00031 000f 6601     ror  1,x        rotate carry into bit 0
00032 0011 6602     ror  2,x        as rotating entire
00033 0013 6603     ror  3,x        seed right
00034 0015 6604     ror  4,x
00035 0017 5a       decb           do this
00036 0018 26ec     bne  loop       eight times for new number
00037 001a ec84     ldd  0,x        get new random number
00038 001c 39       rts           and return
00039
00040 * set up a static variable for the seed
00041 0000          vsect
00042 0000 00       seed  fcb  #0      zero for top half of D reg.
00043 0001 52414e44 fcc  "RAND"    the seed
00044 0005          endsect
00045
00046 001d          endsect

```

Listing 2:

```

00001 * die.a - die thrower Ver 1.0
00002 * Copyright (c) 1984 by L.A.Middaugh
00003 * written to be included in a user library
00004 * for RS/Microware's CoCo OS-9 C Compiler, Ver 01.00.00
00005 * Revised version of DIE, 11-82 LAM
00006 * written for Duggar's Small C Compiler, Ver 1.0
00007 *
00008 * Purpose: die.a generates a random number between
00009 * 1 and the number of sides on the die.
00010 * The maximum number of sides is 255.
00011 * Call sequence: rn = die(sides)
00012 * rn = value of dice roll returned
00013 * sides = number of sides on die
00014 * Initial condition: second double-byte on system
00015 * stack contains the number of sides on the die.
00016 * Registers affected: A,B,X
00017 * Results: value returned in register D
00018 *
00019
00020                psect die_a,0,0,0,0,0
00021 0000          nam  die_a
00022 0000          ttl  die
00023
00024 0000          die:
00025 0000=17ffff     lbr  rnd        get random number into register D
00026 0003 a663       lda  3,y        get # of sides into accumulator A

```

```

00027 0005 3d       mul           now multiply them
00028 0006 1f89     tfr  a,b        get result divided by 256
00029 0008 4f       clra           clear
00030 0009 5c       incb           set 1 as lowest number
00031 000a 39       rts
00032
00033 000b          endsect
00034

```


Listing 3:

```

1 /*-----
2  THREE-ROLL, the dice game
3  Copyright (c) 1983 by L.A.Middaugh
4  Version 2.0, last revised 5 May 1983
5  revised for OS-9, 30 May 1984
6 -----*/
7 #include <stdio.h>
8 #define INITIAL_PURSE 100
9 #define ANTE 1
10 #define OR ||
11 #define AND &&
12
13 int ht,pt; /* house total, player total */
14
15 main()
16 {
17  int tokens; /* number of tokens player has */
18  char again; /* play again flag */
19
20  randomize();

```

FLY THE COCO-150



\$49.95

WHEEL AND THROTTLE FUNCTION LIKE A
'REAL' AIRPLANE - ADD REALISM TO
YOUR FLIGHT SIMULATOR PROGRAMS !!!

SPECIAL COMBO OFFER
TOM MIX 'WORLDS OF FLIGHT' (WOF) + COCO-150
\$72.95 (T) / \$75.95 (C)

OR

ASI-IFR FLIGHT SIMULATOR - THE MOST VALID HOME COMPUTER INSTRUMENT
FLIGHT SIMULATOR PROGRAM WE KNOW OF FOR PRACTICING IFR NAVIGATION
AND APPROACHES USING CURRENT ACTUAL FAA MAPS AND APPROACH PLATES.
PROGRAM ALLOWS QUICK AND EASY CUSTOMIZING TO YOUR LOCAL AREA AND
UPDATES AS YOUR LOCAL FAA CHARTS CHANGE. PRICE INCLUDES COPIES OF
OFFICIAL FAA FLORIDA SECTIONAL AND 5 ILS APPROACH PLATES. COCO-150
OR JOYSTICKS REQUIRED + 16K OR 32/64K (SPECIFY) EXTENDED BASIC ONLY
ASI-IFR \$15.95 (TAPE ONLY)

ASI-IFR + COCO-150 \$59.95

EVERYTHING PACKAGE - COCO-150 + WOF + ASI-IFR \$82.95
ADD \$3.50 POSTAGE AND HANDLING - FLA. RESIDENTS ADD 5% SALES TAX
SEND CHECK OR MONEY ORDER TO:

ALBAN SCIENTIFIC, INC.
P.O. BOX 15226
DAYTONA BEACH, FLORIDA 32014

CALL 904-252-5302


```

21 again = 'Y';
22 tokens = INITIAL_PURSE;
23 printf("\nYOU START WITH %d TOKENS.\n",INITIAL_PURSE);
24 while ( again=='Y' AND tokens>0 )
25 {
26   tokens = playgame(tokens);
27   printf("\nYOU NOW HAVE %d TOKENS.\n",tokens);
28   printf("\nPLAY AGAIN? (Y,N) \n");
29   again = inkey();
30   if ( again == 'y' ) again = 'Y';
31   if ( tokens<=1 AND again=='Y' )
32   {
33     printf("\n\nYOU CREDIT HAS BEEN EXTENDED.\n\n");
34     tokens = 50;
35   }
36 }
37 printf("\nTHANKS FOR PLAYING!\n");
38 }
39
40 /*-----
41   Play a game routine, 4 or less die rolls
42   -----*/
43 playgame(tokens)
44 int tokens;
45 {
46   int pot, /* total number of tokens in pot */
47   diff, /* difference in totals */
48   bet, /* the player's bet */

```

```

49   nroll; /* number of rolls this round */
50
51   printf("\nTHE ANTE IS %d. THANK YOU!\n",ANTE);
52   nroll=pot = 1;
53   tokens = tokens - ANTE;
54   ht=pt=diff = 0;
55   roll();
56   while ( nroll<4 AND diff<6 )
57   {
58     bet = getbet(tokens);
59     pot = pot + bet + bet;
60     tokens = tokens - bet;
61     printf("THE CURRENT POT IS %d.\n",pot);
62     roll();
63     nroll++;
64     diff = pt - ht;
65   }
66   if ( pt>ht AND diff<6 )
67   {
68     tokens = tokens + pot;
69     printf("\nYOUR TOTAL IS GREATER\n THAN THE HOUSE.");
70     printf("\nYOU WIN !\n");
71   }
72   else
73   {
74     if ( diff>=6 )
75       printf("\nYOUR TOTAL IS 6 OR MORE GREATER");
76     else printf("\nYOUR TOTAL IS NOT GREATER");
77     printf("\n THAN THE HOUSE.");
78     printf("\nYOU LOSE...\n");
79   }
80   return(tokens);
81 }
82
83 /*-----
84   Get a valid bet from the player
85   -----*/
86 getbet(tokens)
87 int tokens;
88 {
89   int bet; /* the player's bet */
90
91   bet = -1;
92   while ( bet < 0 )
93   {
94     printf("\nYOU HAVE %d TOKENS.\n",tokens);
95     printf("WHAT IS YOUR BET? (0-9) \n");
96     bet = inkey() - 48;
97     printf("\n");
98     if ( bet>9 OR bet<0 )
99     {
100       printf(" THAT BET IS NOT PERMITTED.\n");
101       bet = -1;
102     }
103     if ( bet > tokens )
104     {
105       printf(" BUT YOU ONLY HAVE %d TOKENS.\n",tokens);
106       bet = -1 ;

```

OS-9™ SOFTWARE FOR COCO

SDISK—Standard disk driver module allows the use of 35, 40, or 80 track single and double sided drives with CoCo OS-9 plus you gain the ability to read/write/format the standard OS-9 single and double density disk formats used on other OS-9 systems. **\$29.95**

BOOTFIX—To make bootable double-sided disks **\$9.95**

SDISK + BOOTFIX—when ordered together **\$35.95**

FILTER KIT #1—Eleven utilities used as filters (with pipes) to give you "wild card" directory lists, copies, deletes, moves, lists, pagination, etc. **\$29.95**

FILTER KIT #2—Command Macro Generator to build new commands by combining old ones, and 9 other utilities. **\$29.95**

HACKER'S KIT #1—Disassembler and memory dump/fill utilities allow you to disassemble OS-9 assembly code from disk or memory. **\$24.95**

Send SASE for current catalog.

Terms: Prepaid check, MO, Visa, Mastercard or COD.
Add \$1 S&H, (COD \$3 extra).

**D.P. Johnson, 7655 S.W. Cedarcrest St.
Portland, OR 97223 (503) 244-8152**

(We appreciate your calling between 9-11 AM Pacific Time.)

OS-9 is a trademark of Microware and Motorola Inc.

```

107     }
108     }
109     return(bet);
110 }
111
112 /*-----
113     Randomize the rnd() function.
114     -----*/
115 randomize()
116 {
117     int count, /* Number of times to call rnd() */
118         dummy; /* A place to dump rnd() result */
119
120     printf("\nHIT ANY KEY TO START.\n");
121     count = inkey();
122     while ( count-- > 0 )    dummy = rnd();
123     return;
124 }
125
126 /*-----
127     Roll the dice and total results function
128     -----*/
129 roll()
130 {
131     int hr,pr; /* house's roll, player's roll */
132
133     hr = die(6); pr = die(6);

```

```

134     ht = ht + hr; pt = pt + pr;
135     printf("HOUSE ROLLS A %d\n",hr);
136     printf("YOU ROLL A %d\n",pr);
137     printf("\n HOUSE TOTAL IS NOW %d\n",ht);
138     printf(" YOUR TOTAL IS NOW %d\n",pt);
139     return;
140 }
141


```

Listing 4:

```

.es 69
.es 71
.nf
.br
1 /*    Unbuffered single character input
2      (see Kernighan & Ritchie, page 161)
3      works much the same as CoCo BASIC INKEY$
4      except it waits for next key pressed.
5 */
6 #include <stdio.h>
7 #define CHASK 0377 /* for making char's >0 */
8
9 inkey()
10 {
11     char c;
12     return( (read(0,&c,1) > 0) ? c & CHASK : EOF );
13 }

```



The **STYLOGRAPH III WORD PROCESSING SYSTEM is packed with many features! . . .**

- * Stylo comes with a 51 x 24 Hi-res screen driver called GO-51, which is compact and efficient (doesn't waste memory space).
- * Totally compatible with the PBJ 80 column board called WORDPAK.
- * Immediate screen updating shows the text just as it will be printed.
- * Screen shows all page separations, headers and footers, justification of text and uses reverse video for character modifications.
- * Stylo can be configured to your printer. Proportional Spacing is supported to give you the professional quality look.
- * Stylo is available for the OS/9 and Flex operating systems.
- * Additional programs like Mail Merge and Spelling Checker are also available to give you a complete word processing package.

*** Stylograph is now available at your local Radio Shack Dealer.**

Prices have been lowered making Stylograph and WordPak the best buy in town

Stylograph III	\$99.95	WordPak	\$119.95
Spelling Checker	69.95	WordPak II	149.95
Mail Merge	59.95		
All three programs		\$199.95	Send for our complete catalog

Great Plains Computer Company
P.O. Box 916
Idaho Falls, Idaho 83403
(208) 529-3210

OS9 is a trademark of Microware Flex is a trademark of TSC, Inc.

Design And Development Of Application Software — Part V

By Paul Searby
Rainbow Contributing Editor

This month's article is the last in the series on design and development of application software. There could be more, but I feel that I have accomplished my goal of describing and defining a method that will assist someone involved in developing a large application system. One of the main points I hope has come across is that organization of your thoughts is critical to the success of your project. Flowchart (outline) your system before thinking about the programming. Define your file layouts and report descriptions before you start the programming. As you go through these steps, you will think of items that should be considered and included before they become pro-

gramming changes. Within these articles, Random BASIC was the language selected for the programming, but with many other high level languages now available for the CoCo, another language may be more suited to your particular application.

It is best to complete the design, set it down for a day or two, then come back to it and make the decisions as to language and the order in which the programs should be developed. We have talked about using "Top Down" methods in our development, including the programming phase. With the same qualification I gave to doing structured programming in BASIC, we will borrow from the Top Down programming philosophy, but not strictly adhere to it. This means that we will program some of the higher levels first, but when we get to a point that we can't continue writing code that can be tested, we will succumb to the lower levels and write the code required to keep progressing at the higher levels.

Did anyone guess what the scope of our Accounts Payable System really was? Since this is the last of the articles, I will give you my best estimate of the answer. At a minimum, it is nine pro-

grams, with an estimated total size of 75K to 90K worth of code. My estimate is based on having seven different completed application systems to compare. We could write one that takes less space or possibly one or two less programs, but our original charter included both user friendliness and maintainability. To keep those and our other given guidelines, the above estimate is probably, at best, conservative. Following is a breakdown on the nine proposed programs:

- 1) APS100.BAS — Master File Processing (Chart 2)
- 2) APS120.BAS — Keyfile Generation / Reorganization
- 3) APS200.BAS — Invoice File Processing (Chart 3)
- 4) APS400.BAS — New Period Processing (Chart 4)
- 5) APS500.BAS — Report Requests (Chart 5)
- 6) APS520.BAS — Report Printing (Chart 5)
- 7) APS900.BAS — Utility Processing and Master Menu (Chart 6)
- 8) SYS100.BAS — Generalized Sort (Chart 5)

(Paul Searby has been involved with computers and data processing since 1969, working primarily on larger IBM systems until 1975 when he bought, built and programmed the first "personal computer" ever made — an Altair 8800, which came in kit form with 1K of memory. In 1977 he left a position as project manager for a large corporation to devote his full efforts to his company, Computerware.)

9) SYS120.BAS — Generalized Merge
(Chart 5)

Several of the programs have not been mentioned much because they are what I term "system programs." They are typically included in every system, and thus do not have to be written each time. In Accounts Payable, we will have a need for the generalized sort and merge programs. These utilities are used for sorting and merging extracted files for either report or keyfile generation purposes. They can be used in any application because the calling program tells them where to return control after they are finished. Another remaining program borders on being a general purpose utility: the *Keyfile Generation and Reorganization* program. The ability to generate and reorganize the *Master's Keyfile* is required in any system that uses Keyfile access. Thus if we

knew for sure that we were going to write additional applications using keyfiles, we might want to take the extra time to code *APS120.BAS* a little more general and place it in our library of SYSxxx programs.

The remaining six programs pretty much follow our flowchart. As to where to start, my choice would be parts of *APS900.BAS* (see examples), which has our top level Master Menu and many of the utilities required to get our system off the ground. Initially, I would only code the Master Menu, the System Control File creation and maintenance, the date routine and the Master, Invoice, Activity and Keyfile creation routines. The other features of *APS900* can be added at a later date. After getting this working, we can now branch out into the other programs. Next would be *Master File Processing*, since all other files are dependent on the *Master File*.

Since access to the *Master* is via the *Keyfile*, we pretty much need to develop our *Master* and *Keyfile* logic together. This is where it gets nice to already have a *Keyfile Generation and Reorganization* utility. Assuming this is the first time, we will need to develop this logic as we work on the *Master* and *Keyfile* sections.

With a system that will end up being 75K to 90K in size, it is not easy to choose which examples of the coding should be included. I have chosen the "front end," being the Master Menu portion of the utility program and most of the file I/O logic of the *Vendor File Maintenance* Program. Also included is a generalized error routine that is appended to the end of each program. When you study these examples, please remember that they are only excerpts from programs, and as such have loose ends.

---> Master Menu Example <---

```
.sp2
0100 : APS900.BAS - A/P Master
      Menu and Utilities
0120 : (C) 1984 Computerware - V
      ersion 1.0 09/25/84
0140 :
0160 LINE=0 : STRING=24 : DIGIT
      S=0 : RJUST=0
0180 ON ERROR G.9999
0200 LET Z$="APSSYS.DTA" : OPEN\
      #19,Z$
0220 READ \#19,PTR,CRT,DATE,DRV1
      ,DRV2,DRV3,XX,OPT1,OPT2,CNAME$
0240 CLOSE \#19
0240 :
0280 LET A$=STR$(DATE) : IF DATE
      < 750000 W$=" " : G.340
0300 LET W$=MID$(A$,3,2)+"/" +MID
      $(A$,5,2)+"/" +MID$(A$,1,2)
0320 :
0340 HOME
0360 LET T0=24-LEN(CNAME$)/2 : P
      .TAB(T0);CNAME$
0380 PRINT TAB(12);"Accounts Pay
      able System" : P.
0400 PRINT TAB(12);"System Date
      is : ";W$ : P.
0420 PRINT TAB(05);"All Transact
      ions Entered will use this Date"
      : P.
0440 PRINT TAB(8);" 0 Return to
      the System Menu" : P.
0460 PRINT TAB(8);" 1 Vendor Ma
      ster Processing"
0480 PRINT TAB(8);" 2 Receive /
      Pay Invoices"
```

```
0500 PRINT TAB(8);" 3 New Perio
      d Processing"
0520 PRINT TAB(8);" 4 Reserved"
0540 PRINT TAB(8);" 5 Report Re
      quest Processing"
0560 PRINT TAB(8);" 6 Reserved"
0580 PRINT TAB(8);" 7 Reserved"
0600 PRINT TAB(8);" 8 Change th
      e System Date"
0620 PRINT TAB(8);" 9 Utility P
      rocessing" : P.
0640 PRINT : P.TAB(9);
0660 INPUT "Please make a select
      ion...",A : P.
0680 IF A=0 C."SYS000.BAS"
0700 IF A=1 C."APS100.BAS"
0720 IF A=2 C."APS200.BAS"
0740 IF A=3 C."APS400.BAS"
0760 IF A=5 C."APS500.BAS"
0780 IF A=8 G.860
0800 IF A=9 G.1160
0820 GOTO 640
0830 :
0840 : Date Input Routine
0850 :
0860 PRINT : INPUT"Enter Month (
      1 - 12)",MTH
0880 IF MTH < 1 G.860
0900 IF MTH > 12 G.860
0920 INPUT "Enter Day (1 - 31)",
      DAY
0940 IF DAY < 1 G.920
0960 IF DAY > 31 G.920
0980 INPUT "Enter Year (19xx)",Y
      R
1000 IF YR < 78 G.980
```



```

1020 IF YR > 99 G.980
1040 LET DATE=YR*10000+MTH*100+D
AY
1060 :
1080 LET Z$ = "APSSYS.DTA" : OPE
N\#19,Z$
1100 PUT \#19,PTR,CRT,DATE,DRV1,
DRV2,DRV3,XX,OPT1,OPT2,CNAME$
1120 CLOSE \#19 : G.300
1140 :
1160 : System Utilites Start her
e.....
1180 :
.PG
.sp
.ce
---> Vendor File Maintenance Rou
tines <---
.sp2
1000 : The folowing are routines
out of the Vendor File Maint.
1020 : Program. They include th
e Master File Read and Write,
1040 : along with all the Keyfil
e Search routines. Also include
d
1060 : are the Keyfile Extract f
or a new Keyfile and the Error
1080 : routine that is common to
each program in the System.
1100 :
1120 : As an example, to get a V
endor via the ISAM Binary Search
:
1140 :
1160 INPUT "Please enter the des
ired Vendor Name",TARG$
1180 LET LT = LEN(TARG$) : GOS.2
260 : IF HIT <> 0 G.1260
1200 PRINT : INPUT "Do you want
to try again (Y/N)",ANS$ :P.
1220 IF ANS$ = "Y" G.1160 :ELSE
exit to Menu
1240 :
1260 RECNO\#10 = KLOC : GOS.1440
:: You now have Master!
1280 :
1300 : The Vendor Master output
(write) routine can handle both
1320 : Adds and Changes. For an
Add, MODESW = 1 - for a Change,
1340 : MODESW = 2. MODESW is ac
tually the selection option from
1360 : the Vendor File Maintenanc
e Menu, serving dual purposes.
1380 :
1400 : Read Master
1420 :
1440 GET \#10,VIDX,VNUM,STINV,LS

```

```

TINV,SPARE,BEGBAL,CURIN,CURPD,YT
DPD :
1460 : LSTDT,NAME$,TITL$,ADDR$,C
TST$,PHAC,PHNUM,TERMS
1480 LET NAMSV$ = NAME$ : RET.
:: Save Vendor Name (KEY)
1500 :
1520 : Vendor Master Output Rout
ine
1540 : Find space for Master add
in Keyfile
1560 : (VSTRT initially = start
of the Keyfile)
1580 : (Deleted Master entries h
ave their pointer negated)
1600 :
1620 IF MODESW <> 1 G.1900
1640 RECNO \#13 = VSTRT
1660 IF RECNO\#13 >= RSIZE\#13 G
.2040
1680 IF RECNO\#13 >= RNEXT\#13 R
ECNO\#10 = RNEXT\#10 : G.1780
1700 GET \#13,TEST : IF TEST >=
0 VSTRT = VSTRT+1 : G.1640
1720 : Found a spot (TEST was ne
gative)
1740 LET LOC = ABS(TEST) : RECNO
\#10 = LOC : TEST = 0
1760 PUT \#13,TEST : VSTRT = VST
RT+1
1780 LET LOC = RECNO \#10
1800 RECNO \#13 = RNEXT \#13
1820 PUT \#13,LOC,NAME$ : LIDX =
LOC
1840 :
1860 : Write out Vendor Master
1880 :
1900 PUT \#10,VIDX,VNUM,STINV,LS
TINV,SPARE,BEGBAL,CURIN,CURPD,YT
DPD :
1920 : LSTDT,NAME$,TITL$,ADDR$,C
TST$,PHAC,PHNUM,TERMS
1940 :
1960 IF MODESW <> 2 RET. :: 2 =
change (was Key chgd?)
1980 IF NAME$ = NAMSV$ RET.
2000 PUT \#13,0 : CURPOS = RECNO
\#13 : RECNO\#13 = RNEXT\#13
2020 PUT \#13,KLOC,NAME$ : RECNO
\#13 = CURPOS : RET.
2040 :
2040 HOME : P."KEYFILE FULL - yo
u MUST reorganize the Keyfile be
fore"
2080 PRINT "you can continue usi
ng the Accounts Payable System..
"
2100 : [ here would be a GOTO to
the Vendor Maintenance Menu ]

```



```

.PG
.SP2
2120 :
2140 : Binary Search Routine
2160 :
2180 : Entry Variables are TARG$
      and LT (= LEN of TARG$)
2200 : OVFL = Start of Overflow
      Area (in 1st Vendor Record)
2220 : Output is KLOC (Record \#
      of Master) and HIT (0 = no)
2240 :
2260 LET HIT = 0 : FIRST = 6 : L
AST = OVFL-1 : OVFLG = 0
2280 LET MID = INT((FIRST+LAST)
/ 2)
2300 RECNO \#13 = MID
2320 GOSUB 3240
2340 IF TARG$ = KEY$ G.2420
2360 IF TARG$ > KEY$ IF MID < LA
ST THEN FIRST = MID+1 : G.2280
2380 IF TARG$ < KEY$ IF MID > FI
RST THEN LAST = MID-1 : G.2280
2400 GOTO 2860
2420 LET CURPOS = RECNO \#13 : I
F CURPOS = FIRST G.2520
2440 RECNO \#13 = CURPOS-1
2460 GOSUB 3240
2480 IF TARG$ = KEY$ G.2420
2500 RECNO \#13 = CURPOS : GOS.3
240
2520 IF KLOC <= 0 GOS.3200 : G.2
520
2540 IF TARG$ = KEY$ G.2620 : EL
SE G.2860
2560 :
2580 : Got a Hit - Exit
2600 :
2620 LET HIT = 1 : RET.
2640 :
2660 : Re-entry to look for more
      with same Key
2680 :
2700 IF OVFLG > 0 G.2900
2720 GOSUB 3200
2740 IF TARG$ <> KEY$ G.2860
2760 IF LEN(VENKEY$) < 2 GOS.320
0 : ELSE G.2620
2780 GOTO 2740
2800 :
2820 : Sequential Search thru ov
erflow Area
2840 :
2860 IF OVFL >= RNEXT \#13 G.304
0
2880 RECNO \#13 = OVFL-1 : OVFLG

```

**AVAILABLE
NOW**

DRAGON USER



To make the most of your new Dragon microcomputer from Dragon-Tano, you need *Dragon User* — the international, independent magazine for Dragon owners.

Each issue of *Dragon User* contains:

- reviews of the latest software
- programming advice for beginners
- hardware projects

- program listings covering games and utilities
- reviews of Dragon peripherals and add-ons
- technical advisory service
- programming articles for users

The Dragon microcomputer was launched in the UK last year. Since then we have developed a knowledge and mastery of the machine's abilities. You can benefit from our experience by subscribing to *Dragon User*, which is expanding its coverage to include all US developments.

To make sure that you receive a copy of *Dragon User* regularly, subscribe direct to us. This costs only \$29.95 for 12 issues airspeeded to you — or take advantage of our special offer to long-term subscribers. Individual copies of the magazine can be obtained from your Dragon dealer.

Subscription order form. Receive a free book and save money by taking out a long-term subscription — a two-year subscription saves 10%, a three-year subscription saves 20%. In addition, long-term subscribers will receive a free copy of either ☐ *The Working Dragon* or ☐ *Dragon Games Master*. Please send a check, made payable to *Dragon User*, with this form. Start my subscription from the following issue

Name

Address

Signed..... Date.....

Subscription rates US and Canada airspeeded ☐ US\$29.95 for 12 issues/1 year
☐ US\$53.90 for 24 issues ☐ US\$71.90 for 36 issues. Send this form to
Dragon User % Business Press International, 205 E. 42nd St., New York, NY 10017.


```

= 1
2900 GOSUB 3200
2920 IF KLOC <= 0 G.3020
2940 IF TARG$ <> KEY$ G.3020
2960 IF LEN(VENKEY$) < 2 GOS.320
0 : ELSE G.2620
2980 GOTO 2940
3000 :
3020 IF RECNO \#13 < RNEXT \#13-
1 G.2900
3040 IF HIT > 0 G.3080
3060 PRINT : P.TARG$;" was not f
ound....." : G.3100
3080 PRINT : P."That's all I hav
e!!" : P.
3100 INPUT "Press RETURN to cont
inue",A
3120 LET HIT = 0 : RET.
3140 :
3160 : Read a Record from the Ke
y file
3180 :
3200 IF RECNO\#13 >= RNEXT\#13-1
KEY$ = "" : RET.
3220 RECNO \#13 = RECNO \#13+1
3240 GET \#13,KLOC,VENKEY$
3260 LET KEY$ = LEFT$(VENKEY$,LT
)

```

```

3280 RETURN
.PG
.SP2
3300 :
3320 : Keyfile Extract for New K
ey Generation
3340 :
3360 LET Z$ = "SYSWKS.UKY" : OPE
N\#1,Z$ : SCRATCH\#1
3380 RECNO \#10 = 1
3400 RECNO \#10 = RECNO\#10 + 1
3420 IF RECNO\#10 >= RNEXT\#10 G
.3560
3440 IF RECNO\#10 = RSIZE\#10 G.
3560
3460 GOSUB 1440 :: Read Master F
ile
3480 LET ZLOC = RECNO\#10
3500 IF LIDX = 0 THEN ZLOC = -ZL
OC : : SHOW AS EMPTY
3520 WRITE \#1,ZLOC,NAME$
3540 GOTO 3400
3560 CLOSE \#10,\#1
3580 LET Z$ = "SYSWKS.CTL" : OPE
N\#1,Z$ : SCRATCH\#1
3600 WRITE \#1,"APS120.BAS",1,0,
0,0 : CLOSE\#1
3620 CHAIN "SYS100.BAS"
3640 :
3660 : Generalized Error Routine
3680 :
3700 IF ERCODE <> 33 G.3740
3720 PRINT "File / Program ";Z$;
" was NOT found !!"
3740 LIST \#PTR,100-140 : P.\#PT
R
3760 PRINT \#PTR,"An unrecoverab
le ERROR has been detected."
3780 PRINT \#PTR,"Please save th
e following information : " : P.
\#PTR
3800 PRINT \#PTR,"The ERROR code
was : ";ERCODE
3820 PRINT \#PTR,"The Line Numbe
r was ";ERLINE : P.\#PTR
3840 IF ERCODE = 33 G.3880
3860 IF ERCODE > 60 G.3880 : ELS
E P.\#PTR,CHR$(12) : P.CHR$(7) :
STOP
3880 PRINT \#PTR,"The error rela
tes to disk data file operation.
"
3900 PRINT \#PTR,"You may be abl
e to solve the problem with one
of the"
3920 PRINT \#PTR,"System Utiliti
es - going to Utility Processing
..."
3940 CHAIN "APS900.BAS"

```

FLY at MACH 2!



F-16 Instrument Flight Simulator

DON'T CHUG AROUND AT 90 KNOTS WITH OTHER SIMULATORS. F-16 FLYS MACH 2.6, IS FULLY AEROBATIC, VERY REALISTIC.....\$21.95

DESCENDERS

100% ML FOR RADIO SHACK® LPVII, DMP100, TDP-1, AND GORILLA BANANA®\$17.95

TSPPOOL

100% ML SOFTWARE SPOOLER FOR TELEWRITER-64® ONLY. INCLUDES DESCENDERS.\$24.95

TELEWRITER-64

THE BEST CoCo WORD PROCESSOR AVAILABLE TODAY!
TAPE.....\$49.94 Disk.....\$59.95

ELITE•CALC

THE BEST CoCo SPREADSHEET\$59.95

ELITE•FILE

THE BEST CoCo DATABASE MANAGER\$74.50

CALL (813) 321-2840 9-5 PM EST FOR ORDERING OR INFORMATION

KRT Software Inc.

P. O. Box 41395

St. Petersburg, Florida 33743

After we have a functioning *Master* and *Keyfile*, we can progress to the coding of receiving or paying invoices (Invoice File Processing). This is where a lot of our common routines come into use. We will need to develop the *Invoice File* linkage to the *Vendor Master*, but will be able to reuse the *ISAM Keyfile* lookup for the *Master File* that was developed in *APSI00.BAS*. Again, I would concentrate initially on just getting the system capable of reading and writing invoice records, leaving check writers and other frills to another time. This program also needs the capability of writing out activity records. This code should be done as you are doing the adjustment and payment portions.

To really be able to check the integrity of the Accounts Payable System, we need "eyes" or reports. Thus, the next programs to tackle should be the report extract and a crude version of the report printing. Initially, these can be used to insure that the *Master*, *Invoice* and *Activity* files are getting updated properly. When I say a crude version, I mean that we are trying to implement the reports as designed, but aren't too concerned about tab settings, etc. At this point we primarily want to see the data,

and can make it look prettier once we're convinced that all our update logic is working correctly. Lastly, *New Period Processing* can be coded, allowing us to reset the system and again recheck our inputs.

"It is best to complete the design, set it down for a day or two, then come back to it and make the decisions as to language and the order in which the programs should be developed."

Once we have the BASIC system operational, we can then go back and complete the remaining functions. Possibly by this time, either we have seen a need for some changes, or have shown the system to a potential customer and they have asked for some changes. If we get to this step before the complete system

is programmed, the odds are that less code will have to be changed than if we wait until we are through. An item that is required, but has not been mentioned to date, is a manual. When is the best time to write the manual? Ideally, it should have been written before we started and used as a guideline while programming. In practice, it typically is written after the system is completed. A good compromise, and one that has some benefits, is to develop it while the programming is taking place. If possible, have someone else do the manual. I say this because first, programmers don't generally write good manuals (and they usually hate doing it), and secondly, if someone else is trying to explain the system, they will spot oversights that the programmer may miss. This may not be a program error as such, but more likely a clearer way to present the information.

I am looking for suggestions for subject matter to cover in future articles. The topics should be somewhat general in nature, leaving the specifics, on OS-9 as an example, to those who have columns on those subjects. If you have a suggestion, please send it to me care of Computerware, Box 668, Encinitas, CA 92024.



TITAN SOFTWARE™
THE POWERFUL ONE

Highly Sophisticated "IDEAL HOST" Complex & "TELEREMOTE Executive" (Terminal) PGM.

INCLUDES: STAR KIT'S "REMOTERM" & "COLORTERM",

LICENSED TO TITAN SOFTWARE (TM).

(36 GRANULES OF SHEER GOLD)

REMOTE CONTROL & COMMUNICATION PGM.

Attribute "MAIN FRAME" Capabilities to any 32K. Ext. Bas. & Two Disk Drives.

Recycle Automatically after "SIGNOFF".

Our "TELETERM" Pgm as any: "Smart", or "Dumb" Terminal. Operates the "Host" Computer. (unrestricted "REMOTE CONTROL") - Running Own, or HOST's Disk Drive PGM's. Communicates (TWO Way) Leaving or Retrieving Files (Upper & Lower Case) as a TELE-REMOTE - even traveling - EXECUTIVE, Secretary, or Sales Representative. "TELETERM" Communicates with other HOST & BBS Systems too.

Host System Intercepts UNAUTHORIZED INTRUDERS by: I.D.#, PASSWORD & "PRIVATE" Message Codes. (Up to half "\$" each). Automatic Loading to the Computer's Memory-Range & Semi Automatic Setting of Communication-Protocols and Printer-Parameters. AUTO-Select MENU driven PGM.

"FILE HANDLER": Prepare, Convert, Load, Save & Transmit ALL TYPES OF FILES.

"MINI EDITOR": Word Processor: Load, Edit & Save "File Handler's" & most Word-Processor Files.

Library Quality Gold Embossed Binder EDITION 32K. Ext. Bas. Dsk. \$85 First Class S&H \$4.50

COMPOUND the AWESOME POWER of TWO MAIN FRAME Capabilities, by TWO

Mutually REVERSIBLE HOST-TERMINAL SOFTWARE.

A Set of Two Host-Terminal Complex PGM., in one "GOLD EMBOSSED BINDER" \$148 First Class S&H: On Us!!

HANDLER COMPLEX (18 Granules of Sheer Gold)

I. DISK HANDLER - Fast, Reliable, Garbage Free, Discretionally "VERTIFIED", AUTO-Selective MENU driven PGM. Loading.

a. Error Free Disk Backup.

b. Selective PGM. (C)opy or (S)kip.

c. Solo-Pgm-Copy from DISKS.

d. "DISK ERASER" Faster than DSKINI, WIPES Disks CLEAN.

e. "DIRECTORY" PRINT: on Screen & Printer.

f. "DIR TRACK 17" PRINT: shows "LEFTOVER" Dir. & PGM. Garbages.

"Disk Handler" Pgm. makes 'Garbage Free' Copies, from "Garbage FULL" Floppies.

II. FILE HANDLER - is the same pgm., as in the "HOST COMPLEX".

III. MINI-EDITOR - is the same as in the "HOST COMPLEX".

Library Quality Gold Embossed Binder EDITION 32K. Ext. Bas. Dsk. \$48 First Class S&H \$4.00

CONVERT COMPLEX (11 Granules of Sheer Gold)

I. Highly Reliable & Fast Programmer's Helper AUTO-Selective MENU driven Program Loading.

II. Highly Sophisticated and Very Fast COMPUTER MEMORY X-RAY (RAM & ROM) With or Without Program Loaded. With Programs Loaded Acts as a "COMPUTER LANGUAGE ANALYZER". Columnar LISTING of Numerical Systems on Screen or Printer.

Library Quality Gold Embossed Binder EDITION 16K. Ext. Bas. Dsk. \$38 First Class S&H \$4.00

For more EXPLICIT 9 Page Brochure of all TITAN SOFTWARE PROGRAMS

Send \$1.00 and a Self-Addressed 40c Stamped Envelope to:

508 West Avenue, Northvale, New Jersey 07647 (201) 768-7479 6 P.M. - 10 P.M. EST.

Money Orders, Checks, Master Charge, Visa Accepted.

THESE FINE STORES CARRY THE RAINBOW

The retail stores listed below carry THE RAINBOW on a regular basis and may have other products of interest to Color Computer users. We suggest you patronize those in your area.

ALABAMA Birmingham Florence Huntsville Madison Montgomery	Jefferson News Co. Anderson News Co. Endicott Software Madison Books Trade 'N' Books	Pensacola Sarasota South Stuart Tallahassee Tampa	Computer Systems Group Anderson News Co. Family Computers Poling Place Caribbean Engineering Corp. Anderson News Co. Fine Print Bookstore Software City Sound Trader & Computer Center	Garrett Greenwood Indianapolis Jasper Lawrenceburg Madison Marion Martinsville New Haven Scottsburg Walbath	Finn News Agency, Inc. The Computer Experience Bookland, Inc. Indiana News Computer Store Elex Mart Bauer Electronics Arco Office Supplies Computer Corner Radio Shack Advanced Color Software Radio Shack of Scottsburg Mitting's Electronics
ALASKA Fairbanks	Electronic World	GEORGIA Atlanta	Chips, Inc. Guild News Agency Software City Muscogee News Co. Kent Radio Shack Kannon Music Radio Shack Act One Video	IOWA Bettendorf Davenport	Cosmos Computers Interstate Book Store Software City
ARIZONA Phoenix Scottsdale Tempe Tucson	The Computer Shop Home Brew Computers Tri-Tech Computers Data Concepts All Systems Go Books Etc. Computer Library Anderson News Co. Minz Electronics	Augusta Columbus Cummings Jesup	Radio Shack Martin Music Radio Shack	KANSAS Junction City Topeka Wichita	Ill H's Stereo Palmer News, Inc. Town Crier of Topeka, Inc. Amateur Radio Equipment Co. Lloyd's Radio
ARKANSAS Little Rock	Anderson News Co.	IDAHO Blackfoot Moscow	F/M Systems Electronics Johnson News Agency	KENTUCKY Greenville Hopkinsville Louisville Maysville Paducah Paintsville Pikeville	Williams & Wells, Inc. Hobby Shop The Computer Store Radio Shack Radio Shack Gus-Stan Enterprises Gus-Stan Enterprises
CALIFORNIA Citrus Heights Downey El Cajon Exton Folsom Fortuna Gretna Half Moon Bay Hesperia Hollywood Livermore Lampoc Los Angeles Milpitas Modesto National City	Software Plus The Floppi Disk Radio Shack Software City Computers, Etc. R&V Sound The Computer Supply Store Strawflower Electronics Dessert Sound, Inc. Levity Distributors Software Galeria L&H Electronics Emporium Polygon Co. AVS Computer Systems Software Mart JARB Software Wily's Electronics Pro Am Electronics Printers, Inc. Tower Magazine Computer Dimension The Computer Store Dimensional Software Disney's Electronics Radio Shack News On 24 Sawyer's News, Inc. Color Computing Hardings Way News Computer Library	ILLINOIS Aurora Champaign Chicago	Kroch's & Brentano's Book Market B. Dalton Booksellers N. Walbath St. West Jackson St. Bob's in Newtown Bob's News Emporium Bob's Rogers Park Book Market East Cedar North Cicero West Diversey E.B. Garcia & Associates Guild Books & Periodicals Kroch's & Brentano's South Walbath West Jackson 516 N. Michigan 835 N. Michigan Parkway Drugs Parkwest Books Sandmeyer's Bookstore Univ. of Chicago Bookstore Univ. of Illinois Bookstore Videomat, Inc. Book Emporium Book Market Book Emporium K-Mart Plaza Northgate Mall Appletree Computers Book Emporium Chicago-Main News B & J Supply Book Emporium Book Nook Bill's TV Radio Shack Kroch's & Brentano's B.I.E.S. Systems Kroch's & Brentano's Book Emporium Book Emporium Sheridan Village Westlake Shopping Center Book Market Illinois News Service Kroch's & Brentano's Book Emporium Sangamon Center North Town & Country Shopping Ctr. Book Emporium Paper Place North Shore Distributors	LOUISIANA Baton Rouge Crowley Shreveport Slidell	Acme Book Co. Software Solutions Acadiana Newsstand Computer SOS Radio Shack 7181
Pacific Beach Palo Alto Sacramento San Diego	JARB Software Wily's Electronics Pro Am Electronics Printers, Inc. Tower Magazine Computer Dimension The Computer Store Dimensional Software Disney's Electronics Radio Shack News On 24 Sawyer's News, Inc. Color Computing Hardings Way News Computer Library	Chillicothe Danville Decatur	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria	MAINE Brockton South Portland Waterboro	Voyager Bookstore Portland News Co. Radio Shack
COLORADO Aurora Colorado Springs Westminster	Aurora Newsland Hathaway's Magazines Software City	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria Schaumburg Skokie Springfield Sunnyland West Frankfort Wheeling INDIANA Berne	MARYLAND Lexington Park MASSACHUSETTS Brockton Cambridge	Books, Etc. Voyager Bookstore Ninis Corner, Inc. Out Of Town News The Program Store Microcon Computer & Software Store Corners Book Shop Ipswich News Computer Plus North Shore News Co. Microcon Softwarecenters
CONNECTICUT Danbury Monroe Orange	Computer Serv. of Danbury Mackey's Software City	Norman, Inc.—The Smoke Shop	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria Schaumburg Skokie Springfield Sunnyland West Frankfort Wheeling INDIANA Berne	MICHIGAN Allen Park Ann Arbor Brooklyn Charlotte Dearborn Durand Fenton Flint Kalamazoo	Book Nook, Inc. Community News Center Weatherwax Radio Shack Computer Options DSL Computer Products Robbins Electronics Tri-County Electronics Radio Shack "I O" John Rollins Software City Computer Corner User Friendly Curt's Sound & Home Arcade Center Key Book Shop Michigan Radio Shop And Save The Eight Bit Corner MI Software Dist., Inc. Software City C/C Computer Systems Hi-Fi Audio Co. Perry Computers Perry Oil & Gas Computer Shack New Horizons Software City Clinton Electronics
DELAWARE Wilmington	Norman, Inc.—The Smoke Shop	Paris Peoria	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria Schaumburg Skokie Springfield Sunnyland West Frankfort Wheeling INDIANA Berne	Danvers Fitchburg Ipswich Littleton Lynn Woburn	Book Nook, Inc. Community News Center Weatherwax Radio Shack Computer Options DSL Computer Products Robbins Electronics Tri-County Electronics Radio Shack "I O" John Rollins Software City Computer Corner User Friendly Curt's Sound & Home Arcade Center Key Book Shop Michigan Radio Shop And Save The Eight Bit Corner MI Software Dist., Inc. Software City C/C Computer Systems Hi-Fi Audio Co. Perry Computers Perry Oil & Gas Computer Shack New Horizons Software City Clinton Electronics
FLORIDA Boca Raton Clearwater Cocoa Davie Ft. Lauderdale	Software, Software, Inc. The Avid Reader Soenen & Wilmoth Books Software City Village Book Shop Software Plus More Mike's Electronics Distributor Software Connection The Book Nook Book Town Radio Shack & Elec. Hut City Newsstand The Little Store The News Rack Software City The Alamo Software Unlimited Boyd-Ebert Corp.	Paris Peoria	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria Schaumburg Skokie Springfield Sunnyland West Frankfort Wheeling INDIANA Berne	Lapeer Lowell Mt. Clemens	Book Nook, Inc. Community News Center Weatherwax Radio Shack Computer Options DSL Computer Products Robbins Electronics Tri-County Electronics Radio Shack "I O" John Rollins Software City Computer Corner User Friendly Curt's Sound & Home Arcade Center Key Book Shop Michigan Radio Shop And Save The Eight Bit Corner MI Software Dist., Inc. Software City C/C Computer Systems Hi-Fi Audio Co. Perry Computers Perry Oil & Gas Computer Shack New Horizons Software City Clinton Electronics
Jacksonville Kissimmee Melbourne Miami Orange Park Orlando Panama City	Jacksonville Kissimmee Melbourne Miami Orange Park Orlando Panama City	Schaumburg Skokie Springfield	DeKalb East Moline Evanston Geneseo Kewanee Lisle Newton Oak Brook Oak Park Paris Peoria Schaumburg Skokie Springfield Sunnyland West Frankfort Wheeling INDIANA Berne	Mt. Morris Muskegon Novi Okemos Owosso	Book Nook, Inc. Community News Center Weatherwax Radio Shack Computer Options DSL Computer Products Robbins Electronics Tri-County Electronics Radio Shack "I O" John Rollins Software City Computer Corner User Friendly Curt's Sound & Home Arcade Center Key Book Shop Michigan Radio Shop And Save The Eight Bit Corner MI Software Dist., Inc. Software City C/C Computer Systems Hi-Fi Audio Co. Perry Computers Perry Oil & Gas Computer Shack New Horizons Software City Clinton Electronics

Southfield Sterling Heights Wyoming	Software City Sterling Book Center Gerry's Book Co.	Lima	Brunner News Agency Edu-Caterers	AUSTRALIA: SYDNEY Kingsford	Paris Radio Electronics
MINNESOTA Minneapolis	Read-More News	Mayfield Heights	Programs Unlimited Software City Wilke News Mount Orab Radio Shack Programs Unlimited Leo's Book & Wine Shop Reitz Electronics Home Computer Store	CANADA: ALBERTA Athabasca Banff Barhead Blairmore Brooks Calgary	McLeans Ltd. Banff Radio Shack Barhead Sound 1982 Ltd. L & K Sports & Music Double "D" A.S.C. Radio Shack Billy's News Imperial Computer Ltd. Radio Shack Associated Stores Radio Shack Associated Stores Coaldale Sight & Sound Langard Electronics CMD Micro Kelly Software Distributors Radio Shack D.N.R. Furniture & TV Fox City Color & Sound Fort Pharmacy Radio Shack The Stereo Hut The Book Nook Northern Computer Service Technics TV Ltd. L & S Stereo Tall Pine TV Radio Shack Associated Stores Lloyd Radio Shack H & S Music Centre Radio Shack Associated Stores Thornton & Son's Gale Distributing Computer World Roy's TV Tele-Logic Sundre Sound Pynewood Sight & Sound Don's Radio Shop Photocraft Vermilion Ltd. Radio Shack
MISSISSIPPI Grenada Gulfport	Stereo Store of Grenada, Inc. Computerland	Miamisburg Mount Orab Rocky River Toledo	Shortgrass Electronics Merit Micro Software	Edson Fairview Fox Creek Ft. Macleod	
MISSOURI Kansas City St. Louis	Midwest CoCo Systems Book Emporium Computer Xchange Software Centre Final Edition	Westerville	B. Color Computer and Software Lee's TV & Radio Clinic 80-Plus	Grande Cache Grande Centre Grande Prairie Hanna Innisfail Lacombe Leduc Lloydminster Peace River	
University City	Hobby Town Computers & Components	OKLAHOMA Hobart Oklahoma City	Software City Newborn Enterprises Larry's Stereo Shop Weiss Computers The Program Store	Pincher Creek Redcliff Red Deer Rimbey St. Paul Sundre Taber Valleyview Vermilion Wetaskiwin	
NEBRASKA Lincoln Omaha	Hurley Electronics Software City	OREGON Aloha Hermiston Portland	Software City Personal Software City Software Center Newsy Stevens Radio Shack All-Pro Souvenirs Pitt Computer & Software Video Programming, Inc. The Donna Comm. Co. Shade Tree The Computer Center of York	BRITISH COLUMBIA Burnaby Campbell River Chilliwack Courtenay	Compulit TRS Electronics Charles Parker Bell Radio & TV Valley Computers Ken Dawson Merrill Radio Shack Microwest Distributors Shuswap Electronics Sidney Electronics Datafact International Software Techworld Norcom Software
NEVADA Las Vegas		PENNSYLVANIA Allison Park Alltoona Brookville Coudersport Greensburg Huntingdon Valley Malvern Philadelphia	Kelly's Variety Software Connection	Ft. St. John Merrill N. Vancouver Sicamous Sidney Victoria	
NEW HAMPSHIRE Peterborough Portsmouth West Lebanon	Radio Shack Portsmouth Computers Verham News Corp.	Phoenixville Pittsburgh Pleasant Hills Pottstown Tunkhannock Williamsport York	Data Byte Computer Center Software Haus, Inc. Palmetto News Co. Megatron Corporation Software City Fleming's Electronics	Williams Lake	
NEW JERSEY Bergenfield Cedar Knolls Cherry Hill Clinton Flemington Lawrenceville Linwood Marmora Montvale Morristown Pennsville River Edge Rockaway Summit Teaneck Wayne	Software City Village Computer & Software Software City Micro World II Software City Micro Con Software Center Software City Outpost Radio Shack Software City Software City Dave's Elect. Radio Shack Software City Software Station Software City Software City Wayne Software	RHODE ISLAND Newport Warwick	Anderson News Co. Highland Electronics Anderson News Co. First Byte Computer Co. Computer Center Software, Inc. Stewart Software Campus Computer Corp. Mosko's Book Store Delker Electronics	MANITOBA The Pas Winnipeg	Jodi's Sight & Sound J & J Electronics Ltd.
NEW MEXICO Albuquerque	East West Enterprises Page One Newsstand Sail of the Earth Sound Center — Radio Shack	SOUTH CAROLINA Beaufort Charleston Hts. Greenville Hilton Head Spartanburg Union	Capitol Microcomputers Crouchet Electronics The Homing Pigeon RF Electronics Software Terminal MicroSolutions Software Access Northway Books & News Software Solutions	NEW BRUNSWICK Moncton	Canadian Colour Connection
Los Alamos	Lift Bridge Book Shop, Inc. The Data Phil Co. Southern Tier News Co., Inc. Software City G.A. West & Co. Unicom Electronics Software City Barnes & Noble—Sales Annex Coliseum Books Eastern Newsstand Grand Central Station, Track 37 200 Park Ave., (Pan Am #1) 55 Water Street World Trade Center #2 First Stop News Idle Hours Bookstore International Smoke Shop Jonli Smoke Penn Book State News Usercom Systems, Inc. Walden Books World Wide Media Services Software City Adirondack Computer Supplies Village Green World Wide News Spectrum Projects	TENNESSEE Chattanooga Dickson Knoxville	Deseret Book Computer City	NEWFOUNDLAND Labrador City	Sound & Vision
NEW YORK Brookport East Syracuse Elmira Heights Fairport Hudson Falls Johnson City Mt. Kisco New York	Grand Central Station, Track 37 200 Park Ave., (Pan Am #1) 55 Water Street World Trade Center #2 First Stop News Idle Hours Bookstore International Smoke Shop Jonli Smoke Penn Book State News Usercom Systems, Inc. Walden Books World Wide Media Services Software City Adirondack Computer Supplies Village Green World Wide News Spectrum Projects	Memphis	Electronics Marketing I-O Computers Software City	NOVA SCOTIA Dartmouth Halifax	Sector Software Atlantic News
N. White Plains Plattsburg Rochester	King Electronics Radio Shack Newsstand Int'l Papers & Paperback Computer Concerns C ² Books & Comics Radio Shack Boomers Rhythm Center Alpine Electronic Systems D.J.'s Book and News Softmart K & S News Stand	TEXAS Austin Conroe Elgin Ft. Worth	Emerald Computer Services Data Borne Adams News Co., Inc. Nybbles 'N Bytes	ONTARIO Angus Atikokam Bowmanville Cochrane Etobicoke Hamilton Hanover Kingston Ottawa South River Strathroy	Micro Computer Service Gill's Furniture Bowmanville Audio Vision LTD Frederickhouse Sound NEPCOM Galls Book World CMUG T.M. Computers National News Co., Ltd. Max TV Downtown Sound
Woodhaven	Computer Associates	UTAH Murray Ogden	Pioneer Technology Stan's Electronics & Radio Shack Valley News Service	QUEBEC LaSalle Sherbrooke	Messageries de Presse Benjamin Enr. Soc. De Loc
NORTH CAROLINA Aberdeen	Little Professor Book Center Cinsoft Utopia Software Wilke News News-Readers The News Shop T.W. Hogan & Associates Lakewood International News	VIRGINIA Gaffon Norfolk Richmond	Badger Periodicals Cudahy News & Hobby Book World Electronics, Etc. Abacus Micro Book Tree Booked Solid Booked Solid II Harvey Schwartz Bookshop Univ. of Wisconsin Bookshop	SASKATCHEWAN Assiniboia Nipilwan Regina	Teistar News Cornerstone Sound George Glass Regina CoCo Club Software Supermarket ComputerTime Paul's Service
Charlotte		WASHINGTON Bellevue Marysville Mount Lake Terrace Renton Seattle Tacoma	The Computer Store	YUKON Whitehorse	Big Byte Computer Services H & O Holdings
Havlock Hickory Laurinburg Marion Newland Raleigh		WEST VIRGINIA Lesage Logan Parkersburg		PUERTO RICO San Juan	Software City
Winston-Salem		WISCONSIN Appleton Cudahy Janesville Ladysmith Milwaukee			
NORTH DAKOTA Fargo		WYOMING Casper			
OHIO Canton Cincinnati Coshocton Dayton Fairborn Kent Kenton Lakewood					

Also available at all Waldenbooks, Coles and selected B. Dalton Bookseller stores in the United States and Canada.


ADVERTISER'S INDEX

We encourage you to patronize our advertisers — all of whom support the TRS-80 Color and TDP System-100 computers. We will appreciate your mentioning **THE RAINBOW** when you contact these firms.

Abacus	204
Alban Scientific	277
Ankia Research	16
Ark Royal Games	197
Aurora Software	212
B & B Software	196
B5 Software	105
Basic Technology	192
Betasoft Systems	8
Big 3, The	21
Bluegrass Software	168, 229
Botek Instruments	95
Butterfly Software	166
Calc-Soft	110
Cer-Comp	237
Challenger Software	198
Cinsoft	117
Classical Computing	206
CNR Engineering	208
CoCo Warehouse	119
Cognitec	13
Color Connection Software	84
Color Micro Journal	207
Color Software Unlimited, Inc.	9
Color Software Services	225
Colorware	266, 267
Compugenes	209
Compugram	222
Computer Associates	223
Computer Island	234, 235
Computer Mom, The	149
Computer Plus	3
Computer Systems Center	245
Computerware	46, 47
Computize, Inc.	174, 289
Cosmos Computer Services Inc.	251
Custom Computer Products	160
Custom Software Engineering	199
Data'Phile, The	214
Data-Comp	158
Datafact Software LTD	196
Dataman International	113, 121, 201, 256
Dayton Associates of W. R. Hall, Inc.	184
Deft Systems	17
Delker Electronics	87
Derringer Software	81, 114, 115, 226
Derby City Software	224
Dorsett	52
Double Density Software	186, 187
Dragon User	283
Dragonfly Writing	216
DSL Computer Products	190
E.D.C. Industries	264
EAP Co.	222
Eclectic Systems Corporation	211
Elite Software	73, 74, 75
Endicott Software	109
Federal Hill Software	57
Four Star Software	130
GLMIX	290
Grafz	228
Grantham Software Division	154, 155
Great Plains Computer Co., Inc.	279

Green Mountain Micro	135
Hard Drive Specialists	181
Hawkes Research Services	200
HJL div. of Touchstone Technology, Inc.	193
Frank Hogg Laboratory	IBC
Howard Medical	34, 205
Incentive Software	219
Intracolor	215
Indiana Software Group, Inc.	227
J & M Systems	BC
JARB Software	131, 265
JBM Group Inc., The	118
D.P. Johnson	278
Joysticks/plus	70
Kelly Software Distributors	189
Key Color Software	276
KRT Software	284
Mark Data Products	37, 182, 183
Metric Industries	96, 250
MichTron	35
Micro Works, The	22
Microcom Software	31
Microtech Consultants Inc.	263
Microware Systems Corporation	260
Tom Mix Software	IFC, 11, 65, 66, 67
Moreton Bay	123, 125
Multi Venture	241, 244
NOVASOFT	29
Oelrich Publications	218
Other Guys Software, The	88
Owls Nest Software	14
Owl-Ware	243
Ozone Engineering	100
Parsons Software	78
PBJ, Inc.	53
PD Software	127
Perry Computers	101
Picosoft Games	217
Polygon Co.	230
Dr. Preble's Programs	132
Prickly-Pear Software	195
PXE Computing	15



R.G.S Micro Inc.	69, 71
Radio Shack	82, 83
Rainbow Bookshelf	257
Rainbow Gift Certificate	161
Rainbow On Tape	220
RAINBOWfest	50, 51
REM Industries	102
Robotic MicroSystems	167
Sadare Software	99
Saguaro Software	106, 107
Sancher Enterprize	229
Selected Software	39
Soft Shop, The	231
Softlaw Corp.	25, 26, 27
Softmart	216
Software Connection	218
Software House, The	230
Software Plus	177
Software Support, Inc.	162, 163
Solid Software	111
Southwestern Digital	181
Spectral Associates	77
Spectrum Projects Inc.	137, 138, 139, 141, 142, 143, 145
Speech Systems	169, 170, 171, 172, 173
Sugar Software	62, 63, 157
T & D Software	238
Tandar Software	134
TCE Programs, Inc.	72, 126, 210, 246
Titan Software	285
TMP Software	10
Tri-Tech Electronics	203
Triad Pictures	221
Trillium	194
True Data Products	247, 249
Valley Micro	239
Vidtron	41
Wasatchware	268
Woodstown Electronics	44
Workbase Data Systems	202
YGS	70
York 10	81
Zoso Software	244



Call:
Cindy Shackleford
Director, West Coast Office
12110 Meridian South — Suite 8
P.O. Box 73-578
Puyallup, WA 98373-0578
(206) 848-7766

Call:
Jack Garland
Garland Associates, Inc.
10 Industrial Park Drive
Hingham, MA 02043
(617) 749-5828

Call:
Kate Tucci
Advertising Representative
9529 U.S. Highway 42
P.O. Box 385
Prospect, KY 40059
(502) 228-4492



GRAPHICOM

\$24.95

Simply stated - The finest graphics program written for the Color Computer!

- U-S-E-R F-R-I-E-N-D-L-Y !
- 4 Display modes (Including Hi-Res red/blue artifact)
- Animate mode
- Color Palette with over 15 color patterns for use with Hi-Res artifact
- Send/Receive pictures over standard modem at 300, 600, or 1200 baud
- Supplied utility allows capturing Hi-Res screens from most COCO arcade games (even protected ones)
- Multiple Hi-Res character fonts (user re-definable)
- Supplied utility for transferring Graphicom screens to Basic or other M/L programs
- Supplied utility for loading screens from Basic or other sources
- Built in Hi-Res SCREEN PRINT (compatible with EPSON, C-ITOH, GEMINI-10, OKI, plus Radio Shack's LP-VII, LP-VIII, DMP-100, DMP-200, and GCP-115 printers) from 110 to 9600 baud
- Slow-scan television SEND/RECEIVE options
- Many additional features, operating hints, hardware mod's and suggestions, etc

* EASY TO LEARN GRAPHIC MENU *

REQUIRES 64K COCO, 1 DRIVE SYSTEM, AND 2 ANALOG JOYSTICKS

G.C.U. GRAPHICOM UTILITY

\$19.95

- MULTI DRIVE - Copy pictures from one disk to another.
- KILL - Blank out individual pictures on a pix disk.
- TRANSFER - Copy pictures between Graphicom and binary formats
- DISPLAY - View individual pictures.

GRAPHICOM PART II

introductory price

\$24.95

Graphicom Part II is a video processing package that provides many functions that are missing in Graphicom. Here are just a few of the features provided by Graphicom Part II:

ENLARGE/REDUCE/ROTATE

Enlarge or reduce any portion of a screen by any amount, just like a photographic enlarger! Independent of the enlargement or reduction, rotate by any degree or fraction of a degree about any point on the screen.

PAINT (REPLACING SPECIAL EFFECT FUNCTIONS)

No more clumsy "stamping" to get your colors! Paint or "fill" any irregular area on the screen! More than 50 different colored patterns available. Unlike Extended Basic's PAINT command, painting will stop at any boundary. Undo or "Oops" function allows experimenting, and prevents time consuming mistakes. Additional paint patterns may be user-defined.

PAN & ZOOM

"Zoom in" x2, x4, or x8 on any portion of the screen to do fine pixel work. Allows editing of Graphicom character sets with ease!

TYPESETTER & FONT EDITOR

Add text in 16 different sizes with several display modes to choose from including COLORED FOREGROUND & BACKGROUND text! Edit 8x8 characters for use in the typesetter. Over 30 character sets supplied on disk. "GRAB" function allows transfer of some Graphicom character sets to Graphicom Part II format.

PIXEL BLASTER

Allows the user to easily substitute or remove colors. Widen lines, swap BLUE & RED without effecting BLACK & WHITE, etc.

GRAPHICOM PART II DOES NOT REQUIRE GRAPHICOM TO RUN!

Graphicom Part II requires a 64K extended disk basic system, it will load and save both standard BIN files and Graphicom screens, and supports 1 to 4 disk drives with keyboard or joystick (analog or switch type). All functions support color or Hi-Res operation, as well as 4 screen display modes.

GRAPHICOM/VIDEO DIGITIZER \$199.95

Input directly into Graphicom for easy enhancements, manipulation, stamping, and storage. Catalog all your favorite "video photos" of your friends, family, movie & TV characters on diskette.

Accepts composite video signal in (1.0v p-p) from video camera, VCR, video disc player, another computer, or other compatible video sources.

View "off air" or "VCR" digitized video at close to real-time. "Snapshot" video frames to the digitizer's internal memory. No slow, "blurry" serial manipulation... just hit your joystick's fire button! It's that simple.

Use with your multi-pak or a "Y" cable ("Y" cable available at \$19.95)



Video is input via a "BNC" connector. External controls for HORIZONTAL POSITION, VERTICAL POSITION, HORIZONTAL WIDTH, BRIGHTNESS, and CONTRAST (FUZZ) settings. Don't be fooled by imitations... this is the GRAPHICOM VIDEO DIGITIZER... the only digitizer that "DIRECTLY" inputs into Graphicom (The original design by Cheshire Cat, the folks that brought Graphicom to the COCO world).

REQUIRES 64K COCO, 1 DISK DRIVE, AND 2 ANALOG JOYSTICKS. FREE GRAPHICOM PROGRAM, PICTURE DISK, AND GRAPHICOM UTILITY SUPPLIED WITH PURCHASE OF VIDEO DIGITIZER (A \$50 VALUE).

PICTURE DISKS \$9.95

Available from COMPUTIZE

- 4C - Artifact color palette
- 5C - Large character sets drawn with master design (from Derringer Software)
- 6C - Same as 5C but set up as stamp set
- 7 - Miscellaneous Art Set #1
- 8 - Miscellaneous Art Set #2
- 9 - Miscellaneous Ads and Examples
- 10 - Miscellaneous Fonts
- 11C - Artifact color palette type fonts
- 12C - Art demo from WHITESMITH
- 13C - GRAPHICOM PART II function demo




(215) 946-7260 P.O. BOX 207 • LANGHORNE, PA 19047



Check or M.O. • Add \$3.00 shipping • PA residents add 6% sales tax




GIMIX STATE OF THE ART 6809 SYSTEMS FOR THE SERIOUS USER.




**GIMIX has 19MB or high performance
47MB Winchester Drive Systems and/or
Floppy Disk Drive Systems.**

For the ultimate in performance, the Unique GMX 6809 CPU III, using either OS-9-GMX III or UniFLEX GMX III (available shortly), gives protection to the system and other users from crashes caused by defective user programs, e.g. During program development, a programmer who crashes goes back to the shell or the debugger, while the other users are not even aware anything occurred.

The intelligent serial I/O processor boards significantly reduce system overhead by handling routine I/O functions, thereby freeing up the host CPU for running user programs. This speeds up system performance and allows multiple terminals to be used at 19.2K baud.



BASIC-09 and OS-9 are trademarks of Microware Systems Corp. and MOTOROLA, Inc.
FLEX and UniFLEX are trademarks of Technical Systems Consultants, Inc.
GIMIX, GHOST, GMX, CLASSY CHASSIS, are trademarks of GIMIX, Inc.



For the user who appreciates the need for a bus structured system using STATIC RAM and powered by a ferro resonant constant voltage transformer.

GIMIX has single user systems that can run both FLEX and OS-9 or Multi user systems for use with UniFLEX or OS-9.

GIMIX versions of OS9 and UniFLEX include maintenance and support by Microware (90 days) and TSC (1 year). Maintenance and support after this period are available at extra cost.

(NOTE: this support and maintenance is only for use with approved GIMIX hardware)

GIMIX 6809 systems support five predominant operating systems:

**OS-9 GMX III,
OS-9 GMX II,
UniFLEX,
OS-9 GMX I,
FLEX**

and a wide variety of languages and development software.

Whatever your application: software development, instrumentation, process control, educational, scientific or business; whether you need single or multi-user capabilities, GIMIX has hardware and the operating systems to get the job done reliably

Please phone or write if you need further information.



GIMIX Inc.

100 WEST 35th STREET • CHICAGO, ILLINOIS 60609 • (312) 827-5510 • TWX 910-221-4055

© 1983 GIMIX Inc.

CHRISTMAS SHOPPING LIST

F=Flex O=OS-9 R=Radio Shack

NEW NOMAD The Personal Robot for CoCo complete with software. 250.00

WORD PROCESSING

DynaStar OR DynaForm 49.95 FO
DynaStar AND DynaForm 99.90 FO
DynaSpell, the best spelling checker 59.95 FO
DynaSpell w/Lookup for RS OS-9 94.90 O
NEW Dyna-Pak (DS/DF and Word-Pak) 199.95 FO
Stylograph 99.95 FO
Stylo-Pak (Stylo and Word-Pak) 199.95 FO
TSC Text Processor for Flex 75.00 F

LANGUAGES

TSC X-BASIC for Flex 100.00 F
TSC Pascal for Flex 200.00 F
Basic09 for RS OS-9 99.95 O
C-Compiler for RS OS-9 99.95 O
Crunch Cobol for Flex 100.00 F
Windrush PL/9 198.00 F
A/BASIC compiler 75.00 FO
Dyna-C compiler 59.95 FO
eFORTH (The best FORTH) 79.95 FR
DynaSoft Pascal (P code compiler) 59.95 FO
Introl C full compiler 425.00 F

SPREADSHEET and DATABASE

Dynacalc for CC Flex 200.00 F
NEW Dynacalc for RS Dos 99.95 R
RMS Database for CC Flex 200.00 F
RMS for Radio Shack OS-9 250.00 O
InfoMag Database 99.95 F

SYSTEM SOFTWARE

SPEC Color Computer Flex 49.95 F
SPEC ED/ASM for Flex 49.95 F
SPEC Flex with ED/ASM 69.95 F
DBASIC with CC Flex 30.00 F
Radio Shack OS-9 69.95 O
O-Pak Hi-Res and copy for RS OS-9 34.95 O
SDisk for RS OS-9 29.95 O
SDisk w/BootFix for RS OS-9 35.95 O

UTILITIES and PROGRAMMING TOOLS

NEW CModem Terminal program 50.00 FO
NEW Color Connection II 49.95 FO
NEW Color Connection II for RS DOS 39.95 R
Color Utilities for CC Flex 50.00 F
Disk Utility Program 50.00 F
Super Sleuth disassembler 50.00 FO
Super Sleuth for RS DOS 49.00 R
Dynamite + for Flex 100.00 F
Dynamite + for RS OS-9 59.95 O
Toolkit #1 (for XBasic) 49.95 F
TS Edit for Flex (same as RS OS9) 34.95 F
Utilix for RS OS-9 49.95 O
NEW UniCharger for RS OS-9 150.00 O
NEW Texttools for RS OS-9 29.95 O
File Handler's Toolbox RS OS-9 85.00 O
Filter Kit #1 for RS OS-9 29.95 O
NEW Filter Kit #2 for RS OS-9 29.95 O
Hacker's Kit #1 for RS OS-9 24.95 O

UTILITIES and PROGRAMMING TOOLS cont.

TSC Debug for Flex 75.00 F
TSC Diagnostics for Flex 75.00 F
TSC Extended Precompiler for Flex 50.00 F
TSC Flex Utilities for Flex 75.00 F
TSC Sort Merge for Flex 75.00 F
TSC 68000 Cross Assembler Flex 250.00 F
Windrush MACE editor/assembler 98.00 F
Esther (AI for Flex) 39.95 F
6502 Translator for Flex 75.00 F
6502 Translator for RS OS-9* 85.00 O
MACROS for Flex 50.00 F
MACROS for RS OS-9 55.00 O
MACROS / ALL for Flex 100.00 F
MACROS / ALL for RS OS-9 110.00 O
PIC/PID for Flex 50.00 F
PIC/PID for RS OS-9 75.00 O
6805 Debugging Simulator / Flex 75.00 F
6805 Debugging Simulator/RS OS-9 100.00 O
6502 Debugging Simulator / Flex 75.00 F
6502 Debugging Simulator/RS OS-9 100.00 O

HARDWARE

Video + for CoCo 24.95
Video + II M for CoCo 26.95
Video + II C for CoCo 39.95
NEW PBJ Word-Pak (NEW low price) 119.95
PBJ Word-Pak II (80X24 and smooth) 149.95
P-C Pak w/Printer Port & Clock 132.70
Y-Cable for WordPac 29.95
NEW OS-9 Driver for Word-Pak 19.95 O
Flex Driver for Word-Pak 19.95 F
OS-9 Driver for PC Pac 24.95 O
8-64K Dynamic RAM Chips 45.00
* Drive 0, 1/2 Height SSDD 40T 353.00
* Drive 0, 1/2 Height DSDD 40T 374.00
* Drive 0, 1/2 Height DSDD 80T 391.00
* Drive 1, SSDD 40T 1/2 Hgt. Drive 223.00
* Drive 1, DSDD 40T 1/2 Hgt. Drive 244.00
* Drive 1, DSDD 80T 1/2 Hgt. Drive 261.00
Bare SSDD 40T 1/2 Height Drive 160.00
Bare DSDD 40T 1/2 Height Drive 195.00
Bare DSDD 80T 1/2 Height Drive 250.00
* 1/2 Height Dual 5 1/4" CASE W/PS 79.95
J & M Disk Controller 139.95
NEW DSS Disk Controller JDos or RS DOS 139.95
HJL Keyboard for CoCo 79.95

case holds TWO 1/2 height drives

Books and other stuff

Starter Kit for Compuserve 39.95
Basic09 Tour Guide Book 18.95 O
NEW Relocating Macro Assembler Manual 25.00 O
Starting Forth 18.95

VISA, M/C, AMEX, Diners accepted
Call for Christmas delivery

FHI FRANK HOGG LABORATORY
THE REGENCY TOWER • SUITE 215 • 770 JAMES ST. • SYRACUSE, NY 13203
PHONE (315) 474-7856 • TELEX 646740



Heat Up Your COCO

With J&M'S Hot Disk Controller

DRIVE 0 SYSTEM \$289

Upgrade your COCO by adding J&M's famous disk controller, our advanced JDOS operating system, and a top quality drive all for only \$289.

Drive 0 System with one single side drive . . . \$289
 Drive 0,1 System with two single side drives . . . \$429
 Drive 0,1 System with two double side drives . . . \$499

JFD-COCO DISK CONTROLLER \$139

The J&M Systems' JFD-COCO Disk Controller has set new standards in performance and quality. Gold contacts assure reliability, built-in digital phase lock loop data separator means NO adjustments, and the JFD-COCO is plug compatible with both the original COCO and the new COCO-2.

JDOS

JDOS implements all RS DOS basic commands, plus many more, including auto line numbering, up and down arrow keys for scrolling, DOS to boot OS/9*, FLEX*, and error trapping. JDOS supports RS compatible disk formats, plus handles 40 track single side and double side drives.

DISK DRIVES

A drive is just a drive without a case. We manufacture our own high quality cases and TransPower power supplies. Gold contacts are brought out at the back for easy connection.

MEMORY MINDER*

Memory Minder is a disk drive test program that makes the following major checks of your drives without disassembly or special test equipment: head alignment, disk speed, index hole timing, azimuth, hysteresis, read sensitivity, and clamping. Memory Minder can be used to actually align the drives while viewing the graphics on the screen. This program is a must for anyone who values the data that is saved on diskettes.

MM-COCO-1 Memory Minder for single side drives \$79
 MM-COCO-2 Memory Minder for double side drives \$99

*FLEX is a registered trademark of Technical Systems Consultants, Inc.

*OS/9 is a registered trademark of Microware, Inc.

*Memory Minder is a registered trademark of J&M Systems, Inc.

To order, call (505) 292-4182, or send payment with order to:



15100 CENTRAL SE
 ALBUQUERQUE, NEW MEXICO 87123
 505/292-4182

We accept MasterCard and Visa